ACCOUNT OF THE OPERATIONS OF

THE GREAT TRIGONOMETRICAL SURVEY OF INDIA

VOLUME XV

ELECTRO-TELEGRAPHIC LONGITUDE OPERATIONS

EXECUTED DURING THE YEARS 1885 86, 1887 88, 1889 90 AND 1891 92

AND

THE REVISED RESULTS OF ARCS CONTAINED IN VOLUMES IX AND X

ALSO

THE SIMULTANEOUS REDUCTION AND THE FINAL RESULTS

OF THE WHOLE OF THE OPERATIONS.

PREPARED UNDER THE DIRECTION OF
COLONEL G STRAHAN, R E, DEPUTY SURVEYOR GENERAL, TRIGONOMETRICAL BRANCH

PUBLISHED UNDER THE ORDERS OF
COLONEL H R THUILLIER, R E, SURVEYOR GENERAL OF INDIA

*

CONTENTS

PART I —(*Continued*)

CONTENTS

PART I —*(Continued)*

Chapter VI   Detailed Account of the Operations of each Season

PART II

ABSTRACT OF THE OBSERVATIONS AND REDUCTION OF THE RESULTS   SEASON 1885 86

PART II —(*Continued*)

PART II —(*Continued*)

ABSTRACT OF THE OBSERVATIONS AND REDUCTION OF THE RESULTS SEASON 1891 92

PART III

HISTORICAL SKETCH OF THE EARLIER MEASUREMENTS OF INDIAN ARCS OF LONGITUDE SHOWING REASONS FOR RECOMPUTING THE SAME, ALSO EXPLANATION OF THE CAUSES OF CIRCUIT ERRORS AND DESCRIPTION IN DETAIL OF THE EXPERIMENTS BY WHICH THEY WERE DISCOVERED, WITH REVISED RESULTS OF ARCS IN VOLUMES IX AND X.

CONTENTS

PART III.—(*Continued*)

PART IV

SIMULTANEOUS REDUCTION AND FINAL RESULTS OF THE WHOLE OF THE OPERATIONS
ALSO A SHORT DISCUSSION ON LOCAL ATTRACTION

CONTENTS

APPENDICES —(*Continued*)

LIST OF CHARTS AND PLATES

PREFACE

～～～～～～

The present Volume of the *Account of the Operations of the Great Trigonometrical Survey of India,* brings to a close the description of the Electro Telegraphic Operations for the determination of Differential Longitudes undertaken by this Survey

The account of previous work in this direction will be found in Volumes IX and X of the same series the present volume is chiefly a continuation of these but it is also in part a revision in consequence of some improvements in the methods of computing instrumental corrections, which the reader will find detailed in Part III

The volume is divided into four parts Part I contains six chapters descriptive of the instrumental equipment and electrical apparatus, the method of observing transits, the arrangement of the observatories, the details of the measurement of personal equation an explanation of the computations as arranged in tabular form, and many other similar matters, by a study of which it is hoped that the reader may be placed in a position to follow for himself the observations contained in the book These introductory chapters are to a great extent the same as those of Volumes IX and X only such changes and corrections having been made in them as were required to bring them up to the standard of the most recent practice

Part II contains in tabular form the computations of the arcs measured during the seasons 1885 86, 1887 88, 1889 90 and 1891 92 they are as follows —

In Season 1885-86	*In Season 1887 88*	*In Season 1889 90*	*In Season 1891 92*
Agra–Mooltan	Madras–Bangalore	Agra–Mooltan (revision)	Calcutta–Waltair
Deesa–Mooltan	Bangalore–Nagarkoil	Agra–Kurrachee	Waltair–Jubbulpore
Agra–Amritsar	Madras–Nagarkoil	Agra–Kalianpur	Waltair–Madras
Amritsar–Mooltan	Nagarkoil–Mangalore	Kalianpur–Bombay	Waltair–Bolarum
Mooltan–Kurrachee	Madras–Mangalore	Jubbulpore–Kalianpur	Bolarum–Bombay (revision)
Peshawar–Mooltan	Bellary–Mangalore	Mooltan–Quetta	Fyzabad–Dehra Dun
Amritsar–Peshawar	Mangalore–Bombay	Kurrachee–Quetta	
Dehra Dun–Amritsar			
Dehra Dun–Agra.			
Experimental arc at Dehra Dun			

The last of the arcs of season 1885 86, in which both transit instruments were placed on the same meridian, and closely contiguous to each other, was undertaken with the view of investigating the causes of certain instrumental errors which are discussed in Part III

Part III contains two chapters explanatory of the reasons which led to certain improvements in the methods of computing instrumental corrections, and describes some experiments which were made on the collimation of the two transit instruments employed These experiments have brought out the interesting fact that the circuit errors which had previously led to much discussion, as well as to some dissatisfaction, were in all probability due to imperfections in the object glasses of the collimators However, a method of calculating the collimation constant so as to eliminate the effect of this imperfection has been adopted, and no uneasiness as to its vitiating the results need be entertained This

part also contains the arcs given in Volumes IX and X recomputed on this method, but only in an abridged form, as it was con sidered superfluous to reprint all the details of each star observed. The reprint contains therefore only the re determination of the collimation and level constants, and the results of each arc in the several pivot positions, with its concluded value.

In Part IV will be found the details of the simultaneous reduction of all the circuits formed by the arcs of longi tude measured in India. the process of reduction is explained in Chapter I. The work is for the most part exhibited in tabular form, and the chapter concludes with a table giving in a synoptical form a list of the finally adopted astronomical values of all the Indian arcs, and a comparison with their geodetic values. The two arcs Bombay–Aden and Aden–Suez, though not forming part of any triangular circuit nor entering into the final reduction are of importance as forming two of the connecting links between Greenwich and Kaliánpur and they have consequently been recomputed on the same system. The comparison of the geodetic and astronomical values of the arcs as exhibited in this last table is very in teresting but this is not the place to enter into any elaborate discussion on the evidence thus given of the necessity of corrections to the accepted elements of the terrestrial spheroid. Chapter II of this Part contains a few remarks and rough calculations on the general tendency of the evidence.

As the simultaneous reduction is not a work of any great labour, it was intended originally to embrace the whole of Burma and as much as possible of Baluchistan and even Persia in the scheme. Unlike the simultaneous reduction of the whole principal triangulation of India, which would have been too vast a work to cope with, and which was consequently divided into five main figures to render it at all manageable, there is no difficulty in combining all the arcs hitherto measured, and many more if necessary into one operation. It has been however considered advisable that for a time such purely scientific investigations as those described in this volume should give way to more directly remunerative work and as it seemed uncertain how long they might remain in abeyance it was decided to complete at once the reduction of all such data as were available, rather than postpone it indefinitely until the original scheme had been fully worked out. Although the introduction of every additional arc would theoretically have some effect on the final corrections of those included in the present reduction such effect would be insignificant and would scarcely justify any further delay in the computation and publication of the final results.

At the end of the Volume are Appendices containing the calculations necessary for deducing the geodetic positions of the stations in Part II at which the observations have been made by means of triangulation laid out for that purpose also a short discussion on armature time, and the velocity of transmission of electric signals along a telegraph wire. As one of the chief objects of these measurements of differential longitudes is a rectification of the elements of the terrestrial spheroid by a comparison of the values of the several arcs as determined (1) geodetically, and (2) astronomically it follows that the geodetic positions of the terminal stations of the arcs must be above suspicion. A perfectly reliable triangulation connecting these stations with the principal system has been in all cases easily effected and its errors may for all purposes of the longitude operations, be considered rejectaneous

The origin of longitudes for the Indian Survey is the Kaliánpur* Hill Station, the value for this being taken at 77° 41′ 44″ 75. This has long been known to be considerably in error but for reasons which need not here be entered into it has not been deemed advisable to make any change therein as yet. It was originally obtained by trian gulation from the Madras Observatory, the longitude of the latter place being assumed to be 80° 17′ 21″

Now that telegraphic communication between Greenwich and Kaliánpur is completed, the most direct way of obtaining the longitude of the latter independently of triangulation is as follows —

		°	′	″	
Longitude of Mokattam		31	16	33	60†
Increase for Suez		1	16	43	95†
,,	Aden	12	25	42	20
,	Bombay	27	50	0	33
,	Kaliánpur	4	50	21	75
Longitude of Kaliánpur		77	39	21	83

---

* This is not the Kaliánpur Observatory which stands 40 feet further to the west
† These values were supplied by the late Sir G Airy from observations taken in connection with the transit of Venus in 1874.

The value thus obtained is, up to the present time, the most direct and trustworthy, and is not likely to be much improved. It differs, however, considerably from the value adopted in the Indian graticule as given above, partly because the triangulation connecting Madras and Kalianpur was not of very high excellence, but chiefly because the longitude of the Madras Observatory had been determined without the aid of the telegraph, and depended solely on observations of the eclipses of Jupiter's satellites and moon culminating stars—methods which are admittedly far inferior in precision to that afforded by the electric telegraph The longitude of the Madras Observatory has been mixed up with the subject of Indian longitudes in a way which is likely to produce false ideas on this point and it should be borne in mind that it has no more to do with the longitude of Kalianpur the true origin of Indian geodesy, than any other station in India, it was introduced originally by Colonel Everest as being the only place in this country where observations of absolute longitude with regard to Greenwich had been made It would be better that it should be entirely left out of any discussion on this question in future Its longitude, if at any time required, may be deduced as follows —

	°	′	″
Longitude of Bombay as above	72	49	0 08
Increase for Bolarum	5	42	12 02
,, Madras	1	43	39 23
Longitude of Madras Observatory*	80	14	51 33

All the longitudes above given are observed differences of time (reduced to arc) as deduced by means of the telegraph, they are *quite independent of the elements of the terrestrial spheroid,* but are not cleared from the effects of any local attraction existing at any of the stations of observation

In previous volumes the correction to the original value of longitude of Kalianpur has been assumed as − 2 30″ the investigations of the present volume show it to be − 2 22 92 but it would even now be somewhat premature to say definitely that this correction may be taken as final For further information on this subject the reader is referred to Chapters X and XI of Volume II

The whole network of longitude arcs measured and reduced in India, up to the time of publication of this volume, embraces 55 arcs varying in length from 148 miles to 695 miles † connecting 25 stations the differences of longitude ranging between 1 second and 44 minutes The difference of longitude between the most eastern station Moulmein and the most western Quetta is 2ʰ 2ᵐ 27 61 corresponding to a distance of about 2055 miles and the difference of latitude between Peshawar the most northern and Nagarkoil the most southern station, is 25° 50′, which corresponds to a distance of about 1815 miles The distribution of the various stations is shown in Plate V at the end of the volume There are two other arcs of inferior importance not shown in the plate which do not form part of the main network viz Vizagapatam–Madras and Vizagapatam–Bellary the station at Vizagapatam having been superseded by one at the neighbouring Cantonment of Waltair

Operations for determining differences of longitude, undertaken in the United States and Europe and similar in scope and general principles to those described in this volume, appear to be liable to errors of about the same magnitude The accuracy now attained is such that though not quite equal to that of the latitude observations it is yet quite sufficient to afford valuable evidence as to the trustworthiness of the adopted data for the elements of the earth s figure, and the direction and amount of change that may hereafter have to be made in them

The average correction made to each of the arcs by the simultaneous reduction in Part IV is 0ˢ 017 (= 0″ 26) corresponding in Indian latitudes to a distance of about 25 feet The probable error of a determination of latitude is only 0″ 04 but it should be remembered in making this comparison that there is no check upon the latitudes, such as is furnished by the circuit equations in the case of the longitudes If the probable error of an arc of longitude be determined from the residuals only as is done in the case of latitude, it is reduced to about 15 feet, it is not claimed

* The exact point of the Madras Observatory referred to is the centre of the present Meridian Circle which is believed to be 18 feet east and 6 feet north of Colonel Lambton s origin *vide* note attached to page XIV—g of Volume XIII of the *A count of th Operations &c*
† These are the direct distances between the stations; the distances measured along the telegraph lines which in many cases are somewhat circuitous may be considerably greater The longest line of wire used is between Waltair and Jubbulpore a distance of 1176 miles, for which one intermediate translating relay was found indispensable

that the work is reliable within this narrow limit, but the fact is merely mentioned to show that the test applied to the former is, by reason of the circuit equations, in reality more severe than that applied to the latter   The reader will find a discussion on the probable errors and weights of the several arcs in Part IV

It may be advisable here to state, that the elements used throughout the computations of the Great Trigono metrical Survey of India are those commonly known as "Everest's Constants 1st set" and although more recent determinations of their values have been available of late years, it was obviously impossible, as well as undesirable, to revise and correct the whole of the enormous mass of computations, that have accumulated from time to time, in accordance with the more modern values of the elements, more especially as even now they cannot be considered as *finally* settled

If the reader will refer to Volume II, Chapter X, he will find much interesting information on this point   The data for a re determination of the earth s figure, since that chapter was written, have been vastly augmented   The principal triangulation and its final reduction are now complete and the same is true of all the arcs of longitude measured up to the date of the publication of this volume   There remain however still a good many blanks in the scheme drawn up for observation of latitudes, but these are being gradually filled up, and the progress is likely to be more rapid, now that the officers lately employed on longitude observations are available for the former work

The measurements recorded in Part II of this volume were made by Major (now Colonel) G Strahan ʀ ᴇ , Major (now Colonel) W J Heaviside, ʀ ᴇ , Captain S G Burrard ʀ ᴇ , and Lieut G P Lenox Conyngham, ʀ ᴇ   The various com putations have also been carried out by these officers   The descriptive chapters in Part I were written by Captain Burrard, on the basis of the first six Chapters in Volume IX, which were due to Lieut Colonel W M Campbell, ʀ ᴇ   For the des criptive chapter of Part III and the superintendence of the recomputation of the arcs contained therein and also for Part IV I am solely responsible   I am much indebted to Babu Cally Mohun Ghose, whose previous experience in work of this nature was of great value for assistance rendered in the simultaneous reduction and also to Mr Peychers who has passed the work through the press   The index chart at the beginning and the plates at the end of the volume were engraved in the Head Quarters Office of the Survey of India Department in Calcutta

I have much gratification in placing on record here my thanks for the ready co operation of the Telegraph De partment in this work   It was commenced in 1875 and has been carried on intermittently up to the present time and on no single occasion has there been any friction between the officers of the two departments   Ready and willing aid has always been rendered to the Survey Officers by the Director General of Telegraphs and the officers of his department, without which it would have been impossible ever to have secured this valuable collection of data for the furtherance of geodetic investigation

April, 1893

                           G STRAHAN, Colonel, R E ,

                               Deputy Surveyor General,

                               In charge Trigonometrical Surveys

ERRATA ᴇᴛ ADDENDA

~~~~~~~~~

PART I

PART II

ERRATA.

PART I

PAGE		for	read
7	col 16, line 12 from top .	*for* 6 42 61 22	*read* 6 42 16 22
83	, 3, ,, 3 bottom	,, + 2 4	+ 2 41
138 139	cols 3 and 8 at top	,, 1875	1876
151	col 16 line 9 from top	, 6 44 53 8	,, 6 44 55 8
154	cols 6 and 7 *transpose* entries in lines 17 and 18 from bottom		
172	col 6, line 10 from bottom	*for* 20 17 09	,, 21 17 09
,,	,, 6 ,, 9 ,	,, 20 30 32	,, 21 30 32
,	,, 11 10	22 48 89	,, 23 48 89
	,, 11 ,, 9 ,,	,, 23 2 4	,, 24 2 14
210	, 6 , 1 from top	, 10 48 15 67	,, 10 50 15 67
,,	,, 11, , 1 ,,	,, 10 53 58 27	,, 10 55 58 27
211	,, 6, , 11 ,,	,, 10 50 21 52	, 10 49 21 52
,	,, 11 , 11 ,	, 10 56 4 06	,, 10 55 4 06
,,	,, 6, , 13 ,	,, 53 18 69	52 18 69
,,	,, 11 ,, 13 ,,	,, 59 1 20	,, 58 1 20
,	,, 6 14 ,	, 53 40 33	,, 52 40 33
,,	,, 11 , 14 ,	,, 59 22 82	, 58 22 82
,,	, 6 , 15 ,,	55 16 41	54 16 41
,,	,, 11 15 ,,	,, 11 0 58 93	10 59 58 93
,,	,, 11 , 16 ,,	,, 3 2 00	11 3 2 00
212	6 9 ,	,, 11 0 20 96	, 11 2 20 96
,,	, 11 9 ,,	,, 6 3 44	,, 8 3 44
217	, 6 13 ,,	, 11 0 4 91	11 1 4 91
,,	, 11 ,, 13 ,	,, 7 47 49	,, 8 47 49
248	Arc Agra–Deesa, line 6 from bottom	,, ΔL_N + 23 20 380	,, ΔL_N = 23 20 380

PART II

		for	read
(79)	col 4 line 10 from bottom	*for* S	*read* N

ERRATA

~~~~~~~~~~

PART II

PAGE										
133	line 13 from bottom	col	11	*for*	23	11	56	*read*	33	11	56
147	, 11	,,	,, ,		36	24	63		36	34	63
277	3	,	, 6	,	42	43	86	,	42	44	86
,,	,,	,	8	,	42	69		,,	43	69	
295	, 11	,	, 11	,,	47	9	61		47	9	16
305	, 6	,,	,, ,	,	41	23	72	,,	42	23	72
408	footnote		*for* W Clock	*read* E Clock	and *for* E Clock	,,	W Clock				

ELECTRO-TELEGRAPHIC LONGITUDES

PART I

DESCRIPTION OF THE INSTRUMENTAL EQUIPMENT

AND OF

THE OPERATIONS GENERALLY

WITH

DETAILS OF THE SYSTEM OF OBSERVING

AND OF

REDUCING THE OBSERVATIONS

DURING

1885-86, 1887-88, 1889-90 AND 1891-92.

CHAPTER I

DESCRIPTION OF THE INSTRUMENTAL EQUIPMENT

1

Equipment

The Instrumental Equipment was the same with some trifling exceptions as that described in Volume IX of the *Account of the Operations of the Great Trigonometrical Survey of India*, but for the sake of convenience the description as there given is now repeated with the necessary alterations

2

The Transit Telescopes

The Transit Telescopes are by Messrs T Cooke and Sons, of York, sister instruments of nearly identical dimensions they are marked No 1, and No 2 One of these is shown in Plate I in position for the observation of the reflection of the wires in the mercury trough The focal length is slightly over 5 feet, and diameter of object glass the whole of which is effective is 5 inches There are two wire diaphragms, one of which carries a single vertical, and a pair of horizontal wires—about 1 apart—crossing the centre of the field, and the other a set of 25 vertical wires, arranged in groups of 5 each, for the observation of transits The latter diaphragm is worked by a micrometer screw, and the former may be called fixed, although there is provision for adjusting its position as required The twenty five vertical wires were conveniently named A, B, &c , to Y, the central one being M their mean distance apart is about $36''\cdot6 = 2\cdot44$ equatorial seconds, and the groups are separated by double intervals The micrometer head (which is hidden in Plate I by the lamp stand) is comprised of two plates, one graduated to show revolutions, and the other

to indicate divisions, of which there are one hundred in the revolution the two plates are connected by a set of toothed wheels   The value of a revolution was found to be almost identical in the two instru ments, *viz* , $1^R = 33$ 75   The micrometer head is protected by a cap, which, being screwed on after setting to a particular reading insures it against being accidentally moved, and there is a small window of talc through which the setting can be inspected lest it should have been disturbed in applying the cap, which is not an unlikely contingency   This setting is of great importance, as upon it the collimation of the telescope depends   A screw (which is also hidden in Plate I) is provided for moving the eye piece rapidly across the vertical wires during observations, so that the star may be kept close to the centre of the field   The set of eye pieces comprises direct eye pieces of various powers, with prisms for oblique use, and a Bohnenberger eye piece, *A*, Plate I, for use with the mercury trough   The latter eye piece has been invariably used for all work, including star transits, its shape being convenient for the observa tion, in a sitting posture, of stars close to the zenith

Two kinds of wire illumination are provided —1*st*, the ordinary dark wires in a bright field and 2*nd*, bright wires in a dark field, the arrangement being as follows —A lamp is placed opposite one end of the transit axis, which is perforated and fitted with a lens, whence that end is designated the "Illu minated Pivot ', a term constantly used to define the position of the instrument   When observing, a second lamp, though not required, is always placed opposite the other end of the axis to neutralise any effects of heating on the instrumental adjustment , see Plate I   In the centre of the axis there is a light plate, revolving on an axis at right angles to both telescopic (optical) and transit axes, (cut out in the centre so as not to interfere with rays from the object glass) and capable of being moved through an angle of 45°, by a rod passing along inside the tube of the telescope with a handle projecting close to the eye piece   In the centre of the opening in this plate and therefore at the intersection of the optical and transit axes of the telescope, a small silver reflector is placed at the end of a fine supporting arm When the plate is inclined at 45° to the transit axis, the light from the illuminating lamp is reflected directly on to the wires by this small reflector, and the result is a bright field with dark wires   When the plate is turned so that its plane coincides with the transit axis the light of the illuminating lamp is intercepted by a set of four mirrors which are attached to the plate, and reflected towards the eye piece, between the telescope tube and an inner tube provided for the purpose these four sets of rays con verge slightly, so as to strike upon four prisms which are attached to the frame carrying the wire dia phragm two on each side of the telescope, slightly above the plane of the wires   The latter prisms again reflect the light at right angles so that the rays are brought nearly into the plane of the wires which thus become illuminated by the light from the prisms on each side, the field remaining dark   Both kinds of illumination are fairly satisfactory

There are two setting circles, *B* *B*, attached to the tube of the telescope, one on each side near the eye end each $7\frac{1}{2}$ inches in diameter they are graduated to 20 minutes with verniers reading to 1 minute, and each is provided with a coarse level   These circles are not permanently fixed to the telescope tube, but can be turned round and clamped in any position, which admits of a change of adjustment for setting by declinations direct, or by zenith distances, &c , when the instrument is set up for use at a new station There is no provision for clamping the telescope when set

The object glass is fixed in its cell so as to be pinched at three points only , and the cell, instead of being screwed into the telescope tube, has close contact with it only at three equidistant points where it is attached by screws, an arrangement which admits of the object glass (complete in its cell) being put on in three different positions

The frame of the telescope consists of three principal pieces, *viz* , the axis, *C*, the object half, *D*, and the eye half *E* which pack separately for travelling   The shape of the axis is a central cube of $9\frac{1}{4}$ inches side supported by conic frusta of $9\frac{3}{4}$ inches axial length and $9\frac{1}{4}$ inches in diameter at their junction with the cube, tapering to 3 inches diameter, and terminated by enlarged cylindrical shoulders, $3\frac{3}{4}$ inches diameter and $2\frac{1}{4}$ inches wide, into which the steel pivots are fixed, the axis having been shrunk on to them   The pivots are 1 9 inches diameter, perforated by an opening 0 9 inch diameter, and they pro ject 1 9 inches from the axis shoulders   The total length of axis is thus 37 3 inches, while its length from

shoulder to shoulder is 33 5 inches   the thickness of the metal is about 0 37 inch throughout the cube and cones which were cast in one piece, the cube being strengthened by internal ribs   The conical parts were turned both inside and out to ensure as perfect symmetry as possible.   The weight of the axis is about 65 ℔s   Of the four faces of the cube parallel to the axis one pair are perforated by openings of $3\frac{1}{4}$ inches diameter, to allow of inter collimator observations while the transit telescope is in position   These openings can be closed with caps, F, Plate I, and they are crossed by spokes which support the illuminating plate already described   In the other pair of faces openings of 6 8 inches diameter are cut for the attachment of the telescope half tubes

The two halves of the telescope are each attached to the axis by 12 powerful steel bolts which pass through a flange at the base of each tube, G, G, Plate I $\frac{1}{4}$ inch thick and projecting 0 7 inch, and screw into the metal of the cube   Each tube is further steadied by its flange fitting into a sunken annulus cut in the face of the cube   The two half tubes are quite plain except that about $1\frac{1}{2}$ inches from the base of each brackets, H, H, Plate I are cast upon them to support levels which for reasons given in Vol IX have not been used   The object half is about 2 feet $8\frac{1}{2}$ inches long from its base to the outer surface of the object glass and weighs (with dew cap but without levels) 32 ℔s   The dew cap K is 6 inches long   increasing the length of the object half of the telescope to 3 feet $2\frac{1}{4}$ inches or 3 feet $7\frac{1}{4}$ inches from the (transit) axis of rotation to the end of the dew cap

The eye half tube is only 1 foot $10\frac{3}{4}$ inches long from its base to where it is cut off for the attach ment by four brass screws of the 'eye end L The eye end is composed of two concentric tubes to allow of the focussing adjustment which is performed by two opposing screws acting on a stud M it is 6 inches long measured to the plane of the wires $3\frac{1}{4}$ inches diameter   and weighs 6 ℔s   The weight of the eye half altogether (without levels) is 40 ℔s   The total weight of the telescope proper is thus $65+32+40=137$ ℔s

The pivots formerly rested on nearly semi cylindrical bearings N of gun metal of the same length and diameter as themselves   but cut away in the lower part so that there was contact only on two arcs of about 60 each   The under surface of these bearings was spherical, and exactly fitted the upper surface of the beds P P, on which they rested and to which they were loosely attached by a bolt passing through a slotted hole, so that the whole formed a universal joint which allowed the bearings to adjust themselves under the weight of the telescope and insured the equal bearing of the pivots throughout their length These were found in practice to be unreliable and were exchanged in 1885 for rigid V shaped bearings of gun metal   These new bearings are cast in one piece with their beds P P and rest on foundation plates of iron Q Q which lastly are placed on the masonry piers R R Each foundation plate Q rests on three feet, projecting very slightly below its lower surface   One pivot bed P, has three foot screws by which the level of the transit axis is adjusted and the other P has a provision, S for the adjustment in azimuth   The pivots are protected from dust by well fitting caps T T The weight of each pivot bed with foundation plate is about 40 ℔s, thus bringing up the total weight of the telescope complete to $137+80=217$ ℔s

3

Adjusting Telescope and Collimators

Each transit telescope is provided with a small light telescope of 9 or 10 inches focal length, sup ported by an axis of the same length as that of the large telescope, the object of which is to facilitate the adjustment of the collimators to their proper places before the transit telescope is put in position This small telescope has a level attached so that the bearings of the transit telescope can also be approxi mately levelled before placing the large telescope upon them

With each transit telescope is a pair of collimators, each having an object glass of $2\frac{1}{2}$ inches diameter and 24 inches focal length   One of each pair is furnished with a micrometer in the eye piece

for measuring horizontal displacements, the other rests on circular bearings on which it can be turned round its optical axis A peculiar feature about the collimators is the following arrangement, designed to prevent lateral disturbance owing to change of temperature The instrument is really supported on only two legs under its axis while it is merely steadied by a third leg projecting to one side, and attached to the instrument by a hinge allowing of motion in a horizontal plane Of the two legs under the axis, one rests on its bed in a fixed position, while the other is allowed to move freely in the line of the axis, the foot of the third leg is allowed play on its bed in any direction Thus when a movement of the feet is rendered necessary, by a change of the dimensions of the instrument relatively to its supporting pillar owing to a change of temperature, it is assumed that it will take place in the line of the axis If the instrument rested as usual on three feet equally, the direction of such a movement would altogether depend on the friction between the feet and the pillar The idea is an ingenious one, and the stability of both collimators even under extreme variations of temperature has been found most satisfactory, a result which may fairly be supposed to be due, at all events in part, to this construction

4

The Chronographs

The chronographs were made by Messrs Eichens and Hardy of Paris, the latter taking charge of the electrical arrangements they are exactly alike marked by the makers *A* and *B* and one is shown in perspective in Plate II, to which all the references in the following description apply

The instrument may be said to consist of three parts, all supported by a rectangular foundation plate of iron furnished with three foot screws for levelling —

   1st   The clock work, **A**, for driving and regulating,
   2nd   The revolving drum, **B**, carrying the paper on which the record is impressed
   3rd   The table, and carriage, **C**, carrying the recording pens

The regulator is of a novel construction designed by M Foucault It consists of a pair of governor balls, *D, D*, connected by a train of toothed wheels with a small fan revolving on a vertical spindle (at the rate of about 30 revolutions per second) inside a fixed cylinder in the circumference of which little windows are cut for the passage of air An outer cylinder, *E*, with a corresponding set of windows, fits closely over the fixed one, and is connected with the governor balls in such a way by a rod, *F, F*, that, as the latter rise owing to an increase of speed, the outer windows come into coincidence with the inner and allow the air to pass through whereby the resistance offered to the fan is increased and the rate of the machine checked The two instruments present a curious difference in the action of this regulator, the cause of which could not be traced by the maker himself In one, *B*, the outer fan cylinder never rests for an instant, but maintains a constant state of oscillation, while in the other, *A*, it preserves one position pretty steadily for a while, and then shifts to another

The governor balls revolve on a vertical spindle which rests on a lower cup bearing just below *Q*—hidden in Plate II by the driving wheels—and works in an upper bearing in the bar, *W*, where a cup with covering cap is provided for oil The bar, *W*, screws on to the upright pillars, *X X*

The connection of the governor with the outer fan cylinder is effected by the light rod, *F*, in the following manner —An upright arm, *G* is mounted on pivots, which are hidden in Plate II by the drum of the driving weight, and carries counterpoises—also hidden—which press its upper end towards the governor The upper end is forked, and between the members of the fork the rod *F*, is pivoted Another rod *H*, is similarly pivoted and extends to the upright spindle of the governor, where it carries a round headed adjustable pin, *I*, which works in a collar fitting round the spindle, and attached to the governor balls so that it revolves with them, and moves up or down the spindle according as the balls

rise or fall with the increase or decrease of speed   In the middle of *H* at *J* there is an adjustable pin which fits into a hole in the end of a yoke, *K*, thus affording a movable joint at *J*   *K* is itself pivoted on the fixed frame work, *M*, at its other end, and affords a tie to the rod, *H*, of such a nature, that so long as the joint at *J* does not rise or fall, the arm, *G*, must maintain a constant position

The outer fan cylinder, *E*, is hung on a bearing above it—exactly over the vertical spindle of the fan—by an open frame work, attached to which is a small projecting horizontal tongue, *L*, the position of which is adjustable   The rod, *F*, rests on *L* and has a small pin which fits loosely in a hole in *L*, and thus provides a movable joint between the two   Now if the governor balls fly out owing to increase of speed the collar with the pin *I* and consequently also the pin at *J*, must rise and the upper end of *G* will be brought forward towards the fan cylinder carrying with it the rod, *F*, which thus by its action on *L* causes the cylinder to revolve   *L* can be adjusted until the best position of the windows in the outer cylinder relatively to those in the internal fixed cylinder has been secured

The rod, *H*, is continued beyond *G*, and carries at its extremity a counterpoise *N*, which can be screwed along *H*—through a small range—and clamped wherever desired, thus affording a means of regulating the rate of the instrument that is to say, its mean rate as distinguished from the uniformity of rate the regulation of which is effected by the governor and fan   The mean rate will increase as the position of *N* is shifted towards the governor, and *vice versâ*   for the nearer *N* is to the pin *I* the less will be the pressure of the latter upwards against the collar, and therefore the greater must be the rate of revolution of the governor to cause the balls to rise   The collar is fixed to the lower end of a cylinder, which fits round the spindle and runs over it on two sets of friction rollers *O O*, between which the jointed arms *Y Y* are attached, connecting the cylinder with the balls *D*, *D*   On the spindle are clamped two stops, *P*, *P*, to limit the range of the cylinder—and therefore of the balls and collar   and when the instrument is going properly the cylinder must always oscillate between these stops without touching either This condition is ensured by varying the amount of the driving weight which is composed of separate discs of lead, while the consequent rate of revolution is regulated by the counterpoise *N*

The motion of the governor is communicated to the fan by a chain of toothed wheels as follows — At *Q* there is an enlarged toothed surface on the spindle which gears on one side with the last driving wheel, *R* and on the other with a small toothed wheel, *S*, revolving in a horizontal plane   Just below *S* on the same axis—to which it is firmly but not rigidly connected—is an exact duplicate of *S* (hidden in Plate II) which runs free of *Q* owing to its lower level, and gears on the other side with *T*, a set of teeth on the spindle of the next toothed wheel, *U*   The teeth *T* are on a lower level than the upper wheel, *S*   Lastly the wheel *U* gears with a set of teeth on the spindle of the fan the lower bearing of which is at *V*   The object of the duplicate wheel, *S*, is to save the machinery from a dangerous jar in case of sudden stoppage such as would occur if the cord of the driving weight were to break   As has been stated a slight relative movement of the two members of *S* round their common axis is allowed for, which is regulated by a stiff spring so as to break the jerk

The lower bearing *V*, of the fan spindle requires careful adjustment which however when once obtained may be looked upon as permanent unless intentionally disturbed   It consists of a conical cup bearing with a relieving capstan headed screw under the point of the spindle which can be raised or lowered with reference to *V*, while the whole bearing can also be raised or lowered and clamped by screw nuts   Its position should be such that vertical shake of the spindle is just perceptible to the touch   the least jam preventing such shake will stop the instrument instantly   When proper adjustment of all the parts has been secured, the great secret to ensure a good rate is oil—plenty of oil on all the bearing surface where there is friction under rapid motion   The lower bearings of all the vertical spindles should be plentifully supplied, and as they are all cup shaped the supply remains pretty constant their upper bearings also require occasional touching   But the most important point is the contact between the pin, *I* and its collar, where from its situation the oil will not remain long   In nineteen cases out of twenty, when the rate of the instrument decreases, a drop of oil between the pin and the collar is sufficient to set it right again   Occasionally the fan makes a screeching noise when the rate will at once fall off   this is a sign that a touch of oil is wanted on the *upper* bearing of the fan spindle

When packing the instrument for travelling, the system of arms, F, G, H, are removed in one piece by loosening one of the pivots on which G works, the yoke, K, and the fan cylinder, E, are also taken off The bar, W, is then taken off the upright pillars, X, X, which allows of the removal of the governor in one piece, after which W is replaced The driving weight is of course taken off and the cord wound up The whole of the clock work is enclosed when the instrument is at work in a light iron framed cover to keep out dust which is not shown in Plate II It is fitted with a glass roof and glass windows at the sides, which latter draw out and allow the hands to be inserted for putting the clock work together, or taking it to pieces, or for necessary adjustments, and thus the removal of the cover is never necessary The winding arbor, Z, protrudes through a hole in the cover to admit of the weight being wound up On the other side—not visible in Plate II—a handle also passes through the cover, and acts by a screw on a clamp fitted round the axis of the wheel, R by which the instrument can be stopped When supported on its usual wooden stand without any hole in the ground for the descent of the driving weight, the instrument will go for about 50 minutes but the cord is long enough to admit of continuous motion for about three hours, if the weight is allowed to descend

The drum is $11\frac{3}{4}$ inches wide, 3 feet 1 6 inches in circumference and weighs about 45 ℔s Each instrument has three spare drums The paper used is $11\frac{3}{4}$ inches wide and about 3 feet $2\frac{1}{4}$ inches long, it is put on with common paste The direction of revolution is shown by an arrow

The connection of the drum with the driving clock work is carried out as follows —The axis of the last driving wheel R which gears with the governor at Q, and is therefore directly controlled by it, is prolonged through the protecting cover at a, to an outer bearing which is not seen in Plate II, being hidden by the supports of the drum On a there is an enlarged fixed nut β with teeth along the edge of its vertical surface and there is also a movable nut γ, with similar teeth which can be made to gear with β or not at pleasure by means of a lever (invisible in Plate II) which works on the pin, δ Rigidly attached to γ is a toothed wheel which gears with the teeth round the edge ϵ ϵ, of the drum When β and γ are disconnected by the lever the drum is cut off from the clock work and can be turned as desired by hand The clamp to stop the clock work which was referred to above acts on the axis a

The axis, ζ, of the drum is very strongly attached to the cylindrical portion by an interior diaphragm, and is supported on bearings carried by stout uprights, one of which is seen in Plate II at η The other end of the axis, ζ terminates in a toothed wheel (invisible in Plate II) exactly similar to the toothed wheel θ, with which it is connected by a third similar wheel, κ so that the drum and θ revolve in the same period The wheel, κ can be drawn out on its axis to disconnect θ at pleasure from the drum θ is fixed on the end of a long screw spindle which runs through the table, λ, λ, and is seen projecting at μ

The carriage, $\mathbf{c}$ rests on the table λ λ and is furnished with a clip projecting downwards and grasping the screw spindle μ so that as θ and μ revolve the carriage travels along the table from left to right The clip can be released by the handle ν when the carriage may be moved by hand and placed where desired The carriage rests on three wheels π ρ ρ and is steadied by three others acting upwards against the sloped under surfaces of the table λ, only one of the latter is visible at σ, the other two being behind the table Of these wheels the position of π only is adjustable, its axis being carried by an arm with a hinge at one end and a raising or lowering screw at the other, by means of which π can be pressed down with more or less force against the table Such pressure should be employed as to bring the lower wheels σ into close contact with the table so that there may be no perceptible shake of the carriage when tested by hand All these wheels have adjustable bearings for their own axes, and if ever the carriage is taken to pieces for cleaning it is particularly necessary to put it together again carefully without changing the position of similar pieces or a proper fit will not be obtained

The carriage bears the recording apparatus shewn in Plate II A slab of wood, a, is attached to the metal plate b, and is connected with the carriage by hinges at c, c A screw (invisible in Plate II) below a provides a raising or lowering adjustment to regulate the pressure of the pens on the paper On a are mounted two pairs of electro magnets, d d and e e, with adjustments for changing their position, and each pair has an armature f, f, carried by arms g g the ranges of which are regulated by suitable screw studs on the upright bar, h A spring acts against each armature pressing it away from the core

of its magnet   The armature arms are pivoted on an upright arm similar to *h*, which cannot be seen in Plate II, being hidden by the coils, *d*, *d*, beyond which they extend over the drum, carrying the two pens, *ı*, *j*, at their extremities   The arms are jointed, and have other means for adjusting the pens as desired   The pens themselves are specially made for chronographic recorders, so as to carry a large supply of ink

From the ends of the coils of each electro magnet two silk covered spiral wires, *k*, *k*, *k*, *k*, are carried down to binding screws on the stand of the chronograph at *l*, whence other wires, *m*, *m*, *n*, *n*, are led away to the batteries, &c , so that one pair, *m* *m*, completes the clock circuit, and the other, *n* *n*, that in which the observer's key is placed   The effect of a signal by break of either circuit is therefore to demagnetize the coils in that circuit and release the armature, which is then jerked away by the spring provided for that purpose, causing the pen to make an outward jerk *ı e* , away from the other pen

The pens can be adjusted to trace parallel lines as near together as desired, or actually coincident— the latter being generally the best—the signal jerks being made outwards , but they cannot follow each other at a much less distance than half an inch representing about $1\frac{1}{2}$ seconds of time   This difference is called the " Pen Equation", and is always applied as a correction in the reductions

5

The Electrical Arrangements of the Chronographs

The Electrical Apparatus is collected on a board called the   Commutator board", and consists of (1) a commutator by means of which the various changes in the connections are made as required from time to time , (2) a translating relay which is used for the transmission of clock or other signals through the line to the far station , (3) a receiving relay required for receiving the signals from the distant station and passing them on to the chronograph if for record thereon, or to the sounder if for conversation (4) a tell tale relay required to inform the observer whether his signals are passing to line or not , (5) a talking key, and (6) a sounder for purposes of conversation and conventional signals in connection with the work   The commutator board is conveniently placed close alongside of the chronograph on the same stand, and the local batteries are arranged on shelves below it   The exact way in which these instruments are used will be more fully explained in Chapter III

CHAPTER II

OBSERVATORY ARRANGEMENTS AND PREPARATIONS FOR OBSERVING AT A STATION

1

Observatory Accommodation

The observers always carry about with them portable observatories, consisting of canvas roof and walls on a wooden frame work with shutters and curtains to admit of a meridional aperture from the ground upwards These observatories are sufficiently large to hold the transit telescope only the chronograph, clock, &c , are otherwise provided for by building proper shelter, if suitable accommodation in existing buildings is not available as it generally is A small room of about 8×10 feet is all that is absolutely required for this purpose, though more space is convenient This room should be as close as possible to the observatory tent—say within 10 yards—because the observer is constantly called on to visit one from the other For the protection of the clock from changes of temperature the shelter should be as substantial as may be

2

Buildings for Instruments

The necessary preparations for observing at a station—assuming the existence of a clock room— are confined to building pillars for the transit telescope and its collimators, and one for the clock to be hung against when it is not convenient to hang it against a wall of the room The pillars are founded 2 or 3 feet below the ground level, according to the nature of the soil, and the excavations for the foundations are made slightly larger in plan than necessary, so that when the pillars are built there is no contact above their base, and insulation from ordinary tremors is ensured The vacant space thus left round the pillars is afterwards filled in with dry sand

3.

The Transit Pillars and Observatory Fittings

The transit pillars (Plate I) are about 24 × 18 inches in horizontal section from their base to about 3 feet 2 inches above the ground, above which they are only 13½ × 13½ inches, the inner face being all in one plane, thus leaving a ledge round the other three sides the small upper portion is about 2 feet high, making the total height of these pillars 5 feet 2 inches They are 2 feet 4 inches apart, and are always built of brick, and capped with slabs of stone which are carried about with the apparatus the foundation plates of the instrument rest on the upper surface of these slabs, which is polished so as to allow the plates to be moved about in making the first rough adjustments After these adjustments have been approximately secured, it has been found advisable to put a disc of paper soaked in beeswax under each foot of the bed plates, to prevent accidental movement on the smooth surface of the stone When the soil is yielding it may be advisable to base both pillars on one foundation, so as to distribute the pressure, but on firm soil the pillars may more conveniently be quite disconnected The foundation pits are always connected by a narrower excavation about 18 inches deep, which contains an insulating layer of dry sand of at least a foot in depth, on which the mercury trough is placed in position for observation The trough requires to be carefully covered to keep out sand and dust, and is further protected by a wooden platform—on which the observer's feet rest when observing zenith stars—with an aperture over the trough which can be opened or closed at pleasure Even with the greatest care to protect the mercury frequent filterings are necessary which however is not of much consequence, as the operation is always performed by native assistants who seem to take considerable pleasure in it

A pair of perforated iron staples are built into the masonry of the upper, or smaller, portion of each transit pillar, on each of its north and south faces, for the purpose of supporting upright iron bars passed through the perforations, which are left just clear of the brick work These bars rise about 3 feet above the pillars, and carry a moveable table to support the lamp which illuminates the Bohnenberger eye piece when mercury observations are being taken, (Plate I) Only one pair of upright rods, one on each pillar, is necessary at the same time—or indeed at any time—but it is a convenience for the observer always to have the instrument in the same relative position to himself when making mercury observations to ensure which he, and therefore the lamp and its supports, must change positions from the north to the south side of the instrument, or *vice versa* when the latter is reversed on its bearings Similar staples let into the outer (east and west) faces of the pillars support stands for the axis lamps, both of which should always be kept in position during observation to cancel as far as possible any effects of unequal heating

The equipment of the observatory tent is completed with a set of steps on which the observer stands for mercury observations, (Plate I), two or three stools on which he sits while taking transits, and a light wooden frame, by means of which four men can lift and reverse the telescope on its bearings whenever desired with the greatest ease, and generally with hardly appreciable disturbance of azimuthal adjustment A table and chair for an observatory assistant, who acts as recorder, are also provided

4.

The Collimator Pillars

The collimator pillars are about 30 × 18 inches in plan, founded generally from 2 to 3 feet below the ground surface, and insulated as in the case of the transit pillars Their height is such as to bring the axes of the collimators and that of the transit telescope as nearly as possible into the same horizontal plane, They are built about 3 inches to the west of the meridian of the transit telescope and generally about 15 feet distant from it, This interval of 3 inches from the meridian is

introduced, in order that the steadying foot of the collimator may not fall inconveniently near the edge of the pillar   Light and easily moveable frames are provided to cover the collimators and protect them from the weather

5

The Clock Pillar

The clock pillar is founded and insulated like the others   The lower portion is generally about 36 × 24 inches up to within a few inches of the ground level   where it is decreased to 24 × 24, leaving a ledge 12 inches wide in front and carried up at these dimensions for about 6 feet 8 inches   The ledge is convenient for supporting the clock when about to be bolted to blocks of wood which are built into the pillar for the purpose   It is very important that this pillar should have weight or rigidity sufficient to withstand the oscillation of the pendulum without vibration, which would have an immediate effect on the clock rate

All the pillars should if possible be built some little time before they are required to allow for settlement and thorough drying, and great care should always be bestowed on the ' bond' of the brick work

6

Chronograph Stand

A wooden stand is carried about for the chronograph, which also accommodates the commutator board and the batteries for the clock pen, and relay circuits   The line battery is generally in the Telegraph Office , but occasionally accommodation for it must be provided, which however gives no trouble as, if convenient, it may be placed outside the building in packing cases

7.

Arrangement of Wires

The most convenient arrangement of the numerous connecting wires required, has been found to be as follows —In the observatory tent where only two wires are necessary, they are brought down through the roof to the outer face of one of the pillars then round the pillar to its inner face, where they are finally fixed leaving sufficient free end for convenient attachment to the observer s key, or tappet, to carry which when not in actual use a small shelf is affixed to the inner face of the pillar   Or as is some times more convenient, only one wire need be introduced through the roof in this way, while the other may be led back under the surface of the ground as shewn in Plate I   In this case neither wire need necessarily be covered, except the ends of one just inside the observatory and clock room, and this plan therefore is a good one in case of economy of covered wire being advisable   In the clock room all wires— including those to the clock, to the observatory, to line and to earth—are carried over head and collected in one bundle before they are brought down to the commutator board through a convenient hole, in which they are first passed as a bundle and then separated and brought up to their respective binding screws   Should the line wire be brought directly into the clock room the necessity of having a lightning discharger must not be overlooked, and in this case an efficient earth plate must also be provided   When the observatory is close to the Telegraph Office, the line wire and earth connections can be made through the office commutator, and neither earth plate nor lightning discharger is specially required   As a rule

it is most convenient to make all local, *i e*, observatory and clock room circuits of metal throughout, avoiding the necessity of an earth plate for them

8.

Batteries

The "Menotti" battery, which is the form adopted by the Indian Telegraph Department is used for all purposes, and has the advantages of great constancy while it is easily kept in order   It is not so compact or portable as some other forms   but this is of small consequence in India, as it can be obtained by giving a few days notice at any Telegraph Office, and need not therefore be included in the portable equipment   The number of cells required for local purposes in each observatory may be put at about sixteen   A special line battery is only required when the observatory is some distance from the Telegraph Office which can generally be avoided   and its strength depends on the length and condition of the line in use   Ten cells are considered sufficient for every hundred miles between the stations

CHAPTER III

SYSTEM OF WORKING DURING SEASONS 1885 86 1887 88 1889 90 AND 1891 92 AND THE PROGRAMME OF OPERATIONS

1

The System on which the Observations were taken

There are various ways in which an equipment, such as that described in the preceding pages, may be employed in obtaining the difference of longitude of two stations connected by a telegraph line —(1) Each clock may graduate the chronograph at its own station, and the observers (first one and then the other) may, by means of their tappets, send a number of signals at arbitrary times to be recorded on both chrono graphs The differences of the two clocks are thereby known, and if the error of each is determined by the corresponding observer by local transits, the true difference of time and therefore of longitude is obtained (2) The observations of transits at one station (each alternately) may be transmitted through the line, so that those taken at both stations are recorded on the same chronograph in terms of the same clock (3) The signals of one clock (each alternately) may be transmitted, so that a record of the same clock time is obtained on both chronographs, while at the same time transits are recorded locally at each station, and (4) At both stations (each alternately) the two clocks may be made to work the two pens, thereby giving what is called a "Direct Comparison of Clocks", their errors being determined before or after the comparison by local transits (or preferably both before and after), the difference of longitude follows at once Of these methods the third has been employed on all arcs con tained in this volume The alternation of the clocks is necessary to eliminate the quantity represented by ρ which is the retardation of the electric current along the line wire and through the relays The elimination is only complete when the retardation of the current is the same in both directions

2.

Programme of Each Night's Work

The programme was always laid out by sidereal time, so that the same stars were observed night after night, a point of considerable importance both as regards convenience in the observatory and advantage in reducing the work, especially with reference to clock rates   Six complete nights' work has been usually considered sufficient, though this number has been often exceeded according to the observers' opinion of the trustworthiness of their work   Reversal of pivots has been always adhered to on systems, which differed at different times and which will be described in detail in the separate accounts of each season's work   Two pairs of circumpolar stars for determining the deviation of the telescopes were included in each night s programme and always observed when possible

3

The Electrical Arrangements of the Observatories

The electrical arrangements for securing the chronographic record and communicating between the stations, are as follows —Each pen magnet is placed in a short circuit, with a weak battery, which can be connected at pleasure by means of the commutator, (1) with the clock, (2) with the observer s tappet, and (3) with the armature circuit of the receiving relay which is in connection with the line wire In the first case the pen records the local time and is called the   Clock Pen ', in the second it is used for transits or other observations and is known as the "Observer's Pen", and in the third it records any signals transmitted from the distant station and repeated by the receiving relay   In the last case the signals are generally those of the distant clock used either for the comparison of clocks or for the observation of transits   A second relay is employed for the transmission of signals through the line by "translation', i e , the relay coils are placed with a weak battery in a local circuit, into which the clock, or the observer s tappet, can be introduced as required by means of the commutator, and the armature of the relay is in circuit with the line battery and line and th is passes on the signals to the distant station

4.

Retardation of Signals

It is thus evident that the retardation of a signal, passing, say, from one clock to the distant chronograph, is composed of three parts —(1) due to the translating relay, (2) due to the line, and (3) due to the receiving relay, including the pen action, at the distant station   A similar return signal is affected in the same way by different retardations but of like nature because the two translating relays are of the same pattern and similarly adjusted , while the same is true of the receiving relays and of the pen actions   The line wire of course remains the same in both cases, but unfortunately there are no means of determining whether the rate of signal remains constant in both directions, or whether it is affected by the induced currents from neighbouring wires, which are frequently found to interfere with the clock signals

5

The Pen Equation

A point in the management of the chronograph which requires attention, is the distance between the pens in the line of their (apparent) motion, which cannot be conveniently made much less than half an inch, or about the equivalent of 1 5 seconds of time   This difference is called the "Pen Equation," and it has always been deduced and applied as a correction to the readings   To guard against errors in the assumed value of the equation, a systematic change of pen duties has always been observed   for in stance, in the middle of every set of transits the clock and observer's pens are changed, so that for one half of the observations the equation is positive, while for the other half it is negative   and similarly when comparing clocks the pens are exchanged between the local and distant clocks during each compa rison   The value of the pen equation is determined each night by actual measurement of the dis tance between the corresponding seconds on the chronograph sheets, when both pens are actuated at the same time by one and the same clock

It is necessary to bear in mind that the actual pen equation is the absolute linear distance be tween the pens and as this has to be converted into seconds of time before being applied as a correction to the observations, the conversion must therefore be dependent on the rate of the chronograph   Hence, when transcribing the chronographic record, that rate must be carefully watched with a view to applying a special correction to the pen equation, in cases where the variations of the rate exceed certain limits

6

The Commutator Board

A simple outline plan of the commutator board is given in Plate III on a scale of about one third real size, while symbols for the clock, idiometer, observer's tappet, chronograph recording pens and the several batteries, &c , are added, in order that the various wire circuits may be traced   On the com mutator board, *C, C,* is the commutator itself, *R R* the translating relay, *S, S,* the sounder, *D, D,* the talking key, and *E, E,* a bar which is used as an "earth' , *F* is the receiving relay, and *G* a tell tale relay which is so arranged as to cause the sounder to work while the clock beats are being sent to the distant station, a stoppage of the transmission of the signals being thus at once notified by the cessation of the sounder s action   Permanent wire connections between the different instruments on the board are shown by double lines , and those wires which are only temporarily attached at each station are indi cated by single lines

The commutator, *C, C,* and the switches, *M, N* are each composed of plates of brass which are mounted on blocks of ebonite so as to be perfectly insulated from each other   the separate plates are shaded   The circular indentations, with numbers for reference, indicate holes between the plates which can be filled at pleasure by the insertion of pegs, so as to bring two plates into connection   The letters on the several plates indicate the parts of the apparatus with which they are connected, either perma nently, or by wires attached temporarily to binding screws provided for the purpose, all of which can be traced in Plate III   Thus the plates marked A_C, B_C, and R_C are connected by wires to the copper poles of the batteries for *A* and *B* pens and the translating relay respectively , while A_z, B_z, and R_z are simi larly connected with the zinc poles of these batteries   *K* is connected with a wire which passing through the break circuit apparatus of the clock is carried to the earth   *E, E   I* is similarly connected with the star frame of the idiometer, while a second wire attached to the wire frame of the same instrument is carried to the earth   *O* is intended for the observer's tappet—or signalling key—and can be

connected with the one used at the transit telescope, or at the idiometer, as required, by means of the switch, N The line wire is attached to L The plates similarly lettered, *viz*, three marked B_z and two marked A_z, are connected by bars passing underneath the ebonite mounting   The plate marked B_C which is inconveniently placed for the attachment of a temporary wire, is permanently connected to the binding screw marked B_C The two plates without any marks are simply dummies through which other plates can be connected   The long plate marked E' is connected with the earth, E, E, and the latter is furnished with a number of binding screws for attaching several wires   The latter plate is called the 'earth' because it is introduced as a convenient means of completing the commutator local circuits which are all purely metallic   For the purpose of line signalling a real earth plate is required, and E, E is connected therewith as shown

The following are the ordinary combinations effected by the commutator in the course of observations, the connections of which can be readily traced by reference to Plate III   The pegs used for completing the various circuits are numbered consecutively throughout the commutator and the switches M, N

No I	The clock recording time by pen A,	Pegs 6, 4, 8
	„ „ „ B,	„ 2, 10
„ II	Determination of pen equation, clock time being recorded simultaneously by both pens on the chronograph, Pegs 2, 14, 8	
„ III	Observation of transits with local clock—	
	Observer, pen A clock, pen B,	Pegs 25, 20, 17, 8 2, 10
	„ B „ A,	„ 25, 15, 10 6, 4, 8
„ IV	Observation with the idiometer—	
	Observer, pen A clock, pen B,	Pegs 26, 20, 17, 8 2, 10
	„ B „ A,	„ 26, 15, 10 6, 4, 8
„ V	Clock comparisons both clocks recording time on the chronograph—	
	Local clock, pen A distant clock, pen B, Pegs 6, 4, 8 23, 22 19, 10	
	„ B „ A, „ 2, 10 23, 22, 18, 8	
„ VI	Transmitting clock signals for use at the distant station, Pegs 1, 9	
„ VII	Observing transits and transmitting clock signals to distant station—	
	Observer, pen A clock, pen B,	Pegs 25 20, 17, 8 1, 12, 10
	„ B „ A,	„ 25, 15, 10 1, 13, 8
„ VIII	Observing transits with clock time received from the distant station—	
	Observer, pen A distant clock, pen B, Pegs 25, 20, 17, 8 23, 22, 19, 10	
	„ B „ A, „ 25, 15, 10 23, 22, 18, 8	
„ IX	For talking or interchanging conventional signals, Pegs 23, 24	

It will be noticed that in all of the combinations given above the different circuits combined are brought into one simple circuit, so that a break of circuit at any point entirely stops the current in the whole   There is no branching of circuits, which should always be carefully avoided

The commutator affords the means of measuring the retardation due to the local instruments, by causing the clock time to be simultaneously recorded on the chronograph by both pens, one worked by

the clock direct and the other through the translating tell tale and receiving relays, which is done thus —

A pen direct B pen through relays,   Pegs 1, 13,   8   23, 22, 19, 10
B „ A „   „   1, 12, 10   23, 22, 18,   8

If the retardations of the receiving relays and of the chronograph pens could be looked upon as respectively equal at the two stations, it is evident that the above experiment would give an exact measurement of the retardation of a transmitted signal recorded on the distant chronograph, only except ing the retardation of the line wire   Unfortunately such equality cannot safely be reckoned upon, but the experiment should prove a useful guide in testing the condition of the adjustments of the local relays

7.

Relations with the Officers of the Telegraph Department

Throughout the operations all the Officers of the Telegraph Department whose co operation has in any way been required, have continually shown the greatest courtesy and readiness to give every assistance in their power   In many instances the prosecution of the longitude observations has un avoidably caused considerable trouble in the several Telegraph Offices involved, but this has invariably been cheerfully undertaken, and the relations of the officers of the two departments have always been most cordial

8.

Arcs measured during Seasons 1885 86, 1887 88, 1889 90 and 1891 92

Diagrams illustrating the arcs measured each season will be found in the detailed account of the operations of each season   It may be remarked here in passing that the system hitherto in force of so selecting the stations for longitude observations as to form triangular circuits, has been adhered to as being the only really reliable means of gauging the accuracy of the results

9.

Reduction of the Observations

An abstract of the observations and the reduction of the results are given for each season separately in tabular form   Full explanation of these tables and of the methods employed in carrying out the reductions contained therein will be found in Chapter V   All these reductions were made under the superintendence of Colonels G Strahan and W J Heaviside, Captain S G Burrard and Lieutenant G P Lenox Conyngham

The object held in view in drawing up the tables, was to afford all the data necessary for any reader who might wish to examine the reductions and reproduce the results arrived at

The geodetic elements of the several stations of observation are given in the Appendix, at the end of the volume   and in the case of stations connected with the Principal Triangulation of the Great Trigonometrical Survey of India by special minor triangulation, an abstract of the latter is furnished

CHAPTER IV

PERSONAL EQUATION

1.

Method of Determination

The relative personal equation of the observers has always been determined by the observation of 'divided transits', in which both observers use the same telescope, one taking the transit of a star over the first ten wires and the other completing the observation of the same star over the last ten wires, whence by reduction to the central wire, a value of personal equation is at once obtained   This method repeated with numerous stars—the observers alternating their order of observation—affords an excellent value of their relative personal equation   It has long been known that the value of personal equation may be influenced by very slight causes, prominent among which may be reckoned the direction of a star s motion across the field, whether from left to right or right to left, and its apparent velocity Two distinct equations have consequently been recognized in these observations   If an observer using a diagonal eye piece seats himself at a telescope with his face to the north, stars will cross the field of view apparently from right to left, if on the other hand he places himself facing south, stars will cross apparently from left to right and in general with faster motion (owing to their lower declination) than in the former case   The term 'aspect' is used in this volume to indicate the direction of the observer s face and therefore of the star s motion, but it does not necessarily agree always with the position of the star with reference to the zenith, because a star very near the zenith may be observed equally conveniently under either aspect   In determining the personal equation therefore an approxi mately equal number of stars were observed under both aspects, and two separate equations obtained to be applied to transits of stars of N and S aspect respectively

2

Consequent Precautions

In consequence of this twofold equation, it is evident that each star should be observed at both stations under the same aspect, and in the case of stations differing but little in latitude no difficulty

arises, but if the difference of latitude is great, a star which is considerably south of the zenith at one station may be considerably north at the other It becomes necessary therefore to avoid using any stars within certain limits of declination, whenever the latitudes of the two stations of observation differ by more than $3°$ or $4°$, for supposing the stations to be $m°$ apart in latitude, and $n°$ to be the limit (which may be considered as about $2°$) within which each observer can conveniently observe a star with a false aspect—ie, as north when it is really south of the zenith, and *vice versâ*—there will be a zone of $m°-2n°$ of declination within which no stars can be used

3

Employment of the Idiometer

A full description of this instrument, designed by Lieut Colonel W M Campbell, for the pur pose of measuring the absolute personal equation of an observer, will be found in Volume IX, Chapter V, Section 9 It was supposed that its employment would act as a check on abnormal variations of perso nality, and that the results deduced by it might be incorporated with those obtained by the usual method of divided transits This expectation was not fulfilled, great discrepancies were found to exist between the two systems and the idiometer has not been used during the four seasons under review

4.

Personal Equation in transcribing the Chronographic Records

The chronographic record is transcribed—that is converted into a numerical record—with the aid of a glass scale of diverging lines, by which the position of a star's transit signal between two second signals of the clock can be measured in tenths of a second, while hundredths may be readily estimated by eye It is evident that there is some room for the effect of a personal equation in this operation, which was guarded against throughout the measurements contained in this volume by the records of both stations being always transcribed by the same person, so as to eliminate any constant equation of reading

5.

Final Remarks

The remarks in this and the preceding chapters apply to the operations of each of the four seasons contained in this volume As the work proceeded, small changes in matters of detail suggested themselves, and to render these clear it will be more convenient to the reader from this point to give a separate account of the work of each season, showing how the experience of each contributed to improvements in the following one

CHAPTER V

DETAILED DESCRIPTION OF THE METHODS OF OBSERVING AND OF REDUCING THE RESULTS, WITH FULL EXPLANATION OF THE TABLES

1

Instrumental Constants

Wire Intervals The whole system of transit wires—twenty five in number—is attached to the micrometer slide by means of which the central wire of the system can be placed in a position of no collimation error or as is generally more convenient in a position for which that error has been deter mined The usual practice was to observe the transit of each star over the fifteen central wires but it was a very common occurrence to miss one or more wires and the custom was frequently varied pur posely for instance when it was desirable to observe two stars of nearly the same right ascension the first fifteen of the twenty five wires were used for the first and the last fifteen for the second star The combination of these circumstances, *viz* the readily adjustable collimation error of the central wire and the frequent variation in the groups of wires over which transits were observed led to the system of reducing the observation on each wire to the central wire in preference to using the mean of the wires For this purpose the equatorial intervals between each wire and the central wire must be known with accuracy, these were carefully determined in seconds from observations of transits of slow moving stars These equatorial intervals being known the computation of time intervals for every star observed and the reduction thereby of the observations to the central wire, can be rapidly effected This method has the great advantage of showing at a glance the accordance of individual wire observations in each transit and leads to the detection of mistakes—such as observations of wrong stars or mis readings of the chrono graphic record—at an early stage of the reductions The stability of the wire intervals was found to be satisfactory

Telescope Micrometer The determination of collimation and level errors being made by means of the telescope micrometer the value of its screw was required and it was considered desirable to ascertain the regularity of the screw thread by testing this value at different parts of its length With this object the micrometer head was first set to zero and the time of transit of a slow moving polar star over any one wire noted, then without moving the telescope the micrometer was set on to 100 and the time of transit over the same wire again noted thence to 200 300 and in succession up to 3,200, a range which embraces a little more than the whole breadth of the wire system

This process was only carried out in the case of Telescope No 2   With Telescope No 1 the value of the screw was determined by measuring with it the wire intervals, the values of which had been previously ascertained from transits of circumpolar stars

Collimator Micrometer   Owing to the system adopted for measuring the collimation error of the transit telescope, the value of the screw of the collimator micrometer was required in terms of the telescope micrometer   this was readily obtained by directing the transit telescope on the collimator, by measuring the distance between the two vertical wires of the collimator, first by means of its own micrometer, and then by that of the telescope

The foregoing instrumental constants being known, the first operation in actual observations is the determination of the collimation correction for the central wire, which was carried out as described in the next section

2

Determination of Collimation

In all arcs measured previous to the year 1885, the details of which are printed in Volumes IX and X, the collimation of the telescope was tested by reference to a pair of collimators approximately horizontal in the following way   One collimator, N, always placed to the north of the transit telescope, was provided with a fixed pair of crossed wires, while the other, S, placed to the south, possessed a similar fixed cross and also two vertical wires moveable by a micrometer   The cross of N was always placed as nearly as possible in the meridian and that of S slightly to one side, so that the observer looking through S saw the two crosses separated by a convenient distance, A, which he measured by the micrometer of S   Proceeding to the transit telescope he then observed the cross wire of N and S on the central transit wire, obtaining a mean micrometer reading of each   The reading of S so found corrected by A converted into terms of the telescope micrometer, was assumed to give the reading of a fictitious point exactly opposite the cross of N collimator and this latter reading being combined with the observed reading of N the mean of the two was taken as the reading of the telescope micrometer when the central transit wire was exactly collimated   This last reading was named C_0 No attempt was however made to observe star transits with the micrometer set at C_0, in order to avoid the necessity of a collimation correction, but a convenient round number—called C —was always adopted and generally used throughout the observations at a station   The difference between C_0 and C_s, which difference was called c_1 was taken as the collimation error of the central transit wire

The sign of $C_0 - C$ is always reversed by change of pivots   Two determinations of collimation error were generally made every night and the mean of the two adopted for the correction constant for collimation for the night   In 1891, however, it was discovered, that owing to the faultiness of the object glasses of both the collimators and the telescope, the reading of S corrected by A did *not* give the reading of a fictitious point exactly opposite the cross of N collimator, and that it was in fact impossible to determine the reading of the telescope micrometer, when the central transit wire was exactly collimated   The new plan was introduced of using one value of C_0 throughout an arc and the value adopted was the mean of the several individual determinations taken during that arc, the effect of any error in this adopted value will be cancelled in the mean of observations taken in the two pivot positions of the instrument   A mean value of C_0 per arc instead of a different value every night has been employed in the reduction of all the arcs printed in detail in Part II of this volume   This change of method in dealing with the collimation constant is most important and necessitated the entire recomputation of all the arcs measured previously in India and printed in Volumes IX and X   The subject is however but briefly dealt with here, as in Part III of this volume, the experiments on the object glasses, the reasons

for the adoption of a mean value of C_0, and the results of the recomputation of all previous arcs are given in full detail

3

Diurnal Aberration

The effect of the diurnal aberration on the time of a star's transit was not lost sight of, although for all the arcs measured—or indeed for any ever likely to be measured—that effect is inappreciable when the observations taken at both stations are combined   The correction for diurnal aberration is a constant quantity for each station, and as it must, like that for collimation, be multiplied by secant of each star s declination to obtain the correction in time for that star s observed transit the two corrections may be combined   The correction used for aberration was — o 0207 × the cosine of the latitude, and this, converted into terms of the micrometer and applied to c_1 gave c, which was used as the correction constant for collimation and aberration combined for each night

4

Determination of Level Error

The dislevelment of the instrument was always obtained by the use of a mercury trough   Supposing the telescope to be perfectly levelled, then the central wire if collimated, will exactly coincide with its reflection from the mercury when the telescope is directed towards the nadir, and if the levelling be disturbed by a certain angular quantity, the wire must be moved by the micrometer through a space representing the same angle, in order to regain coincidence with its reflection   This coincidence was always observed several times   the mean micrometer reading being called M, it is evident that the dislevelment is the difference between M and C_0 (the reading of no collimation error)   this difference is called b and is the level correction constant for combination with the constant for each star to correct the time of transit for dislevelment   The sign of b is governed by the same considerations which apply to c_1 as already explained   As a rule three determinations of dislevelment were made each night, and their mean used to obtain b for all the star observations of the same night, but occasionally the means of the first and second, and of the second and third, were used for the stars observed during the corresponding intervals   The mean value of C_0 for the arc was employed, as being the most reasonable determination   any error in the value will cause a corresponding error in the dislevelment, but this will have no effect on the value of an arc, resulting from the mean of observations taken in both pivot positions of the instrument, as with $I\,P\,E$ the level correction constant is $(C_0 - M)$ and with $I\,P\,W$ it is $(M - C_0)$

An abstract of collimation and level determinations is given in *Table I* for each season, the arrangement of which will be readily followed with the help of the foregoing explanation, while to facilitate reference, a recapitulatory explanation of the symbols employed is given immediately preceding the table

5

Table II—Deduction of Deviation Correction from Star Observations

In order to determine the azimuthal deviation of the transit telescope from the meridian, two pairs of circumpolar stars were always observed when possible one star of each pair being observed at upper culmination, and the other at lower culmination   These were so arranged that one pair culminated

near the beginning and the other near the end of the night's work Table II contains the values of deviation corrections deduced from these observations When a star is designated by a number followed by a name, such as Groombridge, the reference is to the Catalogue from which the star was taken The first eight columns require no explanation beyond a remark that the same clock was always used for both stars of a pair, on rare occasions, however, when one of them was observed in the middle of a set of transits which were being recorded with the time transmitted from the distant clock it was more convenient to use that clock for the azimuth star also although its companion star had been observed with the local clock The clock employed is noted by the letter in the column headed " Clock in use", and when both clocks were used for one pair of stars, the observed time by the distant clock is entered in brackets, in column 10, with the corresponding local time below it the latter being deduced by means of the clock comparisons which were always made When both stars of a pair were observed with the distant clock no such conversion is required The quantity A in column 9, is the azimuth constant for each star, equal to $m \sin \zeta \sec \delta$—where ζ is the zenith distance, positive when south and negative when north δ the declination and m a constant numerical factor for converting divisions of the telescope micrometer into seconds of time m will be referred to again This formula gives the sign proper to A under all circumstances, if the declination of a lower culmination be considered the supplement of the actual declination

     The Observed Time of Transit ", in column 10 is the mean of the times observed on all wires after the reduction of each to the central wire The " Corrections for Collimation and Level ', columns 11 and 12, are those obtained by multiplying the corresponding correction constant given in *Table I* by the proper constants for each star *viz* $m \sec \delta$ for collimation and $m \cos \zeta \sec \delta$ for level, the symbols being as above The stars in *Table II* being all well known, it was not thought necessary to enter their declinations but the approximate latitudes of the stations are given in order to facilitate the re computation of the corrections if required The factor m was introduced because the collimation and level corrections were originally obtained in terms of the micrometer and it was more convenient to retain that denomination—and employ it for the deviation correction also—than to convert into seconds directly The values of the telescope micrometers as determined by observation from time to time* varied so slightly that the mean value 1 div $=$ 0 0225 (equatorial) has always been used for both instruments, therefore $m =$ 0 0225 Column 13 contains the ' Correction for Pen Equation Q required to reduce the observer s record on the chronograph to that made by the clock it was daily obtained by observation as explained in Chapter III, Section 5 The ' Correction for Clock Rate , column 14 is required for the interval between the transits of the two stars forming a pair, it was always applied to the later observation, and the interval was so small that a very accurate knowledge of the rate was not necessary Column 15 headed ' Seconds of Corrected Time of Transit' contains merely the sum of the quantities in the five preceding columns the seconds only being entered The ' Right Ascension ", in column 16 was computed from the Nautical Almanac in the case of stars found therein for other stars it was computed by the Quantities for correcting the places of stars ' or, previous to 1891 by Airy s Day Numbers In the latter case the term involving the longitude of the moon was not lost sight of but it was never used in the reduction of Right Ascension as its effect on the stars employed was found to be inappreciable When a lower culmination was observed, the computed Right Ascension at the time of observation increased by twelve hours, is entered

     The Apparent Clock Corrections , in column 17—being the differences between the two preceding columns—afford the means of computing the deviation correction a_1 as follows —Let ΔT be the true clock correction while Δt and Δt_1 are respectively the corrections obtained by the upper and lower culminating stars of a pair then we have the two equations $\Delta T = \Delta t - A a_1$, and $\Delta T = \Delta t_1 - A_1 a_1$ (where A and A_1 are the values of the azimuth constants for the two stars respectively) by combining which ΔT is eliminated, and there remains one equation from which a_1—expressed in terms of micrometer

---

* *Vide* page 2 of Part II of this volume

divisions—is deduced, and entered in the next column   The sign of a is positive or negative, according as the plane of rotation of the telescope cuts the horizon to the west or east of the north point   and thus the quantity Aa affords the correction for deviation to be applied to the time of transit of any star, for which A is computed by the formula given above

During the last arc of the season 1885 86, when both telescopes were at Dehra Dun, advantage was taken of the natural suitability of the place to erect a meridian mark   and this latter was used in preference to Star Observations for the determination of the Azimuthal Deviation   In 1892 on the Fyzabad–Dehra Dun Arc, when one telescope was at Dehra Dun, the meridian mark was again made use of   The northern horizon of Dehra Dun is bounded by a range of hills, which fulfil all the con ditions necessary for the site of a meridian mark   Their crest line is some 4000 feet higher than the astronomical observatories in Dehra Dun and never less than 9 miles distant   Signals on these hills appear well defined images in a telescope at Dehra Dun adjusted to stellar focus, and any small error in the position of the meridian mark itself can exercise no appreciable effect upon the determi nation of the azimuthal deviation   The exact point of the crest line of the hills that is situated on the same meridian as the longitude station of Dehra Dun was determined by Lieut Colonel G Strahan a pillar was built over the spot, a mark stone inserted and a lamp shewn from the latter on nights of observation   During the longitude operations every evening before and after work the observer record ed the reading of the micrometer   when the meridian lamp was intersected by the centre wire of the telescope   these readings were called C_M

The azimuthal deviation from the meridian in divisions of the micrometer screw was then found from the following formulæ* —

$$\text{For } I P E \quad a = (C_0 - C_M) \operatorname{cosec} 84 \ 17 \ + \ (C_0 - M) \cot 84° \ 17 \ ,$$
$$\text{,, } \quad I P W \quad a = (C_M - C_0) \operatorname{cosec} 84° \ 17 \ + \ (M - C_0) \cot 84° \ 17$$

On the four nights that observations were taken in 1886, the readings named C_M and the resultant values of deviation were as follows —

Arc	Station	Date	Tele cope No 1 at South n Station			Tele cope No 2 at Northern Station		
				C_M	a		C_M	a
EXPERIMENTAL ARC AT DEHRA DÚN	BOTH TELESCOPES ON THE SAME MERIDIAN	May 5	$I P W$	1614 8 1617 3 1619 9	d + 8 1	$I P W$	2607 1 2604 3 2608 3	d − 6 6
		,, 6	$I P W$	1616 5 1615 5 1614 5	+ 6 0	$I P E$	2606 8 2612 4	+ 3 6
		7	$I P E$	1624 1 1622 2	−13 8	$I P E$	2617 4 2616 1	− 3 8
		,, 8	$I P E$	1608 3 1606 6	+ 2 2	$I P W$	2606 9 2604 0	− 7 7

* The angle 84 17 is the zenith distance of the meridian mark at the longitude station C_0 is the mean reading of the telescope micrometer deduced from the several determinations of the collimation error   the latter terms of both formulæ is due to the dislevelment of the transit axis   the determination of which together with the meaning of the symbol M are explained in Section 4 of this chapter

In 1892 on the six nights that observations were taken on the Fyzabad–Dehra Dun Arc, the read ings named C_M and the resultant values of deviation were as follows —

Arc	Station	Date		C_M	a
					d
		March 15	$I P W$	1497 1	−19 3
		„ 16	$I P W$	1489 3	−27 1
FYZABAD–DEHRA DÚN	DEHRA DUN (Telescope No 1)	, 17	$I P E$	1524 3	− 8 0
		18	$I P E$	1526 3	−10 2
		„ 19	$I P E$	1528 5	−12 4
		, 20	$I P W$	1512 1	− 4 4

6

Table III   Abstract of Observed Values of Personal Equation

Table III contains an abstract of the individual values of personal equation observed during the seasons 1885 86, 1887 88 1889 90 and 1891 92 by the method of divided transits with the same telescope, as described in Chapter IV The heading of the table shows which transit telescope was in use and the results are entered in two groups according as the stars observed were of north or south aspect lastly the observations are entered in three columns under the dates on which they are made, the first giving the number of the star in the British Association Catalogue the second its declination and the third the difference in seconds of time between the reduced transits by the two observers The letters S H B and C symbolize respectively the four observers Colonel G Strahan, Lieut Colonel W J Heaviside Captain S G Burrard and Lieutenant G P Lenox Conyngham, and the subscripts N and S refer to the aspect of the stars observed The quantity S − H is obtained by subtracting the time of transit as noted by Lieut Colonel Heaviside from that noted by Colonel Strahan, and must be added algebrai cally to Lieut Colonel Heaviside s observations to make them comparable with Colonel Strahan s

7.

Table IV   Deduction of the Final Values of the Relative Personal Equation

In *Table IV* the mean results of *Table III* are abstracted in two divisions, according to the aspect of the stars observed the dates, telescope used and mean values of the equation are given The final values of the equation adopted for use in the reduction of the observations follow the table

8

Reduction of Star Observations—Explanation of the Terms $\delta L - \rho$ and $\delta L + \rho$

In *Table V* the star observations are given in abstract, and their reduction is carried out to the determination of the quantities $\delta L - \rho$ and $\delta L + \rho$ $\delta L \mp \rho$ (generally) is the difference between the

corrected times of transit of the same star over both meridians, the time at east being always subtracted from that at west station   Here it is evident that, if the clock in use were rated to keep true time and if its beats were recorded at both stations synchronously—and also if there were no errors of observation, and no personal equation—then the difference between the times of transit of the same star at the two stations would be exactly equal to the difference of longitude   But the result actually obtained is affected—in addition to errors of observations and personal equation—(1) by the rate of the clock during the interval between the transits at the two stations, and (2) by the retardation of the beats of the clock transmitted through the wire and relays to the distant station   A correction for clock rate is applied in these tables, but the retardation—which is called ρ—remains for elimination at a later period

9

The Sign of ρ

The correction for ρ changes its sign according to the clock in use   The retardation always causes the times of observations made at the far station, *i e*, the station receiving the clock beats through the line, to appear slow as compared with those obtained from the clock at its own station because the time at the far station is recorded by beats of the clock, which are generated an instant earlier than they are received, the interval being ρ Therefore whichever clock is in use, ρ has the effect of increasing the time recorded at the distant station   and as the difference between the observed times of transit is always obtained in *Table V* by subtracting east from west time, the correction it requires is $+ \rho$ when east clock, and $- \rho$ when west clock, is used   It should be noted that the quantity ρ includes all sources of retardation, those arising from the instruments employed in the observatories to generate the signals transmitted, or to record those received, as well as the simple time of transmission of a signal through the line wire between the stations

There is no way in which ρ can be determined separately for each clock, *i e*, for the transmission of signals in opposite directions through the line   and it is therefore necessary to consider it the same for both   Any variation from such equality is probably very small in proportion to the whole quantity, and as it arises chiefly from irregularities in the action of relays and chronograph pens in the observatories, it must be itself irregular, and liable to elimination in a series of observations

10

Explanation of Table V

This table is arranged in groups   each exhibiting the results of the measurement of one arc

The names of the stations and their approximate latitudes and longitudes are entered at the head, and below this, the central part of the body of the table is divided into halves—the left hand and right hand portions being assigned to the observations at the east and west station, respectively   outside of these to the left and right are some columns common to both stations

Beginning from the left hand,

Column 1 contains the astronomical date

  „   2 contains the British Association Catalogue number of the star observed

  „   3 contains the star's approximate declination

Columns 4 and 9 shew the aspect under which the star was observed at each station , N and S meaning that the observer sat facing the north or the south, respectively

Columns 5 and 10 indicate the position of the instrument, and give the correction constants for each group of observations   The letters *I P E* or *I P W* mean that the illuminated pivot of the transit telescope was east or west, respectively—a position that was never altered during the work of any one night except for some of the arcs measured in the season 1885 86   c and b are the correction constants for collimation (including diurnal aberration) and level, abstracted from *Table I*   a is the deviation correction abstracted from *Table II*, and is generally the mean of the several values of a for each night   c, b and a are expressed in divisions of the micrometer   Q is the correction for pen equation in seconds of time, the sign of which usually changes after each group

Columns 6 and 11 contain the mean observed time of transit at each station for each star   The transit of a star was generally observed over fifteen wires, the individual observations were reduced to the central wire, and the mean of all is here given   These reductions are effected by multiplying the known equatorial wire intervals by the secant of the declination of the star observed, and applying the products to the observed times of individual wires by addition or subtraction as the case may be

Columns 7 and 12   In these columns under the head of Total Correction ", the sum of the corrections for collimation level deviation and pen equation, Q, is given   With the data afforded, *viz* , the latitude of the station, the declination of the star, the value of the telescope micro meter (*i e* , $1^d = 0$ 0225, *vide* page 2 of Part II of this volume) and the constants c b a and Q, the separate corrections can be computed, and the quantities in columns 7 and 12 checked

Columns 8 and 13 contain the seconds of the corrected times of transit, obtained simply by taking the sum of the quantities in the two preceding columns

Column 14 contains the difference between the corrected times of transit of each star at the two stations, east time being always subtracted from west

  15 contains the mean of each group in the preceding column

  16 contains a correction required on account of clock rate the quantity in column 15 is a direct difference between two observed times by the same clock and is therefore effected by the rate of that clock during the interval between the observations   The corrections for rate used in this table are deduced in *Table VI*

The quantities in the seventeenth column are obtained from *Table IV*   The last column contains the sum of the quantities in the three preceding columns, entered under the head of $\delta L - \rho$ or $\delta L + \rho$, according as it is deduced from observations with east or west clock, respectively

11

Table VI   Deduction of Clock Rate Corrections from the Observations of Transits

Clock rate corrections for the intervals between nights of observation were found by comparing the corrected transits of the same stars on successive days, and are entered under the head a   In doing this the effect of change in the right ascensions of the stars observed was not lost sight of but this effect was found in all cases to be quite inappreciable   For all the arcs measured each observer obtained a value of the rate corrections, a for each clock and from the means of these quantities, hourly rate corrections, β, are interpolated for each night of observation   The correction to be applied to the difference of observed times of transits, is simply the quantity β for the night, multiplied by the difference of longitude in decimals of an hour, and these products are shewn in this table

12.

Table VII   Deduction of the Difference of Longitude, ΔL and the Retardation of Signals, ρ

The final results are arrived at in this table

Column 1 contains the astronomical date, and column 2 which is divided into two parts gives the instrumental position

Columns 3, 4, 6 and 7 are the results obtained by the method of transits at both stations with the same clock and are abstracted for each date from *Table V*   Means for each instrumental position and a general mean follow as before   The final value of ΔL is obtained by taking the mean of the final values of $\Delta L - \rho$ and $\Delta L + \rho$ which are given at the foot of columns 5 and 8   The final value of ρ is obtained by taking half the difference of the final values of $\Delta L - \rho$ and $\Delta L + \rho$ from columns 5 and 8

CHAPTER VI

DETAILED ACCOUNT OF THE OPERATIONS OF EACH SEASON

1

Arcs measured during the Season 1885 86

In the annexed diagram the arcs measured during the season 1885 86 are shown in black lines and numbered for convenience of reference Two arcs previously measured which are required to make clear the connection of this season's operations with former work are indicated by dotted lines

The descriptions contained in the preceding five chapters apply throughout to the work of this season, and it is only necessary to remark in passing that the system of changing pivots was as follows —On the arcs numbered (6) (8) and (12) the telescope at the eastern station had its pivots reversed in the middle of work every night, (i e between the second and third groups of stars) and that at the western station at the close of each night s observations   Subsequently it was decided that the uncertainty of the telescope taking up at once a permanently stable position immediately after reversal more than counterbalanced the advantages aimed at viz   the systematic variation as far as possible of the circumstances under which the observations were made and on the remaining arcs, numbered (3) (9), (10) (11) (13) and (14) in the diagram the telescope at the eastern station was reversed after the first, third and fifth nights, and that at the western station after the second, fourth and sixth

In consequence of the magnitude of the circuit errors that had appeared in previous seasons it was decided to interchange observers on one arc of this season and also to measure an experimental arc at Dehra Dun   The arc Agra–Amritsar was the one selected for the interchange of observers and accordingly after four nights had been completed Major Strahan moved from Agra to Amritsar and Major Heaviside from Amritsar to Agra four more nights work was then added Major Strahan using Major Heaviside s clock, chronograph and telescope and Major Heaviside using Major Strahan s   The result arrived at by the observations taken when Major Strahan was at Agra and Major Heaviside at Amritsar differed from the result when Major Heaviside was at Agra and Major Strahan was at Amritsar by o 031   On the experimental arc at Dehra Dun the two telescopes were placed on the same meridian one a few feet south of the other and the whole procedure was gone through of measuring their difference of longitude the result was most disappointing the difference of longitude was known to be o oo but the final value derived from 120 stars came out o 19

At the close of the field season 1883 84 owing to the occurrence of objectionably large circuit errors* the two transit instruments had been sent to England to be examined by the makers and to have certain defects if possible remedied and Major G Strahan who was on furlough in England was asked to inspect the instruments when the makers reported their work complete through the kindness of the Astronomer Royal a site was placed at his disposal in the enclosure of Greenwich Observatory shelter was afforded for the telescopes and chronograph and electric communication with the standard sidereal clock was allowed   Major Strahan made an exhaustive examination of both telescopes and declared himself satisfied that the instrumental defects had been removed   In October 1885 a further series of experimental observations were taken at Agra by Major Heaviside and the results obtained were sufficiently satisfactory to justify the resumption of regular operations

The behaviour of the instruments throughout the season 1885 86 was such as to give every confidence in their perfection but when the results came to be reduced it was found that there was still a mysterious source of very appreciable error   Out of five verificatory circuits, three exhibited large errors between a quarter and a third of a second of time, and the result of the experimental arc at Dehra Dun shewed that there might be an error of o 19 in a single arc   A few years afterwards the cause of these errors was discovered (vide Part IV of this volume) and the introduction of a mean value of C_0 in place of the nightly values as formerly used reduced the average circuit error of the season 1885 86 from o 281 to o 036 the value of the experimental arc at Dehra Dun was also reduced from o 19 to o 07   As is explained in Part IV, the original circuit errors have been proved to be in no way due to bad observations, but to faults in the object glasses of the collimators and the effect of these latter is so entirely eliminated by the use of a mean C_0, that there was no necessity whatever

---

* V de Section 10 of Chapter VI of Volume X of the *Account of the Operations of the Great Trigonometrical Survey of India*

to re observe the arcs of 1885 86 their reduction, as printed in Part II has been carried out on the new method, and their values, as originally computed, have been rejected and are not shewn in this volume The final values given on pages 122–130 of Part II may be accepted without hesitation

In March 1887 the experimental arc at Dehra Dun was re measured in detail on four separate occasions, four full nights' work being devoted to each measurement On the first occasion Capt Burrard was at the southern station with Telescope No 1, and Mr Eccles at the northern with Telescope No 2 during the second measurement Mr Eccles worked with Telescope No 1 at the southern station and Capt Burrard with Telescope No 2 at the northern The telescopes were then interchanged between the stations, and during the last two measurements Telescope No 1 was north, Mr Eccles observing with it on the third occasion and Capt Burrard on the fourth These four measurements being carried out for experimental purposes only, the details of their reduction have not been included in this volume The resulting values of the arc obtained from the observations were +0 01, +0 02, +0 04, and +0 01, from which it may be concluded that the value +0 07 obtained in 1885 86 was unusually large (An error in the adopted value of Personal Equation would readily account for it)

2

Personal Equation

Personal Equation was measured nine times during the season 1885 86 as follows —Firstly at Agra between Majors Strahan and Heaviside before the commencement of the longitude work proper secondly at Amritsar between Major Strahan and Lieut Burrard then on three occasions at Amritsar and once at Mooltan between Major Heaviside and Lieut Burrard Major Strahan also measured his equation with Major Heaviside at Karachi in February, and with Lieut Burrard at Amritsar in March, and again at Dehra Dun in April The determinations of the value of the equation were made in accordance with the system detailed in Chapter IV and call for no special remark An abstract of the results is given in *Table IV*, page 26, Part II, and on pages 27 and 28 will be found a description of the method that was adopted of dealing with the unusual variations, that appeared in the equation that season

3.

Arcs measured during the Season 1887 88

The following diagram illustrates the operations of the season 1887 88   The arcs measured are shown as before by black lines and those previously measured by dotted lines   One of the arcs included had already been observed in 1876 77, and is necessarily represented by both a black and a dotted line

There were no changes in procedure from that of the previous season   The telescope at the eastern station had its pivots always reversed after the first, third, and fifth nights of observation, and that at the western station after the second, fourth, and sixth nights

The arc, Mangalore–Bombay, had been previously measured in 1877, but had not then been satisfactorily completed   it was therefore re observed in 1888, and the mean of its two measurements has been included in Part IV in the Simultaneous Reduction of all the Indian Arcs

4

Personal Equation

Personal equation was measured three times during the season 1887 88 as follows —Firstly at Madras before the commencement of the longitude work proper, secondly at Nagarkoil between the measurement of the arcs Bangalore–Nagarkoil and Madras–Nagarkoil, and lastly at Bombay after the conclusion of the season s operations   An abstract is given in *Table IV*, page 149, Part II, the results obtained from north and south stars being kept separate as usual

5

Arcs measured during the Season 1889 90

The following diagram illustrates the operations of the season 1889 90   The arcs measured are

shown as before by black lines, and those previously measured by dotted lines arcs re measured are necessarily represented by both a black and a dotted line

In consequence of the magnitude of the circuit errors that had appeared in the season 1885 86, it was decided that two arcs of that season's work, *viz* Agra–Mooltan and Mooltan–Karachi, should be revised in 1889 90 and that an additional arc Agra–Karachi should also be included and measured During this season however the effect on the circuit errors of the introduction of a mean C_0 into the computations was first discovered, and it was then seen that the observations of 1885 86 gave excellent results, and that no necessity existed for revising any of the arcs This was not however found out till the arc Agra–Mooltan had already been revised and Agra–Karachi measured in 1889 but the proposed revision of Mooltan–Karachi was abandoned   In the simultaneous reduction in Part IV the mean of its two measurements has been adopted as the final observed value of the arc Agra–Mooltan the measurement of 1889 90 was not however regarded by the observers as deserving of the same weight as that of 1885 86 it was the first occasion that Lieutenant Lenox Conyngham had been employed on astronomical observations, and after its completion the coils of one of Captain Burrard s relays were found to possess an abnormal resistance

6

The Longitude of Kalianpur

Kalianpur is the origin of the Great Trigonometrical Survey of India, the pivot on which the whole triangulation has been hung it is a small deserted village of no political importance situated in the territories of the Nawab of Tonk within three miles of the large city of Sironj   It lies near the centre of the Indian continent at the junction of the two most important series of triangulation in India *viz*, (1) the Great Arc which follows the meridian of $78°$ from Cape Comorin to the Himalayas, and (2) the Great Longitudinal Series that runs from Karachi to Calcutta

In 1889 90 the distances in longitude of Kalianpur from Agra Jubbulpore and Bombay were determined directly by electro telegraphic operations and for this purpose a special line of telegraph had to be constructed 30 miles in length from Bamora a station of the Indian Midland Railway to the observatory at Kalianpur   The difference in longitude between Greenwich and Kalianpur has thus been directly determined by the electro telegraphic method   It was essential that this should be done as though Kalianpur had been previously connected by triangulation with Bombay Agra and Jubbulpore its longitude as deduced through the triangulation would have been dependent on the values of the earth s axes, that have been adopted in the Indian Survey, and which are known to be in error

7

Personal Equation

The observers Captain Burrard and Lieutenant Lenox Conyngham met for the determination of their personal equation four times during the season 1889 90 firstly at Dehra Dun before the commencement of regular longitude operations secondly at Agra between the measurements of the second and third arcs thirdly at Mooltan between the measurements of the fifth and sixth arcs, and lastly at Karachi after the season s work had been completed   An abstract of results is given in *Table IV*, page 234 of Part II, the values by north and south stars being kept separate as usual

8.

Arcs measured during the Season 1891 92

The following diagram illustrates the operations of the season 1891 92   The arcs measured are shown as before by black lines, and those previously measured by dotted lines   arcs re measured are necessarily represented by both a black and a dotted line

The site of the longitude station at Vizagapatam from which the arcs Vizagapatam–Madras and Vizagapatam–Bellary had been measured in 1877, had been lost* and was no longer available in 1891, a new station was consequently selected at Waltair, within two miles of the old, and four new arcs

---

* A Roman Catholic Mission School had been erected on the spot.

measured from it, the measurement of the arcs Waltair–Madras and Waltair–Bolarum completed the network over eastern India and rendered the two earlier arcs measured from Vizagapatam redundant they are however included among the recomputed arcs in Part II of this Volume, though not shown in Plate V, nor employed in the simultaneous reduction

The telegraph line from Waltair to Calcutta was 550 miles in length and ran along the coast, owing to the amount of moisture in the atmosphere and to the defective insulation of the line, the electric currents were very weak, and the observers experienced much difficulty in obtaining satisfactory signals, but they succeeded in completing the arc On the following arc Waltair–Jubbulpore, the line ran from Waltair to Jubbulpore *via* Calcutta, so that the same length of wire along the coast had to be used as in the preceding arc with the 750 miles from Calcutta to Jubbulpore in addition The observers hero entirely failed to make any signals pass, and they were compelled to introduce a translating station at Cuttack, where the signals from one observatory were received and passed on to the other by means of a relay as was feared this arrangement largely increased the value of ρ, which is greater on this arc than on any other measured in India

The arc Bolarum–Bombay was first measured in 1875 76, it was re observed in 1891 92 because its former measurement was somewhat incomplete The result of the observations taken in 1891 92 differed from that obtained in 1875 76 by 0 o8, a discrepancy that justified the revision

In 1891 92 the old longitude stations at Calcutta and Bolarum were no longer available owing to the encroachments of surrounding buildings, but they were easily identified, and new sites were chosen within a few feet of the old This has necessitated the application of a small geodetic correc tion to the value of the arcs Calcutta–Waltair, Waltair–Bolarum and Bolarum–Bombay, as measured in 1891 92, to enable these latter to be compared with arcs previously measured.

9

Personal Equation

The observers, Captain Burrard and Lieutenant Lenox Conyngham, met for the determination of their personal equation as follows —Firstly at Karachi before the commencement of regular longitude work, secondly at Bombay about the middle of the season and thirdly at Dehra Dun when the operations had been brought to a close An abstract is given in *Table IV*, page 316 of Part II, the results obtained from north and south stars being kept separate as usual

10

Difficulties experienced in Levelling

In Section 4 of Chapter VI of Volume X of the *Account of the Operations of the Great Trigo nometrical Survey of India*, reference was made to the difficulty of obtaining distinct reflexion of the spider lines in the mercury trough at Calcutta owing to the extremely unstable nature of the soil a tremor, it was stated sufficient to obliterate the reflected image of the wires would be set up on the surface of the mercury by the wheels of a passing carriage long before even the sound of the carriage could be heard, and a cough or sneeze would often render the image invisible for a second or two Many expedients were tried with a view to overcoming this difficulty, but without success The following method, which was suggested for use in India by General Walker who received it from a continental astronomer, was adopted to render the surface of the mercury less liable to tremors The mercury

is placed in a very shallow copper trough, the surface of which has been amalgamed with mercury by means of sulphuric acid the effect of this amalgam is that the surface of the copper becomes, so to speak, "wetted," and vibrations of the ground are not communicated to the mercury   A trough was constructed, and on the arc Calcutta–Waltair, measured in December 1891 the above method was tried and found to be a complete success perfectly distinct reflexions were obtained even when vehicles were passing within a hundred yards   As an experiment the ordinary trough was also tried at the same time, but with the same result as formerly distinct reflexion was never obtained, and generally not even a faint vibrating image was visible till after midnight, when traffic had ceased

In the trough the depth of the mercury does no exceed $\frac{1}{10}$th of an inch, and it might be objected that owing to this small depth the surface of the mercury would lose its horizontality but the level of the telescope was frequently tested both with the continental and the ordinary trough, and their results were never found to differ

11.

Future Operations

It has been proposed at various times to throw a network of longitude arcs over Assam and Upper Burma, and to connect Moulmein (at present the most easterly longitude station in India) with Singapore and Bankok the connection of Gwadar and Bushire on the Persian Gulf with Quetta and Karachi was also at one time contemplated, and the re determination of the absolute longitude of India, east of Greenwich, has been suggested by means of the Teheran telegraph wire These proposals, though not abandoned, will not probably be carried out for some years, and so the network of longitude arcs thrown over India proper has been treated in this volume as *completed,* and the circuit errors have been eliminated by the simultaneous reduction in Part IV

The extension of the longitude arcs east and west to Bankok and Bushire will increase the amplitude of the Indian Arc of longitude by $18\frac{1}{2}$ degrees the connection with Greenwich *via* Teheran will be interesting, as at present our knowledge of the absolute longitude of India depends upon two very long arcs, Bombay–Aden and Aden–Suez, both employing a submarine telegraph cable, and also on the arc Suez to Greenwich whose accuracy is not yet proved None of these arcs enter into any circuits, and their observed values have consequently not as yet been subjected to any external check

ELECTRO-TELEGRAPHIC LONGITUDES

PART II

ABSTRACT OF THE OBSERVATIONS

AND

REDUCTION OF THE RESULTS

DURING

1885-86, 1887-88, 1889-90 AND 1891-92.

ELECTRO-TELEGRAPHIC LONGITUDES

1885-86.

INDIAN ARCS.

ABSTRACT OF THE OBSERVATIONS

AND

REDUCTION OF THE RESULTS.

" *Abstract of Determinations of Collimation and Level Correction Constants* "

The method followed in making the observations to determine Collimation and Level correction constants is fully explained in Part I of this volume

The results obtained are given in Abstract in the following table, and the meaning of the symbols used therein are here briefly recapitulated

The contents of the table are divided into groups one for each arc measured   and in each group, the left and right hand sides contain data belonging to the East and West stations respectively

All the transit wires are moveable by the telescope micrometer, on the reading of which therefore, the collimation of the telescope depends

In 1884 the Telescopes were sent to Messrs Cooke & Sons in England to be overhauled and have the Telescope tubes strengthened   Among other alterations the micrometer screws of both Telescopes were entirely renewed   and whereas that of No 2 had previously worked with a reverse motion to that of No 1, they were both now made identical in every way

Column   1 contains the astronomical dates

2 & 11 contain the names of the stations and indicate the telescope in use at each

3 & 12 show the position of the telescopes on each day $I\ P\ E$ (or W) meaning Illuminated Pivot East (or West)

4 & 13   Headed C   This is the reading of the telescope micrometer, when so set that the centre wire is collimated as found by observation

5 & 14   Headed C   This is the reading of the telescope micrometer as set during the observation of star transits   The setting is arbitrary and is generally constant for each station

,   6 & 15   Headed c_1 This is the collimation correction constant   It is equal to $C - C$ or $C - C$ when the position of the telescope is $I\ P\ E$ or $I\ P\ W$ respectively a mean value of C_0 being used per arc

7 & 16   Headed c   This is simply c_1 altered to include the correction constant for diurnal aberration   c is used in combination with each star's constant for computing the correction for collimation which therefore includes the correction for diurnal aberration

,   8 & 17   Headed M   M is the reading of the telescope micrometer when the centre wire and its reflection from the mercury coincide

9 & 18   Headed b   This is the level correction constant   It is equal to $C_0 - M$ or $M - C$ when the telescope is $I\ P\ E$, or $I\ P\ W$, respectively a mean value of C being used per arc

All these quantities are expressed in divisions of the telescope micrometer head   the values of which were in 1885 86 as follows —

Telescope No 1, 1 division $= \overset{\bullet}{0}\ 02228$ Telescope No 2, 1 division $= \overset{\bullet}{0}\ 02255$

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C	C	c_1	c	M	b				C	C	c_1	c	M	b	
1885 Nov 23		I P E	23 5	24 0	+1 6	+0 8	24 2	+1 4			I P E	101 9	100 0	-0 8	-1 6	100 2	-1 2	
		I P W	25 6		-1 6	-2 4	32 0	+6 4				100 7				100 6		
			27 2	24 0							I P W	97 3	100 0	+0 8		100 9	+1 8	
24		I P W	26 5	24 0	-1 6	-2 4	24 0	-1 6				97 2				101 1		
		I P E	24 5	24 0	+1 6	+0 8	24 5	+0 1										
			23 4				26 5				I P E	100 9	100 0	-0 8	-1 6	97 2	+1 2	
25	AGRA (Telescope No 2)	I P E	22 5	24 0	+1 6	+0 8	22 7	+2 9	Mean C I P E = 24 2 I P W = 27 0 General Mean = 25 6	MOOLTAN (Telescope No 1)		102 4				98 8		Mean C I P E = 101 4 I P W = 97 0 General Mean = 99 2
		I P W	27 0	24 0	-1 6	-2 4	32 2				I P W	96 9	100 0	+0 8		100 5	+1 5	
			28 8				30 5	+5 8				97 1				100 8		
26		I P W	27 1	25 0	-0 6	-1 4	26 7	+1 1										
		I P E	25 1	25 0	+0 6	-0 2	25 6				I P E	100 5	100 0	-0 8	-1 6	103 2	-3 1	
			24 7				26 6	-0 5				102 0				102 4		
27		I P E	26 4	25 0	+0 6	-0 2	26 0	-0 4										
		I P W	25 7	25 0	-0 6	-1 4	22 9				I P W	97 5	100 0	+0 8		101 0	+1 5	
			26 5				23 0	-2 7				96 2				100 4		
°8		I P W	27 8	25 0	-0 6	-1 4	28 6	+3 0										
		I P E	23 7	25 0	+0 6	-0 2	26 1											
			23 9				25 4	-0 2										
Dec 7		I P W	25 8	25 0	+3 6	+2 8	25 8	+4 4			I P W	97 0	100 0	-0 2	-1 0	100 5	-0 6	
		I P E	16 9	20 0	+1 4	+0 6	4 9					97 3				98 8		
			17 2				14 9	+6 5			I P E	103 1	100 0	+0 2	-0 6	100 9	-0 4	
8		I P E	6 8	20 0	+1 4	+0 6	18 2	+3 2				103 7				100 2		
		I P W	24 7	20 0	-1 4	-2 2	25 0											
			25 8				23 6	+2 9			I P W	96 6	95 0	-5 2	-6 0	95 1	-5 9	
9	DEESA (Telescope No 2)	I P W	25 0	20 0	-1 4	-2 2	25 7	+4 3	Mean C I P E = 17 2 I P W = 25 5 General Mean = 21 4	MOOLTAN (Telescope No 1)		97 2				92 5		Mean C I P E = 103 1 I P W = 97 2 General Mean = 100 2
		I P E	16 3	20 0	+1 4	+0 6	16 9									95 2		
			18 4				17 2	+4 4			I P E	103 0	100 0	+0 2	-0 6	103 3	-3 4	
11		I P E	17 3	20 0	+1 4	+0 6	19 1	+2 3				103 6				103 8		
		I P W	25 4	20 0	-1 4	-2 2	24 4											
			26 1				25 5	+3 6			I P W	98 4	95 0	-5 2	-6 0	97 5	-3 3	
12		I P W	25 7	20 0	-1 4	-2 2	26 4	+5 0				96 8				96 3		
		I P E	17 4	20 0	+1 4	+0 6	18 3											
			17 6				17 4	+3 6			I P E	102 3	100 0	+0 2	-0 6	104 1	-3 9	
13		I P E	17 0	20 0	+1 4	+0 6	17 7	+3 7				102 7				104 1		
		I P W	24 5	20 0	-1 4	-2 2	24 2											
			25 8				24 2	+2 8										

Astronl Date	Station	Instrumental Position	C	C	c_1	o	M	b	Remarks	Station	Instrumental Position	C	C	c_1	o	M	b	Remarks
			d	d	d	d	d	d				d	d	d	d	d	d	
1885 Dec. 21		I P E	29 7	30 0	-2 5	-3 3	30 0	-2 5			I P E	103 2				100 0		
		I P W	28 2				26 4					102 8	100 0	+2 0	+1 2	100 4	+1 8	
			26 8	30 0	+2 5	+1 7	27 1	-0 8										
„ 22		I P W	26 9	27 0	-0 5	-1 3	27 0	-0 5			I P W	100 0				97 3		
		I P E	27 7				29 4					101 5	100 0	-2 0	-2 8	97 3	-5 6	
			28 5	27 0	+0 5	-0 3	30 3	-2 4								94 5		
„ 23		I P E	27 7	27 0	+0 5	-0 3	28 7	-1 2			I P E	103 8				100 6		
		I P W	27 1				27 1					103 8	100 0	+2 0	+1 2	102 2	+1 1	
			26 9	27 0	-0 5	-1 3	27 7	-0 1								99 8		
24	AGRA (Telescope No 2)	I P W	25 5	27 0	-0 5	-1 3	26 6	-0 9	Mean C	AMRITSAR (Telescope No 1)	I P W	99 6				97 0		Mean C
		I P E	28 3				28 0		I P E = 28 6			99 7	100 0	-2 0	-2 8	95 7	-5 1	I P E = 103 5
			29 5	27 0	+0 5	-0 3	28 5	-0 8	I P W = 26 4							98 1		I P W = 100 4
26		I P E	29 9	28 0	-0 5	1 3	28 0	-2 1	General Mean = 27 5		I P E	103 6				102 0		General Mean = 102 0
			†				31 1					100 4	100 0	+2 0	+1 2	100 8	+0 5	
		I P W	27 5	30 0	+2 5	+1 7	24 8	-2 7				104 0				101 8		
27		I P W	26 7	30 0	+2 5	+1 7	30 9	+3 4			I P W	99 3				98 9		
		I P E	28 6	30 0	-2 5	-3 3	27 2	+0 3				100 2	100 0	-2 0	-2 8	100 4	-1 9	
												102 1				101 0		
„ 28		I P E	28 0	30 0	-2 5	-3 3	29 1	-1 6			I P E	103 8				103 9		
		I P W	25 1	30 0	+2 5	+1 7	28 7	+1 2				104 4	100 0	+2 0	+1 2	105 7	-3 4	
												105 0				106 5		
29		I P W	24 3	25 0	-2 5	-3 3	27 1	-0 4			I P W	100 2				98 8		
			25 5									100 1	100 0	-2 0	-2 8	100 6	-2 4	
		I P E	28 2	25 0	+2 5	+1 7	26 4	+1 1				101 2				99 3		
1886 Jan. 5		I P W	99 9	100 0	-2 3	-3 1	98 3	-3 2			I P W	15 1	16 0	+0 4	-0 4	15 3	+0 5	
			101 9				100 0					16 7				16 7		
												15 7				16 2		
„ 6		I P E	104 0	100 0	+2 3	+1 5	101 9				I P W	15 3	16 0	+0 4	-0 4	15 5	-0 4	
			104 1				100 7	+0 8				15 1				14 9		
							101 8											
„ 9	AMRITSAR (Telescope No 1)	I P E	105 7	100 0	+2 3	+1 5	102 7		Mean C	MOOLTAN (Telescope No 2)	I P E	16 5	16 0	-0 4	-1 2	17 6	-1 2	Mean C
			105 2				101 3	+0 3	I P E = 104 3			15 5				15 9		I P E = 16 0
„ 10		I P W	100 7				102 2		I P W = 100 3		I P E	16 2	16 0	-0 4	-1 2	17 0	-1 8	I P W = 15 1
				100 0	-2 3	-3 1	103 4	+0 7	General Mean = 102 3			16 7				17 8		General Mean = 15 6
			101 0				103 3											
12		I P W	99 2	100 0	-2 3	-3 1	103 3				I P W	15 3	16 0	+0 4	-0 4	16 4	+1 1	
			98 9				103 2	+1 0				14 6				17 0		
							103 5											
„ 14		I P E	104 7	105 0	-2 7	-3 5	107 4				I P W	14 4	15 0	-0 6	-1 4	14 3	-0 9	
			104 2				109 4	-6 1				14 7				15 2		
„ 19		I P E	104 1	105 0	-2 7	-3 5	115 5	-13 2			I P E	15 8	15 0	+0 6	-0 2	18 0	-2 2	
			102 4									15 5				17 6		

* On December 22nd at Amritsar C for Azimuth Star 514 was 95 0
† On December 26th at Agra C for 51 Cephei when observed *I.P.E* was 27 0

Astronl. Date	Station	Instrumental Position	Collimation C	C	c_1	c	Level M	b	Remarks	Station	Instrumental Position	Collimation C	C	c_1	c	Level M	b	Remarks
1886 Jan 27	MOOLTAN (Telescope No 1)	I P E	107 4 / 108 1	105 0	+1 1	+0 3	106 7 / 107 4 / 107 4	-1 1		KARACHI (Telescope No 2)	I P E	20 0 / 19 9	*15 0 / 20 0	+3 0 / -2 0	+2 2 / -2 8	13 3 / 19 9 / 21 7	+4 7 / -2 8	
28		I P W	103 1 / 103 6	105 0	-1 1	-1 9	105 5 / 105 5	-0 6			I P E	18 6 / 19 6	20 0	-2 0	-2 8	21 3 / 20 4	-2 9	
29		I P W	103 9 / 103 8	105 0	-1 1	-1 9	106 9 / 106 6 / 106 9	+0 7	Mean C I P E = 108 1 I P W = 104 1 General Mean = 106 1		I P W	16 5 / 17 4	15 0	-3 0	-3 8	15 4 / 14 7 / 13 9	-3 3	Mean C I P E = 19 0 I P W = 17 0 General Mean = 18 0
31		I P E	107 7 / 107 8	105 0	+1 1	+0 3	109 2 / 110 6 / 111 4	-4 3			I P W	16 8 / 17 2	15 0	-3 0	-3 8	16 8 / 14 8	-2 2	
Feb 2		I P E	108 8 / 108 6	110 0	-3 9	-4 7	109 0 / 109 7 / 109 5	-3 3			I P E	18 8 / 17 5	20 0	-2 0	-2 8	19 2 / 19 9	-1 6	
3		I P W	105 3 / 104 8	105 0	-1 1	-1 9	104 2 / 103 4 / 105 0	-1 9			I P E	19 0 / 18 4	18 0	0 0	-0 8	19 0 / 20 6	-1 8	
Feb 9	PESHAWAR (Telescope No 1)	I P E	102 8 / 104 8	100 0	+6 1	+5 3	101 2 / 102 7	+4 2		MOOLTAN (Telescope No 2)	I P E	18 5 / 19 4	18 0	+2 2	+1 4	18 1 / 19 8	+1 3	
10		I P W	106 4 / 108 1	105 0	-1 1	-1 9	107 4 / 1 6 3	+0 8			I P E	18 6 / 17 5	18 0	+2 2	+1 4	19 5 / 18 9	+1 0	
11		I P W	106 9 / 108 5	105 0	-1 1	-1 9	108 8 / 108 8	+2 7	Mean C I P E = 104 6 I P W = 107 6 General Mean = 106 1		I P W	23 3 / 22 6	25 0	+4 8	+4 0	23 4 / 22 8	+2 9	Mean C I P E = 19 2 I P W = 21 2 General Mean = 20 2
12		I P E	104 3 / 103 6	105 0	+1 1	+0 3	102 1 / 100 6	+4 8			I P W	20 1 / 18 7	22 0	+1 8	+1 0	20 1 / 20 4	+0 1	
17		I P E	106 8 / 105 3	105 0	+1 1	+0 3	103 6 / 102 2	+3 2			I P E	18 2 / 20 1	18 0	+2 2	+1 4	17 5 / 18 8	+2 1	
18		I P W	108 1 / 107 7	110 0	+3 9	+3 1	107 7 / 110 5	+3 0			I P E	20 9 / 20 2	20 0	+0 2	-0 6	21 1 / 20 7	-0 7	
Feb 24	AMRITSAR (Telescope No 2)	I P W	21 9 / 20 6	22 0	-0 7	-1 5	21 4 / 21 6	-1 2		PESHAWAR (Telescope No 1)	I P W	106 7 / 108 4	105 0	-0 5	-1 3	106 9 / 107 6	+1 8	
Mar 4		I P E	23 1 / 25 4	22 0	+0 7	-0 1	23 0 / 23 8	-0 7			I P W	106 7 / 107 4	105 0	-0 5	-1 3	106 1 / 106 4	+0 8	
11		I P E	23 4 / 24 0	23 0	-0 3	-1 1	23 9 / 24 0	-1 3	Mean C I P E = 23 2 I P W = 22 2 General Mean = 22 7		I P E	104 3 / 104 5	105 0	+0 5	-0 3	105 3 / 106 1	-0 2	Mean C I P E = 104 1 I P W = 106 9 General Mean = 105 5
13		I P W	21 6 / 21 7	22 0	-0 7	-1 5	21 7 / 20 8	-1 5			I P E	103 7 / 103 8	105 0	+0 5	-0 3	103 8 / 104 1	+1 6	
19		I P W	23 7 / 23 8	24 0	+1 3	+0 5	24 1 / 23 0	+0 9			I P W	106 8 / 106 3	105 0	-0 5	-1 3	106 3 / 106 9	+1 1	
20		I P E	21 9 / 21 8	21 0	+1 7	+0 9	22 5 / 23 2	-0 2			I P W	105 8 / 106 8	105 0	-0 5	-1 3	106 5 / 105 7	+0 6	

* C_1 = 15 0, M = 13 3 for observations with E Clock, C_1 = 20 0, M = 20 8 for observations with W Clock.

Astronl Date	Station	Instrumental Position	Collimation C	C	c₁	c	Level M	b	Remarks	Station	Instrumental Position	Collimation C	C	c₁	c	Level M	b	Remarks
			d	d	d	d	d	d				d	d	d	d	d	d	
1866 Apr 1		IPE	14 1 / 15 0	13 0	+3 1	+2 3	14 9 / 15 2	+1 0			IPE	13 1 / 12 6	15 0	-2 7	-3 5	15 1	-2 8	
2		IPW	16 1 / 16 8	17 0	+0 9	+0 1	15 6 / 15 9	-0 4			IPE	13 7 / 13 6	15 0	-2 7	-3 5	13 9 / 13 9	-1 6	
8	DEHRA DUN (T lescope No 2)	IPW	16 7 / 16 6	17 0	+0 9	+0 1	17 4 / 18 7	+2 0	Mean C IPE = 15 5 IPW = 16 6	AMRITSAR (T lescope No 1)	IPW	9 9 / 10 8	10 0	-2 3	-3 1	9 3 / 7 3	-4 0	Mean C IPE = 13 5 IPW = 11 1
10		IPE	16 1 / 15 8	16 0	+0 1	-0 7	16 8 / 15 2	+0 1	General Mean = 16 1		IPW	11 1 / 11 9	10 0	-2 3	-3 1	8 6 / 10 4	-2 8	General Mean = 12 3
11		IPE	15 5 / 16 0	15 0	+1 1	+0 3	15 1 / 14 0	+1 6			IPE	13 3 / 14 5	15 0	-2 7	-3 5	13 8 / 14 0	-1 6	
12		IPE	15 7 / 15 4	15 0	+1 1	+0 3	15 2 / 13 8	+1 6			IPW	11 5 / 11 6	10 0	-2 3	-3 1	10 1 / 7 8	-3 4	
Apr 20		IPE	12 9 / 14 5	12 0	+2 0	+1 2	13 3 / 15 1	-0 2			IPE	9 2 / 9 7	10 0	-1 8	-2 6	10 8 / 11 1	-2 8	
21		IPW	14 7 / 13 0	15 0	+1 0	+0 2	1 2 / 13 4	-0 7			IPE	10 5 / 9 0	10 0	-1 8	-2 6	9 0 / 11 0	-1 8	
22	DEHRA DUN (T lescope No 2)	IPW	15 5 / 14 7	15 0	+1 0	+0 2	14 2 / 15 6	+0 9	Mean C IPE = 13 4 IPW = 14 5	AGRA (T lescope No 1)	IPW	7 4 / 7 1	10 0	+1 8	+1 0	9 8 / 10 1	+1 8	Mean C IPE = 10 0 IPW = 6 3
23		IPE	13 2 / 13 4	13 0	+1 0	+0 2	13 2 / 13 6	+0 6	General Mean = 14 0		IPW	4 6 / 6 0	5 0	-3 2	-4 0	7 4 / 5 6	-1 7	General Mean = 8 2
24		IPE	13 8 / 12 4	13 0	+1 0	+0 2	15 9 / 15 9	- 9			IPE	10 5 / 9 9	10 0	-1 8	-2 6	10 6 / 12 3	-3 3	
25		IPW	14 0 / 14 9	14 0	0 0	-0 8	14 2 / 17 2	+1 7			IPE	10 2 / 10 9	10 0	-1 8	-2 6	9 3 / 13 7	-3 3	
May 5		IPW	13 8 / 14 2	14 0	+0 9	+0 1	12 9 / 13 6	+0 2			IPW	10 4 / 10 8	10 0	+0 5	-0 3	11 9 / 13 6	+3 3	
6	DEHRA DUN (T lescop No 2)	IPE	12 3 / 11 5	12 0	+1 1	+0 3	10 1 / 11 2	+2 5	Mean C IPE = 12 5 IPW = 13 6	DEHRA DUN (Telescope No 1)	IPW	12 0 / 12 4	10 0	+0 5	-0 3	12 1 / 11 8	+2 5	Mean C IPE = 7 6 IPW = 11 4
7		IPE	13 7 / 12 4	12 0	+1 1	+0 3	12 9 / 14 1	-0 4	General Mean = 13 1		IPE	6 5 / 7 9	5 0	+4 5	+3 7	5 8 / 8 7	+2 3	General Mean = 9 5
„ 8		IPW	13 4 / 12 8	14 0	+0 9	+0 1	12 0 / 12 9	-0 7			IPE	7 7 / 8 1	5 0	+4 5	+3 7	6 4 / 6 3	+3 2	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction s
									h m	s	s	s	s	s	h m s	m s	d
		1885	I P E	E	326 Gr 72	U	4	− 0 2987	3 29 31 18	+ 0 28	+ 0 25	− 1 50		30 21	3 29 39 59	+ 0 9 38	
			I P E	E	1402	L	5	+ 0 1345	3 35 38 88	− 0 11	− 0 06	− 1 50	0 00	37 21	3 35 40 65	+ 0 3 44	−13 7
		Nov 23	I P W	W	1556 „	L	5	+ 0 1573	4 31 53 52	+ 0 40	− 0 35	− 1 51		52 06	4 57 30 88	+25 38 82	
			I P W		514	U	4	− 0 2253	5 0 6 08	− 0 64	+ 0 90	− 1 51	− 0 13	4 70	5 25 46 13	+25 41 43	− 6 8
			I P W	E	326 Gr 72	U	4	− 0 2987	3 29 31 63	− 0 83	− 0 29	− 1 52		28 99	3 29 39 59	+ 0 10 69	
			I P W		1402	L	5	+ 0 1345	3 35 35 88	+ 0 34	+ 0 07	− 1 52	0 00	34 77	3 35 40 66	+ 0 5 89	−10 9
		24	I P E	W	1506	L	5	+ 0 1573	4 32 4 02	− 0 13	− 0 01	− 1 2		2 36	4 57 30 83	+25 28 47	
			I P E		514	U	5	− 0 2253	5 0 8 00	+ 0 21	+ 0 01	− 1 52	− 0 11	6 59	5 25 46 27	+25 39 68	−29 3
			I P E	E	326 Gr 72	U	4	− 0 2987	3 29 22 5	+ 0 28	+ 0 52	− 1 43		21 52	3 29 39 59	+ 0 18 0,	
			I P E		1402	L	5	+ 0 1345	3 35 38 42	− 0 11	− 0 13	− 1 43	0 00	36 75	3 35 40 66	+ 0 3 91	−32 7
		25	I P W	W	15 6	L	4	+ 0 1573	4 32 9 03	+ 0 40	− 0 32	− 1 66		7 45	4 57 30 77	+25 23 32	
			I P W		514	U	5	− 0 2253	5 0 14 94	− 0 64	+ 0 82	− 1 66	− 0 12	13 34	5 25 46 40	+25 33 06	−25 4
			I P W	E	326 Gr 72	U	4	− 0 2987	3 29 23 83	− 0 49	+ 0 20	− 1 65		21 89	3 29 39 58	+ 0 17 69	
			I P W		1402	L	5	+ 0 1345	3 35 35 74	+ 0 20	− 0 05	− 1 65	0 00	34 24	3 35 40 67	+ 0 6 43	−26 1
		26	I P E	W	1556	L	5	+ 0 1573	4 32 9 58	+ 0 03	+ 0 03	− 1 66		7 98	4 57 30 71	+25 22 73	
			I P E		514	U	4	− 0 2253	5 0 29 88	− 0 05	− 0 07	− 1 66	− 0 12	27 98	5 25 46 54	+25 18 56	+10 9
			I P E	E	326 Gr 72	U	4	− 0 2987	3 29 33 35	− 0 07	− 0 07	− 1 61		31 60	3 29 39 58	+ 0 7 98	
			I P E		1402	L	5	+ 0 1345	3 35 30 52	+ 0 03	+ 0 02	− 1 61	0 00	28 96	3 35 40 68	+ 0 11 72	+ 8 6
		27	I P W	W	1556	L	4	+ 0 1573	4 32 16 73	+ 0 23	+ 0 15	− 1 64		15 47	4 57 30 66	+25 15 19	
			I P W		514	U	4	− 0 2253	5 0 34 70	− 0 37	− 0 38	− 1 64	− 0 12	32 19	5 25 46 68	+25 14 49	+ 1 8
			I P W	E	326 Gr 72	U	4	− 0 2987	3 29 33 68	− 0 49	+ 0 54	− 1 65		32 08	3 29 39 58	+ 0 7 50	
			I P W		1402	L	5	+ 0 1345	3 35 29 94	+ 0 20	− 0 13	− 1 65	0 00	28 36	3 35 40 68	+ 0 12 32	+11 1
		28	I P E	W	1556	L	5	+ 0 1573	4 32 21 10	+ 0 03	+ 0 01	− 1 63		19 51	4 57 30 60	+25 11 09	
			I P E		514	U	4	− 0 2253	5 0 44 48	− 0 05	− 0 03	− 1 63	− 0 12	42 65	5 25 46 81	+25 4 16	+18 1
		1885		E	326 Gr 72	U	4	− 0 2854	3 56 7 57	− 0 55	− 0 23	− 1 50		5 29	3 29 39 59	−26 25 70	+46 5
					1402 „	L	3	+ 0 1305	4 1 48 21	+ 0 23	+ 0 06	− 1 50	0 00	47 00	3 35 40 65	−26 6 35	
		Nov 23	I P E	W	1556 „	L	3	+ 0 1523	4 58 6 28	+ 0 27	+ 0 07	− 1 50		5 12	4 57 30 88	− 0 34 24	+38 8
					514 „	U	4	− 0 2149	5 26 36 83	− 0 42	− 0 18	− 1 50	− 0 13	34 60	5 25 46 13	− 0 48 47	
				E	326 Gr 72	U	4	− 0 2854	3 55 58 52	0 00	+ 0 35	− 1 50		57 37	3 29 39 59	−26 17 78	+20 2
					1402 „	L	3	+ 0 1305	4 1 51 62	0 00	− 0 09	− 1 50	0 00	50 03	3 35 40 66	−26 9 37	
		„ 24	I P W	W	1556 „	L	4	+ 0 1523	4 58 16 05	0 00	− 0 11	− 1 50		14 44	4 57 30 83	− 0 43 61	+15 6
					514 „	U	4	− 0 2149	5 26 36 97	0 00	+ 0 27	− 1 50	− 0 12	35 62	5 25 46 27	− 0 49 35	

Left margin vertical labels: AGRA (E) AND MOOLTAN (W) — AGRA (Latitude 27 10) — MOOLTAN (Latitude 30 11')

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hour for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
		1885							h m s	"	"	"	s	s	h m s	m s	d
				E	326 Gr 72	U	3	-0 2854	3 55 54 37	-0 55	+0 23	-1 50		52 55	3 29 39 59	-26 12 96	
		Nov 25	I P E	L	1402	L	4	+0 1305	4 1 51 23	+0 23	-0 06	-1 50	+0 01	49 91	3 35 40 66	-26 9 25	+8 9
				W	1556	L	4	+0 1523	4 58 23 87	+0 27	-0 07	-1 50		22 57	4 57 30 77	-0 51 80	
					514	U	4	-0 2149	5 26 41 32	-0 42	+0 18	-1 50	-0 11	39 47	5 25 46 40	-0 53 07	+3 5
				E	326 Gr 72	U	4	-0 2854	3 56 8 69	0 00	+0 29	-1 50		7 48	3 29 39 58	-26 27 90	
		26	I P W	L	1402 „	L	4	+0 1305	4 1 43 09	0 00	-0 08	-1 50	0 00	41 51	3 35 40 67	-26 0 84	+65 1
				W	1556	L	5	+0 1523	4 58 22 08	0 00	-0 09	-1 50		20 49	4 57 30 71	-0 49 78	
					514	U	2	-0 2149	5 26 58 80	0 00	+0 23	-1 50	-0 13	57 40	5 25 46 54	-1 10 86	+57 4
				E	326 Gr 72	U	3	-0 2854	3 55 54 72	-0 55	-0 60	-1 50		52 07	3 29 39 58	-26 12 49	
		27	I P E	L	1402	L	4	+0 1305	4 1 48 10	+0 23	+0 16	-1 50	0 00	46 99	3 35 40 68	-26 6 31	+14 9
				W	1556	L	4	+0 1523	4 58 34 50	+0 27	+0 19	-1 50		33 46	4 57 30 66	-1 2 80	
					514 „	U	3	-0 2149	5 26 56 16	-0 42	-0 47	-1 50	-0 12	53 65	5 25 46 68	-1 6 97	+11 4
				E	326 Gr 72	U	5	-0 2854	3 55 54 10	0 00	+0 29	-1 50		52 89	3 29 39 58	-26 13 31	
		28	I P W	L	1402	L	5	+0 1305	4 1 47 80	0 00	-0 08	-1 50	0 00	46 22	3 35 40 68	-26 5 54	+18 7
				W	1556	L	5	+0 1523	4 58 40 68	0 00	-0 09	-1 50		39 09	4 57 30 60	-1 8 49	
					514	U	7	-0 2149	5 27 1 99	0 00	+0 23	-1 50	-0 12	0 60	5 25 46 81	-1 13 79	+14 4
		1885	I P W	E	1556 Gr 72	L	5	+0 1599	4 57 36 69	-0 46	-0 22	-1 71		34 30	4 57 30 28	-0 4 02	
			I P W		514	U	4	-0 2322	5 25 50 33	+0 74	+0 56	-1 71	0 00	49 92	5 25 47 77	-0 2 15	-4 8
		Dec 7	I P E	W	δ Ursæ Minoris	L	2	+0 3568	6 5 51 81	-0 23	-0 89	+1 71		52 40	6 8 46 25	+2 53 85	
			I P E		51 Cephei	U	3	-0 4138	6 44 2 06	+0 28	+1 36	-1 71	+0 01	2 00	6 47 5 42	+3 3 42	-12 4
			I P E	E	1556 Gr 72	L	5	+0 1599	4 57 36 34	-0 10	-0 16	-1 71		34 37	4 57 30 27	-0 4 10	
			I P E		514	U	4	-0 2322	5 25 50 71	+0 16	+0 41	-1 71	-0 01	49 56	5 25 47 85	-0 1 71	-6 1
		„ 8	I P W	W	δ Ursæ Minoris	L	3	+0 3568	6 5 45 17	+0 83	-0 40	+1 70		47 30	6 8 46 05	+2 58 75	
			I P W		51 Cephei	U	3	-0 4138	6 44 7 82	-1 01	+0 61	-1 70	+0 01	5 73	6 47 5 77	+3 0 04	-1 7
			I P W	E	1556 Gr 72	L	5	+0 1599	4 57 34 85	+0 37	-0 22	-1 70		33 30	4 5 30 25	-0 3 05	
		„ 9	I P W		514 „	U	5	-0 2322	5 25 54 05	-0 59	+0 55	-1 70	-0 01	52 30	5 25 47 93	-0 4 37	+3 4
			I P E	W	δ Ursæ Minoris	L	3	+0 3568	6 5 48 76	-0 23	-0 60	+1 70		49 63	6 8 45 85	+2 56 22	
			I P E		51 Cephei	U	3	-0 4138	6 44 2 82	+0 28	+0 92	-1 70	+0 01	2 33	6 47 6 10	+3 3 77	-9 8
			I P E	E	1556 Gr 72	L	5	+0 1599	4 57 42 29	-0 10	-0 12	-1 71		40 36	4 57 30 23	-0 10 13	
		„ 11	I P E		514	U	5	-0 2322	5 25 47 00	+0 16	+0 29	-1 71	-0 01	45 72	5 25 48 07	+0 2 35	-31 8
			I P W	W	δ Ursæ Minoris	L	3	+0 3568	6 5 53 85	+0 83	-0 49	+1 71		55 90	6 8 45 51	+2 49 61	
			I P W		51 Cephei	U	3	-0 4138	6 43 56 07	-1 01	+0 75	-1 71	0 00	54 10	6 47 6 70	+3 13 60	-29 8

Arc (first block): AGRA (E) AND MOOLTAN (W) — Station: MOOLTAN (Latitude 30° 11')

Arc (second block): DEESA (E) AND MOOLTAN (W) — Station: DEESA (Latitude 24° 16')

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination) of Transit	Apparent Clock Corrections	Deduced Value of Deviation Correction a
									h m s	s	s	s	s	s	h m s	m s	d
	DEESA (Latitude 24 16')	1885 Dec 12	I P W	E	1556 Gr 72	L	5	+0 1599	4 57 39 95	+0 37	−0 25	−1 69		38 38	4 57 30 22	−0 8 16	
			I P W		514	U	5	−0 2322	5 25 51 86	−0 59	+0 64	−1 69	−0 02	50 20	5 25 48 13	−0 2 07	−15 5
			I P E	W	δ Ursæ Minoris	L	3	+0 3568	6 5 52 93	−0 23	−0 49	+1 72		53 91	6 8 45 37	+2 51 46	
			I P E		51 Cephei	U	3	−0 4138	6 43 59 43	+0 28	+0 75	−1 70	+0 01	58 77	6 47 6 96	+3 8 19	−21 7
		13	I P E	E	1556 Gr 72	L	5	+0 1599	4 57 41 52	−0 10	−0 19	−1 63		9 60	4 57 30 21	−0 9 39	
			I P E		514	U	5	−0 232	5 25 53 35	+0 16	+0 47	−1 63	−0 02	52 33	5 25 48 20	−0 4 13	−13 4
			I P W	W	δ Ursæ Minoris	L	3	+0 3568	6 5 45 66	+0 83	−0 38	+1 70		4, 81	6 8 45 24	+2 57 43	
			I P W		51 Cephei	U	3	−0 4138	6 44 5 27	−1 01	+0 59	−1 70	+0 01	3 16	6 47 7 19	+3 4 03	−8 6
DEESA (E) AND MOOLTAN (W)	MOOLTAN (Latitude 30 11')	1885 Dec 7	I P W	E	1556 Gr 72	L	1	+0 1523	5 0 31 52	+0 17	+0 04	−1 70		30 03	4 57 30 28	−2 59 75	+13 4
				U	514	U	3	−0 2150	5 28 54 50	−0 26	−0 09	−1 70	0 00	52 45	5 25 47 77	−3 4 68	
				W	δ Ursæ Minoris	L	2	+0 3368	6 8 40 17	+0 38	+0 10	+1 70		42 35	6 8 46 25	+0 3 90	+13 5
					51 Cephei	U	3	−0 3851	6 47 13 55	−0 46	−0 15	−1 70	+0 01	11 25	6 47 5 42	−0 5 83	
		8	I P E	E	1556 Gr 72	L	4	+0 1523	5 0 33 12	+0 10	+0 02	−1 70		31 54	4 57 30 27	−3 1 27	+3 3
					514	U	3	−0 2150	5 28 52 27	−0 16	−0 06	−1 70	−0 01	50 34	5 25 47 85	−3 2 49	
				W	δ Ursæ Minoris	L	3	+0 3368	6 8 43 28	+0 23	+0 07	+1 70		45 28	6 8 46 05	+0 0 77	+1 9
					51 Cephei	U	3	−0 3851	6 47 8 47	−1 28	−0 10	−1 70		6 40	6 47 5 77	−0 0 63	
		9	I P W	E	1556 Gr 72	L	3	+0 1523	5 0 31 34	+0 99	+0 37	−1 70		31 00	4 57 30 25	−3 0 75	+6 9
					514	U	3	−0 2150	5 28 55 42	−1 57	−0 90	−1 70	−0 01	51 24	5 25 47 93	−3 3 31	+3 4
					51 Cephei	U	2	−0 3851	6 50 14 64	−2 75	−1 46	−1 70	−0 04	8 69	6 47 6 10	−3 2 59	
		11	I P E	E	1556 Gr 72	L	3	+0 1523	5 0 36 24	+0 10	+0 21	−1 70		34 85	4 57 30 23	−3 4 62	
					514	U	3	−0 2150	5 28 52 31	−0 16	−0 52	−1 70	−0 02	49 91	5 25 48 07	−3 1 84	−7 6
				W	δ Ursæ Minoris	L	3	+0 3368	6 8 44 79	+0 23	+0 57	+1 70		47 29	6 8 45 51	−0 1 78	
					51 Cephei	U	3	−0 3851	6 47 4 98	−0 28	−0 84	−1 70	0 00	2 16	6 47 6 ,0	+0 4 54	−8 8
		12	I P W	E	1556 Gr 72	L	4	+0 1523	5 0 36 02	+0 99	+0 20	−1 70		35 51	4 57 30 22	−3 5 29	−5 6
					514	U	3	−0 2150	5 28 55 15	−1 57	−0 50	−1 o	−0 02	51 36	5 25 48 13	−3 3 23	
				W	δ Ursæ Minoris	L	3	+0 3368	6 8 42 02	+2 26	+0 56	+1 70		46 54	6 8 45 37	−0 1 17	−6 8
				—	51 Cephei	U	3	−0 3851	6 47 8 49	−2 75	−0 82	−1 70	+0 01	3 23	6 47 6 96	+0 3 73	
		13	I P E	E	1556 Gr 72	L	4	+0 1523	5 0 37 87	+0 10	+0 24	−1 70		36 51	4 57 30 21	−3 6 30	−4 6
				,	514	U	3	−0 2150	5 28 55 27	−0 16	−0 59	−1 70	−0 02	52 80	5 25 48 20	−3 4 60	
				W	δ Ursæ Minoris	L	3	+0 3368	6 8 43 25	+0 23	+0 66	+1 70		45 84	6 8 45 24	−0 0 60	−7 1
					51 Cephei	U	3	−0 3851	6 47 5 62	−0 28	−0 97	−1 70	+0 01	2 68	6 47 7 19	+0 4 51	

A	St t	A D t	Int l t	C n	Star	C l	No f W t	D v t (t A	Obs rv d h o of l t	C II t	L v l	I F l t Q	App R t Cl R t s	t fC (Tr ST	R lt hy (In f Lon C nto)	Appar t Clock C rr ct on	Dd dv l D t n C
		188							h						l m	m	l
			I I I	I	14 Gr 72	U	5	−0 54	5 46 33	−0 88	−0	+ 5	−0	46 18	5 48 48	+ 0 1 80	
			I I I		δ U M r	I	3	4	6 8 43 23	+1 6	+0 3	− 59		43 29	6 8 44 5	+ 0 1 22	− 1 0
		D 1	I I I		1 C 1			−0 4 28	6 47 8 03	− 4	−0 56	− 59	0	5 24	6 47 8 87	+ 3 6	− 3 2
			I P II	W	λ M			+	7 4 9 25	−2 2	+0 44	−1 8		5 19	7 37 2 15	+12 46 96	
			I I II		73 G	U	−1		7 30 0 1	+2 12	−0 47	−1 58	+0 02	8	7 43 0 04	+13 9 24	−10 0
			I P II	I	14 G	U	5	− 2 54	5 44 3	− 35	− 7	+1 58		4 47	5 25 48 48	+ 0 3	
			I I II		δ U M	I	3	+0 34	6 8 45	+ 5	+ 08	− 58	+0 2	44 93	6 8 44 4	− 0 0 5	− 6 2
			I I F	W	λ	I			7 24 3 88	+ 36	+ 3	− 9		3 06	37 2 0	+ 48 4	− 8 9
			I I I		3 G 7	U	−		7 3 6 9	− 3	−1 4	− 59	+	2 4	7 43 10 10	+ 3 7 16	
			I P F	I	14 G	U	5	− 2 54	5 25 43 09	−0 08	− 7	+ 6		44 44	5 25 48 49	+ 0 4 5	− 8
			I I I		δ U M	I	3	34	6 8 46 5	+	+0 9	− 6	+0 3	4 4	6 8 44 29	− 0 0 3	
		3	I I II	W	λ	I		4 94	+ 61	+0	− 60	8 0	37 2 3	+ 2 53 2	− 9 2	
			I I II		3 G	U	−	2 6 8	− 62	−0 6	− 6	+0	57 54	43 36	+ 3 3 8	
			I I II	I	14 G	U	5	254	5 42 15	−0 35	−0 3	+1 59		43 26	5 2 48 50	+ 0 5 24	− 5 2
		4	I P II		δ U M 0	I	+	34	6 8 45 3	+0 50	+0 14	− 59	+	4 44 2	6 8 44 19	− 0 0 03	
			I P I	W	λ	I	2	+	4 5 4	1 0 36	+0 44	− 5		4 3	7 37 0 53	+12 56 8	− 5 9
			I I I		3 G 2	U	−1	6	7 30 5 3	− 37	− 41	− 5	+0	7	7 43 12 02	+ 3 3 3	
			I P I	I	14 G	U	3	− 2 4	5 25 38 18	−0 35	− 30	+1 59		9	5 2 48 49	+ 0 9 3	− 14
			I I F		δ U M 01	I	3	+ 4	6 8 4 8	+0 5	+ 33	− 59	+	4 6	6 8 44 13	+ 0 3 3	− 5
		6	I I F		1 C 1	U	3	− 4 5	6 47 5 7	− 14	− 4	− 59	+	4 3	6 47 9 85	+ 0 6 84	
			I I II	W		U	3	− 4 8	6 34 2 68	+0 9	−0 63	+1 9		4 43	6 47 9 8	+13 5 42	+ 1 5
			I I II		λ U M s	I			3 53 6	−2	+ 48	− 59	+	41	36 59 27	+ 3 9	− 0 9
			I I II		3 G	U	2	−	6 7 3 4 63	+2 2	−1 59	−1 59	+0	3 48	7 43 3 4	+ 3 9 16	
		7	I I II	F	514 C	U	3	−0 2 4	5 25 35 45	+0 4	+0 48	+1 64		38 02	5 25 48 47	+ 0 10 45	− 9 8
			I I II		δ U a M ns	I	3	0 34	6 8 42 09	−0 6	− 3	−1 64	+0 06	1 33	6 8 44 2	+ 0 4 1	
			I I I	W	λ	I			24 15	+4 1	− 6	−1 64		4 24	7 36 58 77	+ 2 54 5	−17 2
			I I L		73 Gr 72	U	−	0 6	7 29 46 6	−4	+0 8	− 64	+ 0	4 03	7 43 3 8	+13 32 8	
		8	I P I	F	514 G	U	3	− 4	5 25 35 63	−0 88	−0 23	+1 63		36 15	5 5 48 45	+ 0 12 3	− 7
			I I F		δ U a M	I	3	+ 34 3	6 8 36 3	+ 6	− 63	+	36 24	6 8 44 3	+ 0 7 8		
			I I II	W	λ	L	2	1 7 24 6	− 2	−0 66	− 63	3 28	7 36 58 33	+ 2 55 5	−18 8	
			I I II		3 G 2	L	−	6 7 36 3	+2 1	+	− 63	+0	3 54	7 43 14 38	+ 3 36 84	
			I I II	F	14 G 7	U	3	−0 22 4	5 25 33 2	−0 88	−0 6	+1 61		34 39	5 25 48 44	+ 0 14 0	− 7 5
		29	I P II		δ U a Mi or s	L	3	+0 34 3	6 8 34 65	+1 6	+0 6	−1 6	+0 06	34 42	6 8 44 13	+ 0 9 7	
			I I F	W	λ	L	2	+	9 7 24 6 5	− 1	−0 6	− 63		2 24	7 36 57 8	+12 55 65	−22 7
			I P I		3 6 72	U		0 6	9 2 5	+2 12	+0 65	−1 63	+0 01	28 90	7 43 14 95	+13 46 05	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for				Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
										Collimation	Level	Pen Equation Q	Approximate Clock Rate				
									h m s	s	s	s	s	s	h m s	m s	d
		1885		E	δ Ursæ Minoris	L	3	+0 3322	6 21 25 64	-0 45	-0 32	-1 87		23 00	6 8 44 51	-12 38 49	
					51 Cephei	U	1	+0 3789	6 59 37 24	+0 55	+0 47	-1 87	0 00	36 39	6 47 8 87	-12 27 52	-15 4
		Dec 21	I P E	W	51 Cephei	U	3	-0 3789	6 46 39 70	+0 55	+0 47	+1 87	-0 08	42 51	6 47 8 87	+0 26 36	-18 9
					λ Ursæ Minoris	L	2	+1 0589	7 37 8 18	-1 48	-1 13	-1 87		3 70	7 37 2 95	-0 0 75	-22 2
					735 Gr 72	U	2	-1 0386	7 42 23 47	+1 50	+1 20	-1 87	+0 02	24 32	7 43 10 04	+0 45 72	
				E	514 Gr 72	U	3	-0 2112	5 38 21 53	-2 19	-0 87	+1 90	-0 02	20 35	5 25 48 48	-12 31 87	-7 5
					δ U sæ Minoris	L	3	+0 3322	6 21 20 17	+1 06	+1 00	-1 90		20 33	6 8 44 40	-12 35 93	-7 4
		22	I P W		51 Cephei	U	3	-0 3789	6 59 42 52	-1 29	-1 46	0 00	+0 02	39 79	6 47 9 12	-12 30 67	
				W	51 Cephei	U	2	-0 3789	6 46 48 02	-1 29	-1 46	0 00	-0 08	45 19	6 47 9 12	+0 23 93	-9 1
					λ Ursæ Minoris	L	2	+1 0589	7 36 44 36	+3 46	+3 51	0 00		51 33	7 37 2 10	+0 10 77	-13 5
					735 Gr 72	U	2	-1 0386	7 42 38 70	-3 50	-3 73	0 00	+0 02	31 49	7 43 10 70	+0 39 21	
				E	δ Ursæ Minoris	L	3	+0 3322	6 21 19 79	-0 45	-0 20	-2 11		17 03	6 8 44 29	-12 32 74	
					51 Cephei	U	3	-0 3789	6 59 42 64	+0 55	+0 28	-2 11	+0 02	41 39	6 47 9 36	-12 32 03	-1 0
		23	I P E	W	λ Ursæ Minoris	L	2	+1 0589	7 36 44 18	-1 48	-0 69	-3 11		39 90	7 37 1 29	+0 21 39	-4 5
					735 Gr 72	U	1	-1 0386	7 42 40 30	+1 50	+0 73	-2 11	+0 02	40 44	7 43 11 36	+0 30 92	
				E	514 Gr 72	U	3	-0 2112	5 38 18 29	-0 ?3	-0 80	+2 11	-0 04	18 83	5 25 48 50	-12 30 33	-1 2
					δ Ursæ Minoris	L	3	+0 3322	6 21 15 29	+1 06	+0 91	-2 11		15 15	6 8 44 19	-12 30 96	-2 1
		24	I P W		51 Cephei	U	4	-0 3789	6 59 43 78	-1 29	-1 32	-2 11	+0 03	39 09	6 47 9 56	-12 39 53	
				W	51 Cephei	U	3	-0 3789	6 46 42 57	-1 29	-1 32	+2 10	-0 08	41 98	6 47 9 56	+0 27 58	-2 4
					λ Ursæ Minoris	L	2	+1 0589	7 36 31 77	+3 46	+3 20	-2 10		36 33	7 37 0 53	+0 24 20	-5 0
					735 Gr 72	U	2	-1 0386	7 42 46 37	-3 50	-3 40	-2 10	+0 02	37 39	7 43 12 02	+0 34 63	
				E	514 Gr 72	U	4	-0 2112	5 37 48 37	+0 31	+0 08	+2 10	-0 04	50 82	5 25 48 49	-12 2 33	-126 4
AGRA (E) AND AMRITSAR (W)	AMRITSAR (Latitude 31 38')			,	δ Ursæ Minoris	L	3	+0 3322	6 21 57 80	-0 45	-0 09	-2 10		55 16	6 8 44 13	-13 11 07	-127 8
		26	I P E		51 Cephei	U	2	-0 3789	6 58 49 31	+0 55	+0 13	0 00	+0 03	50 02	6 47 9 85	-11 40 17	
				W	λ Ursæ Minoris	L	2	+1 0589	7 36 30 37	-1 48	-0 31	0 00		28 58	7 36 59 27	+0 30 69	-3 7
					735 Gr 72	U	2	-1 0386	7 42 32 96	+1 50	+0 33	0 00	+0 02	34 81	7 43 13 24	+0 38 43	
				E	514 Gr 72	U	5	-0 2112	5 38 13 82	-0 73	-0 30	0 00	-0 04	12 75	5 25 48 47	-12 24 28	-10 2
				—	δ Ursæ Mi ons	L	3	+0 3322	6 21 12 53	+1 06	+0 34	0 00		13 93	6 8 44 12	-12 29 81	-10 2
		27	I P W		51 Cephei	U	3	-0 3789	6 59 34 22	-1 29	-0 49	0 00	+0 03	32 47	6 47 9 93	-12 22 54	
				W	51 Cephei	U	3	-0 3789	6 46 34 75	-1 29	-0 49	0 00	-0 08	32 89	6 47 9 93	+0 37 04	-11 1
					λ Ursæ Minoris	L	2	+1 0589	7 36 32 90	+3 46	+1 19	0 00		37 55	7 36 58 77	+0 21 22	-15 8
					735 Gr 72	U	2	-1 0386	7 42 24 22	-3 50	-1 27	0 00	+0 02	19 47	7 43 13 81	+0 54 34	

Station	Astronomical Date	Instrumental Position	Clue no.	Star	Clue n	f W e o	D t₁ (c t t) A	Observed T of T t	C ll t	L rel	I F l a t Q	App Cl RR t	l of Co f T T n	R t t t n n d by 1210 f Low Column n)	App nt Clock Co ct ns	Dd dV l of D t on Corr t on
	1885		L	514 G 2	U	5	—	*l n* 5 38 2 12	+ 0 3	− 53	*s* 0 00	*s*	*ll 90*	*l n s* 5 25 48 45	*m* −12 23 45	*d* −6 6
AGRA (E) AND AMRITSAR (W)	D 8 *I P F*		δ Ur æ M	L	3	+0 332	6 21 11 97	−0 45	+ 61	−2 1	+0 0	1 08	6 8 44 13	−12 26 9	
			W	λ	L	2	+1 0 8	7 36 29 17	−1 48	+2 14	0		2) 83	7 36 58 33	+ 0 28 5	−10 9
				3 Gr 7	U	2	− 086	7 42 23 6)	+ 5	− 6		+0	22 9	7 43 14 38	+ 0 51 43	
AMRITSAR (Lat)			E	514 G 7	U	4	−0 21 2	5 8) 20	−0 13	− 37	+2		0 2	5 25 48 44	−12 21 6	+1 0
	9 *I P W*		δ U a M o s	I	3	+ 33	6 5 9	+ 06	+0 43	−2 1	+0 06	5 37	6 8 44 13	−12 2 24	
			W	λ	L		+055)	7 36 1) 30	+3 46	+ 5	−2 1		17	7 36 57 8)	+ 35 72	−7 5
				β G 72	U	2	− 386	42 30 59	−3 50	− 6	−2	+0 2	3 4	7 43 4 95	+ 0 51 54	
	1886		I	δ l æ M 6	I	3	+0 33	7 7 8 30	+1 10	+0 5	0 0		) 9	6 8 44 07	+ 1 24	−7
	J	*I I W*	1 C l	U	3	− 1)	45 43 5	− 43	− 83		+0 1	4 66	47 84	+ 1 2) 8	
			W	λ l æ M	I	2	+ 5 0	7 23 3 24	+3 8	+2 0	−1 4		3	36 54 4	+ 3 3	−13
				3 G	l	2	− 406	7 29 20 9)	−3 83	−2 3	− 74	−	3 28	7 43 85	+14 4 5	
	C *I P I*		E	δ U æ M no s	I	3	+0 33 0	7 5 87	−0 53	−0 4	+ 5		6 95	8 44)	+ 27 14	−17 2
			1 C l 1	U	3	− 3 9	6 45 3 35	+0 69	+ 2	− 5	+0 0)	5)	47 94	+ 39 35	
			W	λ U a M 10 s	I		+ 5	7 23 30 53	−1 8	− 50	−1 3		26 4	7 6 53)7	+ 3 27 2	−8 1
AMRITSAR (T) A MOOLTAN (W)				3 G 72	U		− 04 6	7 2) 1 86	+ 86	+0 53	− 73	−0	5	7 43 18 4	+14 5 63	
AMRITSAR (Lat 1 3 8)			F	δ Ur æ M noris	I	3	+0 332	6 7 0 59	−0 53	−0 0	+ 2		1 73	8 44 26	+ 1 42 53	−3 9
	) *I P F*		1 C l	U	3	− 1 9	6 45 26 6	+0 69	+0 8	−1	+0 6	2 2	6 47 1 02	+ 1 45 3	
			W	λ Ur M or	I		+ 05	7 23 8 6	− 85	− 9	− 7		5 0	7 36 5 9	+13 37 8)	−7 3
				3 Gr 72	U	2	−046	7 2) 25 51	+1 86	+0 20	−1	−0 0	25 85	7 43 9 00	+13 53 15	
	10 *I P W*		L	δ U a M o s	L	2	+0 332	6 6 59 46	+1	−0 13	+1 7		62 4	6 8 44 35	+ 1 42 21	−10 5
			1 C l h	U	3	−0 3)	6 45 24 23	−1 43	+0 18	−1	+0 06	2 33	6 47 1 0	+ 1 49 68	
			W	λ U M1 o s	I	2	+1 05,0	7 23 25 77	+3 80	−0 44	−1 71		2) 42	7 36 52 68	+13 25 6	−20 2
				3 G 72	U	2	−1 406	7 29 16 2	−3 83	+0 4)	−1	−0 02	63	7 43 19 29	+14 7 66	
	1 *I P W*		E	δ U M o 18	I	3	+ 33	6 6 56 19	+1 10	−0 18	+ 2		5) 43	6 8 44 57	+ 1 45 14	−4 4
			51 C 1 hc1	U	3	−0 3)	6 45 18 41	−1 43	+0 26	−1 72	+0 06	5 58	6 47 0 98	+ 1 55 4	
			W	λ Urs M noris	L	2	+1	7 23 31 97	+3 80	−0 63	− 73		33 41	7 36 52 41	+13 9 00	−16 6
				3 C 2	U	2	−1 04 6	7 29 30 66	−3 83	+ 67	−1 3	−0 02	5 5	7 43 9 64	+13 53 8)	
	14 *I P E*		E	δ Ursæ M no	I	3	+0 332	6 6 5 58	+1 34	+1 09	+1 6		55 77	8 44 19	+ 1 49 02	−14 2
			51 C 1 1	U	2	−0 3)	4 16 63	−1 61	−1 59	− 6	+0 06	3	6 47 10 8	+ 1 59 09	
	19 *I P E*		E	δ U sæ M no 1	L	3	+ 33	6 6 4 68	+ 34	+2 36	+1 41		45)	6 8 45 24	+ 1 59 45	−20 9
			1 C l 1	U	3	−0 3 0	44 62 8	− 6	−3 45	−1 41	+	5(46	6 47 10 74	+ 2 14 28	
			W	λ U sa M nor s	L	2	+ 57	7 23 48 05	+4 29	+8 2	− 4		59 18	7 36 51 36	+12 52 18	−2 9
				3 G 72	U	2	−1 046	7 29 44 3	−4 33	−8 8	− 4	−0 0	29 47	4 20 9	+13 50 82	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant Δ	Observed Time of Transit	Corrections for				Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
										Collimation	Level	Pen Equation Q	Approximate Clock Rate				
									h m s	s	s	s	s	s	h m s	m s	s
AMRITSAR (E) AND MOOLTAN (W)	MOOLTAN (Latitude 30° 11')	1886															
			I P W	E	δ Ursæ Minoris	L	3	+0 3405	6 21 5 27	+0 15	−0 09	0 00		5 33	6 8 44 07	−12 21 26	
		Jan 5			51 Cephei	U	3	−0 3903	6 59 24 46	−0 19	+0 13	0 00	+0 17	24 57	6 47 10 84	−12 13 73	−10 3
				W	λ Ursæ Minoris	L	2	+1 0855	7 37 8 96	+0 50	−0 30	0 00		9 16	7 36 54 42	−0 14 74	
					735 Gr 72	U	2	−1 0700	7 42 55 98	−0 50	+0 33	0 00	−0 01	55 80	7 43 17 85	+0 22 05	−17 1
		,, 6	I P W	E	δ Ursæ Minoris	L	3	+0 3405	6 20 58 42	+0 15	+0 07	0 00		58 64	6 8 44 09	−12 14 55	
					51 Cephei	U	3	−0 3903	6 59 21 94	−0 19	−0 10	−1 67	+0 09	20 07	6 47 10 94	−12 9 13	−7 4
				W	λ Ursæ Minoris	L	1	+1 0855	7 37 14 86	+0 50	+0 24	−1 69		13 91	7 36 53 97	−0 19 94	
					735 Gr 72	U	1	−1 0700	7 42 62 19	−0 50	−0 26	−1 69	−0 01	59 73	7 43 18 14	+0 18 41	−17 8
		,, 9	I P E	E	δ Ursæ Minoris	L	3	+0 3405	6 20 45 34	+0 46	+0 21	+1 62		47 63	6 8 44 26	−12 3 37	
					51 Cephei	U	3	−0 3903	6 59 11 18	−0 56	−0 31	−1 62	+0 06	8 75	6 47 11 02	−11 57 73	−7 7
				W	λ Ursæ Minoris	L	2	+1 0855	7 37 7 07	+1 49	+0 73	−1 67		7 62	7 36 52 90	−0 14 72	
					735 Gr 72	U	2	−1 0700	7 43 12 14	−1 50	−0 78	−1 67	−0 01	8 18	7 43 19 00	+0 10 82	−11 8
		,, 10	I P E	E	δ Ursæ Minoris	L	3	+0 3405	6 20 43 27	+0 46	+0'31	+1 63		45 67	6 8 44 35	−12 1 32	
					51 Cephei	U	3	−0 3903	6 59 9 52	−0 56	−0 46	−1 63	+0 06	6 93	6 47 11 01	−11 55 92	−7 4
				W	λ Ursæ Minoris	L	2	+1 0855	7 37 2 76	+1 49	+1 09	−1 67		3 67	7 36 52 68	−0 10 99	
					735 Gr 72	U	2	−1 0700	7 43 15 59	−1 50	−1 17	−1 67	−0 02	11 23	7 43 19 29	+0 8 06	−8 8
		,, 12	I P W	E	δ Ursæ Minoris	L	3	+0 3405	6 20 39 34	+0 15	−0 19	+1 67		40 97	6 8 44 57	−11 56 40	
					51 Cephei	U	3	−0 3903	6 59 5 49	−0 19	+0 28	−1 67	+0 06	3 97	6 47 10 93	−11 53 04	−4 6
				W	λ Ursæ Minoris	L	2	+1 0855	7 37 10 38	+0 50	−0 67	−1 67		8 54	7 36 52 41	−0 16 13	
					735 Gr 72	U	1	−1 0700	7 43 18 60	−0 50	+0 72	−1 67	−0 02	17 13	7 43 19 64	+0 2 51	−8 6
		,, 14	I P W	E	δ Ursæ Minoris	L	3	+0 3405	6 20 30 98	+0 54	+0 16	+1 72		33 40	6 8 44 79	−11 48 61	
					51 Cephei	U	3	−0 3903	6 58 62 17	−0 65	−0 23	−1 72	+0 06	59 63	6 47 10 82	−11 48 81	+0 3
				W	λ Ursæ Minoris	L	2	+1 0855	7 37 11 80	+L 74	+0 54	−1 71		12 37	7 36 52 23	−0 20 14	
					735 Gr 72	U	2	−1 0700	7 43 32 65	−1 75	−0 59	−1 71	−0 02	28 58	7 43 19 98	−0 8 60	−5 3
		,, 19	I P E	E	δ Ursæ Minoris	L	3	+0 3405	6 20 27 11	+0 08	+0 38	+1 87		29 44	6 8 45 24	−11 44 20	
				,	51 Cephei	U	2	−0 3903	6 58 48 76	−0 09	−0 56	−1 87	+0 06	46 30	6 47 10 74	−11 35 56	−11 8
				W	λ Ursæ Minoris	L	2	+1 0855	7 37 32 31	+0 25	+1 33	−1 88		32 01	7 36 51 36	−0 40 65	
					735 Gr 72	U	2	−1 0700	7 43 31 91	−0 25	−1 43	−1 88	−0 02	28 33	7 43 20 29	−0 8 04	−15 1
MOOLTAN (E) AND KARACHI (W)	MOOLTAN (Latitude 30° 11')	1886															
		Jan 27	I P E	E	δ Ursæ Minoris	L	3	+0 3363	6 9 11 34	−0 11	+0 19	+1 71		13 13	6 8 44 64	−0 26 49	
					51 Cephei	U	3	−0 3858	6 47 34 73	+0 13	−0 28	−1 71	+0 13	33 00	6 47 9 71	−0 23 27	−4 5
				W	λ Ursæ Minoris	L	2	+1 0710	7 19 23 07	−0 37	+0 66	+1 70		25 06	7 36 52 09	+17 27 03	
				,,	735 Gr 72	U	2	−1 0586	7 25 34 22	+0 37	−0 70	+1 70	−0 01	35 58	7 43 19 44	+17 43 86	−7 9

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for				Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction s
										Collimation	Level	Pen Equation Q	Approximate Clock Rate				
								A	h m s	s	s	s	s	s	h m s	m s	d
MOOLTAN (E) AND KARACHI (W)	MOOLTAN (Latitude 30 11')	1886 Jan 28	I P W	E	δ Ursæ Minoris	L	2	+0 3363	6 9 12 43	+0 71	+0 10	+1 62		14 86	6 8 46 83	- 0 28 03	
					51 Cephei	U	3	-0 3858	6 47 20 10	-0 84	-0 15	0 00	+0 13	19 24	6 47 9 58	- 0 9 66	-25 4
				W	λ Ursæ Minoris	L	1	+1 0710	7 19 46 56	+2 34	+0 36	+1 62		50 88	7 36 52 28	+17 1 40	
					735 Gr 72	U	2	-1 0586	7 25 14 81	-2 35	-0 38	+1 62	-0 01	13 69	7 43 19 19	+18 5 50	-30 1
		29	I P W	E	δ Ursæ Minoris	L	3	+0 3363	6 8 59 13	+0 71	-0 12	+1 55		61 27	6 8 47 00	- 0 14 27	
					51 Cephei	U	3	-0 3858	6 47 25 88	-0 84	+0 18	-1 55	+0 13	23 80	6 47 9 45	- 0 14 35	+0 1
				W	λ Ursæ Minoris	L	1	+1 0710	7 19 19 32	+2 34	-0 42	+1 53		22 77	7 36 52 43	+17 29 66	
					735 Gr 72	U	2	-1 0586	7 25 41 47	-2 35	+0 45	+1 53	-0 01	41 09	7 43 18 93	+17 37 84	-3 9
		31	I P E	E	δ Ursæ Minoris	L	2	+0 3363	6 8 52 89	-0 11	+0 73	+1 40		54 91	6 8 47 33	- 0 7 58	
					51 Cephei	U	3	-0 3858	6 47 14 46	+0 13	-1 08	-1 40	+0 13	12 24	6 47 9 22	- 0 3 02	-6 3
				W	λ Ursæ Minoris	L	2	+1 0710	7 19 24 40	-0 37	+2 57	+1 40		28 00	7 36 52 66	+17 24 66	
					735 Gr 72	U	2	-1 0586	7 25 41 67	+0 37	-2 75	+1 40	+0 01	40 70	7 43 18 42	+17 37 72	-6 1
		Feb 2	I P E	E	δ Ursæ Minoris	L	3	+0 3363	6 8 41 12	+1 77	+0 56	+1 38		44 83	6 8 47 71	+ 0 2 88	
					51 Cephei	U	3	-0 3858	6 47 4 66	-2 09	-0 83	-1 38	+0 15	0 51	6 47 8 95	+ 0 8 44	-7 7
				W	λ Ursæ Minoris	L	2	+1 0710	7 19 22 61	+5 78	+1 97	+1 38		31 74	7 36 52 94	+17 21 20	
					735 Gr 72	U	2	-1 0586	7 25 39 98	-5 81	-2 11	+1 38	0 00	33 44	7 43 17 73	+17 44 29	-10 8
		3	I P W	E	δ Ursæ Minoris	L	2	+0 3363	6 8 34 98	+0 71	+0 32	+2 00		38 01	6 8 47 92	+ 0 9 91	
					51 Cephei	U	3	-0 3858	6 46 61 44	-0 84	-0 48	-2 00	+0 15	58 27	6 47 8 78	+ 0 10 51	-0 8
				W	λ Ursæ Minoris	L	2	+1 0710	7 19 15 78	+2 34	+1 13	+2 00		21 25	7 36 53 15	+17 31 90	
					735 Gr 72	U	2	-1 0586	7 25 46 34	-2 35	-1 22	+2 00	0 00	44 77	7 43 17 39	+17 32 62	-3 4
	KARACHI (Latitude 24 51')	1886 Jan 27	I P E	E	δ Ursæ Minoris	L	2	+0 3549	6 27 6 46	-0 84	-0 65	+1 68		6 65	6 8 46 64	-18 20 01	
					51 Cephei	U	3	-0 4123	7 5 4 56	+1 02	+1 02	-1 68	+0 13	5 05	6 47 9 73	-17 55 32	-32 2
				W	λ Ursæ Minoris	L	2	+1 1355	7 37 33 43	+3 47	+1 40	+1 64		39 94	7 36 52 09	- 0 47 85	
					735 Gr 72	U	2	-1 1271	7 42 52 49	-3 50	-1 53	+1 64	-0 01	49 09	7 43 19 44	+ 0 30 35	-34 6
		28	I P E	E	δ Ursæ Minoris	L	3	+0 3549	6 26 50 49	+1 07	+0 40	+1 67		53 63	6 8 46 83	-18 6 80	
					51 Cephei	U	3	-0 4123	7 5 12 53	-1 30	-0 63	-1 67	+0 13	9 06	6 47 9 58	-17 59 48	-9 5
				W	λ Ursæ Minoris	L	2	+1 1355	7 37 9 28	+3 47	+1 45	+1 66		15 86	7 36 52 28	- 0 23 58	
					735 Gr 72	U	2	-1 1271	7 43 13 96	-3 50	-1 59	+1 66	-0 01	10 52	7 43 19 19	+ 0 8 67	-14 3
		29	I P W	E	δ Ursæ Minoris	L	3	+0 3549	6 26 47 43	+1 45	+0 46	+1 65		50 99	6 8 47 00	-18 3 99	
					51 Cephei	U	3	-0 4123	7 5 6 38	-1 77	-0 72	-1 65	+0 13	2 37	6 47 9 45	-17 52 92	-14 4
				W	λ Ursæ Minoris	L	2	+1 1355	7 37 15 00	+4 71	+1 65	+1 66		23 02	7 36 52 43	- 0 30 59	
					735 Gr 72	U	2	-1 1271	7 43 11 62	-4 75	-1 81	+1 66	-0 01	6 71	7 43 18 93	+ 0 12 22	-18 9

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
									h m s	s	s	s	s	s	h m s	m s	d
		1886		E	δ Ursæ Minoris	L	3	+0 3549	6 26 37 26	+1 45	+0 31	+1 66		40 68	6 8 47 33	−17 53 35	
				U	51 Cephei	U	3	−0 4123	7 4 54 52	−1 77	−0 48	−1 66	+0 13	50 74	6 47 9 22	−17 41 52	−15 4
		Jan 31	I P W	W	λ Ursæ Minoris	L	1	+1 1355	7 37 11 66	+4 71	+1 10	+1 65		19 12	7 36 52 66	− 0 26 46	
				U	735 Gr 72	U	2	−1 1271	7 43 15 56	−4 75	−1 21	+1 65	+0 01	11 26	7 43 18 42	+ 0 7 16	−14 9
				E	δ Ursæ Minoris	L	3	+0 3549	6 26 22 66	+1 07	+0 22	+1 64		25 59	6 8 47 71	−17 37 88	
MOOLTAN (E) AND KARACHI (W)	KARACHI (Latitude 24 51′)	Feb 2	I P E	U	51 Cephei	U	3	−0 4123	7 4 48 73	−1 30	−0 35	−1 64	+0 15	45 59	6 47 8 95	− 7 36 64	− 1 6
				W	λ Ursæ Minoris	L	2	+1 1355	7 36 58 71	+3 47	+0 80	+1 65		64 63	7 36 52 94	− 0 11 69	
				U	735 Gr 72	U	2	−1 1271	7 43 31 30	−3 50	−0 88	+1 65	0 00	28 57	7 43 17 73	− 0 10 84	− 0 4
				E	δ Ursæ Minoris	L	3	+0 3549	6 26 20 93	+0 30	+0 25	+1 67		23 15	6 8 47 92	−17 35 23	
				U	51 Cephei	U	3	−0 4123	7 4 39 19	−0 37	−0 39	−1 61	+0 15	37 51	6 47 8 78	−17 28 73	− 8 5
		3	I P E	W	λ Ursæ Minoris	L	2	+1 1355	7 37 8 20	+0 99	+0 90	+1 69		1 78	7 36 53 15	− 0 18 63	
				U	735 Gr 72	U	2	−1 12 1	7 43 16 33	−1 00	−0 99	+1 69	0 00	16 03	7 43 17 39	+ 0 1 36	− 8 8
		1886		E	λ Ursæ Minoris	L	2	+1 0275	7 36 46 23	−6 50	−2 80	+2 20		39 13	7 36 55 72	+ 0 16 59	+27 1
				U	735 Gr 72	U	2	−1 0146	7 43 41 68	+6 57	+2 99	+2 20	+0 01	53 45	7 43 14 69	− 0 38 76	
		Feb 9	I P E	W	1958 „	L	1	+0 145,	8 50 4 31	−0 86	−0 30	+2 20		5 35	8 50 40 38	+ 0 35 03	+30 1
				U	908	U	5	−0 1161	9 20 24 68	+0 83	+0 45	−2 20	−0 01	23 75	9 20 50 89	+ 0 27 14	
				E	λ Ursæ Minoris	L	1	+1 0275	7 36 44 91	+2 33	−0 53	+2 19		48 90	7 36 56 30	+ 0 7 40	+17 7
		10	I P W	U	735 Gr 72	U	1	−1 0146	7 43 42 47	−2 36	+0 57	+2 19	+0 01	42 88	7 43 14 14	− 0 28 74	
PESHAWAR (E) AND MOOLTAN (W)	PESHAWAR (Latitude 34 0′)			W	1958 „	L	4	+0 1457	8 50 4 50	+0 31	−0 06	+2 17		6 92	8 50 40 40	+ 0 33 48	+21 2
				U	908	U	3	−0 1161	9 20 25 34	−0 30	+0 08	−2 17	+0 02	22 97	9 20 50 90	+ 0 27 93	
				E	λ Ursæ Minoris	L	3	+1 0275	7 37 8 19	+2 33	−1 80	+2 15		10 87	7 36 56 85	− 0 14 02	− 6 7
		11	I P W	U	735 Gr 72	U	2	−1 0146	7 43 13 24	−2 36	+1 92	+2 15	0 00	14 95	7 43 13 59	− 0 1 36	
				W	1958	L	4	+0 145,	8 50 7 45	+0 31	−0 19	+2 11		9 68	8 50 40 42	+ 0 30 74	− 1 2
				U	908	U	6	−0 1161	9 20 21 96	−0 30	+0 29	−2 11	+0 02	19 86	9 20 50 91	+ 0 31 05	
				E	λ Ursæ Minoris	L	3	+1 0275	7 37 5 55	−0 33	−3 20	+2 16		4 18	7 36 57 35	− 0 6 83	+ 3 1
		12	I P E	U	735 Gr 72	U	2	−1 0146	7 43 20 24	+0 37	+3 42	+2 16	0 00	26 19	7 43 13 03	− 0 13 16	
				W	1958 „	L	3	+0 1457	8 50 5 46	−0 05	−0 35	+2 17		7 23	8 50 40 45	+ 0 33 22	+ 8 3
				U	908	U	5	−0 1161	9 20 21 47	+0 05	+0 51	−2 17	+0 02	19 88	9 20 50 92	+ 0 31 04	
				E	λ Ursæ Minoris	L	3	+1 0275	7 36 48 17	−0 33	−2 13	+2 17		47 88	7 36 59·64	+ 0 11 76	+17 9
		17	I P E	U	735 Gr 72	U	3	−1 0146	7 41 29 90	+0 37	+2 28	+2 17	+0 01	34 73	7 43 9 79	− 0 24 94	
				W	1958 „	L	5	+0 1457	8 49 58 97	−0 05	−0 23	+2 15		60 84	8 50 40·62	+ 0 39 78	+26 4
				U	908 „	U	7	−0 116,	9 20 19 77	+0 05	+0 34	−2 15	+0 02	18·03	9 20 50 91	+ 0 32·88	

A	Stat n	Astronomi l Date	Int mental Po t on	Cl k ue	St r	C lm n t on	No f Wr e Ob r	De a t Con t nt A	Ob erve l Г f Tran t	(t n f Coll t t	Le 1	P n Equa t n Q	App n t n Clock R t	S d of C Tn e f Tran t	Rght A c s on (Increas d b 12 hours for Lo e Culm ato)	Apparent Clock Co re t ons	Dedu d V ue of D at n Correct on
PESHAWAR (Lt tde 34 o7)		1886		E	λ Ursæ M nor s	I	3	+1 02 5	*h m* 7 37 17 37	− 3 80	− 2 00	+ 2 8		*s* 13 75	*h* 7 37 0 23	*m* − 0 13 52	*d*
		Feb 18	I P W	U	735 Gr 72	U	2	−1 0 46	7 42 54 08	+ 3 84	+ 2 4	+ 2 8	+ 0 0	62 25	7 43 9 4	+ 0 6 8	− 0 0
				W	1958	L	6	+ 0 45	8 50 2 50	− 0 5	− 0 22	+ 2 16		3 93	8 50 40 65	+ 0 36 72	
					908	U	7	− 0 1 6	9 20 14 90	+ 0 49	+ 0 32	− 2 16	+ 0 02	13 57	9 20 50 9	+ 0 37 34	− 2 4
		1886		W	λ Ursæ M no	L	2	+ 826	7 36 6 20	− 1 74	− 0 78	0 00	+ 0 03	58 7	7 36 55 72	− 0 2 99	
		Feb 9	I P E	I	198 G 7	I	5	+ 0 152	8 50 35 68	− 0 23	− 0 8	+ 1 65	+ 0 01	37 03	8 50 40 38	+ 0 3 35	− 4 3
				U	908	U	7	− 0 244	9 20 49 92	+ 0 23	+ 0 13	− 1 65		48 63	9 20 50 89	+ 0 2 26	+ 3 9
				E	λ U æ M oris	I		8 6	7 37 3 9	− 74	− 60	+ 65		37 2	7 36 56 3	− 0 40 9	
		10	I P E	U	73 Gr 72	U		− 0 6	7 43 45 43	+ 5	0 6	+ 1 6	+ 0 01	43 49	7 43 14 14	− 0 35 3	− 2 6
				W	108	J	5	+ 52	8 50 35 85	− 0 23	− 6	+ 1 65		3 21	8 5 4 40	+ 0 3 19	
				U	908	U	7	− 0 1244	9 20 50 29	+ 0 23	+ 0 10	− 1 65	+ 0 2	48 99	9 20 30	+ 0 1 9	+ 4 6
PESHAWAR (E) A D MOOLTAN (W)	MOOLTAN (Latitud 30)		11	I P W	λ Ursæ M no	E I	3	+ 1 0826	7 37 47 48	− 4 96	− 1 74	+ 1 66		4 44	7 36 56 8	− 0 45 5	− 6 6
				U	3 C 2	U	2	−1 6	7 43 36 43	+ 5 00	+ 89	+ 1 66	0 00	44 98	7 43 3 59	− 0 31 39	
				W	1958	I	5	0 520	8 50 36 40	− 0 67	− 0 17	+ 1 66		3 22	8 50 40 42	+ 3 2	+ 1 1
					908	U	7	244	9 20 48 72	+ 0 64	+ 29	− 66	+ 0	48 0	9 20 50 9	+ 2 9	
			12	I P W	λ U æ M o s	I	3	0826	7 37 45 8	− 1 24	− 0 06	+ 1 62		46 3	7 36 57 35	− 0 48 8	− 1 5
				U	35 C ᵤ	U	2	0726	7 43 34 0	+ 5	+ 0 07	+ 1 6	0 00	37 4	7 43 3 3	− 24 0	
				W	108	I	5	+ 0 152	8 50 35 6	− 0 16	− 1	+ 1 62		37 2	8 50 40 45	+ 0 3 24	− 4 9
					908	U	7	− 0 244	9 20 4 17	+ 0 16	+ 0 01	− 1 62	+ 0 0	46 34	9 20 50 92	+ 0 4 38	
			17	I P E	λ U M	F L	3	+1 8 6	7 37 31 89	− 74	− 1 26	+ 1 6		32 50	7 36 59 64	− 0 32 86	+ 0 4
				U	3 Gr 7	U	3	− 0 26	7 43 38 82	+ 7	+ 1 37	+ 1 61	+ 0 0	43 36	43 9 9	− 0 33	
				W	1958	L	4	1520	8 50 30 46	− 0 23	− 0 12	+ 1 62		31 73	8 50 40 62	+ 0 8 89	+ 6 9
					908	U	7	44	9 2 45	+ 0 3	+ 0 2	− 6	+	2 43 94	9 20 50 9	+ 6 97	
			18	I P E	λ Ursæ M nor	E I	3	+1 0826	7 37 27 0	+ 0 4	+ 42	+ 1 60		9 83	7 3 0 23	− 29 6	+ 2 3
				U	35 C 72	U	3	−1 0 26	43 43 24	− 0 7	− 0 46	+ 1 60	+ 0	43 64	7 43 9 14	− 0 34 5	
				W	1958	L	5	+ 0 52	8 50 28 47	+ 0 0	+ 0 04	+ 60		3 21	8 5 40 6	+ 0 44	+ 6 5
					908	L	7	− 0 1244	9 20 44	− 0 10	− 0 07	− 60	+ 0 0	42 27	9 0 5 91	+ 8 64	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
									h m s	s	s	s	s	s	h m s	m s	d
AMRITSAR (E) AND PESHAWAR (W)	AMRITSAR (Latitude 31 38)	1886		E	815 Gr 72	U	4	−0 2297	8 21 20 18	−0 43	−0 20	+1 66		21 41	8 21 41 74	+0 20 53	
				,	1958	L	5	+0 1503	8 50 20 30	+0 25	+0 08	−1 66	+0 07	19 04	8 50 40 96	+0 21 92	+3 7
		Feb 24	I P W	L	2017	L	5	+0 1210	9 27 40 14	+0 20	+0 06	+1 65	+0 16	42 21	9 28 6 14	+0 23 93	+9 7
				E	815 Gr 72	U	5	−0 2297	8 19 50 47	−0 03	−0 12	+1 64		51 96	8 21 40 57	+1 48 61	
		Mar 4	I P E	L	1958	L	5	+0 1503	8 48 50 94	+0 02	+0 05	−1 64	+0 07	49 44	8 50 41 52	+1 52 08	+9 1
				W	908	U	6	−0 1219	9 7 38 20	−0 02	−0 07	+1 63		39 74	9 20 50 43	+13 10 69	
					2017	L	5	+0 1210	9 14 48 25	+0 01	+0 04	+1 63	0 00	49 93	9 28 6 45	+13 16 52	+23 9
				E	908 Gr 72	U	7	−0 1219	9 20 51 74	−0 18	−0 13	+1 66		53 09	9 20 49 99	−0 3 10	
		11	I P E		2017	L	7	+0 1210	9 28 1 01	+0 15	+0 07	+1 66	0 00	2 89	9 28 6 85	+0 3 96	+29 1
				W	1002	U	7	−0 1097	10 19 1 84	−0 15	−0 12	+1 64		3 21	10 32 17 00	+13 13 79	
					2164	L	5	+0 1867	10 41 53 48	+0 22	+0 12	−1 63	0 00	52 18	10 55 10 47	+13 18 29	+15 2
				E	908 Gr 72	U	7	−0 1219	9 20 47 42	−0 24	−0 15	+1 66		48 69	9 20 49 81	+0 1 14	
		18	I P W		2017	L	7	+0 1210	9 28 2 02	+0 20	+0 08	+1 66	0 00	3 96	9 28 6 98	+0 3 02	+7 7
				W	1002	U	7	−0 1097	10 18 58 83	−0 21	−0 14	+1 66		60 14	10 32 16 93	+13 16 79	
					2164	L	6	+0 1867	10 41 57 45	+0 30	+0 14	−1 66	0 00	56 23	10 55 10 54	+13 14 31	−8 4
				E	908 Gr 72	U	7	−0 1219	9 20 35 86	+0 08	+0 09	+1 66		37 69	9 20 49 33	+0 11 64	
		19	I P W		2017	L	7	+0 1210	9 28 1 73	−0 07	−0 05	+1 66	0 00	3 27	9 28 7 42	+0 4 15	−30 8
				W	1002	U	7	−0 1097	10 18 56 79	+0 07	+0 08	+1 66		58 69	10 32 16 71	+13 18 11	
					2164	L	6	+0 1867	10 42 7 43	−0 10	−0 08	−1 66	0 00	5 59	10 55 10 81	+13 5 22	−43 6
				E	908 Gr 72	U	7	−0 1219	9 20 39 64	+0 14	+0 02	+1 66		41 42	9 20 49 24	+0 7 82	
		20	I P E		2017	L	6	+0 1210	9 27 57 01	−0 12	+0 01	+1 66	0 00	58 56	9 28 7 49	+0 8 93	+4 6
				W	1002	U	7	−0 1097	10 19 1 35	+0 13	−0 02	+1 67		3 13	10 32 16 67	+13 13 54	
					2164	L	6	+0 1867	10 42 2 05	−0 18	+0 02	−1 67	0 00	0 22	10 55 10 86	+13 10 64	−9 8
	PESHAWAR (Latitude 34 0)	1886		E	815 Gr 72	U	3	−0 2199	8 34 31 92	−0 37	+0 12	+2 19		34 06	8 21 41 74	−12 52 32	
				,	1958	L	3	+0 1457	9 3 37 88	+0 21	−0 14	−2 19	+0 0,	35 83	8 50 40 96	−12 54 87	−6 9
		Feb 24	I P W	W	908	U	5	−0 1162	9 20 50 96	−0 20	+0 19	+2 19		53 14	9 20 50 78	−0 2 36	
				,	2017	L	4	+0 1175	9 28 4 62	+0 17	−0 10	+2 19	0 00	6 88	9 28 6 14	−0 0 74	+6 9
				E	815 Gr 72	U	4	−0 2199	8 34 3 18	−0 37	+0 14	+2 19		5 54	8 21 40 57	−12 24 97	
				,	1958	L	4	+0 1457	9 3 10 31	+0 21	−0 06	−2 19	+0 07	8 34	8 50 41 52	−12 26 82	−5 1
		Mar 4	I P W	W	908	U	6	−0 1162	9 20 52 13	−0 20	+0 09	+2 19		54 21	9 20 50 43	−0 3 78	
				„	2017	L	4	+0 1175	9 28 5 45	+0 17	−0 04	+2 19	0 00	7 77	9 28 6 45	−0 1 32	+10 5

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Colli mation	Level	Pen Equa tion Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
									h m s	s	s	s	s		h m s	m s	d
AMRITSAR (E) AND PESHAWAR (W)	PESHAWAR (Latitude 34 0)	1886		E	908 Gr 72	U	8	−0 1162	9 34 5 50	−0 05	−0 02	+2 19		7 62	9 20 49 99	−13 17 63	
		Mar 11	I P E		2017	L	5	+0 1175	9 41 19 40	+0 04	+0 1	+2 19	0 00	21 64	9 28 6 85	−13 14 79	+12 1
				W	1002	U	5	−0 1044	10 32 15 20	−0 04	−0 02	+2 19		17 33	10 32 17 00	−0 0 33	
					2164	L	5	+0 1807	10 55 13 59	+0 06	+0 02	−2 19	0 00	11 48	10 55 10 47	−0 1 01	−2 4
				W	908 Gr 72	U	3	−0 1162	9 20 51 40	−0 05	+0 1?	+2 60	−0 01	54 11	9 20 49 83	−0 4 28	
		18	I P E		1002	U	5	−0 1044	10 32 15 80	−0 04	+0 16	+2 60		18 52	10 32 16 93	−0 1 59	+18 1
					2164	L	5	+0 1807	10 55 12 14	+0 06	−0 15	−2 60	0 00	9 45	10 55 10 54	+0 1 09	+9 4
				E	908 Gr 72	U	6	−0 1162	9 33 57 48	−0 20	+0 12	+2 64		60 04	9 0 49 33	−13 10 71	
		19	I P W		2017	L	6	+0 1175	9 41 10 64	+0 17	−0 06	+2 64	0 00	13 39	9 28 7 42	−13 5 9?	+20 3
				W	1002	U	5·	−0 1044	10 32 17 97	−0 18	+0 11	+2 63		20 51	10 32 16 7	−0 3 82	
					2164	L	5	+0 1807	10 55 15 01	+0 27	−0 10	−2 63	−0 01	12 54	10 55 10 81	−0 1 73	+7 3
				E	908 Gr 72	U	5	−0 1162	9 33 57 57	−0 20	+0 06	+2 60		60 03	9 20 49 24	−13 10 79	
		20	I P W		2017	L	4	+0 1175	9 41 9 69	+0 17	−0 03	+2 60	0 00	12 43	9 28 7 49	−13 4 94	+24 9
				W	1002	U	5	−0 1044	10 32 19 19	−0 18	+0 06	+2 60		21 67	10 32 16 67	−0 5 00	
					2164	L	4	+0 1807	10 55 14 52	+0 27	−0 06	−2 60	−0 01	12 12	10 55 10 86	−0 1 26	+13 1
DEHRA DÚN (E) AND AMRITSAR (W)	DEHRA DÚN (Latitude 30 19?)	1886		E	2209 Gr 72	L	2	+0 3390	11 27 33 54	−0 86	−0 17	+1 70	−0 07	34 14	11 27 39 51	+0 5 37	
		Apr 1	I P E		1105	U	6	−0 1187	11 54 14 85	+0 35	+0 09	−1 70		13 59	11 54 25 59	+0 12 00	−14 5
					Ursæ Minoris	L	2	+0 8697	13 16 29 33	−2 27	−0 48	−1 70	+0 22	25 10	13 16 28 9	+0 3 87	−8 2
				E	2209 Gr 72	L	3	+0 3390	11 27 37 22	−0 04	+0 07	+1 70		38 95	11 27 39 65	+0 0 70	
		,, 2	I P W		1105	U	6	−0 1187	11 54 8 02	+0 02	−0 04	−1 70	+0 07	6 37	11 54 25 56	+0 19 19	−40 4
				W	1191	U	5	−0 1750	11 35 60 10	+0 02	−0 05	−1 70		58 37	12 48 16 88	+12 18 51	
					1192	U	5	−0 1748	11 36 7 62	+0 02	−0 05	−1 70		5 89	12 48 24 59	+12 18 70	−39 5
					79	L	3	+0 7134	11 40 4 60	−0 08	+0 16	−1 70	−0 01	2 97	12 51 46 40	+11 43 43	−39
				E	2209 Gr 72	L	3	+0 3390	11 27 35 71	−0 04	−0 34	+1 70		37 03	11 27 39 79	+0 2 ,6	
		3	I P W		1105	U	5	−0 1187	11 54 3 37	+0 02	+0 19	−1 70	+0 07	1 95	11 54 25 52	+0 23 57	−45 4
				W	1191	U	5	−0 1750	12 36 2 69	+0 02	+0 26	−1 70		1 27	12 48 16 87	+12 15 60	
					1192	U	5	−0 1748	12 36 10 15	+0 02	+0 26	−1 70		8 73	12 48 24 59	+12 15 86	−41 4
					79 ,,	L	4	+0 7134	12 40 10 15	−0 08	−0 79	−1 70	−0 01	7 57	12 51 46 43	+11 38 86	−41 7
				E	2209 Gr 72	L	3	+0 3390	11 26 42 11	+0 26	−0 02	+1 69		44 04	11 27 40 99	+0 56 95	
		10	I P E		1105 ,,	U	7	−0 1187	11 53 28 07	−0 11	+0 01	−1 69	+0 14	26 42	11 54 25 20	+0 58 78	−4 1

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of W res Observed	Deviation Constant Δ	Observed Time of Transit	Corrections for Collimation	Corrections for Level	Corrections for Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
									h m s	s	s	s	s	s	h m s	m s	d
		1886		E	2209 Gr 72	L	3	+0 3390	11 26 35 69	−0 11	−0 27	+1 64		36 95	11 27 41 19	+1 4 24	−2 6
					1105	U	7	+0 1187	11 53 21 02	+0 05	+0 15	−1 64	+0 14	19 72	11 54 25 14	+1 5 42	
		Apr 11	I P E	W	1191	U	5	−0 1750	12 36 36 45	+0 07	+0 21	−1 61		35 12	12 48 16 68	+11 41 56	
					1192 ,	U	5	−0 1748	12 36 44 23	+0 07	+0 21	−1 61		42 90	12 48 24 40	+11 41 50	−0 1
				L	79	L	3	+0 7134	12 40 8 32	−0 25	−0 63	−1 61	−0 01	5 82	12 51 47 27	+11 41 45	−0 1
	DEHRA DÚN (Latitude 30° 19')			E	2209 Gr 72	L	3	+0 3390	11 6 29 06	−0 1	−0 27	+1 6		30 29	11 27 41 38	+1 11 09	−3 5
					1105	U	7	−0 1187	11 53 13 66	+0 05	+0 15	−1 61	+0 14	12 39	11 54 25 08	+1 12 69	
		12	I P E	W	1191	U	5	−0 1750	12 36 39 54	+0 07	+0 21	−1 6		38 2	2 48 16 6	+11 38 44	
					1192	U	5	−0 1748	12 36 47 07	+0 07	+0 21	−1 61		45 74	12 48 24 36	+11 38 62	−2 3
					79	L	3	+0 7134	12 40 13 56	−0 25	−0 63	−1 61	−0 01	11 00	12 51 47 43	+11 36 43	−2 5
		1886		E	2209 Gr 72	L	2	+0 33 0	1 40 2 56	+1 32	+0 50	+1 78		6 16	1 27 39 51	−12 26 65	+12 2
					1105	U	3	−0 1151	12 6 60 17	−0 53	−0 27	−1 78	+0 07	57 66	11 54 25 59	−12 32 07	
		Apr 1	I P E	W	1191	U	2	−0 1700	12 48 49 18	−0 75	−0 37	−1 75		46 31	12 48 16 88	−0 29 43	
					1192	U	2	−0 1698	12 48 56 70	−0 75	−0 37	−1 75		53 83	12 48 24 60	−0 29 23	+13 1
					79	L	2	+0 6958	12 52 2 22	+2 81	+1 13	−1 75	−0 01	4 40	12 51 46 37	−0 18 03	+12 9
DEHRA DÚN (E) AND AMRITSAR (W)	AMRITSAR (Latitude 31° 38')			E	2209 Gr 72	L	3	+0 33 0	1 39 58 92	+1 32	+0 28	+1 79		62 31	11 27 9 65	−12 22 66	+13 5
					1105	U	5	−0 1151	12 6 56 62	−0 53	−0 15	−1 79	+0 07	54 22	11 54 25 56	−12 28 66	
		2	I P E	W	1191	U	3	−0 1700	12 48 52 19	−0 75	−0 21	−1 77		49 46	12 48 16 88	−0 32 58	
					1192	U	3	−0 1698	12 48 60 72	−0 75	−0 21	−1 77		57 99	12 48 24 59	−0 33 40	+18 5
					79	L	2	+0 69 8	12 52 1 28	+2 81	+6 65	−1 77	−0 01	2 96	12 51 46 40	−0 16 56	+19 4
				E	2209 Gr 72	L	4	+0 3310	11 39 57 16	+1 17	+0 71	+1 77		60 81	11 27 39 79	−12 21 02	+8 5
					1105	U	5	−0 1151	12 6 52 90	−0 47	−0 38	−1 77	+0 07	50 35	11 54 25 52	−12 24 83	
		3	I P W	W	1191	U	3	−0 1700	12 48 53 66	−0 66	−0 53	0 00		52 47	12 48 16 87	−0 35 60	
					1192	U	3	−0 1698	12 49 1 61	−0 66	−0 53	0 00		0 42	12 48 24 59	−0 35 83	+10 7
					79	L	2	+0 6958	12 52 8 70	+2 49	+1 62	0 00	−0 01	12 80	12 51 46 43	−0 26 37	+10 9
				E	2209 Gr 72	L	3	+0 3310	11 39 23 20	+1 17	+0 50	+2 62		27 49	11 27 40 99	−12 46 50	−9 8
		10	I P W	U	1105	U	3	−0 1151	12 6 10 57	−0 47	−0 27	−2 62	+0 14	7 35	11 54 25 20	−11 42 15	
				E	2209 Gr 72	L	3	+0 3310	11 39 19 05	+1 32	+0 28	+2 65		23 30	11 27 41 19	−12 42 11	−17 7
					1105	U	5	−0 1151	12 5 62 53	−0 53	−0 15	−2 65	+0 14	59 34	11 54 25 14	−11 34 20	
		, 11	I P E	W	1191	U	3	−0 1700	12 49 17 75	−0 75	−0 21	−2 62		14 17	12 48 16 68	−0 57 49	
					1192 „	U	4	−0 1698	12 49 25 13	−0 75	−0 21	−2 62		21 55	12 48 24 40	−0 57 15	−13 8
					79	L	3	+0 6958	12 52 55 92	+2 81	+6 65	−2 62	−0 01	56 75	12 51 47 27	−1 9 48	−14 2

Arc	Stat on	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
		1886							$h\ m\ s$	s	s	s	s	s	$h\ m\ s$	$m\ s$	d
DEHRA DŪN (E) AND AMRITSAR (W)	AMRITSAR (Latitud 31° 38′)			E	2209 Gr 72	L	3	+0 3310	11 39 13 27	+1 17	+0 60	+2 63		17 67	11 27 41 38	−11 36 29	−21 3
				,,	1105	U	5	−0 1151	12 5 55 16	−0 47	−0 32	−2 63	+0 14	51 88	11 54 25 08	−11 26 80	
		Apr 12	I P W	W	1191 ,,	U	3	−0 1700	12 49 20 82	−0 66	−0 45	−2 65		17 06	12 48 16 65	−1 0 41	−16 9
				,,	1192	U	4	−0 1698	12 49 28 09	−0 66	−0 45	−2 65		24 33	12 48 24 36	−0 59 97	−17 4
					79	L	3	+0 6958	12 53 1 26	+2 49	+1 38	−2 65	−0 01	2 47	12 51 47 43	−1 15 04	
DEHRA DŪN (E) AND AGRA (W)	DEHRA DŪN (Latitude 30° 19′)	1886		E	1191 Gr 72	U	4	−0 1750	12 48 19 10	+0 26	−0 03	−1 60		17 73	12 48 16 19	−0 1 54	
					1192	U	4	−0 1749	12 48 26 57	+0 26	−0 03	−1 60		25 20	12 48 23 91	−0 1 29	−11 6
		Apr 20	I P E		79	L	3	+0 7128	12 52 3 53	−0 98	+0 08	−1 60		1 03	12 51 49 21	−0 11 82	−11 8
				W	a Ursæ Minoris	L	2	+0 8686	13 16 40 30	−1 19	+0 10	+1 60		40 81	13 16 30 35	−0 10 46	
					1270 Gr 72	U	7	−0 1549	13 45 42 66	+0 23	−0 02	−1 60	+0 09	41 36	13 45 43 61	+0 2 25	−12 5
				E	1191 Gr 72	U	5	−0 1750	12 48 17 77	+0 04	−0 09	−1 60		16 12	12 48 16 11	−0 0 01	
					1192	U	5	−0 1 49	12 48 25 49	+0 04	−0 09	−1 60		23 84	12 48 23 83	−0 0 01	−14 1
		21	I P W		79	L	1	+0 7128	12 52 3 56	−0 16	+0 27	−1 60		2 07	12 51 49 52	−0 12 55	−14 1
				W	Ursæ Minoris	L	1	+0 8686	13 16 35 48	−0 20	+0 34	−1 60		34 02	13 16 30 73	−0 3 29	−10 5
					1270 Gr 72	J	5	−0 1549	13 45 37 73	+0 04	−0 08	−1 60	+0 09	36 18	13 45 43 58	+0 7 40	
				E	1191 Gr 72	U	4	−0 1750	12 48 16 69	+0 04	+0 12	−1 60		15 25	12 48 16 03	+0 0 ,8	
					1192	U	4	−0 1749	12 48 24 52	+0 04	+0 12	−1 60		23 08	12 48 23 75	+0 0 67	−13 1
		22	I P W		79	L	2	+0 7128	12 52 2 84	−0 16	−0 35	−1 60		0 73	12 51 49 84	−0 10 89	−12 9
				W	a Ursæ Minoris	L	3	+0 8686	13 16 34 68	−0 20	−0 43	+1 60		35 65	13 16 31 09	−0 4 56	
					1270 Gr 72	U	5	−0 1549	13 45 43 64	+0 04	+0 11	−1 60	+0 09	32 28	13 45 43 56	+0 11 28	−15 5
				E	1191 Gr 72	U	5	−0 1750	12 48 16 82	+0 04	+0 08	−1 62		15 32	12 48 15 95	+0 0 63	
					1192	U	5	−0 1749	12 48 24 51	+0 04	+0 08	−1 62		23 01	12 48 23 67	+0 0 66	−8 3
		23	I P E		79	L	3	+0 7128	12 51 58 94	−0 16	−0 23	−1 62		26 93	12 51 50 15	−0 6 78	−8 3
				W	Ursæ Minoris	L	2	+0 8686	13 16 28 72	−0 20	−0 29	+1 61		29 84	13 16 31 42	+0 1 58	
					1270 Gr 72	U	6	−0 1549	13 45 29 97	+0 04	+0 07	−1 61	+0 09	28 56	13 45 43 53	+0 14 97	−13 1
				E	1191 Gr 72	U	5	−0 1 50	12 48 15 50	+0 04	−0 25	−1 60		13 69	12 48 15 87	+0 2 19	
					1192	U	5	−0 1749	12 48 23 21	+0 04	−0 25	−1 60		21 40	12 48 23 59	+0 2 19	−17 1
		24	I P E		79	L	3	+0 7128	12 52 4 47	−0 16	+0 74	−1 60		3 45	12 51 50 45	−0 13 00	−17 1
				W	a Ursæ Minoris	L	3	+0 8686	13 16 28 70	−0 20	+0 92	+1 60		31 02	13 16 31 71	+0 0 69	
					1270 Gr 72	U	7	−0 1549	13 45 24 81	+0 04	−0 22	−1 60	+0 09	23 12	13 45 43 51	+0 20 39	−19 3
				E	1191 Gr 72	U	5	−0 1750	12 48 17 35	−0 17	+0 22	−1 62		15 78	12 48 15 79	+0 0 01	
					1192	U	5	−0 1749	12 48 25 32	−0 17	+0 22	−1 62		23 75	12 48 23 51	−0 0 24	+0 5
		25	I P W		79 ,,	L	3	+0 7128	12 51 51 91	+0 65	−0 66	−1 62		50 28	12 51 50 75	+0 0 47	+0 8
				W	a Ursæ Minoris	L	3	+0 8686	13 16 7 00	+0 79	−0 82	+1 63		8 60	13 16 31 98	+0 23 38	
					1270 Gr 72	U	6	−0 1549	13 45 22 81	−0 15	+0 20	−1 63	+0 09	21 32	13 45 43 48	+0 22 16	+1 2

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	C Illmnat on	No of Wires Ob rved	Devia tion Con tant A	Observed Time of Transit	Corrections for Colli mation	Level	Pen Equa t on Q	Approximate Clock Rate	S econd of Corr ted Time of Transit	Right Ascension (increased by 12 h um for Lower Culm at on)	Apparent Clock Correct ns	Dedu ed Value of D v tion C rrection a
		1886							h m s	s	s	s	s	s	h m s	m s	d
				E	1191 Gr 72	U	3	−0 1797	12 48 24 85	−0 5ℓ	−0 33	−2 09		21 87	12 48 16 19	−0 5 68	
					1192	U	3	−0 1795	12 48 32 59	−0 56	−0 33	−2 09		29 61	12 48 23 9	−0 5 70	−25 6
		Apr 20	I P E	L	79	L	3	+0 7245	12 52 16 97	+2 09	+0 97	−2 09	0 00	7 94	12 51 49 2	−0 28 73	−25 5
				W	Ursæ Minoris	L	2	+0 8832	13 16 52 17	+2 55	+1 20	+2 09		58 01	13 16 30 35	−0 27 66	
				U	12 0 Gr 72	U	5	−0 1592	13 45 48 2	−0 49	−0 30	−2 09	+0 09	45 9	13 45 43 6	−0 2 32	−24 4
				E	1191 Gr 72	U	2	−0 1797	12 48 26 33	−0 5ℓ	−0 21	−2 10		23 46	12 48 16 11	−0 7 35	
					1192	U	3	−0 1 95	12 48 33 64	−0 56	−0 2	−2 0		30 77	12 48 23 83	−0 6 94	−13 1
		21	I P E	L	79	L	2	+0 7245	2 52 8 03	+2 09	+0 62	−2 10	0 00	8 64	12 51 49 52	−0 19 1	−13 5
				W	Ursæ Minoris	L	2	+0 8832	13 16 41 0	+	+0 77	+2 09		46 5	13 6 30 73	−0 15 ,8	
				U	1270 Gr 72	U	5	−0 1592	13 45 45 83	−0 49	−0 19	−2 09	+0 09	43 15	13 45 43 58	+0 0 43	−15 6
				E	1191 Gr 72	U	3	−0 1797	12 48 23 32	+0 22	+0 21	−2 10		21 ℓ5	12 48 16 03	−0 5 62	
					1192	U	3	−0 179	2 48 30 6	+0 22	+0 2	−2 1		28 93	12 48 23 75	−0 5 18	−19 3
		22	I P W	L	79	L	2	+0 7245	12 52 16 44	−0 81	−0 62	−2 0	0 00	12 91	12 51 49 84	−0 23 07	−19 8
				W	Ursæ M noris	L	2	+0 8832	13 16 46 40	−0 98	−0 77	+2 09		46 74	13 16 31 09	−0 15 65	
				U	1270 Gr 72	U	5	−0 1592	13 45 40 17	+0 19	+0 19	−2 09	+0 09	38 55	3 45 43 56	+0 5 01	−19 9
				E	1191 Gr 72	U	3	−0 797	12 48 21 30	−0 86	−0 20	−2 10		18 14	12 48 15 95	−0 2 19	
					1192	U	3	−0 1795	2 48 28 72	−0 86	−0 20	−2 10		25 56	12 48 23 67	−0 1 89	−30 9
		23	I P W	L	79	L	3	+0 7245	12 52 18 63	+3 22	+0 59	−2 10	0 0	2 34	2 51 50 5	−0 30 19	−31 2
				W	Ursæ M noris	L	3	+0 8832	13 16 45 7	+3 92	+0 73	+2 1		52 4ℓ	13 16 31 42	−0 21 04	
				U	1270 Gr 72	U	4	−0 15 2	13 45 34 81	−0 76	−0 18	−2 10	+0 0)	31 86	13 45 43 53	+0 11 67	−31 5
				E	1191 Gr 72	U	4	−0 179	12 48 23 0ℓ	−0 56	−7 39	−2 08		20 03	12 48 15 87	−0 4 16	
					1192	U	3	−0 1795	12 48 30 34	−0 56	−0 39	−2 08		27 31	12 48 23 59	−0 3 ,2	−16 4
		24	I P E	L	79	L	3	+0 7245	12 52 8 23	+2 09	+1 14	−2 08	0 00	9 38	12 5 50 45	−0 18 93	−16 8
				W	Ursæ Minor s	I	3	+0 883	13 16 30 45	+2 55	+1 42	+2 0ℓ		3ℓ 47	13 16 31 71	−0 4 76	
				U	1270 Gr 72	U	5	−0 1592	13 45 32 ℓ5	−0 49	−0 3	−2 05	+0 09	29 75	13 45 43 5	+0 13 76	−17 8
				E	1191 Gr 72	U	2	−0 1 97	12 48 22 03	−0 56	−0 39	−2 02		19 06	12 48 1ɔ 79	−0 3 27	
					1192	U	1	−0 1795	12 48 28 89	−0 56	− 39	−2 2		2 92	2 48 23 51	−0 2 4	−21 6
		25	I P E	L	79	L	3	+0 7245	12 52 12 30	+2 09	+1 14	−2 02	0 00	13 51	12 51 50 75	−0 22 ,6	−22 5
				W	a Ursæ Minoris	L	3	+0 8832	13 16 30 68	+2 55	+1 42	+1 9)		36 64	13 16 31 98	−0 4 ℓℓ	
				U	1270 Gr 72	U	5	−0 1592	13 45 27 62	−0 49	−0 35	−1 99	+0 9	24 88	13 45 43 48	+0 18 60	−22 4

(Left margin, rotated:) DEHRA DŪN (E) AND AGRA (W) AGRA (Lat tud 27 0)

NOTE —The deviation corrections for both Stations of the Experimental Arc at Dehra Dun were deduced from the readings of a meridian mark and not from Star Observations   The method of deduction is fully explained in Part I of this Volume

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Majors Strahan, Heaviside and Lieut Burrard

By Stars of	Observed with Telescope No 1 At AGRA November 11 1885			Observed with Telescope No 1 At AGRA November 12 1885			Observed with Telescope No 2 At AGRA November 13 1885			Observed with Telescope No 1 At AMRITSAR December 30 1885			Observed with Telescope No 1 At AMRITSAR December 31 1885		
	Star	Decl	Equation S−H	Star	Decl	Equation S−H	Star	Decl	Equat on S−H	Star	Decl	Equation S−B	Star	Decl	Equation S−B
NORTH ASPECT	189	+ 46 24	+ 0 08	109	+ 29 7	+ 0 03	166	+ 30 14	+ 0 02	1 0	+ 33 6	− 0 08	67	+ 37 19	+ 0 22
	267	+ 28 22	+ 09	158	+ 34 46	+ 10	189	+ 46 24	+ 06	173	+ 38 50	+ 04	78	+ 43 38	+ 06
	288	+ 40 44	− 06	166	+ 30 14	+ 05	267	+ 28 22	+ 01	2 9	+ 37 53	∞	120	+ 32 57	− 01
	349	+ 29 29	+ 11	189	+ 46 24	− 05	349	+ 29 29	+ 09	297	+ 39 23	− 04	155	+ 33 6	+ 01
	377	+ 42 21	+ 1,	267	+ 28 22	+ 06	401	+ 28 8	+ 03	343	+ 37 8	− 15	173	+ 38 50	− 06
	401	+ 28 8	+ 06	283	+ 40 44	+ 09	409	+ 37 7	+ 07	377	+ 42 21	+ 03	259	+ 37 53	+ 10
	409	+ 37 7	+ 09	349	+ 29 29	− 09	425	+ 42 52	∞	409	+ 37 7	+ 05	297	+ 39 23	− 10
	425	+ 42 52	+ 04	377	+ 42 2	+ 06	465	+ 36 39	+ 11	425	+ 42 52	+ 0	343	+ 37 8	+ 08
	465	+ 36 39	+ 02	401	+ 28 8	+ 09	510	+ 42 3	+ 08	465	+ 36 39	+ 07	377	+ 42 21	+ 06
	492	+ 43 48	+ 08	409	+ 37 7	+ 12	566	+ 40 10	+ 05	50	+ 4 0	+ 06	409	+ 37 7	+ 12
	510	+ 42 3	+ 03	425	+ 42 52	+ 15	587	+ 46 32	+ 20	510	+ 42 3	+ 08	425	+ 42 52	+ 23
	544	+ 37 23	+ 14	465	+ 36 39	+ 12				566	+ 40 10	+ 05	465	+ 36 39	+ 01
	566	+ 40 10	∞	492	+ 43 48	+ 09				576	+ 36 34	− 01	492	+ 43 48	+ 03
				510	+ 42 3	+ 07							510	+ 42 3	+ 16
				544	+ 37 23	+ 02							566	+ 40 10	− 02
				566	+ 40 10	+ 12							576	+ 36 34	+ 12
													587	+ 46 33	+ 09
	Mean ($S_N − H_N$)		+ 0 065 ± 0 01			+ 0 064 ± 0 011			+ 0 065 ± 0 011	Mean ($S_N − B_N$)		+ 0 015 ± 0 013			+ 0 065 ± 0 015
SOUTH ASPECT	211	+ 14 51	+ 0 04	130	+ 19 40	+ 0 03	130	+ 19 40	+ 0 10	137	+ 9 41	+ 0 03	102	+ 15 49	0 00
	247	+ 18 34	∞	142	+ 12 44	∞	149	+ 12 35	+ 09	164	+ 28 42	+ 01	137	+ 9 4	+ 10
	307	+ 20 51	+ 06	178	+ 24 0	+ 08	211	+ 14 51	− 02	191	− 4 29	+ 04	164	+ 28 42	− 01
	325	+ 9 18	+ 05	211	+ 14 51	+ 03	247	+ 18 34	− 02	205	− 5 5	+ 05	191	− 4 29	∞
	365	+ 23 59	+ 06	229	+ 27 6	+ 02	307	+ 20 51	+ 09	217	+ 20 18	− 12	205	− 5 15	− 02
	439	+ 16 29	+ 07	247	+ 18 34	+ 08	32	+ 9 18	+ 02	229	+ 27 6	+ 04	217	+ 20 18	+ 02
	448	+ 5 33	+ 08	307	+ 20 51	+ 10	365	+ 23 59	+ 08	242	− 1 46	+ 05	229	+ 27 6	+ 07
	477	+ 16 51	∞	325	+ 9 18	+ 06	388	+ 3 0	+ 03	274	+ 5 52	+ 02	242	− 1 46	+ 15
	533	+ 19 31	+ 19	365	+ 23 59	∞	439	+ 16 29	+ 10	285	+ 31 12	+ 04	274	+ 5 52	+ 06
	556	+ 21 43	+ 06	388	+ 3 0	+ 02	448	+ 5 33	+ 03	321	+ 31 25	− 10	285	+ 31 12	+ 07
				439	+ 16 29	+ 20	477	+ 16 51	+ 11	358	+ 29 28	+ 05	311	+ 4 18	− 01
				448	+ 5 33	+ 05	533	+ 19 31	+ 18	388	+ 3 0	− 03	321	+ 31 25	+ 07
				477	+ 16 51	+ 07	556	+ 21 43	+ 04	400	− 1 7	+ 04	358	+ 29 28	+ 08
				533	+ 19 31	+ 15	577	+ 20 15	∞	437	+ 4 46	+ 13	388	+ 3 0	+ 02
				556	+ 21 43	+ 07				446	+ 17 46	+ 23	400	− 1 7	+ 06
										453	+ 14 45	− 02	437	+ 4 46	+ 13
										533	+ 19 31	+ 08	446	+ 17 46	+ 08
										542	+ 10 17	− 02	453	+ 14 45	+ 11
										556	+ 21 43	+ 11	533	+ 19 31	+ 05
													542	+ 10 17	+ 07
													556	+ 21 43	+ 07
	Mean ($S_S − H_S$)		+ 0 061 ± 0 011			+ 0 061 ± 0 010			+ 0 072 ± 0 012	Mean ($S_S − B_S$)		+ 0 033 ± 0 012			+ 0 056 ± 0 007

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Major Heaviside and Lieut Burrard

By Stars Of												
	Observed with Telescope No 1											
	At AMRITSAR									**At MOOLTAN**		
	January 7 1886			January 10 1886			January 16 1886			January 24, 1886		
	Star	Declination	Equat on H−B	Star	Declination	Eq ation H−B	Star	Declination	Equat on H−B	Star	Declination	Equation H−B
NORTH ASPECT	377	+ 42 21	+ o 10	343	+ 37 8	+ o 14	510	+ 42 3	+ o 22	656	+ 34 27	+ o 06
	492	+ 43 48	oo	377	+ 42 21	+ o8	566	+ 40 10	+ o6	667	+ 30 59	+ o5
	566	+ 40 10	+ 12	409	+ 37 7	+ 13	576	+ 36 34	+ 24	698	+ 33 19	+ 12
				425	+ 42 52	+ 20	587	+ 46 33	+ o8	727	+ 40 53	+ 13
				465	+ 36 39	+ o3	624	+ 32 45	+ o9	821	+ 39 43	+ 14
				492	+ 43 48	+ o7	656	+ 34 27	+ 22	877	+ 34 35	+ 14
				510	+ 42 3	+ o5				904	+ 31 29	+ 14
				566	+ 40 10	+ 12				916	+ 40 35	+ 17
				576	+ 36 34	+ 12				953	+ 38 24	+ 16
				587	+ 46 33	oo				967	+ 44 26	+ o9
				624	+ 32 45	+ o3				981	+ 39 11	+ 19
				656	+ 34 27	+ o4						
	Mean (H$_N$ − B$_N$)		+ o o73			+ o o84			+ o 152			+ o 126
			± o o25			± o o11			± o o23			± o oo9
SOUTH ASPECT	533	+ 19 31	+ o o3	311	+ 4 18	+ o 18	533	+ 19 31	+ o o3	β Ar et	+ 20 15	+ o o8
	556	+ 21 43	+ o3	358	+ 29 28	+ 20	556	+ 21 43	+ 14	641	+ 7 12	+ o8
				388	+ 3 o	+ 10	607	+ 20 31	+ 22	687	+ 4 29	+ 13
				400	− 1 7	+ o5				712	+ 19 10	+ 10
				437	+ 4 46	+ 12				741	+ 9 12	+ 12
				446	+ 17 46	+ 15				764	+ 9 4	+ o3
				453	+ 14 45	+ 12				780	+ 14 32	+ 16
				533	+ 19 31	+ 10				789	+ 6 59	+ 10
				542	+ 10 17	+ 23				808	+ 21 28	+ 18
				556	+ 21 43	+ 22				834	+ 25 9	+ 22
				607	+ 20 31	+ o8				852	+ 4 14	+ o6
				641	+ 7 12	+ 13				866	+ 24 43	+ 17
										892	+ 16 1	+ 18
										941	+ 26 1	+ o9
	Mean (H$_S$ − B$_S$)		+ o o30			+ o 140			+ o 130			+ o 121
			± o ooo			± o o11			± o o37			± o o10

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Majors Strahan, Heaviside and Lieut Burrard

By Stars of		Observed with Telescope No 2					Observed with Telescope No 1				
		At KARACHI					At AMRITSAR				
		February 1 1886			February 2 1886			March 25 1886			March 26 1886	
		Star	Declination	Equation S − H	Star	Declination	Equation S − H	Star	Declination	Equation S − B	Star	Decl nation	Equation S − B
NORTH ASPECT	821	+ 39 43	+ 0 02	821	+ 39 43	+ 0 01	2908	+ 33 8	+ 0 19	3060	+ 38 3	+ 0 12
	831	+ 27 13	− 03	831	+ 27 13	+ 03	2999	+ 44 9	+ 18	3100	+ 38 44	+ 22
	861	+ 28 46	− 01	861	+ 28 46	+ 05	3027	+ 40 38	+ 2ͻ	3144	+ 35 6	+ 18
	877	+ 34 35	+ 01	877	+ 34 35	− 07	3060	+ 38 3	+ 25	31C2	+ 37 17	+ 20
	916	+ 40 35	+ 01	888	+ 37 52	+ 04	3238	+ 34 9	+ 18	31ͷ8	+ 34 52	+ 19
	941	+ 26 1	− 04	916	+ 40 35	− 01	3252	+ 37 0	+ 18	3238	+ 34 9	+ 14
	953	+ 38 24	+ 03	974	+ 28 9	− 06				3252	+ 37 0	+ 22
	An nymous		00	993	+ 42 5	+ 02				3268	+ 36 20	+ 21
	974	+ 28 39	− 01	1008	+ 38 52	− 02				3281	+ 40 45	+ 23
	1123	+ 37 13	− 01	1028	+ 26 40	− 03				3297	+ 35 51	+ 18
	1207	+ 31 33	− 02	1097	+ 31 38	− 03				3375	+ 35 31	+ 22
	1219	+ 39 41	− 11	1105	+ 42 13	+ 0				3416	+ 32 29	+ 30
	1228	+ 35 28	− 03	1123	+ 37 13	− 04				3439	+ 35 33	+ 30
				1175	+ 32 45	+ 03				3446	+ 35 48	+ 22
				1207	+ 31 33	− 02				3468	+ 37 58	+ 23
				1219	+ 39 4	+ 05						
				1228	+ 35 28	+ 01						
	Mean ($S_N - H_N$)		− 0 013 ± 0 007			+ 0 003 ± 0 006	Mean ($S_N - B_N$)		+ 0 205 ± 0 010			+ 0 211 ± 0 008
SOUTH ASPECT	808	+ 21 28	+ 0 07	808	+ 21 28	+ 0 01	2958	+ 10 30	+ 0 19	3046	+ 30 40	+ 0 12
	845	+ 9 38	+ 05	84ͻ	+ 9 38	− 05	Hydræ	+ 6 50	+ 16	30C9	+ 28 21	+ 18
	901	+ 17 52	− 04	901	+ 17 52	+ 01	2978	+ 6 16	+ 14	3088	+ 28 21	+ 18
	δ Arietis	+ 19 18	+ 03	933	+ 17 33	00	3013	+ 5 46	+ 08	Cancri	+ 11 8	+ 25
	999	+ 20 37	− 01	950	+ 3 54	+ 03	3046	+ 30 40	+ 15	3123	+ 22 28	+ 22
	1034	+ 20 44	− 02	909	− 8 3	− 01	3069	+ 28 21	+ 23	3194	+ 25 40	+ 28
	1068	+ 9 21	+ 01	966	+ 17 26	+ 02				3206	+ 20 17	+ 18
	1067	+ 12 33	+ 04	δ Ar etis	+ 19 18	+ 02				3216	− 4 38	+ 23
	1096	+ 17 28	+ 04	1041	+ 3 16	+ 02				3309	+ 26 26	+ 25
	1143	+ 20 34	+ 01	1052	+ 24 19	− 04				3318	+ 20 43	+ 14
	η Tauri	+ 23 45	00	1068	+ 9 21	+ 03				Leonis	+ 24 18	+ 12
				1079	+ 16 22	− 02				3343	+ 21 8	+ 2ͷ
				1090	− 5 28	+ 05				3355	+ 21 43	+ 25
				1135	+ 19 20	+ 05				3361	+ 13 36	+ 10
				1146	+ 23 56	− 03				3423	+ 22 30	+ 23
				1162	+ 5 42	+ 02				3460	+ 19 6	+ 23
				1195	+ 23 37	+ 06						
	Mean ($S_S - H_S$)		+ 0 016 ± 0 007			+ 0 010 ± 0 005	Mean ($S_S - B_S$)		+ 0 158 ± 0 014			+ 0 202 ± 0 010

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Major Strahan and Lieut Burrard

		OBSERVED WITH TELESCOPE No 2				
BY STARS OF		At DEHRA DÚN				
		M y 1 1886			M y 3 1886	
	Star	Declination	Equation S − B	Star	Declination	Equation S − B
NORTH ASPECT	3985	+ 56 16	+ 0 17	3985	+ 56 16	+ 0 10
	3998	+ 35 34	+ 08	3998	+ 35 34	+ 18
	4010	+ 38 36	+ 13	4010	+ 38 36	+ 11
	4018	+ 41 33	+ 27	4059	+ 43 44	+ 16
	4059	+ 43 44	+ 17	4128	+ 33 43	+ 17
	4121	+ 54 4	+ 25	4177	+ 43 10	+ 05
	4177	+ 43 10	+ 17	4188	+ 39 39	+ 13
	4203	+ 56 21	+ 20	4217	+ 52 10	+ 29
	4217	+ 52 10	+ 19	4233	+ 33 53	+ 17
	4233	+ 33 53	+ 23	4258	+ 41 30	⊷+ 28
	4258	+ 41 30	+ 18	4285	+ 39 54	+ 21
	4285	+ 39 54	+ 21	4311	+ 38 8	+ 26
	4311	+ 38 8	+ 13	4345	+ 38 56	+ 18
	4335	+ 56 35	+ 09	4360	+ 31 24	+ 18
	4345	+ 38 56	+ 13	4384	+ 36 25	+ 16
				4408	+ 39 8	+ 10
				4420	+ 41 24	+ 23
				4438	+ 40 45	+ 28
				4453	+ 34 42	+ 21
				4467	+ 40 45	+ 21
				4 19	+ 42 41	+ 20
	Mean (S_N − B_N)		+ 0 173 ± 0 010			+ 0 184 ± 0 009
SOUTH ASPECT	3979	+ 8 54	+ 0 17	4031	+ 16 17	+ 0 23
	4031	+ 16 17	+ 20	4049	+ 4 17	+ 24
	4039	+ 4 7	+ 24	4079	+ 10 18	+ 21
	4066	+ 22 6	+ 24	4110	+ 21 11	+ 26
	4094	+ 2 32	+ 23	4139	+ 26 39	+ 19
	4110	+ 21 11	+ 25	4156	+ 18 25	+ 18
	4139	+ 26 39	+ 17	4168	+ 5 56	+ 17
	4156	+ 18 25	+ 24	4242	+ 19 0	+ 13
	4168	+ 5 56	+ 25	4250	+ 9 25	+ 17
	4250	+ 9 25	+ 23	4267	+ 11 3	+ 28
	4267	+ 11 3	+ 18	4277	− 0 57	+ 19
	4277	− 0 57	+ 26	4299	+ 14 11	+ 27
	4299	+ 14 11	+ 22	4328	+ 21 52	+ 22
	4315	+ 28 10	+ 29	4367	+ 11 34	+ 21
				4393	+ 28 10	+ 26
				4440	+ 10 1	+ 22
				4477	− 4 20	+ 30
				4499	+ 14 24	+ 17
				4509	+ 19 39	+ 28
				4529	+ 4 14	+ 19
	Mean (S_S − B_S)		+ 0 226 ± 0 006			+ 0 219 ± 0 007

Between Majors Strahan and Heaviside

SEASON	BY STARS OF NORTH ASPECT				BY STARS OF SOUTH ASPECT			
	Astronomical D t	Telescope in use	Value of the Equation		Astronomical Date	Telescope in use	Value of the Equation	
			Mean	General Mean			Mean	General Mean
			$S_N - H_N$	$S_N - H_N$			$S_S - H_S$	$S_S - H_S$
1885 86	1885 November 11	No 1	+ 0 065		1885 November 11	No 1	+ 0 061	
	12	1	+ 064	+ 0 065	12	1	+ 061	+ 0 065
	13	2	+ 065		13	2	+ 0 72	
	1886 February 1	No 2	− 0 013		1886 February 1	No 2	+ 0 016	
	2	2	+ 003	− 0 005	2	2	+ 010	+ 0 013

Between Major Strahan and Lieutenant Burrard

SEASON								
			$S_N - B_N$	$S_N - B_N$			$S_S - B_S$	$S_S - B_S$
1885 86	188 Dec n ber 30	No 1	+ 0 015		1885 December 30	No 1	+ 0 033	
	31	1	+ 065	+ 0 040	31	1	+ 056	+ 0 045
	1886 Ma h 2	No 1	+ 0 205		1886 March 25	No 1	+ 0 158	
	26	1	+ 211	+ 0 208	26	1	+ 202	+ 0 180
	M y 1	No 2	+ 0 73		M y 1	No 2	+ 0 226	
	3	2	+ 184	+ 0 179	3	2	+ 219	+ 0 223

Between Major Heaviside and Lieutenant Burrard

SEASON								
			$H_N - B_N$	$H_N - B_N$			$H_S - B_S$	$H_S - B_S$
188 86	1886 Ja uary 7	No 1	+ 0 07	+ 0 73	1886 January 7	No 1	+ 0 030	+ 0 030
	Jan a y 10	No 1	+ 084	+ 084	J a y 10	No 1	+ 140	+ 140
	Janua y 16	No 1	+ 152	+ 152	Janu y 16	No 1	+ 130	+ 130
	Janu ry 24	No 1	+ 126	+ 126	J u a y 24	N 1	+ 121	+ 121

Final Values of the Equation Adopted

The observations for Personal Equation had a peculiar interest attaching to them this season as it was the first occasion on which *three* observers had been mutually concerned   In all previous years the accuracy of the final value of the equation adopted could only be judged of by means of its probable error and this was invariably infinitesimal this season each of three observers had determined his relative equation with the other two and a valuable check was therefore available The result was not satisfactory though the probable errors of the finally adopted equations between any two of the observers remained as minute as heretofore, the equations themselves contradicted each other so that the equation measured directly between Majors Strahan and Heaviside differed considerably from that deduced through observations made separately by each observer with Lieut Burrard In consequence of this

discordance the deduction of the final values of the equation became a matter of some difficulty the more especially as on some arcs all three observers had taken a share in the work it was finally decided that a graphic representation would meet the case and the accompanying diagram was constructed the divisions proceeding horizontally represent two days each, and those vertically hundredths of a second of time

The curves* were drawn as follows —A straight horizontal line was taken to represent the zero or basis from which the several equations were measured and as Major Strahan was the only observer who had worked throughout the season and taken part in all the arcs his name was attached to it Major Heaviside s curve was drawn next the dates on which he had observed for Personal Equation with Major Strahan formed the *abscissæ* of the points plotted and the values of the equation on those dates the ordinates as however they had only observed together twice *viz* on November 12th and February 1st Major Heaviside s curve is of necessity a straight line joining the extremities of the ordinates on those dates Lieut Burrard s curve was plotted last he had observed four times with Major Heaviside and three times with Major Strahan and thus seven points on his curve were known his equations with Major Heaviside were measured vertically downwards from that officer s curve on the dates of

---

* These lines are not in reality curves but the designation may perhaps be allowed to pass as sufficiently exact for the purpose

observation and his equations with Major Strahan were referred to the zero line   The thick black lines at the top and bottom of the diagram represent the dates during which the measurement of each arc was carried on and the dotted lines through the equation curves are drawn at the middle of each arc and give the interpolated value of the Personal Equation to be adopted for that arc   The values thus deduced and finally adopted were, as follows —

For the Arc Agra–Mooltan
$$\begin{cases} S_N - H_N = +\ 053 \\ S_S - H_S = +\ 056 \end{cases}$$

„   Deesa–Mooltan
$$\begin{cases} S_N - H_N = +\ 041 \\ S_S - H_S = +\ 047 \end{cases}$$

„   Agra–Amritsar
$$\begin{cases} S_N - B_N = +\ 040 \\ S_S - B_S = +\ 045 \end{cases}$$
$H_N - B_N = +\ 012 \qquad S_N - H_N = +\ 028$
$H_S - B_S = +\ 007 \qquad S_S - H_S = +\ 038$

„   Amritsar–Mooltan
$$\begin{cases} S_N - B_N = +\ 118 \\ S_S - B_S = +\ 163 \end{cases}$$
$H_N - B_N = +\ 105 \qquad S_N - H_N = +\ 013$
$H_S - B_S = +\ 137 \qquad S_S - H_S = +\ 026$

„   Mooltan–Karachi
$$\begin{cases} S_N - B_N = +\ 137 \\ S_S - B_S = +\ 143 \end{cases}$$
$H_N - B_N = +\ 140 \qquad S_N - H_N = -\ 003$
$H_S - B_S = +\ 129 \qquad S_S - H_S = +\ 014$

„   Peshawar–Mooltan
$$\begin{cases} S_N - B_N = +\ 155 \\ S_S - B_S = +\ 153 \end{cases}$$

Amritsar–Peshawar
$$\begin{cases} S_N - B_N = +\ 185 \\ S_S - B_S = +\ 168 \end{cases}$$

„   Dehra Dun–Amritsar
$$\begin{cases} S_N - B_N = +\ 199 \\ S_S - B_S = +\ 194 \end{cases}$$

„   Dehra Dun–Agra
$$\begin{cases} S_N - B_N = +\ 187 \\ S_S - B_S = +\ 211 \end{cases}$$

Experimental Arc Dehra Dun
$$\begin{cases} S_N - B_N = +\ 177 \\ S_S - B_S = +\ 227 \end{cases}$$

In these equations the general symbols $S-H$ and $S-B$ signify quantities which must be *added* to times observed by Major Heaviside and Lieut Burrard respectively before they are compared with those observed by Major Strahan similarly the general symbol $H-B$ signifies the quantity that has to be added to times observed by Lieut Burrard before they can be compared with those observed by Major Heaviside the subscripts N and S referring to what has been usually called in these volumes the aspect* of a star

The above method of deduction by curves is it may be stated not wholly satisfactory and was only employed as the choice of evils   It is in the first place based upon the assumption that the Personal Equation between two observers varies with perfect uniformity between the consecutive dates on which they observe a most improbable occurrence It gives too an unduly high weight to the equation of those two observers whose curves chance to be drawn first the straightness or uniformity of these curves depend on the number of points in their path that can be plotted as a bend or change of direction occurs at each and in the curve that happens to be drawn last the known points must of necessity largely outnumber those of the second curve   In the accompanying diagram for instance only two points were plotted of Major Heaviside s curve being derived from the two dates on which he had observed with Major Strahan in Lieut Burrard s curve not only were the results of his observations with Major Strahan plotted but also those of his observations with Major Heaviside during the period therefore that all three curves occur together only a half weight attaches to the third observer s work   If the three observers were of equal experience this would constitute a most serious objection to the graphical method of deduction in 1885 86 however it happened that from December 30th to February 1st the only period in which all three curves occur together was the first occasion on which Lieut Burrard had been employed on longitude work and that the contradictory results were largely due to his not having acquired a fixed habit of observing is but a justifiable hypothesis

* The aspect of a star said to be north when the observer stands on the south side of the piers facing towards the north This occasionally happens when the star may be a few minutes S of the zenith at transit vide Vol IX page 83

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

29

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

	STAR			TRANSITS OBSERVED AT E By Strahan with Tlscope No 2				TRANSITS OBSERVED AT W By H vnde with Tls pe No 1				Difference of Corre ted Times (W — E)					
Astronomical Date	B A C Number	Decli nation	Star Aspect	In strumental Posit on and Corre tion Con tants	Mean Observed Time	Total Correc tion	Seconds of Corect ed T me	Star's A pect	In strumental Pos tion and Corr ct on C n t ts	Mean Ob erved Time	Total Correc tion	Seconds of Corr t ed Iime	By each Star	Mean of Group	Corre tion fo R te of E Clock	Corrns for Perrl Eq t on $S_N - H_N = + 0.053$ $S_B - H_B = + 0.056$	$\Delta L - \rho$
1885 Nov 23	963	+ 40 31	N	I P E	h m s 3 0 38 43	+ 1 66	40 09	N	I P E	h m s 3 26 57 60	s + 1 17	s 58 77	m 26 18 68				
	974	+ 28 38	N	d c + o 8	2 38 39	+ 1 57	39 96	N	d c — 6	28 57 19	+ 1 47	58 66	18 70		4		
	993	+ 42 5	N	b + 1 4 a — 13 7	7 16 26	+ 1 66	17 92	N	b — 1 2 a + 46 5	33 35 50	+ 1 14	36 64	18 72	26 18 7 4	0 022	0 053	26 18 /89
	1017	+ 33 48	N	s	11 29 25	+ 1 60	30 85	N		37 48 24	+ 1 14	49 58	18 73		+	+	
	1025	+ 28 38	N	Q + 1 50	13 19 65	+ 1 57	21 22	N	Q + 1 50	39 38 49	+ 1 47	39 96	18 74				
	Ceti	+ 38	S		2 56 12 20	+ 1 42	13 62	S		3 22 30 41	+ 1 91	32 32	26 18 70				
	957	+ 24 48	S		58 38 63	+ 1 54	40 17	S		24 57 32	+ 1 54	58 86	18 6)	2		
	974	+ 28 38	S		3 2 38 28	+ 1 57	39 85	S		28 57 25	+ 1 47	58 73	18 87	26 18	0 032	0 056	26 18 8,0
	8 Arietis	+ 19 8	S		4 59 57	+ 1 51	61 08	S		31 8 25	+ 1 63	19 88	18 80		+	+	
	1025	+ 28 38	S		1 19 56	+ 1 57	21 13	S		39 38 46	+ 1 47	39 93	18 80				
	1123	+ 37 13	N	Q — 1 5°	33 3 38 97	— 1 38	37 59	N	s Q — 1 50	3 59 58 04	— 1 74	56 30	26 18 71				
	1175	+ 32 45	N		42 16 51	— 1 41	15 10	N		4 8 35 39	— 1 63	33 ,6	8 66	40		
	1207	+ 31 33	N		46 54 04	— 1 42	52 62	N		13 43 02	— 1 60	11 42	18 80	26 18 8	0 022	0 053	26 18 815
	1219	+ 39 4	N		50 8 45	— 1 35	7 10	N		16 27⁸ 0	— 1 81	25 89	18 79		+	+	
	η Tauri	+ 23 45	S		3 40 38 47	— 1 46	37 01	S		4 6 57 19	— 1 44	55 75	26 18 74	s 8 740 26 18	s 0 022 +	s 0 056 +	s 26 8 818
Nov 24	963	+ 40 31	N	I P W	3 0 37 23	+ 1 48	38 71	N	I P W	3 26 56 30	+ 1 45	57 75	26 19 04				
	974	+ 28 38	N	d c — 2 4	2 37 17	+ 1 43	38 60	N	d c 0 0	28 56 01	+ 1 56	57 57	18 97	s 18 9,8		
	993	+ 42 5	N	b — 1 6 a — 10 9	7 15 12	+ 1 49	16 61	N	b + 1 8 a + 20 2	33 34 14	+ 1 42	35 56	18 95	26 18	0 022	0 053	26 9 0,3
	1025	+ 28 38	N	Q + 1 52	13 18 42	+ 1 43	19 85	N	s Q + 1 50	39 37 23	+ 1 57	38 80	18 95		+	+	

AGRA (E) Lat 27° 10′ Long 5ʰ 12ᵐ 14ˢ AND MOOLTAN (W) Lat 30° 11 Long 4ʰ 45 56ˢ

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

AGRA (E) *Lat 27° 10' Long 5ʰ 12ᵐ 14* AND MOOLTAN (W) *Lat 30° 11 Long 4ʰ 45ᵐ 56ˢ*

Astronomical Date	STAR BAC Number	Declination	Star's Aspect	TRANSITS OBSERVED AT E (By Strahan with Telescope No 2) Instrumental Position and Correction Constants C	Mean Observed Time	Total Correction	Seconds of Corrected Time	Sta Aspect	TRANSITS OBSERVED AT W (By Heaviside with Telescope No 1) Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correct on for Rate of E Clock	Corr'n to P rel Equat'ns $S_F − H_F = + 0^s\ 0^s\ 053$ $S_S − H_S = + 0\ 056$	$\Delta L − \rho$
1885 Nov 24	C t₁	+ 3 38	S	I P W	*h m s* 2 56 10 98	+ 1 34	12 32	S	I P W	*h m s* 3 22 29 48	+ 1 73	31 21	*m* 26 18 89				
	957	+ 24 48	S	*d* c − 2 4	58 37 41	+ 1 41	38 82	S	*d* c 0 0	24 56 15	+ 1 8	57 73	18 91				
	974	+ 28 38	S	b − 1 6 a − 10 9	3 2 37 16	+ 1 43	38 59	S	b + 1 8 tz + 20 2	28 56 02	+ 1 56	57 58	18 99		8 9 34	0 022	0 056
	δ Arieti	+ 19 18	S	Q + 1 52	4 58 46	+ 1 39	59 85	S	*s* Q + 1 50	31 17 15	+ 1 63	18 78	18 93	26 18 93	26	+	+	26 19 013
	1025	+ 28 38	S		13 18 40	+ 1 43	19 83	S		39 37 21	+ 1 57	38 78	18 95				
	11 3	+ 37 13	N	*s* Q − 1 52	3 33 37 75	− 1 58	36 17	N	Q − 1 50	3 59 56 59	− 1 52	55 07	26 8 90				
	1175	+ 32 45	N		42 15 31	− 1 60	13 71	N		4 8 34 15	− 1 48	32 67	18 96		8 9 5	0 022	0 053
	1207	+ 31 33	N		46 52 93	− 1 61	51 32	N		13 1 81	− 1 46	10 35	19 03	26	+	+	26 19 050
	1219	+ 39 41	N		50 7 33	− 1 57	5 76	N		16 26 31	− 1 54	24 77	19 01				
	o Tauri	+ 8 38	S		3 18 35 42	− 1 69	33 73	S		3 44 54 02	− 1 29	52 73	26 19 00				
	1068	+ 9 20	S		20 54 24	− 1 69	52 55	S		47 12 77	− 1 30	11 47	8 92		8 9 40	0 022	0 056
	1067	+ 12 33	S		24 29 60	− 1 68	27 92	S		50 48 13	− 1 33	46 80	18 88	26 18 96	26	+	+	26 19 018
	η Tauri	+ 23 45	S		40 37 36	− 1 64	35 72	S		4 6 56 09	− 1 4	54 68	18 96				
Nov 25	963	+ 40 31	N	I P E	3 0 35 8)	+ 1 6	37 65	N	I P E	3 26 55 01	+ 1 44	56 45	26 18 80				
	974	+ 28 38	N	*d* c + 0 8	2 35 86	+ 1 56	37 42	N	*d* c − 1 6	28 54 85	+ 1 50	56 35	18 93		8 8 8	0 022	0 053
	993	+ 42 5	N	b + 2 9 a − 32 7	7 13 70	+ 1 78	15 48	N	b + 1 2 a + 8 9	33 32 86	+ 1 44	34 30	18 82	26	+	+	26 18 993
	1017	+ 33 48	N	*s* Q + 1 43	11 26 79	+ 1 63	28 42	N	*s* Q + 1 50	37 45 75	+ 1 47	47 22	18 80				
	1025	+ 28 38	N		13 17 20	+ 1 56	18 6	N		39 36 0	+ 1 50	37 55	18 79				
	α C t₁	3 38	S		2 56 9 86	+ 1 21	11 07	S		3 22 28 33	+ 1 58	29 91	26 18 84				
	9 7	+ 24 48	S		58 36 09	+ 1 50	37 59	S		24 54 93	+ 1 51	56 50	18 9		*s* 18 848	0 022	0 056
	974	+ 28 38	S		3 2 35 87	+ 1 56	37 43	S		28 54 79	+ 1 50	56 29	18 86	26	+	+	26 18 926
	δ Ari t₁s	+ 19 18	S		4 57 24	+ 1 43	58 67	S		31 15 96	+ 1 53	17 49	18 82				
	1025	+ 28 38	S		13 17 15	+ 1 56	18 71	S		39 36 02	+ 1 50	37 42	18 81				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 31

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

A tronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Strahan with Telescope No 2				Star' Aspect	TRANSITS OBSERVED AT W By Heaviside with Telescop No 1				Difference of Corrected Times (W − E)		Correct on fo Rate of E Clock	Corrn for P rel Equation $S_w − H_r − + δ^{c} o53$ $S_s − H_s − + o o56$	ΔL − ρ
	B A C Number	Dech nation		In st umental Posit on and Correction C t ts	Mean Observed Time	Total Correc tion	Seconds of Corrct ed Time		In str mental Position and C rrection C n t nts	Mean Observed Time	Total Correc tion	Seconds of Corr ct ed Time	By each Star	Mean of Group			
1885					h m s	s	s	s			h m s	s	s	m				
Nov 25	1123	+ 37 13	N	I P λ	3 33 36 27	− 1 17	35 10	N	I P E	3 59 55 36	− 1 55	53 81	26 18 71				
	1175	+ 32 45	N	d + o 8	42 3 90	− 1 24	12 66	N	d c − 1 6	4 8 32 92	− 1 53	31 39	18 73	26 6 8 728	0 031	o o53	26 8 803
	1 07	+ 31 33	N	b + 2 9 a −32 7	46 51 52	− 1 26	50 26	N'	b + 1 2 a + 8 9	13 10 5	− 1 51	9 00	18 74		+	+	
	1219	+ 39 41	N	Q − 1 43	50 5 89	− 1 12	4 77		Q − 1 50	6 25 05	− 1 55	23 50	18 73				
	Tauri	+ 8 38	S		3 18 34 23	− 1 57	32 66	S		3 44 52 93	− 1 43	51 50	26 18 84				
	1087	+ 12 33	S		24 28 28	− 1 52	26 76	S		50 47 01	− 1 44	45 57	18 81	26 18 8 3	22 0	o o56	6 8 88
	η Tauri	+ 23 45	S		40 35 98	− 1 37	34 61	S		4 6 54 85	− 1 48	53 37	18 76		+		
Nov 26	963	+ 40 31	N	I P W	3 0 34 53	+ 1 81	36 34	N	I P W	3 26 54 12	+ 1 20	55 32	26 18 98				
	974	+ 28 38	N	d c − 4	2 34 48	+ 1 66	36 14	N	d c o 0	28 53 61	+ 1 59	55 20	19 06	26 9 020	0 0	o o53	26 9 093
	993	+ 42 5	N	b + 1 a − 26 1	7 12 33	+ 1 83	14 6	N	b + 1 5 a + 65 1	33 32 03	+ 1 14	33 7	19 01		+	+	
	1017	+ 33 48	N	Q + 1 65	11 25 41	+ 1 72	27 13	N	Q + 1 50	37 44 73	+ 1 43	46 16	19 03				
	α Ceti	+ 3 38	S		2 56 8 35	+ 4	9 76	S		3 22 26 74	+ 2 18	28 92	26 19 16				
	957	+ 24 48	S		58 34 72	+ 1 61	36 33	S		24 53 73	+ 1 69	55 42	19 09	26 6 9 0 8	0 030	o o56	26 19 54
	974	+ 28 38	S		3 2 34 46	+ 1 66	36 12	S		28 53 57	+ 1 59	55 16	19 04		+	+	
	ϑ Arietis	+ 19 18	S		4 55 81	+ 1 57	57 38	S		31 14 57	+ 1 83	16 40	19 02				
	1123	+ 37 13	N	Q − 1 65	3 33 35 17	− 1 53	33 64	N	Q − 1 50	3 59 54 36	− 1 67	52 69	26 19 05				
	1175	+ 32 45	N		42 12 82	− 1 60	11 22	N		4 8 31 86	− 1 54	30 32	19 10	26 19 9 075	0 030	o o53	26 9 48
	1207	+ 31 33	N		46 50 43	− 1 60	48 83	N		13 9 41	− 1 50	7 91	19 08		+	+	
	1219	+ 39 41	N		50 4 86	− 1 50	3 36	N		16 24 20	− 1 77	22 43	19 07				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	STAR			TRANSITS OBSERVED AT E By Strahan with Telescope No 2					TRANSITS OBSERVED AT W By Heaviside with Telescope No 1					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl Equations $S_N - H_N = + 0\ 053$ $S_B - H_B = + 0\ 056$	$\Delta L - \rho$
Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group				
1885					$h\ m\ \ s$	s	s			$h\ m\ \ s$	s	s	$m\ \ s$					
Nov 26	Tauri	+ 8 38	S	I P W	3 18 33 15	− 1 84	31 31	S	I P W	3 44 51 30	− 0 94	50 36	26 19 05					
	1068	+ 9 20	S	c − 1 4 (d)	20 51 98	− 1 83	50 15	S	c 0 0 (d)	47 10 1	− 0 96	9 15	19 00					
	1087	+ 12 33	S	b + 1 1 a − 26 1	24 27 23	− 1 81	25 42	S	b + 1 5 a + 65 1	50 45 54	− 1 02	44 52	19 10	26 19 068	+ 0 020	+ 0 056	26 19 44
	η Tauri	+ 23 45	S	Q − 1 65 (s)	40 34 89	− 1 69	33 20	S	Q − 1 50 (s)	4 6 53 60	− 1 28	52 32	19 12					
Nov 27	963	+ 40 31	N	I P E	3 0 33 79	+ 1 53	35 32	N	I P E	3 26 52 84	+ 1 28	54 12	26 18 80					
	974	+ 28 38	N	c − 0 2 (d)	2 33 64	+ 1 58	35 22	N	c − 1 6 (d)	28 52 58	+ 1 39	53 97	18 75	26 18 747	+ 0 011	+ 0 053	26 18 811
	993	+ 42 5	N	b − 0 4 a + 8 6	7 11 76	+ 1 52	13 28	N	b − 3 1 a + 14 9	33 30 70	+ 1 27	31 97	18 69					
				Q + 1 61 (s)					Q + 1 50 (s)									
	Cet	+ 3 38	S		2 56 7 16	+ 1 68	8 84	S		3 22 26 09	+ 1 56	27 65	26 18 81					
	957	+ 24 48	S		58 33 82	+ 1 60	35 42	S		24 52 76	+ 1 42	54 18	18 76	26 18 785	+ 0 011	+ 0 056	26 18 852
	974	+ 28 38	S		3 2 33 63	+ 1 58	35 21	S		28 52 56	+ 1 39	53 95	18 14					
	β Arietis	+ 19 18	S		4 54 72	+ 1 62	56 34	S		31 13 73	+ 1 44	15 17	18 83					
	1123	+ 37 13	N	Q − 1 61 (s)	3 33 34 62	− 1 67	32 95	N	Q − 1 50 (s)	3 59 53 31	− 1 68	51 63	26 18 68					
	1175	+ 32 45	N		42 12 10	− 1 66	10 44	N		4 8 30 71	− 1 64	29 07	18 63	26 18 608	+ 0 011	+ 0 053	26 18 672
	1207	+ 31 33	N		46 49 79	− 1 65	48 14	N		13 8 37	− 1 63	6 74	18 60					
	1219	+ 39 41	N		50 4 33	− 1 68	2 65	N		16 22 88	− 1 71	21 17	18 52					
	η Tauri	+ 23 45	S		3 40 34 04	− 1 62	32 42	S		4 6 52 67	− 1 57	51 10	26 18 68	26 18 680	+ 0 011	+ 0 056	26 18 747

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

33

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

AGRA (E) *Lat* 27° 10′, *Long* 5ʰ 12ᵐ 14 : AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56′

Astronomical Date	STAR		Star s Aspect	TRANSITS OBSERVED AT E By Strahan w th T lescope No 2				Star s Aspect	TRANSITS OBSERVED AT W By He viside with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl. Equations	$S_N - H_N + \sigma'$ 0·53 $S_S - H_S + \sigma$ 0·56	$\Delta L - \rho$
	BAC Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Con tants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group				
1885 Nov 28	963	+ 40 31	N	I P W	h m s 3 0 33 58	s + 1 63	s 35 21	N	I P W	h m s 3 26 52 69	s + 1 44	′ 54 13	m s 26 18 92					
	974	+ 28 38	N	d c − 1 4	2 33 23	+ 1 67	34 90	N	d c 0 0	28 52 50	+ 1 56	54 06	19 16					
	998	+ 42 5	N	b + 3 0 a + 11 1	7 11 36	+ 1 61	12 97	N	b + 1 5 a + 18 7	33 30 58	+ 1 42	32 00	19 03	s 26 19 04	0 002	+	0 053 +	s 26 19 109
	1017	+ 33 48	N	e	11 24 24	+ 1 66	25 90	N	e	37 43 48	+ 1 51	44 99	19 09					
	1025	+ 28 38	N	Q + 1 65	13 14 52	+ 1 69	16 21	N	Q + 1 50	39 33 72	+ 1 56	35 28	19 07					
	α Ceti	+ 3 38	S		2 56 6 77	+ 1 78	8 55	S		3 22 25 99	+ 1 72	27 71	26 19 16					
	957	+ 24 48	S		58 33 40	+ 1 71	35 11	S		24 52 64	+ 1 57	54 21	19 10					
	974	+ 28 38	S		3 2 33 28	+ 1 67	34 95	S		28 52 46	+ 1 56	54 02	19 07	s 26 19 07	0 002	+	0 056 +	26 19 130
	δ Arietis	+ 19 18	S		4 54 43	+ 1 71	56 14	S		31 13 58	+ 1 62	15 20	19 06					
	1025	+ 28 38	S		13 14 63	+ 1 69	16 32	S		39 33 73	+ 1 56	35 29	18 97					
	1123	+ 37 3	N	Q − 1 65	3 33 34 16	− 1 67	32 49	N	Q − 1 50	3 59 53 12	− 1 52	51 60	26 19 11					
	1175	+ 32 45	N		42 11 73	− 1 64	10 09	N		4 8 30 62	− 1 49	29 13	19 04	s 26 19 030	0 002	+	0 053 +	26 19 085
	1207	+ 31 33	N		46 49 39	− 1 62	47 77	N		13 8 26	− 1 47	6 79	19 02					
	1219	+ 39 41	N		50 3 94	− 1 68	2 26	N		16 22 76	− 1 55	21 21	18 95					
	σ Tauri	+ 8 38	S		3 18 31 69	− 1 55	30 14	S		3 44 50 50	− 1 32	49 18	26 19 04					
	1068	+ 9 20	S		20 50 48	− 1 55	48 93	S		47 9 28	− 1 32	7 96	19 03	s 26 19 053	0 002	+	0 056 +	26 19 111
	1087	+ 12 33	S		24 25 82	− 1 56	24 26	S		50 44 67	− 1 33	43 34	19 08					
	η Tauri	+ 23 45	S		40 33 65	− 1 61	32 04	S		4 6 52 52	− 1 42	51 10	19 06					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

AGRA (E) *Lat 27° 10' Long 5ʰ 12ᵐ 14* AND MOOLTAN (W) *Lat 30° 11 Long 4ʰ 45ᵐ 56*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Strahan, with Telescope No 2				Star's Aspect	TRANSITS OBSERVED AT W By Heaviside with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn for Persl Equations $S_N - H_N = + 0^s 053$ $S_S - H_S = + 0 056$	$\Delta L + \rho$
	B A.C Number	Decli nation		In strumental Position and Correction Co stants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Con tant	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1835					ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
Nov 23	1444	+ 28 23	N	I P W	4 8 31 21	+1 62	32 83	N	I P E	4 34 50 62	+1 46	52 08	26 19 25				
	1452	+ 32 39	N	d o − 2 4	10 45 76	+1 63	47 39	N	d o − 1 6	37 5 25	+1 38	6 63	19 24	26 19 178	0 117	0 053	26 19 114
	1497	+ 27 42	N	b + 6 4 a − 6 8	19 59 50	+1 61	61 11	N	b − 2 a + 38 8	46 18 81	+1 48	20 29	19 18				
	ι Aurigæ	+ 32 59	N	s Q + 1 51	23 53 90	+1 63	55 53	N	s Q + 1 50	50 13 22	+1 37	14 59	19 06				
	1530	+ 37 43	N		25 50 84	+1 65	52 49	N		52 10 38	+1 27	11 65	19 16				
	1444	+ 28 23	S		4 8 31 17	+1 62	32 79	S		4 34 50 54	+1 46	52 00	26 19 21				
	μ End	+ 3 28	S		14 7 69	+1 51	9 20	S		40 26 44	+1 92	28 36	19 16	26 9 64	0 117	0 056	26 19 103
	1485	+ 15 42	S		17 32 32	+1 58	33 90	S		43 5 37	+1 66	53 03	19 13				
	1497	+ 27 42	S		19 59 44	+1 61	61 05	S		46 18 75	+1 48	20 23	19 18				
	1508	+ 2 19	S		21 45 65	+1 53	47 18	S		48 4 48	+1 84	6 32	19 14				
	1577	+ 28 7	N	s Q − 1 51	4 35 48 42	−1 40	47 02	N	s Q − 1 50	5 2 7 68	−1 53	6 15	26 19 13				
	1602	+ 38 21	N		39 60 51	−1 36	59 15	N		6 19 94	−1 74	18 20	19 05	26 19 104	0 117	0 053	26 19 040
	1614	+ 32 33	N		42 21 76	−1 40	20 36	N		8 41 07	−1 62	39 45	19 09				
	1627	+ 33 15	N		45 4 56	−1 39	3 17	N		11 23 92	−1 63	22 29	19 12				
	1658	+ 28 50	N		50 32 43	−1 40	31 03	N		16 51 70	−1 54	50 16	19 13				
	1577	+ 28 7	S		4 35 48 38	−1 40	46 98	S		5 2 7 64	−1 53	6 11	26 19 13				
	1591	+ 15 27	S		37 33 10	−1 44	31 66	S		3 52 07	−1 34	50 73	19 07	26 19 118	0 117	0 06	26 19 057
	1637	+ 21 59	S		46 48 31	−1 42	46 89	S		13 7 40	−1 44	5 96	19 07				
	1658	+ 28 50	S		50 32 38	−1 40	30 98	S		16 51 68	−1 54	50 14	19 16				
	1678	− 0 18	S		52 26 24	−1 50	24 74	S		18 45 01	−1 11	43 90	19 16				
Nov 24	1444	+ 28 23	N	I P E	4 8 37 75	+1 56	39 31	N	I P W	4 34 56 86	+1 57	58 43	26 19 12				
	1452	+ 32 39	N	d c + 0 8	10 52 30	+1 61	53 91	N	d o 0 0	37 11 49	+1 53	13 02	19 11	26 19 126	0 113	0 053	26 19 066
	1497	+ 27 42	N	b + 0 1 a − 29 3	20 6 01	+1 55	7 56	N	b + 1 8 a + 15 6	46 25 12	+1 57	26 69	19 13				
	ι Aurigæ	+ 32 59	N	s Q + 1 52	24 0 33	+1 62	1 95	N	s Q + 1 50	50 19 53	+1 53	21 06	19 11				
	1530	+ 37 43	N		25 57 25	+1 70	58 95	N		52 16 62	+1 49	18 11	19 16				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

35

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

AGRA (E) Lat 27° 10' Long 5h 12m 14 AND MOOLTAN (W) Lat 30° 11 Long 4h 45m 56

Astronomical Date	STAR — BAC Number	Declination	Transits Observed at E — Star Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Transits Observed at W — Star Aspect	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn fo Persl Equations $S_N - H_N = +0'.3$, $S_S - H_S = +0.56$	$\Delta L + \rho$
1885 Nov 24	1444	+ 28 23	S	I P E / d / c + 0 8 / b + 0 1 / a − 29 3 / s / Q + 1 52	h m s 4 8 37 75	+ 1 56	39 31	S	I P W / d / c 0 0 / b + 1 8 / a + 15 6 / Q + 1 50	h m s 4 34 56 85	+ 1 57	58 42	m s 26 19 11	26 19 1 08	− 0 113	+ 0 056	26 19 051
	μ Erid	+ 3 28	S		14 14 44	+ 1 20	5 64	S		40 32 98	+ 1 73	34 71	19 07				
	1485	+ 15 42	S		17 38 91	+ 1 40	40 31	S		43 57 88	+ 1 63	59 51	19 20				
	1497	+ 27 42	S		20 6 03	+ 1 55	7 58	S		46 25 03	+ 1 57	26 60	19 02				
	1508	+ 2 19	S		21 52 30	+ 1 27	53 57	S		48 11 01	+ 1 70	12 71	19 14				
	157?	+ 28 7	N	Q − 1 52 (s)	4 35 54 95	− 1 49	53 46	N	Q − 1 50 (s)	5 2 13 98	− 1 43	12 55	26 19 09	26 19 0 44	− 0 113	+ 0 053	26 18 984
	1602	+ 38 21	N		40 6 90	− 1 33	5 57	N		6 26 06	− 1 51	24 55	18 98				
	1614	+ 32 33	N		42 28 23	− 1 43	26 80	N		8 47 21	− 1 47	45 74	18 94				
	1627	+ 33 15	N		45 10 94	− 1 42	9 52	N		11 30 16	− 1 47	28 69	19 17				
	1658	+ 28 50	N		50 38 94	− 1 48	37 46	N		16 57 94	− 1 44	56 50	19 04				
	1577	+ 28 7	S		4 35 54 92	− 1 49	53 43	S		5 2 13 92	− 1 43	12 49	26 19 06	26 19 0 46	− 0 113	+ 0 056	26 8 989
	1591	+ 15 27	S		37 39 77	− 1 64	38 13	S		3 58 49	− 1 37	57 12	18 99				
	1637	+ 2 59	S		46 54 81	− 1 56	53 26	S		13 13 78	− 1 40	12 38	19 12				
	1658	+ 28 50	S		50 38 98	− 1 48	37 50	S		16 57 97	− 1 44	56 53	19 03				
	1678	− 0 58	S		52 32 96	− 1 81	31 15	S		18 51 46	− 1 28	50 18	19 03				
Nov 25	1444	+ 28 23	N	I P W / d / c − 2 4 / b + 5 8 / a − 25 4 / s / Q + 1 43	4 8 43 81	+ 1 54	45 35	N	I P E / d / c − 1 6 / b + 1 2 / a + 3 5 / s / Q + 1 50	4 35 2 94	+ 1 49	4 43	26 19 08	26 19 1 06	− 0 113	+ 0 03	26 19 046
	1452	+ 32 39	N		10 58 38	+ 1 58	59 96	N		37 17 51	+ 1 49	19 00	19 04				
	1497	+ 27 42	N		20 12 06	+ 1 53	13 59	N		46 31 26	+ 1 49	32 75	19 16				
	Auriga	+ 32 59	N		24 6 35	+ 1 58	7 93	N		50 25 58	+ 1 49	27 07	19 14				
	1530	+ 37 43	N		26 3 35	+ 1 66	5 01	N		52 22 65	+ 1 47	24 12	19 11				
	1444	+ 28 23	S	—	4 8 43 73	+ 1 54	45 27	S		4 35 2 98	+ 1 49	4 47	26 19 20	26 19 1 70	− 0 113	+ 0 06	26 19 113
	μ Erid	+ 3 28	S		14 20 37	+ 1 20	21 57	S		40 39 23	+ 1 54	40 77	19 20				
	1485	+ 15 42	S		17 44 98	+ 1 39	46 37	S		44 3 99	+ 1 51	5 50	19 13				
	1497	+ 27 42	S		20 12 07	+ 1 53	13 60	S		46 31 24	+ 1 49	32 73	19 13				
	1508	+ 2 19	S		21 58 31	+ 1 24	59 55	S		48 17 21	+ 1 53	18 74	19 19				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) Lat 27° 10′ Long 5ʰ 12ᵐ 14 ; AND MOOLTAN (W) Lat 30° 11 Long 4ʰ 45ᵐ 56ᵖ

Astronomical Date	STAR — BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $S_N - H_N = +0°053$, $S_S - H_S = +0°056$	$\Delta L + \rho$
					h m s	*s*	*s*			*h m s*	*s*	*s*	*m s*				
1885																	
Nov 25	1577	+28 7	N	I P W	4 35 60 92	−1 57	59 35	N	I P E	5 2 20 09	−1 51	18 58	26 19 23				
	1602	+38 21	N	*d* c −2 4	40 13 03	−1 42	11 61	N	*d* c −1 6	6 32 16	−1 53	30 63	19 02	26 19 093	−0 113	+0 053	26 19 032
	1614	+32 33	N	b +5 8 a −25 4	42 34 30	−1 51	32 79	N	b +1 2 a +3 5	8 53 36	−1 51	51 85	19 06				
	1627	+33 15	N	*e* Q −1 66	45 17 15	−1 50	15 65	N	*e* Q −1 50	11 36 20	−1 51	34 69	19 04				
	1658	+28 50	N		50 44 94	−1 56	43 38	N		17 4 00	−1 51	2 49	19 11				
	1577	+28 7	S		4 35 60 96	−1 57	59 39	S		5 2 20 00	−1 51	18 49	26 19 10				
	1591	+15 27	S		37 45 81	−1 71	44 10	S		4 4 63	−1 49	3 14	19 04	26 19 072	−0 113	+0 056	26 19 015
	1637	+21 59	S		46 60 93	−1 63	59 30	S		13 19 91	−1 50	18 41	19 11				
	1658	+28 50	S		50 45 04	−1 56	43 48	S		17 4 03	−1 51	2 52	19 04				
	1678	− 0 58	S		52 39 00	−1 87	37 13	S		18 57 67	−1 47	56 20	19 07				
Nov 26	1444	+28 23	N	I P E	4 8 50 01	+1 64	51 65	N	I P W	4 35 9 16	+1 59	10 75	26 19 10				
	1452	+32 39	N	*d* c −0 2	11 4 47	+1 61	6 08	N	*d* o 0 0	37 23 89	+1 47	25 36	19 28	26 19 230	−0 113	+0 053	26 19 170
	1497	+27 42	N	b −0 5 a +10 9	20 18 19	+1 64	19 83	N	b +1 5 a +57 4	46 37 43	+1 60	39 03	19 20				
	Aurigæ	+32 59	N	*e* Q +1 66	24 12 51	+1 61	14 12	N	*e* Q +1 50	50 31 92	+1 46	33 38	19 26				
	1530	+37 43	N		26 9 54	+1 58	11 12	N		52 29 10	+1 33	30 43	19 31				
	1444	+28 23	S		4 8 49 97	+1 64	51 61	S		4 35 9 19	+1 59	10 78	26 19 17				
	μ Erid	+ 3 28	S		14 26 02	+1 76	27 78	S		40 44 85	+2 24	47 09	19 31	26 19 243	−0 113	+0 056	26 19 185
	1485	+15 42	S		17 50 94	+1 70	52 64	S		44 9 96	+1 86	11 82	19 18				
	1497	+27 42	S		20 18 10	+1 64	19 74	S		46 37 42	+1 60	39 02	19 28				
	1508	+ 2 19	S		22 4 02	+1 75	5 77	S		48 22 91	+2 13	25 04	19 27				
	1577	+28 7	N	Q −1 66	4 36 7 31	−1 68	5 63	N	Q −1 50	5 2 26 25	−1 40	24 85	26 19 22				
	1602	+38 21	N		40 19 55	−1 74	17 81	N		6 38 64	−1 68	36 96	19 15	26 19 182	−0 113	+0 053	26 19 122
	1614	+32 33	N		42 40 59	−1 70	38 89	N		8 59 64	−1 53	58 11	19 22				
	1627	+33 15	N		45 23 58	−1 71	21 87	N		11 42 57	−1 54	41 03	19 16				
	1658	+28 50	N		50 51 41	−1 69	49 72	N		17 10 30	−1 42	8 88	19 16				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

37

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

AGRA (E) *Lat* 27° 10′ *Long* 5ʰ 12ᵐ 14ˢ, AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR — BAC Number	STAR — Declination	E Star's Aspect	E Instrumental Position and Correction Constants	E Mean Observed Time	E Total Correction	E Seconds of Corrected Time	W Star's Aspect	W Instrumental Position and Correction Constant	W Mean Observed Time	W Total Correction	W Seconds of Corrected Time	Difference (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrm for Persl Equations Sₙ−Hₙ=+0ˢ053, Sₛ−Hₛ=+0 056	ΔL + ρ
					h m s	s	ʹ			h m s	s	s	m s				
1885 Nov 26	1577	+ 28 7	S	I P E	4 36 7 28	− 1 68	5 60	S	I P W	5 2 26 25	− 1 40	24 85	26 19 25	26 19 60	− 0 113	+ 0 056	26 19 103
	1591	+ 15 27	S	d / c − 0 2	37 51 89	− 1 62	50 27	S	d / c 0 0	4 10 56	− 1 13	9 43	19 16				
	1637	+ 21 59	S	b − 0 5	47 7 18	− 1 66	5 52	S	b + 1 5	13 25 94	− 1 26	24 68	19 16				
	1658	+ 28 50	S	a + 10 9 / Q − 1 66	50 51 41	− 1 69	49 72	S	a + 57 4 / Q − 1 50	17 10 21	− 1 42	8 79	19 07				
Nov 27	1444	+ 28 23	N	I P W	4 8 56 17	+ 1 53	57 70	N	I P E	4 35 15 41	+ 1 39	16 80	26 19 10	26 19 153	− 0 112	+ 0 053	26 19 093
	1452	+ 32 39	N	d / c − 1 4	11 10 75	+ 1 52	12 27	N	d / c − 1 6	37 30 10	+ 1 36	31 46	19 19				
	1497	+ 27 42	N	b − 2 7	20 24 40	+ 1 53	25 93	N	b − 3 1	46 43 73	+ 1 41	45 14	19 21				
	Aur gᵃᵉ	+ 32 59	N	a + 1 8 / Q + 1 64	24 18 87	+ 1 52	20 39	N	a + 11 4 / Q + 1 50	50 38 11	+ 1 36	39 47	19 08				
	1530	+ 37 43	N		26 13 84	+ 1 50	17 34	N		52 35 19	+ 1 33	36 52	19 18				
	1444	+ 28 23	S		4 8 56 18	+ 1 53	57 71	S		4 35 15 46	+ 1 39	16 85	26 19 14	26 19 155	− 0 112	+ 0 056	26 19 099
	μ Erid	+ 3 28	S		14 32 35	+ 1 58	33 93	S		40 51 61	+ 1 53	53 14	19 21				
	1485	+ 15 42	S		17 57 13	+ 1 55	58 68	S		44 16 42	+ 1 46	17 88	19 20				
	1508	+ 2 19	S		22 10 43	+ 1 57	12 00	S		48 29 56	+ 1 51	31 07	19 07				
	1602	+ 38 21	N	Q − 1 64	4 40 25 69	− 1 78	23 91	N	Q − 1 50	5 6 44 70	− 1 67	43 03	26 19 12	26 19 115	− 0 112	+ 0 053	26 19 056
	1614	+ 32 33	N		42 46 90	− 1 76	45 14	N		9 5 85	− 1 64	4 21	19 07				
	1627	+ 33 15	N		45 29 69	− 1 76	27 93	N		11 48 73	− 1 64	47 09	19 16				
	1658	+ 28 50	N		50 57 52	− 1 75	55 77	N		17 16 49	− 1 61	14 88	19 11				
	1591	+ 15 27	S		4 37 58 08	− 1 73	56 35	S		5 4 17 08	− 1 54	15 54	26 19 19	26 19 153	− 0 112	+ 0 056	26 9 097
	1637	+ 21 59	S		47 13 36	− 1 75	11 61	S		13 32 35	− 1 58	30 77	19 16				
	1658	+ 28 50	S		50 57 51	− 1 75	55 76	S		17 16 53	− 1 61	14 92	19 16				
	1678	− 0 58	S		52 51 18	− 1 70	49 48	S		19 10 06	− 1 48	8 58	19 10				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) *Lat* 27° 10′ *Long* 5ʰ 12ᵐ 14ˢ : AND MOOLTAN (W) *Lat* 30° 11′ *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	BAC Number	Declination	Star Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W−E)	Mean of Group	Correction for Rate of W Clock	Corrn for Persl. Equations $S_N - H_N = +0''.053$ $S_S - H_S = +0''.056$	$\Delta L + \rho$
					ʰ m s	s	s			ʰ m s	s	s	m s				
1885 Nov 28	1444	+ 28 23	N	I P E	4 9 2 32	+1 60	3 92	N	I P W	4 35 21 45	+1 55	23 00	26 19 08	26 19 076	− 0 113	+ 0 053	26 19 016
	1452	+ 32 39	N	d / 0 − 0 2 / b − 0 2 / a +18 1	11 17 00	+1 56	18 56	N	d / e 0 0 / b + 1 5 / a +14 4	37 36 13	+1 5	37 65	19 09				
	1497	+ 27 42	N		20 30 55	+1 61	32 16	N		46 49 74	+1 56	51 30	19 14				
ι Aurigæ		+ 32 59	N	Q + 1 63	24 25 01	+1 56	26 57	N	Q + 1 50	50 44 09	+1 52	45 61	19 04				
	1530	+ 37 43	N		26 22 13	+1 51	23 64	N		52 41 19	+1 48	42 67	19 03				
	1444	+ 28 23	S		4 9 2 30	+1 60	3 90	S		4 35 21 50	+1 55	23 05	26 19 15	26 19 146	− 0 113	+ 0 056	26 19 089
	μ Erid	+ 3 28	S		14 38 35	+1 83	40 18	S		40 57 65	+1 70	59 35	19 17				
	1485	+ 15 42	S		18 3 27	+1 71	4 98	S		44 22 47	+1 61	24 08	19 10				
	1497	+ 27 42	S		20 30 56	+1 61	32 17	S		46 49 73	+1 56	51 29	19 12				
	1508	+ 2 19	S		22 16 39	+1 79	18 18	S		48 35 70	+1 67	37 37	19 19				
	1577	+ 28 7	N	Q − 1 63	4 36 19 74	−1 66	18 08	N	Q − 1 50	5 2 38 59	−1 44	37 15	26 19 07	26 19 026	− 0 113	+ 0 053	26 18 966
	1602	+ 38 21	N		40 31 96	−1 76	30 20	N		6 50 73	−1 51	49 22	19 02				
	1614	+ 32 33	N		42 53 05	−1 70	51 35	N		9 11 84	−1 48	10 36	19 01				
	1627	+ 33 15	N		45 36 02	−1 70	34 32	N		11 54 72	−1 48	53 24	18 92				
	1658	+ 28 50	N		51 3 67	−1 66	2 01	N		17 22 57	−1 45	21 12	19 11				
	1577	+ 28 7	S		4 36 19 70	−1 66	18 04	S		5 2 38 52	−1 44	37 08	26 19 04	26 19 100	− 0 113	+ 0 056	26 19 043
	1591	+ 15 27	S		38 4 25	−1 55	2 70	S		4 23 16	−1 38	21 78	19 08				
	1637	+ 21 59	S		47 19 51	−1 61	17 90	S		13 38 39	−1 41	36 98	19 08				
	1658	+ 28 50	S		51 3 62	−1 66	1 96	S		17 22 57	−1 45	21 12	19 16				
	1678	− 0 58	S		52 57 15	−1 45	55 70	S		19 16 15	−1 31	14 84	19 14				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

39

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

DEESA (E) Lat 24° 15′ Lo g 4ʰ 48ᵐ 54ˢ AND MOOLTAN (W) Lat 30° 11′ Long 4ʰ 45ᵐ 36ˢ

Astronomical Date	STAR				TRANSITS OBSERVED AT E — By Strahan with Telescope No 2					TRANSITS OBSERVED AT W — By H und with T les op No 1					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corms for Persl Equ tions $s_N - H_N = + 0^s\,041$ $s_S - H_S = + 0^s\,047$	$\Delta L - \rho$
	B A C Number	Decli nation	Star Aspect	Instrumental Positi n and Corr ct on C n tants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star Aspect	Instrumental Position and Correction Con ta ts	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group				
1885 Dec 7	1475	+ 32 23	N	*I P W*	h m s 4 41 58 76	+1 93	60 69	N	*I P W*	h m s 4 44 57 57	+1 64	59 21	2 58 32					2 58 554
	Auriga	+ 32 59	N	c + 2 8ᵈ	49 36 36	+1 93	38 29	N	o − 1 0ᵈ	52 35 18	+1 64	36 82	58 53	2 58 513	0 000	0 041		
	1530	+ 37 43	N	b + 4 4 a − 4 8	51 33 31	+1 97	35 28	N	b − 0 6 a +13 4	54 32 17	+1 60	33 77	58 49			+		
				Q + 1 71ˢ					Q + 1 70ˢ									
	1449	+ 22 44	S		4 35 26 19	+1 88	28 07	S		4 38 24 91	+1 71	26 62	2 58 55					2 58 580
	1463	+ 23 25	S		38 51 57	+1 88	53 45	S		41 50 32	+1 70	52 02	58 57	2 58 533	0 000	0 047		
	1505	+ 16 50	S		47 29 95	+1 87	31 82	S		50 28 56	+1 74	30 30	58 48			+		
	1602	+ 38 21	N	Q − 1 71ˢ	5 5 43 18	−1 45	4 73	N	Q − 1 70ˢ	5 8 42 15	−1 80	40 35	2 58 62					2 58 629
	1614	+ 32 33	N		8 4 42	−1 49	2 93	N		11 3 28	−1 76	1 52	58 59	2 58 588	0 000	0 041		
	1627	+ 33 15	N		10 47 27	−1 49	45 78	N		13 46 15	−1 77	44 38	58 60			+		
	1683	+ 34 18	N		19 21 27	−1 48	19 79	N		22 20 11	−1 78	18 33	58 54					
	1586	+ 19 43	S		5 2 12 24	−1 55	10 69	S		5 5 10 94	−1 69	9 25	2 58 56					2 58 592
	1594	+ 13 25	S		3 50 50	−1 56	48 94	S		6 49 08	−1 65	47 43	58 49	2 58 545	0 000	0 047		
	1637	+ 21 59	S		12 31 05	−1 54	29 51	S		15 29 78	−1 69	28 09	58 58			+		
	1671	+ 17 17	S		17 51 69	−1 54	50 15	S		20 50 37	−1 67	48 70	58 55					
Dec 8	1475	+ 32 23	N	*I P E*	4 41 59 01	+1 84	60 85	N	*I P E*	4 44 57 77	+1 67	59 44	2 58 59					2 58 650
	1492	+ 36 31	N	c + 0 6ᵈ	45 2 61	+1 86	4 47	N	o − 0 0ᵈ	48 1 38	+1 66	3 04	58 57	2 58 610	0 001	0 041		
	Auriga	+ 32 59	N	b + 3 2 a − 6 1	49 36 54	+1 84	38 38	N	b − 0 4 a +3 3	52 35 34	+1 67	37 01	58 63			−		
	1530	+ 37 43	N	Q + 1 71ˢ	51 33 56	+1 86	35 42	N	Q + 1 70ˢ	54 32 42	+1 66	34 07	58 65			+		

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

DELSA (E) *Lat 24 15 Long 4ʰ 48ᵐ 54ˢ :* AND MOOLTAN (W) *Lat 30° 11 Long 4ʰ 45ᵐ 56ˢ*

Astronomical Date	Star		Transits Observed at E — By Strahan with Telescope No 2					Transits Observed at W — By Heaviside with Telescope No 1					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns to Persl Equations $S_M - H_N = + 0$ 041 $S_S - H_S = + 0$ 047	$\Delta L - \rho$
	B A C Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Con tants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1885 Dec 8	1449	+ 22 44	S	I P E	h m s 4 35 26 45	s + 1 79	s 28 24	S	I P E	h m s 4 38 25 12	s + 1 69	s 26 81	m s 2 58 57				s 2 ,58 636
	1463	+ 23 25	S	c + 0 6	38 5 82	+ 1 79	53 61	S	c − 0 6	41 50 54	+ 1 69	52 23	58 62	s 2 58 590	0 001	+ 0 047	
	1485	+ 15 42	S	b + 3 2 a − 6 1	43 15 08	+ 1 77	16 85	S	b − 0 4 a + 3 3	46 13 71	+ 1 70	15 41	58 56		−	+	
	1505	+ 16 50	S	Q + 1 71	47 30 08	+ 1 77	31 85	S	Q + 1 70	50 28 76	+ 1 70	30 46	58 61				
	1602	+ 38 21	N	Q − 1 71	5 5 43 53	− 1 56	41 97	N	Q − 1 70	5 8 42 31	− 1 74	40 57	2 58 60	2 58 620	0 001	+ 0 041	2 58 660
	1614	+ 32 33	N		8 4 72	− 1 58	3 14	N		11 3 46	− 1 73	1 73	58 59		−	+	
	1627	+ 33 15	N		10 47 56	− 1 57	45 99	N		13 46 31	− 1 73	44 58	58 59				
	1633	+ 34 18	N		19 21 48	− 1 57	19 91	N		22 20 34	− 1 73	18 61	58 70				
	1586	+ 19 43	S		5 2 12 43	− 1 64	10 79	S		5 5 11 18	− 1 71	9 47	2 58 68	2 58 608	0 001	+ 0 047	2 58 654
	1594	+ 11 25	S		3 50 66	− 1 66	49 00	S		6 49 28	− 1 70	47 58	58 58		−	+	
	1637	+ 21 59	S		12 31 29	− 1 63	29 66	S		15 29 91	− 1 71	28 20	58 54				
	1671	+ 17 17	S		17 51 91	− 1 65	50 26	S		20 50 59	− 1 70	48 89	58 63				
Dec 9	1475	+ 32 23	N	I P W	4 41 59 39	+ 1 76	61 15	N	I P W	4 44 58 37	+ 1 40	59 77	2 58 62	2 58 513	0 001	+ 0 041	2 58 553
	1492	+ 36 31	N	c − 2 2	45 3 05	+ 1 76	4 81	N	c − 6 0	48 2 01	+ 1 39	3 40	58 59		−	+	
	Aurigæ	+ 32 59	N	b + 4 1 a + 3 4	49 37 11	+ 1 76	38 87	N	b − 5 9 a + 5 2	52 35 89	+ 1 40	37 29	58 42				
	1530	+ 37 43	N	Q + 1 70	51 34 11	+ 1 76	35 87	N	Q + 1 70	54 32 97	+ 1 32	34 29	58 42				
	1463	+ 23 25	S		4 38 52 22	+ 1 75	53 97	S		4 41 50 11	+ 1 41	52 52	2 58 55	2 58 517	0 001	+ 0 047	2 58 583
	1485	+ 15 42	S		43 15 50	+ 1 77	17 27	S		46 14 33	+ 1 47	15 80	58 53		−	+	
	1505	+ 16 50	S		47 30 52	+ 1 76	32 28	S		50 29 34	+ 1 47	30 81	58 53				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

DEESA (E) *Lat* 24° 15 *Lo g* 4ʰ 48ᵐ 54 AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56

Astronomical Date	STAR B A C Number	Decli nation	TRANSITS OBSERVED AT E *By Strahan with Telescope No 2* Star's Aspect	In strumental Po tion and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	TRANSITS OBSERVED AT W *By Heaviside with T les ope No 1* Star's Aspect	In strumental Position and Correction Con tants	Mean Observed Time	Total Correc tion	Sec nds of Correct ed Time	Difference of Corrected Times (W — E) By each Star	Mean of Group	Correctio for Rate of E Clock	Corrns for Person1 Equations $S_N - H_N = + 0^s\,041$ $S_S - H_S = + 0\,047$	ΔL — ρ
1885 Dec 9	1602	+ 38 21	N	I P W	h m s 5 5 44 00	− 1 66	42 34	N	I P W	h m s 5 8 42 88	− 2 08	40 80	2 58 46				
	1614	+ 32 33	N	d c − 2 2	8 5 20	− 1 64	3 56	N	d c − 6 0	11 4 04	− 2 00	2 04	58 48				
	1627	+ 33 15	N	b + 4 3 a + 3 4	10 48 01	− 1 64	46 37	N	b + 5 9 a + 5 2	13 46 96	− 2 01	44 95	58 58	ₘ 2 58 50	0 001	+ 0 041	2 58 545
	1688	+ 34 18	N	Q − 1 70	19 21 96	− 1 64	20 32		Q − 1 70	22 20 84	− 2 02	18 82	58 50				
	1586	+ 19 43	S		5 2 12 88	− 1 66	11 22	S		5 5 11 80	− 1 94	9 86	2 58 64				
	1594	+ 13 25	S		3 51 04	− 1 64	49 40	S		6 49 87	− 1 93	47 94	58 54				
	1637	+ 21 59	S		12 31 70	− 1 65	30 05	S		15 30 50	− 1 94	28 56	58 51	ₘ 2 58 56	0 001	+ 0 047	2 58 606
	1671	+ 17 17	S		17 52 25	− 1 64	50 61	S		20 51 09	− 1 93	49 16	58 55				
Dec 11	1475	+ 32 23	N	I P E	4 42 0 65	+ 1 91	2 56	N	I P E	4 44 59 41	+ 1 59	61 00	2 58 44				
	1492	+ 36 31	N	d c + 0 6	45 4 18	+ 1 98	6 16	N	d − 0 6	48 2 95	+ 1 62	4 57	58 41				
	Aur gæ	+ 32 59	N	b + 2 3 a − 31 8	49 38 21	+ 1 92	40 13	N	b − 3 4 a − 7 6	52 36 96	+ 1 59	38 55	58 42	ₘ 2 58 42	0 001	+ 0 041	2 58 460
	1530	+ 37 43	N	Q + 1 71	51 35 19	+ 2 00	37 19	N	Q + 1 70	54 33 98	+ 1 62	35 60	58 4				
	1449	+ 22 44	S		4 35 28 20	+ 1 76	29 96	S		4 38 26 74	+ 1 58	28 32	2 58 36				
	1463	+ 23 25	S		38 53 60	+ 1 76	55 36	S		41 52 11	+ 1 57	53 68	58 32				
	1485	+ 15 42	S		43 16 87	+ 1 66	18 53	S		46 5 31	+ 58	16 89	58 36	ₘ 2 58 34	0 001	+ 0 047	2 58 9
	1505	+ 16 50	S		47 31 95	+ 1 68	33 63	S		50 30 39	+ 1 58	31 97	58 34				
	1602	+ 38 21	N	Q − 1 71	5 5 45 06	− 1 41	43 65	N	Q − 1 70	5 8 43 94	− 1 79	42 15	2 58 50				
	1614	+ 32 33	N		8 6 34	− 1 51	4 83	N		11 5 11	− 1 81	3 30	58 47				
	1627	+ 13 5	N		10 49 21	− 1 50	47 71	N		13 47 93	− 1 81	46 12	58 41	ₘ 2 58 45	0 001	+ 0 041	8 490
	1688	+ 34 18	N		19 23 16	− 1 48	21 68	N		22 21 91	− 1 81	20 10	58 42				

TABLE V 'OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

DEESA (E) Lat 24° 15′ Long 4ʰ 48ᵐ 54ˢ AND **MOOLTAN (W)** L t 30° 11 Lo g 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR BAC Numb	D cl at	Star Aspect (E)	Instr. Position d Const. (E)	Men Obrved T m (E)	T t l Corre t on (E)	S ds of Corre t d T m (E)	Aspect (W)	Instrum tal Posn d Corr Consta ta (W)	Mean Obrved T me (W)	Total Corr t n (W)	S cond of Corr t d Tim (W)	By ach Star (W−E)	Mean G p	Correct n f Rate f E Clock	C rm f P rel Equati ns S_w−H_w=+0·047, S_s−H_s=+0·047	ΔL − ρ
1885 D o 11	1586	+19 43	S	I P E	5 2 14 28	−1 71	2 57	S	I P E	5 5 2 84	−1 82	0	2 58 45	2 58 403	00	+0 047	2 58 449
	1594	+3 25	S	c + o 6 (d)	3 52 55	−1 79	50 76	S	c − o 6 (d)	6 50 97	−8 3	49 14	58 38		−		
	1637	+2 59	S	b + 2 3 / a − 3 8	12 33	−1 67	31 44	S	b − 3 4 / − 7 6	15 3 67	−8	29 86	58 4				
	1671	+17 17	S	Q − 1 71 (s)	17 53 80	−1 74	52 06	S	Q − 7	20 52 25	−1 83	50 42	58 36				
Dec 12	1475	+3 23	N	I P W	4 42 1 72	+84	3 56	N	I P W	4 45 0 50	+1 45	1 95	58 39	58 45	002	+0 4	2 58 480
	1492	+36 31	N	o − 2 2 (d)	45 5 3	+86	7 6	N	c − 6 (d)	48 4 17	+46	5 63	58 47		−		
	Au 1gæ	+32 59	N	b + 5 0 / −15 5	49 39 27	+84	4 1	N	b − 3 3 / − 5 6	52 38 14	+1 45	39 59	58 48				
	1530	+37 43	N	Q + 1 69 (s)	51 36 21	+1 89	38 10	N	Q + 1 70 (s)	54 35 12	+1 44	36 56	58 46				
	1449	+22 44	S		4 35 29 23	+1 74	30 97	S		4 38 27 9	+1 45	29 36	2 58 39	2 58 465	00	+0 047	2 58
	1463	+23 25	S		38 54 53	+75	56 28	S		4 53 9	+1 45	54 74	58 46		−		
	1485	+15 42	S		43 17 8	+1 69	19 50	S		46 16 50	+1 44	17 94	58 44				
	1505	+6 5	S		47 2 83	+70	34 53	S		50 31 65	+1 45	33 0	58 57				
	1602	+38 21	N	Q − 1 69 (s)	5 5 46 20	−1 48	44 72	N	Q − 1 70 (s)	5 8 45 06	−1 96	43 10	2 58 38	58 418	003	+0 04	2 8 477
	1614	+32 33	N		8 7 40	−1 53	5 87	N		11 6 30	−1 94	4 36	58 49		−		
	1627	+33 5	N		0 50 26	−1 53	48 73	N		13 49 16	−1 94	47 22	58 49				
	1683	+34 18	N		19 24 25	−1 52	22 73	N		22 23 06	−1 94	21 12	58 39				
	1594	+13 25	S		5 3 53 38	−1 70	51 68	S		5 6 52 21	−1 97	50 24	2 58 56	2 58 500	003	+0 047	2 58 545
	1637	+21 59	S		12 34 04	−1 65	32 39	S		15 32 84	−1 93	30 91	58 52		−		
	1671	+17 17	S		17 54 72	−1 67	53 05	S		20 53 42	−1 95	51 47	58 42				

TABLE V   OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

43

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

DEESA (E) *Lat* 24° 15 *Long* 4ʰ 48ᵐ 54   AND MOOLTAN (W) *Lat* 30° 11 *Log* 4ʰ 45ᵐ 56ʳ

Astronomical Date	STAR			Transits Observed at E By Str h w th Teles op No 2					Transits Observed at W By H œvnd with Tele ope No 1				Diff renc of Correct d T m (W − E)		Correction f Rate of E Clock	Corrns f P rel Equati ns $S_N - H_N = + 0$ 4 $S_S - H_S = + 0$ 047	$\Delta L - \rho$
	BAC N mb	Decli nation	Aspect St	I t tal Po t o d Corr t n C ta t	Mean Obs rved T m	T tal Corrce t n	S nd of C rre t d Time	Aspect St	I l t n d Corr to C t ta	M an Ob rved T m	Total C rrec t	Sec ds of C ect d T m	By ch Sta	Mean of Gro p			
1885 Dec 13	1475	+ 32 23	N	IPE	4 42 2 7	+ 1 8	4 5	N	IPE	4 45 37	+1 59	96	2 58 44		002	+ 0 041	58 454
	1492	+ 36 31	N	d + 0 6	45 6 30	+1 84	8 4	N	d − 0 6	48 4 98	+1 59	6 57	58 43				
	A rigm	+ 32 59	N	b + 3 7 − 13 4	49 4 3	+ 82	42 3	N	b − 3 9 − 4 6	5 38 93	+ 58	4 51	58 38	58 4		+	
	1530	+ 37 43	N	Q + 63	5 37 28	+ 85	39 3	N	Q + 1 70	54 35 94	+ 6	37 54	58 4		−	
	1449	+ 22 44	S		4 35 30 24	+ 72	31 96	S		4 38 28 8	+ 58	30 38	2 58 42		002	047	58 483
	1463	+ 23 25	S		38 55 6	+ 2	7 34	S		41 54 8	+ 58	55 6	58 42	2 58 418			
	1485	+ 15 42	S		43 8 8	+1 68	48	S		46 7 39	+ 57	8 96	58 48			+	
	1505	+ 16 5	S		47 13 9	+1 69	35 59	S		50 32 46	+ 56	34 2	58 43		−		
	1602	+ 38 21	N	Q − 1 63	5 5 47 2	− 1 41	45 79	N	Q − 70	5 8 46 00	− 1 80	44 20	2 58 41		00	+ 0 04	2 58 434
	1614	+ 32 33	N		8 8 42	− 45	6 97	N		22	− 1 81	5 41	58 44	58 395			
	1627	+ 33 15	N		10 51 26	− 1 44	49 8	N		135 0	− 8	48 0	58 38			+	
	1638	+ 34 18	N		19 25 26	− 1 43	23 83	N		22 23 99	− 1 8	22 8	58 35		−		
	1586	+ 19 43	S		5 2 16 20	− 1 56	14 64	S		5 5 14 77	− 1 83	12 94	2 58 3		002	047	2 58 300
	1594	+ 13 25	S		3 54 45	− 1 59	52 86	S		6 52 97	− 84	5 3	58 27	2 58 255			
	1637	+ 21 59	S		12 35 06	− 54	33 52	S		5 31 55	− 83	3 72	58 20			+	
	1671	+ 17 17	S		17 55 69	− 1 57	54 12	S		20 54 21	− 1 84	52 37	58 25		−		

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEESA (E) *Lat* 24 15 *Long* 4ʰ 45ᵐ 54ˢ AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR BAC Numb	Decl nation	Star Aspect	Instrumental Position and Correction Constant	Mean Observed Time	Total Correction	S conds f Correct ed T m	Star Aspect	Instrumental P ta d C rrect o C ta te	Mean Observed Time	Total Correc tion	Seconds f Corr ct ed Time	By each Star	Mean f Group	Corrects n for Rate of W Clock	Corrn. f P nal Equations $S_K - H_K - 0^s 04$ $S_S - H_S - + 0^s 047$	$\Delta L + \rho$
1835 Dec 7	014	35 11	N	I P E	h m 6 6 56 16	s + 9 5	58 11	N	I P W d	h m 6 9 55 1	+ 1 62	56 73	m 2 58 62				58 640
	2021	+ 35 15	N	+ 0 6	8 6 74	+ 1 96	18 70	N	c — b + 0 6	11 5 66	+ 1 62	28	58 58	2 58 598	00	0 4	
	2082	+ 30 34	N	b + 6 5 — 2 4	18 14 94	+ 1 95	16 89	N	+ 13 5	21 13 75	+ 1 67	15 42	58 53		+	+	
	2110	+ 32 32	N	Q + 1 71	22 1 30	+ 1 94	3 24	N	Q + 1 70	25 0 26	+ 1 64	1 90	58 66				
	1971	+ 23 8	S		5 59 49 6	+ 1 86	51 02	S		6 2 47 94	+ 1 71	49 65	2 58 63				58 678
	1986	+ 9 49	S		6 2 6 7	+ 8 5	18 57	S		5 5 44	+ 1 72	7 6	58 59	2 58 63	001	0 47	
	2047	+ 2 34	S		13 4 5	+ 1 86	6 11	S		16 3	+ 1 71	4 82	58 7		+	+	
	2067	+ 21 43	S		15 52 70	+ 1 86	54 56	S		18 51 43	+ 1 72	53 5	58 59				
	2156	+ 40 0	N	Q − 1 7	6 27 56 67	− 1 41	55 26	N	Q − 1 70	6 30 55 65	− 1 81	53 84	2 58 58				2 58 65
	2223	+ 41 55	N		39 46 03	− 1 39	44 64	N		42 45 14	− 1 83	43 31	58 67	2 58 6 3	00	0 04	
	2237	+ 34 6	N		42 0 24	− 1 45	8 79	N		45 9 1	− 1 77	17 34	58 55		0	+	
	2270	+ 38 13	N		48 20 47	− 1 43	19 04	N		51 19 49	− 1 80	7 69	58 65		+		
	2173	+ 19 46	S		6 30 21 88	− 1 57	20 31	S		6 33 20 51	− 1 68	18 83	2 58 52				2 58 61
	2191	+ 17 45	S		32 49 84	− 1 58	48 26	S		35 48 50	− 1 67	46 83	58 57	2 58 563	0 001	047	
	2199	+ 13 21	S		4 37 43	− 1 60	35 83	S		37 36 06	− 1 65	34 41	58 58		+	+	
	2206	+ 12 49	S		36 33 85	− 1 6	32 24	S		39 32 47	− 1 65	30 82	58 58				
Dec 8	2021	+ 35 15	N	I P W	6 8 6 61	+ 1 73	18 34	N	I P E d	6 11 15 27	+ 1 67	16 94	2 58 60				2 59 729
	2082	+ 30 34	N	c − 2 2	18 14 66	+ 1 72	16 38	N	c — 0 6	21 13 42	+ 1 67	15 09	58 71	2 59 687	0 001	0 41	
	2110	+ 32 32	N	b + 2 9 a − 1 7	22 1 09	+ 1 73	2 82	N	b − 0 4 + 1 9	24 59 90	+ 1 67	61 57	58 75		+	+	
				Q + 1 70					Q + 1 70								

	STAR		TRANSITS OBSERVED AT E _By St ah_ with _T lescop No 2_					TRANSITS OBSERVED AT W _By H_ _nd_ with _T l sc p N 1_					Diffe of Corre ted T mes (W − E)		Correct n f Rate f W Clock	Corrn f P rsl Equati n $S_N - H_N = + 0^s 4$ $S_S - H = + 0^s 47$	$\Delta L + \rho$
Astronomical Date	B A C Numb	Decln at on	Aspe t St	I trum tal Po t o ar d C rr t C t ts	Mean Ob rved T m	Total Correc t n	Seco d of Correct d T m	Aspect Sta	I t tal Pos t o d C rre t C tt	M Ob rved T m	T t l C rec t n	S ds f C re t 1 T m	By ea h Star	M n f Gro p			
1885 Dec 8	1971	+ 23 8	S	I P W d − 2 2	5 59 48 9	+ 7 1	50 6	S	I P E d − 6	6 47 62	+ 68	49 3	58 68	58 66	00	+ 0 47	58 708
	1986	+ 9 49	S	b + 2 9 − 1 7	6 16 5	+	8 2	S	b − 0 4 + 9	5 5 24	+ 1 68	6 9	58 7			+	
	2047	+ 2 34	S	Q + 7	13 4	+ 7	5 8	S	Q + 7	16 2 76	+ 68	4 44	58 63				
	2067	+ 43	S		5 52 50	+ 7	54	S		18 5 5	+ 68	52 83	58 62				
	2156	+ 4 0	N	Q − 7	6 27 56 5	− 1 67	54 83	N	Q − 1 7	6 30 55 25	− 1 73	53 52	2 58 69	58 00	00	04	58 42
	2223	+ 4 55	N		39 45 99	− 67	44 32	N		4 44 0	− 74	4 96	58 64				
	2 37	+ 34 6	N		4 2 06	− 67	8 39	N		45 8 78	− 73	7 05	58 66		+	+	
	2270	+ 38 3	N		48 2 33	− 67	8 66	N		5 9 0	− 73	7 47	58 8				
	2173	+ 9 46	S		6 30 2 56	− 1 69	9 87	S		6 33 20 8	− 1 72	8 46	2 58 59	58 585	00	047	58 633
	2191	+ 17 45	S		32 49 57	− 69	47 88	S		35 48 25	− 72	46 53	58 65		00		
	2199	+ 3	S		34 37 4	− 1 70	35 44	S		37 35 77	− 1 71	34 6	58 62		+	+	
	2208	+ 12 49	S		36 33 62	− 1 70	31 9	S		39 32 1	− 7	3 40	58 48				
Dec 9	2014	+ 35	N	I P E d + 0 6	6 6 55 61	+ 1 87	57 48	N	I P W d − 6 0	6 9 54 73	+ 38	56 1	2 58 63	58 8	0 000	04	58 6 9
	2021	+ 35 5	N	b + 4 4 − 9 8	8 6 13	+ 1 89	8 2	N	b − 5 9 + 5 2	9	+ 38	6 57	58 55		0 000		
	2062	+ 30 34	N	Q + 1 7	8 4 4	+ 85	6 25	N	Q + 1 7	2 3 42	+ 4	4 82	58 57		+	+	
	2110	+ 32 32	N		22 0 75	+ 1 87	2 62	N		24 59 79	+ 1 39	61 8	58 56				
	1971	+ 23 8	S		5 59 48 60	+ 1 8	50 4	S		6 2 47 54	+ 1 42	48 16	2 58 55	58 565	000	047	58 6
	1986	+ 9 49	S		6 2 16 4	+ 79	7 93	S		5 5 3	+ 46	6 49	58 56				
	2047	+ 2 34	S		13 3 74	+ 1 81	5 55	S		16 2 66	+ 1 43	4 09	58 54		+		
	2067	+ 21 43	S		15 52 16	+ 1 81	53 97	S		18 51 12	+ 1 46	52 58	58 61				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

DEESA (h) *Lat* 24° 15 *Long* 4ʰ 48ᵐ 54 AND MOOLTAN (W) *L t* 30° 11 *Lo g* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By St ah with T l ope No 2				Star Aspect	TRANSITS OBSERVED AT W By Heavinde with T le oop N 1				Diff renc of Corre ted Times (W − E)		Correct f Rat f W Cl ck	C rrns f P ml Equati na S_N − H_N = + S_S − H_S = −	ΔL + ρ
	B A C Numbe	De l t on		I st mental P it on d C rr t n Co ta t	Mean Ob rved T me	Total Correc ti n	Sec nd of Corre t d Tim		In trum tal Pos t d Corr t Co ta ts	Mean Obs rved Time	Tot l C rre t o	Second of C rret d T me	By each Sta	Mean f Gr p			
1885 Dec 9	2156	+ 40 0	N	I P E	h m s 6 27 54 4	+ 2	54 62	N	I P W	h m 6 3 55 26	− 2 08	53 8	m 58 56				
	2223	+ 41 55	N	+ 0 6 d	39 45 43	− 1 48	43 95	N	c − 6 d	42 44 69	− 2 09	42 60	58 65	58 5 3	000	+	8 6 4
	2237	+ 34 6	N	b + 4 4 − 9 8	42 9 73	− 1 52	8 21	N	b − 5 9 + 5 2	45 8 73	− 2 02	16 7	58 5			+	
	2270	+ 38 3	N	s Q − 1 70	48 19 96	− 1 50	18 46	N	Q − 7	51 19 12	− 2 08	17 04	58 58				
	2173	+ 19 46	S	Q 0 00	6 30 19 61	+ 0 09*	19 70	S	Q 0 00	6 33 20 10	− 1 94	18 6	2 58 46				
	2191	+ 7 45	S		32 47 57	+ 9	47 66	S		35 48 03	− 94	46 09	58 43	58 495	000	47	58 54
	2199	+ 13 21	S		34 35 14	+ 0 07	35 2	S		37 35 67	− 95	33 74	58 53			+	
	2208	+ 12 49	S		36 3 5	+ 0 07	31 58	S		39 32 07	− 1 93	30 4	58 56				
Dec 11	2014	+ 35 11	N	I P W	6 6 55 21	+ 1 91	57 12	N	I P E	6 9 54 23	+ 1 61	55 84	2 58 72				
	2021	+ 35 15	N	c − 2 2 d	8 5 72	+ 9	7 63	N	c − 0 6 d	4 70	+ 1 61	16 3	58 68	58 3	000	+	58 744
	2082	+ 30 34	N	b + 3 6 − 29 8	8 4 00	+ 84	15 84	N	b − 3 4 − 8 8	2 2 94	+ 6	4 54	58 7			+	
	2110	+ 32 32	N	Q + 1 71	22 0 30	+ 87	2 7	N	Q + 1 70	24 59 29	+ 1 59	60 88	58 7				
	1971	+ 23 8	S		5 59 48 25	+ 71	49 96	S		6 2 47 03	+ 1 59	48 62	2 58 66				
	1986	+ 9 49	S		6 2 15 8	+ 1 68	17 49	S		5 14 53	+ 59	6	58 63	58 680	0 000	047	2 58 7 7
	2047	+ 22 34	S		3 3 39	+ 1 71	5 10	S		16 2 21	+ 1 59	3 80	58 70			+	
	2067	+ 2 43	S		15 51 77	+ 1 70	53 47	S		18 50 61	+ 1 59	52 2	58 73				
	2156	+ 40 0	N	Q − 1 7	6 27 55 65	− 1 43	54 22	N	Q − 1 70	6 30 54 65	− 1 77	52 88	2 58 66				
	2223	+ 4 55	N		39 45 4	− 39	43 65	N		42 44	− 77	42 34	58 69	58 688	0 000	0 04	2 58 7 9
	2237	+ 34 6	N		42 19 27	− 53	17 74	N		45 8 25	− 1 78	16 47	58 73			+	
	2270	+ 38 13	N		48 19 55	− 1 46	18 09	N		51 18 56	− 1 80	16 76	58 67				

Owing to the irregul rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and con sequently in those cases Q = o oo

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEESA (E) Lat 24° 15 Lo g 4h 48m 54 AND **MOOLTAN (W)** Lat 30° 11 Long 4h 45 56

Astronomical Date	STAR BAC Numb	D h t	Aspect Sta	I t m tal P it nd C re t C t t	M a Observ d Time	Total Correc t n	Seco ds of C rr ted Tu	Star' Aspect	I t tal P t n d C re t n C t t	Mean Ob rved Tim	Tot l C rrec t n	S d f Co t l 1	By each Sta	M an of G p	Correctu f W Clock	Rate f W Clock	Corrus f P rel Equat ns S_H−H_x=+04 S_s−H_s=+047	ΔL + ρ
1885 Dec 11	2178	+ 9 46	S	I P W (d)	h m 63 0 90	− 75	19 15	S	I P E (d)	h m 6 33)68	− 80	7 88	m 2 58 73	58 68	000		047	58 7 5
	2191	+ 7 45	S	c − 2	32 48 98	− 77	47 2	S	− 6	35 47 67	− 83	45 84	58 63					
	2199	+ 3	S	b + 3 (−29 8	34 36 59	− 8	34 78	S	b − 3 4 − 8 8	37 35 26	− 83	33 43	58 (5				+	
	2208	+ 49	S	Q − 7	36 33 1	− 82	3 9	S	Q − 7	39 31 73	− 1 84	29 89	58 7					
Dec 12	2014	+ 35	N	I P E (d)	6 6 55 09	+ 1 93	57	N	I P W (d)	6 9 54 02	+ 48	55 50	2 58 48	58 535	0 000		+	58 5 6
	2021	+ 35 5	N	c + 6	8 15 55	+ 93	7 48	N	− 6	1 4 62	+ 1 48	16 0	58 6					
	2082	+ 30 34	N	b + 3 6 − 2 7	18 3 84	+ 88	5 72	N	b − 3 3 − 6 8	2 77	+ 45	4	58 5				+	
	2110	+ 32 32	N	Q + 1 70	22 0 21	+ 9		N	Q + 70	24 59 2	+ 45	60 65	58 54					
	1971	+ 23 8	S		5 59 48 09	+ 1 78	49 87	S		6 2 46 94	+ 1 45	48 39	2 58 52	58 498	000		0 047	58 545
	1986	+ 19 49	S		6 2 5 63	+ 76	7 39	S		5 4 49	+ 1 45	5 94	58 55					
	2047	+ 22 34	S		3 3 29	+ 77	5 06	S		16 2	+ 1 45	3 55	58 49				+	
	2067	+ 21 43	S		5 51 69	+ 77	53 46	S		8 5 44	+ 45	5 89	58 43					
	2156	+ 40	N	Q − 1 ,0	6 27 55 57	− 41	54 6	N	Q − 7	6 30 54 66	− 95	52 7	2 58 55	58 4 3	000		0 04	58 5 4
	2223	+ 4 55	N		39 44 96	− 38	43 58	N		4 43 99	− 95	42 04	58 46					
	2237	+ 34 6	N		42 9 23	− 48	7 75	N		45 8	− 95	16 17	58 4				+	
	2270	+ 38 3	N		48 9 43	− 44	7 99	N		5 18 4	− 95	16 45	58 46					
	—																	
	2173	+ 19 46	S		6 30 20 76	− 1 65	19 11	S		6 33 9 54	− 1 94	7 60	58 49	58 493	000		047	58 4
	2191	+ 7 45	S		32 48 83	− 1 67	47 6	S		35 47 57	− 94	45 63	58 47					
	2199	+ 3	S		34 36 40	− 69	34	S		37 35 5	− 97	33 8	58 47				+	
	2208	+ 12 49	S		36 32 9	− 1 71	31 08	S		39 31 60	− 1 98	29 62	58 54					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

	DEESA (E) L t 24° 15 Long 4ʰ 48ᵐ 54 AND MOOLTAN (W) L t 30° 11 Long 4ʰ 45ᵐ 56															
Astronomical Date	STAR		TRANSITS OBSERVED AT E				TRANSITS OBSERVED AT W					Diff e of Correct d Times (W − E)		Rate of W Clock		$\Delta L + \rho$
			By St ah n w th Telescop No 2				By H unde with T le op No 1									
	B A C N mb	De l nat	Star' Aspect	I t umental Po t n a d Corr t n Co t ts	Mean Ob erved T m	Total C o tu n	Second of Correct d T me	Sta ct	In trum tal Po t on d C ct t C ct n	Me Ob rv d T m	Total C rr t n	Seconds of Correct d T me	By each Star	Me n of G P	C rrect n f	C rm f P ral Equati n $S_R − H_H = + o^r 04$ $S_S − H = + o 47$	
1885 Dec 13	2014	+ 35	N	I P W	h m 6 6 55 03	+ 76	56 79	N	I P E	h m s 6 9 53'7	+ 60	55 3	m 2 58 5		0 0	0 04	58 611
	2021	+ 35 5	N	d − 2 2	8 15 56	+ 76	17 32	N	c d − 6	11 4 24	+1 6	15 84	58 5	58 5	0	+	
	2082	+ 3 34	N	b + 8 a − 8 6	18 3 73	+ 74	5 47	N	b − 3 9 − 7 1	21 12 4)	+1 59	4 8	58 6				
	2110	+ 32 32	N	Q + s 70	22 0 09	+1 75	84	N	Q + 1 70	24 58 89	+1 59	6 48	58 64				
	1971	+ 23 8	S		5 59 47 96	+ 70	49 66	S		6 2 46 64	+1 57	48 21	2 58 55		000	047	2 58 547
	1986	+ 19 49	S		6 2 5 47	+ 69	7 6	S		5 14 5	+1 57	15 72	58 56	2 58 500		+	
	2047	+ 2 34	S		3 3 09	+ 70	4 79	S		16 66	+ 57	3 23	58 44				
	2067	+ 21 43	S		15 5 49	+1 70	53 9	S		8 50 07	+ 57	5 64	8 45				
	2156	+ 40 0	N	Q − 1 0	6 27 55 47	−1 62	53 85	N	Q − 1 70	6 3 54 19	−1 79	52 40	2 58 55		000	0 41	58 584
	2223	+ 41 55	N		39 44 90	− 61	43 29	N		42 43 6	−1 79	41 82	58 53	58 543		+	
	2237	+ 34 6	N		42 19 05	−1 64	7 41	N		45 7 74	−1 80	15 94	58 53				
	2270	+ 38 13	N		48 19 39	−1 63	17 76	N		51 18 11	−1 79	16 32	58 56				
	2173	+ 19 46	S		6 3 2 57	−1 7	8 86	S		6 33 19 22	−1 83	17 39	2 58 53		0 000	0 47	2 58 595
	2191	+ 17 45	S		32 48 58	−1 71	46 87	S		35 47 21	−1 86	45 35	58 48	2 58 548		+	
	2199	+ 13 21	S		34 36 1	−1 72	34 39	S		37 34 85	−1 86	32 99	58 60				
	2208	+ 12 49	S		36 32 60	−1 73	30 87	S		39 31 29	−1 84	29 45	58 58				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 49

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

AGRA (E) *Lat 27° 10′ Lo g 5ʰ 12ᵐ 14ˢ* AND AMRITSAR (W) *Lat 31 38′ Lo g 4 59 39ˢ*

Astronomical Date	STAR		TRANSITS OBSERVED AT E *By St aha w th T les op N 2*					TRANSITS OBSERVED AT W *By H d w th T lesc p N 1*						Diff re e of Crrected Tim s (W − E)		Correcti f R te of E Clck	Cor f P ml Lq at S₈ − Hₙ = + 8° S₂ − H = + 0 38	ΔL − ρ
	B A C N b r	Decli n t on	Star A pe t	I Pt d Crr t Ccts	Me n Ob rr d 1 m	T tal Ct	S d f Cre t d T m	Star A pe t	I lt d Crr t Cctat	M an Ob rv d Tim	T tal Crre t	S l f Cre ted l	By h St	Me n of Go p			
1885 D 21	1830	+ 39 8	N	I P E	5 4 4 95	+ 44	6 39	N	I P E	5 53 5 9	+o 4	5 o4	2 34 65				
	1844	+ 37 16	N	d − 3 3	43 4 14	+1 44	5 58	N	d + 1 2	55 5o 2	+o 2	5 33	34 75	34 673	0 00	0 028	34 70
	1857	+ 33 53	N	b − 5 − 2 1	45 5 53	+1 45	6 98	N	b + 8 − 5 4	57 41 62	+ o9	4 71	34 73		▪	+	
	1935	+ 37 58	N	Q + 59	57 1 78	+ 44	3 22	N	Q o oo	6 9 47 66	+o 12	4 78	34 56				
	1876	+ 20 5	S		5 47 35 99	+1 43	37 42	S		6 o 12 7	o oo	12 07	2 34 65				
	1896	+ 25 56	S		5 53 9	+ 45	54 74	S		3 29 4	+ 5	9 45	34 7	34 6	0 000	38	34 o8
	1907	+ 12 48	S		52 26 33	+ 45	27 78	S		5 2 5	−o 4	2 47	34 69	▪		+	
	1925	+ 2 4	S		54 46 7	+ 45	48 5	S		7 22 76	+ o2	22 78	34 63				
	2014	+ 35 1	N	Q − 1 59	6 9 57 3	− 73	55 30	N	Q − 87	6 22 3 69	−1 77	29 9	2 34 62				
	2021	+ 35 5	N		11 17 54	− 73	5 81	N		23 52 2	− 77	5o 44	34 63	34 64	0 000	28	34 668
	2082	+ 30 14	N		21 15 75	− 73	4 o2	N		33 5o 5	− 8	48	34 68	▪		+	1
	2110	+ 32 32	N		25 2 16	− 74	42	N		3 36 83	− 78	35 o5	34 63				
	1971	+ 23 8	S		6 2 49 93	−1 73	48 20	S		6 15 24 65	−1 85	22 80	2 34 60				
	1986	+ 9 49	S		5 17 46	−1 74	15 72	S		1 5 38	−o o1	5 37	34 65	34 670	000	0 038	34 o8
	μ Gem	+ 22 34	S		6 5 7	− 74	3 33	S		28 39 94	− 86	38 8	34 75	▪		+	
	2067	+ 2 43	S		8 53 48	− 73	5 75	S		3 26 43	oo	26 43	34 68				
		—															
Dec 22	1830	+ 39 8	N	I P W	5 41 14 77	+1 58	16 35	N	I P W	5 53 49 35	+1 69	51 o4	2 34 69				
	1844	+ 37 16	N	c − 1 3	43 14 11	+1 57	15 68	N	c − 2 8	55 48 68	+1 69	5o 37	34 69	34 693	oo3	0 28	34 / 4
	1857	+ 33 53	N	b − o 5 a − 6 2	45 5 45	+1 56	7 o1	N	b − 5 6 a − 7 5	57 40 o5	+ 69	4 74	34 73	▪		+	
	1935	+ 37 58	N	Q + 1 58	57 11 62	+1 57	13 19	N	Q + 1 90	6 9 46 17	+1 68	47 85	34 66				

*Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and con sequently in these cases Q = o oo

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

	STAR			TRANSITS OBSERVED AT E By Str h with T les op No 2				TRANSITS OBSERVED AT W By H unde w th T l pe No 1					Diff en of Corr t d limes (W − E)		Corr ect n f Rate of E Clock	Corr for Persl Equatio $S_N - H_N = + c^s$ 8 $S_S - H_S = + o$ o38	ΔL − ρ
Astronomical Date	BA.C Numb	De l t	Star Asp t	I tr m ntal Pos t on nd Corr ct on Co t t	Mean Ob rved Time	Total Co t n	Se o d f C rr t d Time	Asp ect	I strum tal Pos t on and C r t n Co t t	Mea n Ob rved Tim	Tot l C t on	Se nds of Corr ct ed Tim	By e cl Sta	Mean of Group			
188o Dec 2	1876	+ 20 15	S	*I P W* d c − 1 3 b − 5 − 6 2	h m s 5 47 35 88	+ 1 50	37 38	S	*I P W* d − 2 8 b − 5 6 − 7 5	h m 6 0 0 46	+ 1 67	12 13	m s 12 34 75				
	1896	+ 25 56	S		50 53 24	+ 1 52	54 6	S		3 27 80	+ 67	29 47	34 71	s 2 14 683	003	38	34 724
	1907	+ 2 48	S		52 26 4	+ 5	27 9	S		5 87	+ 66	2 53	34 62		+	+	
	1925	+ 22 24	S	Q + 1 58	54 46 65	+ 53	48 8	S	Q + 9	7 2 6	+ 67	83	34 6				
	2082	+ 30 34	N	Q o o oo	6 21 14 5	− o o4	4 o	N	Q − 1 90	6 33 50 85	− 2 1	48 74	34 73	s 34 695	o o3	o o 8	2 34 7 6
	2110	+ 32 32	N		25 o 43	− o 4	o 39	N		37 37 16	− 2 1	35 o5	34 66		+	+	
	2067	+ 2 43	S		6 8 5 75	− o 7	5 68	S		6 31 28 46	− 2 14	26 32	12 34 64	s 34 64	o o o3	o 38	2 34 68
															+	+	
Dec 23	1830	+ 39 8	N	*I P E* d o − o 3 b − 1 2 − 8 7	5 41 14 o6	+ 1 6o	5 66	N	*I P E* d c + 1 2 b + − 1 o	5 53 48 2o	+ 2 18	5o 38	12 34 72	s 34 55	o o o8	28	34 9
	1844	+ 37 16	N		43 3 35	+ 1 59	14 94	N		55 47 58	+ 2 17	49 75	34 81		+	+	
	1857	+ 33 53	N		45 4 77	+ 1 58	6 35	N		57 38 91	+ 2 17	4 o8	34 73				
	1935	+ 37 58	N	Q + 1 6o	57 86	+ 1 6o	12 46	N	Q + 2 11	6 9 45 o5	+ 2 17	47 22	34 76				
	1876	+ 20 15	S		5 47 35 9	+ 1 55	36 74	S		6 o 9 25	+ 2 17	11 42	12 34 68	s 2 34 713	o o8	o o38	12 34 779
	1896	+ 25 56	S		50 52 49	+ 1 56	54 o5	S		3 26 6o	+ 2 17	28 77	34 72		+	+	
	1907	+ 12 48	S		52 25 6o	+ 1 52	27 2	S		4 59 72	+ 2 6	61 88	34 76				
	1925	+ 22 24	S		54 45 83	+ 55	47 38	S		7 19 98	+ 2 17	22 15	34 77				
	2014	+ 35 1	N	Q − 1 6o	6 9 56 9	− 1 62	54 57	N	Q − 2 11	6 22 31 34	− 2 o5	29 29	12 34 72	s 34 73	o o o8	o o28	12 34 739
	2021	+ 35 15	N		11 16 74	− 1 62	15 12	N		23 51 88	− 2 o5	49 83	34 71		+	+	
	2110	+ 32 32	N		24 61 42	− 1 63	59 79	N		37 36 52	− 2 o5	34 47	34 68				
	1971	+ 23 8	S		6 2 49 10	− 1 64	47 46	S		6 15 24 21	− 2 o5	22 16	12 34 7o	s 12 34 717	o o o8	o o38	12 34 763
	1986	+ 19 49	S		5 16 67	− 1 66	15 o1	S		17 51 75	− 2 o5	49 7o	34 69		+	+	
	μ Gem	+ 22 34	S		16 4 20	− 1 65	2 55	S		28 39 36	− 2 o5	37 31	34 76				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

51

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL — ρ

			AGRA (E) *Lat 27° 10' L g 5 12ᵐ 14* AND AMRITSAR (W) *L t 31 38' Lo g 4ʰ 59 39ʰ*												
	STAR		TRANSITS OBSERVED AT E *By Strahan w th Telescope No 2*				TRANSITS OBSERVED AT W *By B rr d with T les op N 1*					D ff u t C rr ted Tim (W − E)		Rate of E Cl k	
A tron mical D t	B A C N mb	Decli nat	Star A pe t	I st m ntal P t d Co e t C ta t	Mea Ob rved Tim	Total C q t n	S o d f C re t d T m	Star A pct	I t n tal P st d Corr t C ta t	M n Ob r d Tim	Total C rec tu n	S d f C t d T m	By h Sta	Me n f Group	Correct n f E Cl k	C rms f P r l Eq at Sᵥᵥ − Bᵥ = + 0 4 Sₛ − Bₛ = + 045	ΔL − ρ
1885 D c 24	1830	+ 39 8	N	*I P W*	ʰ 5 4 2 87	+ 1 58	14 45	N	*I P W*	ʰ m 5 53 47 26	+ 1 89	49 5	m 2 34 70				34 687
	1844	+ 37 6	N	c − 1 d 3	43 12 29	+ 1 57	13 86	N	− 2 d 8	55 46 55	+ 1 89	48 44	34 58	34 635		0 040	
	1857	+ 33 53	N	b − 9 − 9 2	45 3 63	+ 1 56	5 9	N	b − 5 7	57 37 98	+ 9	39 89	34 7	S	+	+	
	1935	+ 37 58	N	Q + 1 59	57 9 75	+ 1 57	32	N	Q + 2	6 9 43 99	+ 89	45 88	34 56				
	1876	+ 20 5	S		5 47 34 7	+ 51	35 58	S		6 0 8 28	+ 1 92	1 2	12 34 62				34 680
	1896	+ 25 56	S		50 5 42	+ 1 54	52 96	S		3 5 70	+ 1 9	27 61	34 65	34 6 3		0 045	
	1907	+ 48	S		5 24 5	+ 1 5	6 00	S		4 58 63	+ 93	6 56	34 56	S	0	+	
	1925	+ 22 24	S		54 44 7	+ 1 53	46 25	S		7 18 99	+ 1 92	20 91	34 66		+		
	2014	+ 35 11	N	Q − 1 59	6 9 55 06	− 1 6	53 44	N	Q − 2	6 22 30 5	− 2 3	28 9	2 34 75	34	n	0 040	34 55
	2082	+ 30 34	N		2 3 78	− 1 63	12 5	N		33 49 1	− 2 31	46 80	34 65	S	0	+	
	2110	+ 32 32	N		24 60 14	− 1 63	58 5	N		37 35 53	− 2 31	33 22	34 71		+		
	1971	+ 23 8	S		6 2 47 96	− 1 66	46 30	S		6 15 23 07	− 2 30	20 77	12 34 47		n	0 045	34 6 0
	1986	+ 19 49	S		5 15 49	− 1 68	13 81	S		17 50 69	− 2 29	48 4	34 59	2 34 563	0	+	
	μ Gem	+ 22 34	S		16 3 08	− 1 66	1 42	S		28 38 32	− 2 31	36 0	34 59	S	+		
	2067	+ 21 43	S		18 51 49	− 1 66	49 83	S		31 26 72	− 2 29	24 43	34 60				

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

AGRA (E) L t 27° 10′ Lo g 5ʰ 12ᵐ 14 AND AMRITSAR (W) L t 31 38′ L g 4 59 89ª

Astronomical Date	STAR		Transits Observed at E By Ha nd w th T les op No 2					Transits Observed at W By St ah with T l op N 1					D ff of C re t d Tim s (W − E)		C rrecti f Rat of E Clock	C rrus fo Persl Eq t ons H_N − S_n = − 8 H_S − S_s = − 038	$\Delta L - \rho$
	B A C Number	De l nation	Sta r A pe t	In trun tal Pos tion and Correct o Co tant	M n Observ d Time	T t l C rr c tion	Seco ds of C rrect ed T m	Star A pect	I st me t l P t ar d C rrect C n t t	Me Ob rved Time	T t l C t	S nds f C rr t d l im	By h Sta	M n of Gro p	C rrecti f Rat of E Clock		
1885 Dec 20	1830	+ 39 8	N	I P E	5 4 9 93	+1 54	1 47	N	I P E	5 53 43 46	+ 63	46 9	12 34 62				
	1844	+ 37 16	N	d − 1 3	43 9 2	+1 52	10 64	N	+ d	55 42 92	+2 48	4 40	34 76				
	1857	+ 33 53	N	b − 3 − 7 3	45 0 64	+ 54	2 8	N	b + − 127 5	57 34 58	+ 28	36 86	34 68	34 653	6	8	34 641
	1935	+ 37 58	N	Q + 59	57 8 37	−0 04*	8 33	N	Q + 2 1	6 9 40 35	+2 53	42 88	34 55		+	−	
	1876	+ 20 15	S		5 47 31 13	+1 48	32 61	S		6 0 5 66	+1 55	7 21	2 34 60				
	1896	+ 25 56	S		50 48 5	+1 51	50 2	S		3 22 73	+1 83	24 56	34 54	34 53	6	038	2 34 508
	1907	+ 48	S		5 2 63	+ 48	3	S		4 56 36	+	57 57	34 46		+	−	
	1925	+ 22 24	S		54 41 88	+1 48	43 36	S		7 16 23	+1 65	17 88	34 52				
	2014	+ 35 11	N	Q − 1 59	6 9 52 3	− 64	50 67	N	Q − 2 10	6 22 26 90	−1 85	25 05	12 34 38				
	2021	+ 35 15	N		11 12 69	− 65	1 4	N		23 47 39	−1 84	45 55	34 51	34 5	016	038	12 34 5 8
	2082	+ 30 34	N		21 10 89	−1 67	9 22	N		31 45 92	−2 2	43 80	34 58		+	−	
	2110	+ 32 32	N		24 57 22	−1 64	55 58	N		37 32 20	−2 1	30 19	34 61				
	1971	+ 23 8	S		6 2 43 45	−0 09*	43 36	S		6 15 20 50	−2 51	17 99	12 34 63				
	1986	+ 19 49	S		5 1 84	−0 11	10 73	S		17 48 3	−2 66	45 47	34 4	34 635	16	038	12 34 613
	μ Gem	+ 22 34	S		15 60 09	−1 69	58 40	S		28 35 58	−2 54	33 04	34 64		+	−	
	2067	+ 21 43	S		18 48 60	−1 69	46 91	S		31 24 02	−2 58	21 44	34 53				

⁕ Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = o oo

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 53

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

	STAR		A pect Sₜ	TRANSITS OBSERVED AT E *By H vs d with T lesc ps N 2*				A pect Sₜ	TRANSITS OBSERVED AT W *By St h w th T l cop N 1*				D ff re c of Cor ct d Tyme (W − h)		Correcti f Rat f E Clock	Corru f P ml Equat ns Hₙ − Sᵧ − o⁸ ₀₈ Hₛ − Sₛ − o ₀₃₈	ΔL − ρ
Astron mical Date	B A C Numb	Decl natio		I t m t l P t l C to C t t	M Ob rv d T m	T t l C t	S d f C t d T m		I t m tal l t d C t C t t	M an Ob rv d T m	T tal C ro t	S d of C rs t d T	By l St	Mea f Group			
1885 De 27	1830	+ 39 8	N	I P W	h m 5 4 7 59	+ 84	s 9 43	N	I P W	h s 5 53 44 4	− 09	44 5	m s 12 34 72	34 685 8	8 o +	o 028 −	12 34 675
	1844	+ 37 6	N	o + d 7	43 6 99	+ 83	8 82	N	c − 2 8	55 43 54	− 9	43 45	34 63				
	18ɔ7	+ 33ɔ3	N	b + 3 4 − 9 8	44 58 35	+ 8	6 7	N	b − 9 2	57 34 9	− 1	34 82	34 65				
	1935	+ 37 58	N	Q + 64	57 4 4	+ 84	6 4	N	Q o o	6 94 8	−	4 98	34 74				
	1876	+ 20 15	S		5 47 28 69	+1 74	30 43	S		6 0 5 44	−0 17	5 27	12 34 84	34 8 5 8	8 o +	38 −	34 95
	1896	+ 25 56	S		5 45 9ɣ	+ 77	47 73	S		3 2 79	−0 5	64	34 9				
	1907	+ 48	S		5 9 5	+ 7	87	S		4 55 83	− 9	55 64	34 77				
	1925	+ 2 24	S		54 39 4	+ 74	4 15	S		7 16 04	−0 15	15 89	34 74				
	2014	+ 35	N	Q − ' 64	6 9 49 77	− 46	48 3	N	Q	6 2 2ɜ 8	− 1	3 07	12 34 76	34 83 8	8 o +	28 −	34 773
	2021	+ 35 5	N		11 26	− 48	8 78	N		3 43 6̇2	−0 1	43 5	34 73				
	2082	+ 3 34	N		2 8 46	− 48	6 ɔ8	N		3 34 93	−	4 8	34 83				
	2110	+ 32 32	N		24 54 8ɜ	−1 49	53 36	N		37 8 29	−0 1	8 7	34 8				
	1971	+ 2ɜ̄ 8	S		6 2 42 74	− 53	4 21	S		6 5 6 5	− 15	6 00	2 34 79	34 803 8	8 o +	o 038 −	34 83
	1986	+ 9 49	S		5 10 23	−1 54	8 69	S		17 43 68	−0 16	43 52	34 83				
	μ Ḡ m	+ 22 34	S		5 57 73	− 53	56 2	S		8 3 5	− 7	30 98	34 78				
	2067	+ 21 43	S		18 46 16	−1 54	44 62	S		31 19 59	−0 6	19 43	34 81				

AGRA (E) *L t 27° 10′ Lo g 5 12ᵐ 14* AND AMRITSAR (W) *L t 31 88′ Long 4ʰ 59 89ˢ*

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

AGRA (E) *L t 2 10′ L g 5 12 14* AND AMRITSAR (W) *L t 31 38′ Lo g 4 59 39*

Astronomical Date	STAR			Transits Observed at E *By H id th T l pe No 2*				Transits Observed at W *By Str h w th T l s p No 1*					Diff c f C rre ted l m s (W − F)				
	BAC N mbe	D l nat	St A p t	I t u ntal l t n and C rre t C t t	M Obse d 1	Γ t l C t	S o d f C t d Γ	A p t	I I o t d C t t C t t	M Ob rv d 1	T t l C t	S o l f C t l l	By cl 8t	M f Gro p	C rre t n f E Clo k	C rm f P ral Eq t H w − S w = − o 8 H s l = 38	ΔL − ρ
1885 D c 28	1830	+ 39 8	N	*I P E* d − 3 3 b − (− 7 7 Q + 1 6 3	h m 5 41 6 00	′ + 53	′ 7 53	N	*I P E* d + 1 b 3 4 − 6 0 Q + 2	l m 5 53 4	− 3	42 2	m 34 69	₂ 34 6 8	8	8	34 668
	1844	+ 37 16	N		43 5 30	+ 53	6 8	N		55 39 45	+ o8	4 53	34 7		o	o	
	1857	+ 13 53	N		44 (6	+ 5	58)	N		57 30 8	+ 2	3 88	34 ()		+	−	
	1935	+ 37 58	N		57 2 7	+ 4	4 3	N		6 9 36 86	+ 8	38 94	34 63				
	1876	+ 20 15	S		5 47 27 o8	+ 1 49	28 57	S		6 o 1 15	+ 2 4	3 19	34 6	₂ 34 6	8	38	34 600
	1896	+ 25 56	S		5 44 43	+ 1 5	45)4	S		3 8 49	+ 2 o3	o 52	34 58		o	−	
	1907	+ 48	S		5 7 44	+ 49	8)3	S		45 55	+	53 57	34 64		+		
	1925	+ 22 24	S		54 37 75	+ 1 5	39 25	S		7 85	+ 2 4	3 89	34 64				
	2014	+ 35 1	N	Q − 1 63	6 9 48 7	− 1 73	4(54	N	Q − ′	6 22 23 41	− 2 16	2 25	2 34 7	₂ 34 6 8	8	8	34 648
	90 1	+ 35 5	N		8 8	− 3	7 7	N		23 43 8	− 2 5	4 66	34 59		o o 8	o o	
	2083	+ 30 34	N		21 6 99	− 5	5 24	N		33 4 6	− 8	39 88	34 64		+	−	
	2110	+ 32 32	N		4 53 14	− 1 74	51 6o	N		37 8 45	− 2 6	26 29	34 69				
	1971	+ 23 8	S		6 2 40 98	− 1 76	39 22	S		6 15 16 15	− 2 18	13 97	12 34 75	₂ 34 685	8	38	34 665
	1986	+ 9 49	S		5 8 54	− 77	6 7	S		7 43 62	− 2 8	4 44	34 67		o	o	
	µ G m	+ 34	S		15 56 5	− 6	54 49	S		28 9 6	− o o8	29 o8	34 59		+	−	
	2007	+ 2 43	S		18 44 65	− 77	43 88	S		31 9 8o	− 2 19	7 6	34 73				

Owing to th irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and con
sequently in these cases Q = o oo

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 55

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

			AGRA (F) *Lat 27° 10′ Lo g 5ʰ 12ᵐ 14* AND AMRITSAR (W) *Lat 31 38′ Lo g 4 59ᵐ 39ᵂ*															
Astro mi al Date	**STAR**		TRANSITS OBSERVED AT E					TRANSITS OBSERVED AT W					Diff r c of C rre ted T m (W − E)		Rate of E Clock		Corr for P ml Eq t ns	$\Delta L - \rho$
			By H s d w th T l p No 2					By B rr d w th T l p N 1								Correcta n f Rate of E Clock	Hₓ − Bₓ = + $\cdot$ H₅ − B = ⊥ o 007	
	B A C Number	D cl n tion	Star Ap t	I tru t l P t d C t C t	M Ob d T m	T t l C rr t	Se d f Co et d T m	Ap t	t t l P t l C rei n t t	M n Ol d l	T tal C t	S d t C ri t l l	By l ta	M ar of Gro p			Corr for P ml Eq t 007	
1885 D 29	1830	+ 39 8	N	*I P W*	*l* 5 41 8	*s* + 57	5 35	N	*I P W*	*h m* 5 53 38 ∞	*s* 1 95	*b* 39 95	*m* 12 34 6					34 687
	1844	+ 37 (	N	d − 3 3	43 3 6	+ 1 57	4 63	N	d − 8	55 37 4	+ 9(	3) 37	34 4	14 6 5		*	+ 0	
	1857	+ 33 53	N	b − 4 5	44 54 4	+ 54	5(	N	b − + 4	57 28 74	)7 3	34 7		E		+	+ 0	
	1935	+ 37 58	N	Q + (	57 57	57	4	N	Q + 2 1	6 9 34 77	+ 95	36 7	34 58					
	1876	+ 2 5	S		5 47 24 83	+ 1 51	26 34	S		5 59 59 09	+ 1 97	(1 06	12 34 72			0		34 747
	1896	+ 25 6	S		5 4	+ 53	43 70	S		6 3 6 4(	+ 97	8 43	34 3	34	0	0	+ 0 007	
	1907	+ 48	S		5 5 5	49	6 74	S		4 49 4(	+)8	5 44	34 70	E		+		
	1925	+ 2 24	S		54 35 53	+ 1 5	37 04	S		7 9 8	+ 1 97	77	34 73					
	2014	+ 35 1	N	Q − 6	6 9 45 98	− 68	44 3	N	Q − 2	6 2 4	− 2 23	19 0	12 34 7			*		34 780
	2021	+ 35 15	N		11 6 47	− (8	4 9	N		3 4 84	− 2 3	39 6	34 8	34 48	0 20	0	+ 0	
	2082	+ 3 34	N		21 4 73	− 6)	3 4	N		33 4 3	− 23	37 8	34 76	E		+	+	
	2110	+ 3 3	N		24 5 09	− 67	49 42	N		37 26 35	− 2 3	4	34 7					1 34 780
	1971	+ 23 8	S		6 2 38 8	− 1 71	37 09	S		6 15 4 0	− 2 23	1 78	2 34 69			0		34 40
	1986	+ 9 49	S		5 6 39	− 71	4 68	S		17 4 48	− 2	39 26	34 58	3	0	0	+ 0 007	
	μ Gem	+ 22 34	S		15 53 92	− 71	52 2	S		28 9 6	− 2 24	7 2	34 81	14	0			12 34 40
	2067	+ 21 43	S		18 42 41	− 1 71	40 70	S		31 17 70	− 2 23	5 47	34 77	E		+		

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARFNT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

AGRA (E) Lat 2°-0 10′ Lo g 5 12m 14s AND AMRITSAR (W) L t 31 38′ Lo g 4h 59m 39s

Astronomical Date	STAR BAC Number	D l t	Aspect Star	Instrumental Point Corr Constant	Mean Observed Time	Total Correction	Second d Correct d l	Aspect Star	Instrumental Point d Correction	Mean Observed Time	Tot l Corr n	Sec d Correct ed Time	By ea h Star	Man of Group	Corr t n f W Clock	C rr s f P rml Eq at n	$\Delta L + \rho$
1865 Dec 21	2338	+39 3	N	I P W	h m 6 50 55 2	+67	56 79	N	I P L	h m 3 29 4	+2 4	3 45	m 34 66				
	2381	+41 5	N	d +1 7	57 2 80	+1 68	14 48	N	a +1 2	9 47	+2 5	49 6	34 68	34 693	0 020	0 028	34 741
	2416	+36 58	N	b − 8	7 1 31 81	+1 66	33 47	N	b + 8, a −2 6	14 6 6	+2 0	8 6	34 69		+	+	
	2429	+4 53	N	Q +1 58	3 21 0	+1 68	22 69	N	Q +1 87	15 55 38	+2 05	57 43	34 74				
	2330	+16 7	S		6 48 56 01	+1 56	57 57	S		7 1 30 48	+1 8	32 29	12 34 72				
	2350	+24 19	S		52 37 00	+59	38 9	S		5 4	+1 89	3 3	34 7	34 7	0 020	038	34 8
	2364	+25 5	S		54 49 89	+1 59	5 48	S		7 24 30	+1 9	26 2	34 7		+	+	
	2398	+16 45	S		58 38 73	+56	40 29	S		11 13 2	+1 82	15 2	34 73				
	2464	+32	N	Q −1 58	7 8 55 93	−1 53	54 40	N	Q −1 87	7 21 31 0	− 8	29 22	2 34 82				
	2504	+35 8	N		18 13 14	−1 5	11 63	N		3 48	−1 76	46 31	34 68	34 748	0	0 28	12 34 96
	2517	+32 16	N		19 45 76	−1 53	44 3	N		32 2 74	− 79	18 95	34 72		+	+	
	2563	+33 42	N		27 18 47	−1 52	16 95	N		39 53 49	−1 77	5 72	34 77				
	2473	+12 15	S		7 10 36 28	−1 62	34 66	S		7 23 11 34	−1 96	9 38	2 34 72				
	2483	+15 53	S		14 3 95	− 60	2 35	S		26 39 5	−1 93	37 2	34 77	34 45	2	0 038	12 34 863
	2493	+27 9	S		16 3 03	−1 56	1 47	S		28 38 6	−1 83	36 23	34 76		+	+	
	2537	+3 45	S		22 37 46	−1 6	35 85	S		35 12 53	−1 94	58	34 73				
Dec 22	2338	+39 3	N	I P E	6 5 5 9	+56	54 47	N	I P W	7 3 29 38	− 19	29 19	12 34 72				
	2381	+4 5	N	a − 3	57 6	+1 57	7	N	a − 2 8	9 47	−0 8	46 84	34 67	34 690	1	0 028	12 34 739
	2416	+36 58	N	b − 24, − 89	7 1 29 62	+1 5	3 17	N	b − 56, a −11 3	14 6 02	−0 20	5 82	34 65		+	+	
	2429	+40 53	N	Q +1 59	3 18 77	+1 37	20 34	N	Q 0 00	15 55 24	−0 18	55 06	34 72				
	2364	+25 5	S		6 54 49 16	−0 07*	49 09	S		7 7 23 98	−0 24	23 74	12 34 65	34 650	0	0 038	12 34 700

* Ow g to tl irr g la rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = 0 oo.

AGRA (E) *L t* 27° 10 *L ng* 5^h 19^m 14 AND AMRITSAR (W) *Lat* 31 38' *Long* 4 59^m 39^s

Astron meal D te	STAR BAC Number	Dech nat on	St Aspect	I t m tal Pos t n d C t n C ta t	Mean Ob rv d l m	T tal C oc tn	Se ds f Co rect- ed l m	St Aspect	In tru tal Pos t d C t n C ta ta	Mea Ob rved l m	T t l C rroc t	S d f C rr t d T	D ff re o f Corre t d T o (W − E) By ach Star	Mean f Group	Correcti n for Rate of W Clock	Cornn f P rsl Equati B$_N$ − H$_N$ − + S$_S$ − H$_S$ − +	$\Delta L + \rho$
1885 Q 22	2504	+ 35 8	N	I P E d c − 3 b − 4 a − 8 9 Q − 1 59	*h m s* 7 8 10 95 9 43 57 27 16 29	−1 64 − 65 −1 65	9 3 4 92 4 64	N N N*	I P W d − 2 8 b − 5 6 − 1 3 Q 0 00	*h m s* 7 30 44 32 16 89 39 49 59	−0 2 − 22 − 2	44 1 6 67 49 38	*m* 12 34 7 34 75 34 74	30 34 8	2 0 +	28 0 +	9 1 34
	2483	+ 15 53	S		7 14 1 4 16 0 86 35 9	− 69 − 67 − 69	0 5 5) 9 33 60	S S S		7 26 35 03 8 34 5 35 8 58	−0 26 − 3 −0 7	34 77 33 92 8 3	12 34 72 34 73 34 7	14 7 34 7 8	0 +	38 +	9 34 7 9
Dec 23	2338	+ 39 3	N	I P W d c − 3 b − 0 a − 9 Q + 1 60	6 50 50 38 57 8 7 27 2 3 16 29	+ 6 + 62 60 + 62	5 99 9 73 28 72 7)	N N N N	I P E d + 2 b + − 4 5 Q + 2 11	7 3 24 6 9 42 30 14 1 23 15 5 46	+2 +2 21 +2 17 +2 21	6 8 44 51 3 40 52 67	2 34 82 34 8 34 68 34 76	60 34 8	+	8 +	34 809
	2330	+ 16 7	S		6 48 51 20 52 32 2 54 45 08 58 33 84	+1 53 + 56 +1 56 +1 53	52 73 33 76 46 64 35 37	S S S S		7 25 37 5 6 43 7 19 11 8 08	+ 3 +2 7 + 7 +2 14	27 50 8 60 1 39 1 22	2 34 77 34 84 34 75 34 85	14 803 34 8	0 +	38 0 +	34 86 2 34 86
	2464	+ 32 1	N	Q − 1 60	7 8 51 29 18 8 49 19 41 16	−1 61 −1 60 −1 61	49 68 6 89 39 55	N N N	Q − 2 1	7 21 26 59 50 43 73 32 16 39	−2 5 −2 05 −2 05	4 4 4 68 14 14	2 34 86 34 79 34 79	34 8 3 34 8	0 +	0 028 0 +	34 86
	2473	+ 12 15	S		7 10 31 60 15 58 39	−1 68 −1 63	29 92 56 76	S S		7 23 6 87 28 33 66	− 09 −2 5	4 78 31 61	34 86 34 85	14 8 5 34 8	0 0 +	0 028 0 +	34 9 4

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

Astronomical Date	STAR			TRANSITS OBSERVED AT E By St ahan, with Telescope No 2				TRANSITS OBSERVED AT W By B rrard with T lescop No 1				Difference of C rrected Times (W − E)		Correction of Rate of W Clock	C rru fo P rml Equat on $S_W − B_W = + ♂ 040$ $S_S − B_S = + ♂ 45$	$\Delta L + \rho$
	B A.C Number	D l nat	Star Aspect	I trum tal Pos t n and Correct on C t t	Mean Observed T m	Total C rr c t on	Seconds of Correct d Time	Star Aspect	I strumental Pos t on a d C rre t n C ta t	Mean Observed T m	Total Correc tion	Seco ds f Correct ed Tim	By ea h Sta	Mean of Group			
1856 D 24	2338	+ 39 3	N	I P E	h m s 6 50 47 96	+ 1 59	s 49 55	N	I P W	h m 7 3 22 6	+ 1 89	s 24 15	m s 12 34 60	34 583	22	+ 40	34 645
	2381	+ 41 5	N	a − 0 3	57 5 72	+ 1 6	7 33	N	a − 2 8	9 40 06	+ 1 89	4 95	34 6	s	0		
	2416	+ 36 58	N	b − 8 − 5 9	7 1 24 70	+ 1 59	26 29	N	b − 5 a − 3 7	13 58 96	+ 1 89	60 85	34 56		+	+	
	2429	+ 40 53	N	Q + 1 59	3 3 89	+ 6	15 50	N	Q + 2 10	15 48 16	+ 1 89	50 05	34 55				
	2330	+ 16 7	S		6 48 48 82	+ 1 53	50 35	S		7 1 22 99	+ 1 90	24 89	12 34 54	34 555	2	+ 045	2 34 612
	2364	+ 25 5	S		54 42 67	+ 1 56	44 23	S		7 6 9	+ 1 89	18 80	34 57	s	0		
															+		
	2464	+ 32	N	Q − 1 59	7 8 48 96	− 1 60	47 36	N	Q − 2	7 21 24 17	− 2 29	21 88	12 34 52	34 643	01	+ 040	2 34 705
	2504	+ 35 8	N		8 6 01	− 1 6	4 42	N		30 4 4	− 2 29	39 11	34 69	s	0		
	2517	+ 32 16	N		19 38 66	− 1 60	37 06	N		32 14 04	− 2 30	11 74	34 68		+	+	
	2563	+ 33 42	N		27 11 38	− 1 60	9 78	N		39 46 76	− 2 30	44 46	34 68				
	2473	+ 12 15	S		7 10 29 17	− 1 65	27 52	S		7 23 4 42	− 2 31	2 11	12 34 59	12 34 615	022	+ 045	12 34 682
	2483	+ 5 53	S		13 56 85	− 1 65	55 20	S		26 32 13	− 2 30	29 83	34 63	s	0		
	2493	+ 27 9	S		15 55 95	− 1 62	54 33	S		28 31 26	− 2 3	28 95	34 62		+	+	
	2537	+ 13 45	S		22 30 39	− 1 65	28 74	S		35 5 67	− 2 31	3 36	34 62				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

59

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

Astron meal Dat	STAR		Transits Observed at E (By Heaviside w th T lescop No 2)					Transits Observed at W (By Straka with T les op No 1)					Difference of Correct d Time (W − E)		Correct on f Rate W Clock	Rate t	Corrn for Persnl Eq at nᵗ	$\Delta L + \rho$
	B.A C Numb	Decl nat on	Star Aspect	I t m ntal Posit o and Corr t on C ntacts	Mean Ob rv d T me	Total Corre t	S ds of C rect ed T m	Star Aspect	I trum tal P t n d C re t C ta t	M a Ob rved T me	Total Correc t	S nds f C re te ed Time	By each Star	Mean of Gro p			$H_W - S_W = -d$ $H_S - S = 0$	
1885					*h m s*	*s*	*s*			*h m*	*s*	*s*	*m s*					
Dec 26	2338	+ 39 30	N	I P W	6 5 4 86	+ 55	44 4	N	I P E	7 3 6 86	+ 2 15	19	12 34 60				0 028	
	2381	+ 4 5	N	d o + 1 7	57 0 58	+ 57	2 5	N	d o + 1	9 34 6	+ 2 6	36 77	34 62	34 6 8	0 2			34 6
	2416	+ 36 58	N	b − 7 a (± 5)	7 1 9 53	+ 56	21 09	N	b − 5 − 3 7	13 51 59	+ 2 15	55 74	34 65		+	l	2 34 6
	2429	+ 40 53	N	Q + 1 59	3 8 75	+ 1 57	0 32	N	Q + 2 0	5 42 76	+ 2 6	44 92	34 6				
	2330	+ 6 7	S		6 48 43 56	+ 58	45 14	S		7 17 7	+ 2	9 83	12 34 69	2 34 66	22	0 038	2 34 649
	2364	+ 25 5	S		54 37 52	+ 1 56	39 8	S		7 59	+ 2 3	13 72	34 64		+	l	
	2464	+ 32 1	N	Q − 1 59	7 8 43 75	− 1 6	42 4	N	Q 0 00	7 21 6 8	+ 0 04	16 85	12 34 7	34 663	22	0 28	34 657
	2504	+ 35 18	N		8 0 9	− 1 6	59 29	N		3 33 89	+ 05	33 94	34 65		0	l	
	2517	+ 32 6	N		9 33 5	− 6	3 89	N		32 6 54	+ 04	6 58	34 69		+		
	2563	+ 33 42	N		27 6 35	− 61	4 74	N		39 39 3	+ 0 04	39 34	34 60				
	2473	+ 5	S		7 23 92	− 6	3	S		7 22 56 97	+ 0 0	56 98	12 34 68	34 64	22	0 038	34 644
	2483	+ 15 53	S		13 51 67	− 61	5 06	S		26 24 65	+ 0	24 66	34 60		0	l	
	2493	+ 27 9	S		55 8	− 1 62	49 8	S		28 3 83	+ 0 05	23 86	34 68		+		
	2537	+ 13 45	S		22 25 22	− 6	23 6	S		34 58 2	+ 01	58 2	34 60				
Dec 27	2338	+ 39 3	N	I P E	6 50 40 20	+ 67	4 87	N	I P W	7 3 16 76	− 0 08	16 68	12 34 8	34 850	0 02	0 028	34 844
	2381	+ 4 5	N	d c − 3 3	56 57 92	+ 67	59 59	N	d c − 2 8	9 34 53	− 0 06	34 47	34 88		0	l	
	2416	+ 36 58	N	b + 0 3 a − 17 2	7 1 6 90	+ 1 64	18 54	N	b − 9 − 13 5	13 53 53	− 0 08	53 45	34 9		+		
	2429	+ 40 53	N	Q + 1 64	3 6 11	+ 67	7 78	N	Q 0 0	15 42 64	− 0 06	42 58	34 80				
	2330	+ 16 7	S		6 48 41	+ 1 49	42 59	S		7 1 17 66	− 0 2	17 45	12 34 86	2 34 913	0	0 038	34 89
	2350	+ 24 19	S		52 22 02	+ 1 55	23 57	S		4 58 63	− 0 16	58 47	34 90		0	l	
	2364	+ 25 5	S		54 34 88	+ 1 57	36 45	S		7 11 5	− 0 16	11 35	34 90		+		
	2410	+ 22 11	S		7 0 10 09	+ 1 54	11 63	S		12 46 79	− 0 7	46 62	34 99				

* This value has been used for stars 2330 and 2338; the other value −0 9 has been used for the rest.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

AGRA (E) L t 27° 10' L g 5ʰ 12ᵐ 14 AND AMRITSAR (W) L t 31 38' Lo g 4 59ᵐ 89

Astronomical Date	BAC Numb	Decl at n	Sta Aspe t (E)	Instrumental P t n and Correc tion C tte (E)	Mean Observed Tm (E)	l t l Corre ton (E)	Sec nd of Corre t d Time (E)	Star Aspect (W)	Instrum nt l P t on d Corr t C tt (W)	Man Obs rv d Tm (W)	Tot l Corre t t (W)	Seconds of Corre t d Time (W)	By h Star (W−E)	Me n of Group	Correct f Rate f W Clock	C rns f Peml Equation H_N − S_N = −0°8, H_S − S_S = −0 038	ΔL + ρ
1885 D c 27	2464	+32 1	N	I P E	7 8 39 63	−0 04*	39 59	N	I P W	7 21 14 6	−0 13	14 47	12 34 88	34 835	2	0 028	34 8 9
	2504	+35 8	N	d −3 3	17 58 4	−1 65	56 76	N	d 0 −2 8	30 31 70	−0 09	31 61	34 85		0		
	2517	+32 6	N	b 0 3 −17 2	9 3 04	−1 68	29 36	N	b −9 a −3 5	32 4 35	−2	4 23	34 87		+		
	2563	+33 42	N	Q −1 64	27 2 18	−0 02	2 6	N	Q 0 00	39 37 0	−0 11	36 90	34 4				
	2473	+12 5	S		7 10 19 98	−0 17*	19 81	S		7 23 54 97	−0 23	54 74	12 34 93	34 938		0 38	34 9 2
	2483	+15 53	S		13 49 24	−1 78	47 46	S		26 2 62	−0 2	22 42	34 96				
	2493	+7 9	S		15 48 26	−1 7	46 54	S		28 2 7	−0 5	21 56	35 0		+		
	2537	+13 45	S		22 22 79	−1 8	20 99	S		34 56 03	−0 2	55 83	34 84				
D 28	2338	+39 3	N	I P W	6 50 37 49	+1 85	39 34	N	I P E	7 3 11 95	+2 0	14 5	12 34 7	34 668	3	0 28	34 663
	2381	+41 5	N	d +1 7	56 55 22	+1 85	57 7	N	d 0 +1 2	9 9 68	+	3 78	34		0		
	2416	+36 58	N	b + −18 8	7 1 14 18	+ 80	5 98	N	b −3 4 a −1 9	3 48 6	2 7	50 69	34 7		+		
	2429	+40 53	N	Q + 63	3 3 18	+ 87	5 25	N	Q +2 11	15 37 7	+2 9	39 79	34 54				
	2330	+16 7	S		6 48 38 39	1 6	4 00	S		7 2 74	+2 00	4 74	1 34 74	34 7 8	0 023	0 038	34 703
	2350	+24 9	S		52 19 39	+ 67	2 06	S		4 53 72	+2 03	55 75	34 69		+		
	2364	+25 5	S		54 32 2	+1 69	33 90	S		7 6 6	+2 1	8 62	34 72				
	8 Gem	+22 11	S		7 0 7 44	+1 66	9 10	S		12 41 81	+2 01	43 82	34 72				
	2464	+32 1	N	Q −1 63	7 8 38 53	−1 52	37 01	N	Q 0 00	7 21 89	−0 05	11 84	12 34 83	34 760	0 023	0 028	12 34 755
	2504	+35 8	N		17 55 71	−1 48	54 3	N		30 28 98	−0 04	28 94	34 71		+		
	2517	+32 6	N		9 8 38	−1 5	26 87	N		32 1 72	− 06	1 66	34 79				
	2563	+33 42	N		26 61 07	−1 49	59 58	N		39 34 33	−0 04	34 29	34 71				
	2473	+12 15	S		7 10 18 90	−1 67	17 23	S		7 22 52 16	−0 13	52 03	12 34 80	34 795	0 023	0 038	12 34 780
	2483	+15 53	S		13 46 56	−1 65	44 91	S		26 19 75	−0 11	19 64	34 73		+		
	2493	+27 9	S		15 45 55	−1 56	43 99	S		28 19 00	−0 08	18 92	34 93				
	253	+13 45	S		22 20 09	−1 66	18 43	S		34 53 26	−0 1	53 15	34 72				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and con sequently in those cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

61

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

	STAR		TRANSITS OBSERVED AT E By H vised w th T lescop Vo 2					TRANSITS OBSERVED AT W By Burr d with T lescop N 1					Differenc of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. fo Pernl. Eq tions $H_N - B_N = + 0^s$ 2 $H_S - B_S = + 0$ 007	$\Delta L + \rho$
Astronomical Date	BAC Number	Declination	Star Aspet	I P E d Correction Constants	Mean Observed Time	Total Correction	Second of Corrected Time	Star Aspect	I P W d Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1885					h m	s	s			h m s	s	s	m s				
Dec.29	2338	+ 39 30	N	I P E d c + 1 7 b + 1 1 − 22 7 e Q + 1 63	6 50 34 93	+ 1 84	36 77	N	I P W d c − 2 8 b − 2 4 a − 7 5 e Q + 2 10	7 3 9 5	+ 1 98	11 49	12 34 72	12 34 5	+ 0 2	+ 0 012	2 34 739
	2381	+ 41 5	N		56 52 71	+ 1 86	54 57	N		9 27 25	+ 1 98	29 23	34 66				
	2416	+ 36 58	N		7 1 11 72	+ 1 81	3 53	N*		13 46 24	+ 1 99	48 23	34 70				
	2429	+ 40 53	N		7 0 86	+ 1 86	2 72	N		15 35 48	+ 1 98	37 46	34 74				
	2330	+ 16 7	S		6 48 35 94	+ 1 60	37 54	S		7 1 10 3	+ 1 93	12 24	12 34 70	2 34 5	+ 0 022	+ 0 007	2 34 734
	2350	+ 24 9	S		52 16 9	+ 1 66	8 56	S		4 5 3	+ 1 95	53 25	34 69				
	2364	+ 25 5	S		54 29 74	+ 67	3 41	S		7 4 6	+ 94	6 0	34 69				
	8 Gem.	+ 22 1	S		60 4 95	+ 1 64	6 59	S		12 39 40	+ 1 93	41 33	34 74				
	2464	+ 32	N	Q − 1 63	7 8 36 09	− 1 5	34 58	N	Q − 2 10	7 2 11 43	− 2 23	9 20	2 34 62	2 34 700	+ 0 22	+ 0 012	2 34 734
	2504	+ 35 18	N		17 53 19	− 1 47	51 72	N		30 28 68	− 2 21	26 47	34 75				
	2517	+ 32 16	N		19 25 88	− 1 51	24 37	N		31 6 26	− 2 22	59 04	34 67				
	2563	+ 33 4	N		26 58 56	− 1 48	57 8	N		39 34 06	− 2 22	3 84	34 76				
	2478	+ 19 15	S		7 10 16 45	− 1 70	14 75	S		7 22 51 63	− 2 30	49 33	12 34 58	12 34 68	+ 0 022	+ 0 007	2 34 707
	2483	+ 15 53	S		13 44 05	− 1 67	42 38	S		26 19 37	− 2 26	17 11	34 73				
	2496	+ 27 9	S		15 43 06	− 1 56	41 50	S		28 18 50	− 2 24	16 26	34 76				
	2537	+ 13 45	S		22 17 64	− 1 69	15 95	S		34 52 87	− 2 28	50 59	34 64				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

AMRITSAR (E) *Lat* 31 38' *Long* 4ʰ 59ᵐ 39ˢ ; AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56

Astronomical Date	STAR BAC Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction f Rate of E Clock	C rrus fo Peml Equation $B_N - S_N = -0^s 18$ $B_S - S_S = -0 63$	ΔL − ρ
1886 Jan 5	1947	+ 38 6	N	I P W	h m s 5 58 16 94	s − 0 14	s 16 80	N	I P W	h m s 6 12 0 99	s + 0 04	s 1 03	m s 13 44 23				m s
	2014	+ 35 11	N	c − 3 1 d	6 8 30 66	− 0 15	30 51	N	c − 0 4 d	22 14 8½	+ 0 03	14 86	44 35	m 3 44 300	0 06	8	13 44 243
	2021	+ 35 15	N	b − 3 2 a − 7 1	9 51 18	− 0 15	51 3	N	b + 0 5 a − 10 3	23 35 34	+ 0 03	35 37	44 34	+	+	−	
	2082	+ 30 34		Q 0 00	19 49 45	− 0 17	49 28	N	Q + 1 66	33 33 56	0 00	33 56	44 28				
	1971	+ 23 8	S		6 1 23 48	− 0 19	23 29	S		6 15 7 65	− 0 03	7 62	13 44 33				
	1986	+ 19 49	S		3 51	− 0 17	5 84			17 35 29	− 0 05*	35 24	44 40	m 3 44 355	0 06	0 63	13 44 253
	2047	+ 22 34	S		14 38 65	− 9	38 46	S		28 22 87	− 3	22 84	44 38	+	+	−	
	2067	+ 21 43	S		17 27 09	− 0 18	26 91	S		31 9 60	+ 1 62	11 22	44 31				
	2139	+ 38 32	N	Q 0 00	6 27 17 64	− 0 14	17 50	N	Q 0 00	6 41 1 79	+ 0 04	1 83	13 44 33				
	2156	+ 40 0	N		29 27 85	− 0 13	27 72	N		43 12 00	+ 5	12 05	44 33	13 44 403	0 061	8	13 44 346
	2223	+ 41 55	N		41 17 30	− 0 15	17 15	N		55 1 56	+ 0 07	1 63	44 48	+	+	−	
	2237	+ 34 6	N		43 51 39	− 0 16	51 23	N		57 35 68	+ 0 02	35 70	44 47				
	2173	+ 19 46	S		6 31 52 77	− 0 9	52 58	S		6 45 37 11	− 0 05	37 06	13 44 48				
	2191	+ 17 46	S		34 20 80	− 0 19	20 61	S		48 5 08	− 0 5	5 03	44 42	13 44 413	0 061	0 163	13 44 311
	2199	+ 13 21	S		36 8 32	− 0 21	8 11	S		49 52 61	− 0 07	52 54	44 43	+	+	−	
	2208	+ 12 49	S		38 4 84	− 0 20	4 64	S		51 49 03	− 0 07	48 96	44 32				
Jan 6	2014	+ 35 11	N	I P E	6 8 22 21	+ 1 84	24 05	N	I P W	6 22 6 96	+ 1 67	8 63	13 44 58				
	2021	+ 35 15	N	c + 1 5 d	9 42 73	+ 1 84	44 57	N	c − 0 4 d	23 27 39	+ 1 67	29 06	44 49	13 44 530	0 047	0 118	13 44 459
	2082	+ 30 34	N	b + 0 8 a − 17 2	19 4 92	+ 1 80	42 72	N	b − 0 4 a − 7 4	33 25 59	+ 1 65	27 24	44 52	+	+	−	
				Q + 1 75					Q + 1 67								
	1971	+ 23 8	S		6 1 15 07	+ 1 75	16 82	S		6 15 1 38	− 0 04*	1 34	13 44 52				
	1986	+ 19 49	S		3 42 81	+ 1 72	44 53	S		17 28 96	− 0 05*	28 91	44 38	13 44 473	0 047	0 163	13 44 357
	2047	+ 22 34	S		14 30 31	+ 1 75	32 06	S		28 14 91	+ 1 63	16 54	44 48	+	+	−	
	2067	+ 21 43	S		17 18 68	+ 1 73	20 41	S		31 3 29	+ 1 63	4 92	44 51				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 63

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

	STAR			TRANSITS OBSERVED AT E					TRANSITS OBSERVED AT W					Difference of Corrected Times (W − E)				
Astronomical Date			Aspect		By Burr rd with T lescop No 1				Star' Aspect		By St ahan with Telescope No 9						Correc n for Rate of E Clock	Corrn fo Persl Equatn $B_W - 8_N - 0^s\ 8$ $B_S - 8_S - 0\ 63$	ΔL − ρ
	BAC Number	Decli nation	Sta	In trumental Po ti and Correcti C ta ta	Mean Ob erved Time	Total Correc tion	Seconds of Correct ed T m		In t mental Po it n and Correcti C nsta t	Mean Ob erved T me	Total Correc ti n	Seconds of Corre t ed Time	By each Star	Mean of Group				
1886 Jan 6	2139	+ 38 32	N	I P E	$h\ m$ 6 7 6	s − 63	s 10 99	N	I P W	$h\ m$ 6 40 57 13	s −1 66	55 4ι	$m\ s$ 13 44 48				18	13 44 49
	2156	+ 40 0	N	d c + 5	29 22 84	−1 60	21 24	N	d o − 0 4	43 7 37	−1 66	5 71	44 47	13 44 490	+ 0 047		0 1	
	2223	+ 4 55	N	b + o 8 a − 7 2	41 12 23	−1 57	66	N	b − 0 4 − 7 4	54 56 83	−1 65	55 8	44 52	8	+	−	
	2237	+ 34 6	N	s Q − 1 75	43 46 48	−1 66	44 82	N	s Q − 1 67	57 30 99	−1 68	29 31	44 49					
	2191	+ 17 46	S		6 34 5 91	−1 79	14 2	S		6 47 60 39	−1 72	58 67	13 44 55				161	13 44 421
	2199	+ 3 2	S		36 3 48	−1 82	1 66	S		49 46 28	−0 06	46 2	44 56	44 537	+ 0 047		0	
	2208	+ 2 49	S		37 59 94	−1 81	58 13	S		51 42 70	−0 07	42 63	44 50	8	+	−	
Jan 9	1947	+ 38 6	N	I P E	5 57 58 22	+1 79	60 01	N	I P E	6 1 42 56	+1 59	44 15	13 44 4		028		8	153
	2014	+ 35 1	N	d o + 1 5	6 8 11 91	+1 77	13 68	N	d o − 1 2	21 56 39	+1 58	57 97	44 29	3 44 243		0	0	3 44
	2021	+ 35 15	N	b + 3 a − 3 9	9 32 43	+1 77	34 20	N	b − 2 a − 7 7	23 16 84	+1 58	18 42	44 23	8	+	−	
	2082	+ 30 34	N	s Q + 1 72	19 30 66	+ 77	32 43	N	s Q + 1 62	33 15 19	+1 56	16 75	44 32					
	1986	+ 19 49	S		6 3 32 36	+1 75	34 11	S		6 17 16 73	+1 53	18 26	3 44 15				163	3 44 075
	2047	+ 22 34	S		14 19 96	+1 75	21 71	S		28 4 41	+ 53	5 94	44 23	3 44 210	+ 0 028		0	
	2067	+ 21 43	S		17 8 32	+1 75	10 07	S		30 52 80	+1 52	54 32	44 25	8	+	−	
	2139	+ 38 32	N	s Q − 1 72	6 27 2 40	−1 65	0 75	N	Q − 1 62	6 40 46 67	−1 66	45 01	13 44 26		028		118	20
	2156	+ 40 0	N		29 12 63	−1 64	1 99	N		42 56 82	−1 65	55 17	44 18	13 44 2	+ 0 028		0	3 44
	2223	+ 4 55	N		41 2 11	−1 64	0 47	N		54 46 26	−1 64	44 62	44 5	8	+	−	
	2237	+ 34 6	N		43 36 15	−1 67	34 48	N		57 20 40	−1 67	18 73	44 25					
	2173	+ 19 46	S		6 31 37 52	−1 69	35 83	S		6 45 21 83	−1 71	20 2	13 44 29				63	55
	2191	+ 17 46	S		34 4 59	−1 69	3 90	S		47 49 93	−1 72	48 21	44 31	13 44 390	+ 0 028		0	13 44
	2199	+ 13 22	S		35 53 11	−1 70	51 41	S		49 37 47	−1 73	35 74	44 33	8	+	−	
	2208	+ 12 49	S		37 49 54	−1 69	47 85	S		51 33 82	−1 74	32 o8	44 23					

† Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and con sequently in these cases Q = o oo.

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

AMRITSAR (E) *Lat* 81 88', *Lo g* 4 59 89ª AND MOOLTAN (W) *Lat* 80° 11 *Long* 4 45ᵐ 56ᵛ

Astronomical Date	STAR			TRANSITS OBSERVED AT E By B rr rd *with Telescope No 1*				TRANSITS OBSERVED AT W By Strah w th T l scope No 2					D ffere ce of Corrected Times (W − E)		Correct n f Rate of E Clock	C rrn fo P rel. Equations $B_N - B_N = 8$ $B_S - B_S = 0$ 163	$\Delta L - \rho$
	BAC Number	D eli nati n	Star A pect	In tru ental Pos tion and Correction Co sta ts	Mean Observed Time	Tot l Correc t n	Seconds of Corre t ed T m	Star Aspect	I trumental Pos tion and Co rect on Constant	Mean Ob ved Time	Total C rrec ti	Seconds of C rrect ed Time	By each Star	M of Gro p			
1886 Jan 10	2014	+ 35 1	N	I P W	*h m s* 6 8 9 59	*s* +1 66	*s* 11 25	N	I P E	*h m s* 6 21 54 06	*s* + 55	*s* 55 61	*m s* 13 44 36		*s* 380	*s* 0 022	*s* 0 18	*s* 13 44 284
	2021	+ 35 15	N	*d* 0 − 3 1	9 30 07	+1 66	31 73	N	*d* 0 − 1 2	23 14 60	+1 57	16 17	44 44	3 44		0	−	13 44 29
	2082	+ 30 34	N	b + 0 7 a −10 5	19 28 40	+1 65	30 05	N	b − 8 a − 7 4	33 12 83	+1 56	14 39	44 34			+		
				Q + 1 71					Q + 1 63									
	1986	+ 19 49	S		6 3 30 06	+ 61	3 67	S		6 17 14 45	+1 5	15 96	13 44 29		0	0	0 163	3 44 69
	2047	+ 22 34	S		14 17 71	+1 61	19 32	S		28 2 13	+1 52	3 65	44 33	3 44	0	0	−	3 44
	2067	+ 21 43	S		17 6 10	+1 6	7 71	S		30 50 49	+ 53	52 02	44 3			+		
	2189	+ 38 32	N	Q − 1 71	6 26 60 9	− 1 73	58 36	N	Q − 1 63	6 40 44 4	− 1 69	42 72	3 44 36		0	2	0 118	13 44 30
	2156	+ 40 0	N		29 10 34	− 1 73	8 6	N		42 54 69	− 68	53 01	44 4	3 44 393	0	0	−	13 44 29
	2223	+ 41 55	N		40 59 74	− 1 73	58 1	N		54 44 06	− 1 66	42 40	44 39			+		
	2237	+ 34 6	N		43 33 87	− 1 76	32 11	N		57 18 23	− 70	6 53	44 42					
	2173	+ 19 46	S		6 31 35 31	− 1 82	33 49	S		6 45 19 6	− 1 75	17 86	13 44 37		0	22	0 163	3 44 97
	2191	+ 17 46	S		34 3 38	− 1 84	1 54	S		47 47 62	− 75	45 87	44 33	3 44 338	0	0	−	3 44
	2199	+ 13 21	S		35 5 90	− 1 85	49 5	S		49 35 2	− 1 75	33 37	44 32			+		
	2208	+ 12 49	S		37 47 14	− 1 85	45 49	S		51 3 57	− 7	29 82	44 33					
J 12	1047	+ 38 6	N	I P W	5 57 51 50	+1 71	53 21	N	I P W	6 11 35 95	+1 70	37 65	13 44 44		0 020	0 118		13 44 370
	2014	+ 35 11	N	*d* 0 − 3 1	6 8 5 22	+1 68	6 90	N	*d* 0 − 0 4	21 49 76	+1 70	51 46	44 56	13 44 468	0	0	−	13 44
	2021	+ 35 15	N	b + 1 a − 4 4	9 25 85	+1 68	27 53	N	b + 1 1 a − 4 6	23 0 29	+1 71	12 00	44 47			+		
	2082	+ 30 34	N	Q + 1 72	19 24 06	+1 67	25 73	N	Q + 1 67	33 8 44	+1 69	10 13	44 40					
	1971	+ 23 8	S		6 0 58 21	+1 61	59 82	S		6 14 42 67	+1 68	44 35	13 44 53		0 020	0 163		13 44 395
	1986	+ 19 49	S		3 25 75	+1 61	27 36	S		17 10 11	+1 68	1 79	44 43	13 44 448	0	0	−	13 44
	2047	+ 22 34	S		14 13 38	+1 61	14 99	S		27 57 76	+1 66	59 42	44 43			+		
	2067	+ 21 43	S		17 1 80	+1 59	3 39	S		30 46 12	+1 67	47 79	44 40					

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 65

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	AMRITSAR (E) *Lat 31° 88' Long 4ʰ 59ᵐ 39ˢ* AND MOOLTAN (W) *Lat 30° 11 Long 4ʰ 45ᵐ 58ˢ*															
Astronomical Date	STAR			Transits Observed at E *By B rrard with T lescope No 1*				Transits Observed at W *By St ahas with T lescope No 2*					Difference of Corrected Times (W − E)		Rate of E Clock	Corr. for Persl Equatin ns Bₑ − Bw = − 0ˢ 0 Bₛ − Bₛ = − 0 63	ΔL − ρ
	BAC Numbe	Declı nation	Star Aspect	Intrumntal P tiu n and Correction Con ta ta	Mean Observed Time	Total Correcͅ tion	Sec nd t C rre t ed T m	Star Aspt	Intrum ntal P st d Correct on C t nt	Mean Obs ed Time	Total C rrec tion	Seconds of C rrect ed l m	By each Star	Mean t Group	Correction f		
1886 Jan 12	2139	+ 38 32	N	I P W d c − 3 1 b + 1 o a − 4 4 Q − 1 72	6 26 55 77	− 1 72	54 05	N	I P W d c − 0 4 b + 1 a − 4 6 Q − 1 67	6 4 40 05	− 1 64	38 41	13 44 36	3 44 358	0 20 +	0 118 −	3 44 260
	2156	+ 40 0	N		29 5 95	− 7	4 25	N		42 50 2	− 1 62	48 59	44 34				
	2223	+ 4 55	N		40 55 40	− 1 70	53 70	N		54 39 68	− 1 62	38 06	44 36				
	2237	+ 34 6	N		43 29 53	− 1 75	27 78	N		57 13 79	− 1 64	12 15	44 37				
	2173	+ 19 46	S		6 31 30 93	− 1 85	29 08	S		6 45 15 24	− 1 67	13 57	13 44 49	3 44 48	0 20 +	0 163 −	3 44 335
	2191	+ 17 46	S		33 59 3	− 1 86	57 7	S		47 43 7	− 1 69	4 38	44 41				
	2199	+ 13 2	S		35 46 56	− 1 88	44 68	S		49 30 8	− 1 68	29 14	44 46				
	2206	+ 12 49	S		37 42 9	− 1 88	4 09	S		51 27 23	− 1 69	25 54	44 55				
Ja 14	1947	+ 38 6	N	I P E d c − 3 5 b − 6 1 a − 14 2 Q + 1 76	5 57 47 48	+ 1 54	49 02	N	I P W d c − 1 4 b − 9 + 3 Q + 1 72	6 11 31 71	+ 1 66	33 37	13 44 35	3 44 360	0 20 +	0 8 −	13 44 6
	2014	+ 35 1	N		6 8 1 22	+ 51	2 75	N		2 45 53	+ 1 65	47 8	44 43				
	2021	+ 35 5	N		9 21 86	+ 1 53	23 39	N		23 6 7	+ 1 65	7 72	44 33				
	2082	+ 30 34	N		19 20 01	+ 1 52	2 53	N		33 4 2	+ 65	5 86	44 33				
	1971	+ 23 8	S		6 0 54 20	+ 1 46	55 66	S		6 14 38 37	+ 1 66	40 03	3 44 37	3 44 420	0 010 +	0 163 −	13 44 277
	1986	+ 19 49	S		3 2 58	+ 1 46	3 4	S		17 5 9	+ 1 66	7 57	44 53				
	2047	+ 22 34	S		14 9 31	+ 1 46	10 77	S		27 53 52	+ 1 6ſ	55 18	44 41				
	2067	+ 21 43	S		16 57 71	+ 1 45	59 6	S		3 4 87	+ 1 66	43 53	44 37				
	2139	+ 38 32	N	Q − 1 76	6 26 51 69	− 1 98	49 71	N	Q − 1 2	6 40 35 90	− 1 78	34 12	13 44 41	3 44 18	0 020 +	0 118 −	13 44 60
	2156	+ 40 0	N		28 61 94	− 1 97	59 97	N		42 46 20	− 1 79	44 41	44 44				
	2223	+ 4 55	N		40 51 47	− 1 96	49 51	N		54 35 63	− 1 79	31 84	44 33				
	2237	+ 34 6	N		43 25 57	− 2 00	23 57	N		57 9 61	− 1 9	7 82	44 25				
	2173	+ 19 46	S		6 31 26 95	− 2 06	24 89	S		6 45 1 1	− 1 78	9 33	3 44 44	3 44 3	0 020 +	0 63 −	3 44 30
	2191	+ 17 46	S		33 55 04	− 2 08	52 96	S		47 39 08	− 1 78	37 30	44 34				
	2199	+ 13 21	S		35 42 60	− 2 09	40 51	S		49 26 63	− 1 78	24 85	44 34				
	2206	+ 12 49	S		37 38 99	− 2 09	36 90	S		5 23 05	− 1 78	21 27	44 37				

| | STAR | | | TRANSITS OBSERVED AT E
By B rrard with T lescope No 1 | | | | | TRANSITS OBSERVED AT W
By Heavinde with Telescope No 2 | | | | Diff ce of
Corrected Times
(W − E) | | C rects n for Rate of
E Clock | Corrn. f Persl. Equsta n
$B_N - H_N = -0$ 5
$B_S - H_S = -0$ 37 | $\Delta L - \rho$ |
Astronomical Date	BAC Number	Decl n t	Star Aspect	I t i ntal Posit on and Corr ct on C t ts	Mean Obs rv d Time	Total C rroc t n	Second of C rrect d Time	Star Aspect	I strum ntal Pos t o and Corre t on O n tant	Me n Obs e ed Tim	Total Corr o tion	Seconds f Correct d T me	By each Star	Mean of Group			
1886 Jan 19	1047	+ 38 6	N	*I P E* *d* $b - 3\ 5$ $a - 2\ 9$ $Q + 1\ 41$	*h m s* 5 57 37 34	+1 00	*s* 38 34	N	*I P E* *d* $c - 0\ 2$ $b - 2\ 2$ $a - 11\ 8$ $Q + 1\ 87$	*h m* 6 11 20 74	*s* +1 85	22 59	*m s* 3 44 25		0 21	0 05	3 44 54
	2014	+ 35 11	N		6 7 51 25	+0 99	52 24	N		21 34 57	+1 83	36 40	44 16	$\bar{s}$ 3 44 38		0	
	2021	+ 35 15	N		9 11 67	+0 99	12 66	N		22 55 1	+1 83	56 94	44 28	+	−	−
	2082	+ 30 34	N		19 9 87	+0 97	10 84	N		32 53 30	+1 80	55 10	44 26			
	1971	+ 23 8	S		6 0 43 95	+0 94	44 89	S		6 14 27 41	+1 77	29 18	13 44 29	$\bar{s}$ 3 44 90		37	13 44 74
														+		−	
	2130	+ 38 32	N	$Q - 1\ 41$	6 26 41 01	−1 80	39 21	N	$Q - 1\ 87$	6 40 25 30	− 88	23 42	13 44 21		0 21	0 5	13 44 174
	2156	+ 40 0	N		28 51 17	−1 82	49 35	N		42 35 47	−1 88	33 59	44 24	$\bar{s}$ 13 44 258		0	
	2223	+ 41 55	N		40 40 61	−1 79	38 83	N		54 25 00	−1 88	23 12	44 29	+	−	−
	2237	+ 34 6	N		43 14 77	−1 84	12 93	N		56 59 14	−1 92	57 22	44 29			
	2191	+ 17 46	S		6 33 44 16	−1 91	42 25	S		6 47 28 53	−1 99	26 54	13 44 29		0 021	0 137	13 44 127
	2190	+ 13 21	S		35 31 79	−1 93	29 86	S		49 16 09	−2 01	14 08	44 22	$\bar{s}$ 13 44 243		−	
	2208	+ 12 49	S		37 28 24	− 93	26 31	S		51 12 54	−2 01	10 53	44 22	+		

AMRITSAR (E) Lat 31 35' Long 4 59m 39s AND MOOLTAN (W) Lat 30° 11 Long 4h 45m 56s

Astronomical Date	STAR — BAC Number	STAR — Decln	\[E\] Star Aspect	\[E\] Instrumental Position and Correction Const	\[E\] Mean Observed Time	\[E\] Total Correction	\[E\] Seconds of Corrected Time	\[W\] Star Aspect	\[W\] Instrumental Position and Correction Constant	\[W\] Mean Observed Time	\[W\] Total Correction	\[W\] Seconds of Corrected Time	Diff — By each Star	Diff — Mean of Group	Correction for Rate of W Clock	Corrns for Penl Equaln $B_n-S_n=-0'\,8$ / $B_s-S_s=-0\,63$	ΔL + ρ
1886 Jan 5	2381	+ 41 5	N	I P W	*h m* 6 56 2 96	+ 6	23 57	N	I P W	*h m* 7 6 36	+1 76	8 12	*m s* 3 44 55				
	2416	+ 36 58	N	o − 3	7 04 9	+ 6	4 52	N	o − 0 4	14 25 38	+1 72	27 10	44 58	3 44 555	0 0 6	0 118	3 44 43
	2429	+ 40 53	N	b − 3	2 3 22	+ 6	3 83	N	b + 5	16 4 64	+1 76	6 40	44 57				
	2464	+ 32 1	N	− 3 / Q + 1 74	8 2 03	+1 57	3 60	N	− 7 / Q + 1 66	2 46 44	+1 68	48 12	44 52				
	2364	+ 5 5	S		6 53 58 9	+ 54	6 44	S		7 44 98	− 04	44 94	3 44 50				
	3 G m	+ 22 12	S		59 34 08	+ 52	35 60	S		13 18 68	+ 6	20 28	44 68	3 44 575	0 0 6	0 63	3 44 396
	2442	+ 28 2	S		7 4 54	+1 54	55 54	S		18 38 44	+ 64	40 08	44 54				
	2473	+ 2 5	S		9 42 33	+ 48	43 8	S		23 26 85	+1 54	28 39	44 58				
	2489	+ 3 3	N	Q − 74	4 2 9	− 9	∞	N	Q − 66	7 27 55 5	+0	55 53	3 44 53				
	2504	+ 15 18	N		7 2 75	− 88	2 87	N		31 7 05	− 62	5 43	44 56	3 44 5 3	0 016	0 8	3 44 3 9
	2517	+ 3 6	N		8 55 44	− 9	53 54	N		3 37 99	+0	38 0	44 47				
	2563	+ 33 42	N		26 28 21	−1 89	26 32	N		40 2 44	−1 63	10 81	44 49				
	2587	+ 3 45	S		7 47 0	− 98	45 2	S		7 35 3 44	−1 78	9 66	13 44 54				
	2017	+ 27 4	S		32 49 93	− 93	48 00	S		46 32 57	−0 02	32 55	44 55	3 44 5 3	6	0 163	3 44 394
	2632	+ 20 11	S		35 9 46	− 95	17 51	S		49 2 16	−0 07	2 09	44 58				
	2639	+ 16 6	S		36 49 88	−1 99	47 89	S		50 32 61	−0 10	32 51	44 62				
Jan. 6	2381	+ 41 5	N	I P E	6 56 23 48	+1 89	25 37	N	I P W	7 10 9 83	+0 08	9 91	13 44 54				
	2416	+ 36 58	N	o + 1 5	7 0 42 46	+1 84	44 30	N	o − 0 4	14 27 02	+1 73	28 75	44 45	3 44 53°	0 014	0 118	3 44 398
	2429	+ 4 53	N	b + 0 8	2 3 49	+1 89	33 38	N	b − 0 4	16 6 29	+1 76	18 5	44 67				
	2464	+ 32 1	N	a −18 1 / Q + 1 73	8 3 61	+1 79	5 40	N	−17 8 / Q + 1 69	21 48 17	+1 69	49 86	44 46				
	2364	+ 25 5	S		6 54 0 46	+1 74	2 20	S		7 7 45 07	+1 63	46 70	13 44 50				
	2442	+ 28 2	S		7 4 55 54	+1 77	57 31	S		18 40 12	+ 65	41 77	44 46	3 44 440	0 04	0 63	13 44
	2473	+ 12 15	S		9 43 94	+1 66	45 60	S		23 30 10	−0 14	29 96	44 36				

*Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = 0 00.

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

AMRITSAR (E) *Lat* 31 38′ *Long* 4ʰ 59ᵐ 89ˢ AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR		Star' Aspect	Transits Observed at E By Burrard with Telescope No 1				Star Aspect	Transits Observed at W By Strahan with Telescope No 2				Difference of Correct d Time s (W − E)		Correction for Rate of W Clock	Corrn for Perml. Equations $B_R - B_T = 0^s\ 118$ $B_S - B_T = 0\ 163$	ΔL + ρ
	B A C Numbe	Decli nati		In trumental Position and Correction Co nstants	Mean Observed Time	Total Corre tion	Seconds f Co re t ed Time		I strum ntal Po ition nd Corre tion C nstants	Me n Observed Time	Total C r c tion	Seconds f C rrect d Time	By each Star	M an of Group			
1886 Jan 6	2489	+ 31 13	N	I P E d	7 14 14 37	− 1 67	12 70	N	I P W d	7 27 58 85	− 1 70	57 15	13 44 45			+ 0 4	0 118	3 44 438
	2504	+ 35 18	N	b + 1 5 b + 8	17 24 15	− 1 63	22 52	N	c − 0 4 b − 0 1	31 8 77	− 1 67	7 10	44 58	3 44 570	−		
	2517	+ 32 16	N	a − 18 1	18 56 78	− 1 67	55 11	N	a − 17 8	32 41 41	− 1 69	39 72	44 61				
	2563	+ 33 42	N	Q − 1 73	26 29 53	− 1 65	27 88	N	Q − 1 69	40 14 20	− 1 68	12 52	44 64				
	2537	+ 13 45	S		7 21 48 69	− 1 80	46 89	S		7 35 33 17	− 1 82	31 35	13 44 46		+ 4	0 163	3 44 340
	2617	+ 27 4	S		32 51 40	− 1 7	49 69	S		46 35 93	− 1 73	34 20	44 51	3 44 57	0		
	2632	+ 20 11	S		35 20 96	− 1 76	19 2	S		49 5 56	− 1 78	3 78	44 58		−		
Jan 9	2381	+ 41 5	N	I P E d	6 56 27 25	+ 1 82	29 07	N	I P E d	7 10 13 29	− 0 0 *	13 28	13 44 21		+ 8	0	3 44 90
	2429	+ 40 53	N	b + 1 5 b + 0 3 − 7 3	7 2 35 39	+ 1 82	37 2	N	c − 1 2 b − 1 2 a − 11 8	16 9 97	+ 1 67	21 64	44 43	3 44 310	0		
	2464	+ 32 1	N	Q + 1 71	8 7 24	+ 1 77	9 01	N	Q + 1 6	21 51 71	+ 1 62	53 33	44 32		−		
	2364	+ 25 5	S		6 54 4 03	+ 1 75	5 78	S		7 7 48 74	+ 1 58	50 32	13 44 54		+ 2	0 163	3 44 273
	2442	+ 28 2	S		7 4 59 16	+ 1 75	60 91	S		18 43 73	+ 1 60	45 33	44 42	3 44 447	0		
	2473	+ 12 15	S		9 47 46	+ 1 71	49 17	S		23 32 02	+ 1 53	33 55	44 38		−		
	2504	+ 35 18	N	Q − 1 71	7 17 37 91	− 1 65	26 26	N	Q − 1 67	7 31 12 24	− 1 71	10 53	13 44 27		+ 2	0 118	13 44 133
	2517	+ 32 16	N		18 60 59	− 1 65	58 94	N		32 44 89	− 1 73	43 16	44 32	13 44 263	0		
	2563	+ 33 42	N		26 33 25	− 1 66	31 59	N		40 17 60	− 1 71	15 89	44 30		−		
	2537	+ 13 45	S		7 21 52 11	− 1 71	50 40	S		7 35 36 53	− 1 80	34 73	13 44 33		+ 2	0 163	13 44 158
	2617	+ 27 4	S		32 55 10	− 1 67	53 43	S		46 39 44	− 1 76	37 68	44 25	13 44 333	0		
	2632	+ 20 11	S		35 24 55	− 1 71	22 84	S		49 9 02	− 1 79	7 23	44 39		−		
	2639	+ 16 6	S		36 54 92	− 1 71	53 21	S		50 39 36	− 1 79	37 57	44 36				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = o co

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION 69

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

AMRITSAR (E) Lat 31 38′ Lo g 4ʰ 59ᵐ 39ˢ AND MOOLTAN (W) L t 80° 11 Long 4 45 56ˢ																	
Astro m l Date	STAR		TRANSITS OBSERVED AT E By B rra d with T lescope N 1					TRANSITS OBSERVED AT W By St h w th T l cop N 2					D ff e f Corr ted 1 (W − E)	R te f W Clock	Corrn f P nl Eq t ms B_N − S_N = 8 B_S − S_S = 63 o	ΔL + ρ
	B A C N mbe	Decli t o	A pect Sta	I t n t l P t d C rre t on C t t	Mean Ob rv d T m	T t l C rrec t	S d f C rrect l I m	Aspect Sta	I tru t l P t d Co re t on C t t	M an Ob rv d T e	T t l C t on	S ds f C t l 1	By l sta	Mea of Gro p			
1886 Jan 10	2381	+ 4 5	N	I P W	6 56 0 3	+ 3	3 33	N	I P E	7 1 3	1 6₃	4 64	13 44 3				
	2416	+ 36 58	N	− d 3 1	7 0 47 47	+ 1 7	49 8	N	0 − 1 2 d	4 32 0	+ 1 60	33 6	44 43	3 44 13	6	18	3 44 9
	2429	+ 40 53	N	b + 0 7 − 2	2 36 79	+ 1 74	38 53	N	b − 8 8	6 2 9	+ 1 63	22 82	44 29		−	−	
	2464	+ 3 1	N	Q + 7	8 8 59		65	N	Q + 1 67	2 53	+ 6	54 6	44 38				
	2364	+ 25 5	S		6 54 5 45	+ 59	7 4	S		7 7 49 97	+ 58	5 55	3 44 51				
	δ G m	+ 22	S		59 4 79	+ 57	42 36	S		13 5 6	+ 57	26 73	44 37	3 44	6	63	3 44 7
	2442	+ 8 2	S		7 5 6	+ 6	2 2	S		8 45 8	+ 57	46 65	44 44		−	−	
	2473	+ 2 5	S		9 48 86	+ 50	50 36	S		23 33 3	+ 54	34 84	44 48				
	2483	+ 3 3	N	Q − 1	7 4 9 35	− 77	7 8	N	Q − 6	7 28 3 76	− 1 76	2 0	3 44 42				
	2 04	+ 35 8	N		17 9 2	− 75	7 37	N		3 3 50	− 73	1 86	44 49	3 44 8	6	8	3 44 84
	2517	+ 3 6	N		19 1 87	− 1 6		N		3 46 25	− 75	44 5	44 39		− 0	−	
	2 63	+ 33 4	N		26 34 6	− 75	32 86	N		40 8 98	− 75	17 23	44 37				
	2537	+ 13 45	S		7 21 53 49	− 9	5 58	S		7 35 37 93	− 8	36 12	13 44 54		6	63	3 44 8
	2617	+ 7 4	S		32 56 36	− 1 82	54 54	S		46 4 8	− 76	3) 02	44 48	3 44	0	0	
	2632	+ 2 1	S		35 25 88	− 1 86	24 2	S		49 3	− 78	8 52	44 5		−	−	
Jan 12	2381	+ 41 5	N	I P W	6 56 3 43	+ 1 75	34 8	N	I P W	7 10 7 0	+ 74	18 76	3 44 58				
	2416	+ 36 58	N	− d 3	7 0 51 44	+ 1 73	53 7	N	− d 4	14 35 98	7	37 69	44 5	3 44 43	3	18	3 44 40
	2429	+ 40 53	N	b + − 6 6	2 40 64	75	42 39	N	b + − 8 6	16 5 26	+ 1 74	27 00	44 6		−	−	
	2464	+ 32 1	N	Q + 1 73	8 2 56	+ 1 68	14 24	N	Q + 1 67	21 57 00	+ 1 7	58 7	44 46				
	2364	+ 25 5	S		6 54 9 32	+ 1 63	10 95	S		7 7 53 92	+ 1 66	55 58	3 44 63				
	δ Gem	+ 22 12	S		59 44 64	+ 1 60	46 24	S		13 29 7	+ 1 66	3 83	44 59	3 44 63	63	63	3 44 7
	2442	+ 8 2	S		7 5 4 57	+ 1 65	6 22	S		8 49 3	+ 68	5 8	44 59		−	−	
	2473	+ 2 5	S		9 52 85	+ 1 53	54 38	S		23 37 36	+ 6	38)8	44 6				

* Owing to th irreg lar rate of the Chronograph th P n Equation had to be applied graphically on the record b fore th tar signals w ad off and con sequently in these cases Q = o oo.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

Astronomical Date	STAR		Transits Observed at E By B rr d with T l op No 1					Transits Observed at W By St h w th T les op No 2					D ffere ce of Co ected T mes (W − E)		Rate of W Clock	C rrection f P rel Equat ns $B_N − S_N = 0^s \cdot 8$ $B_S − S_S = 0$	$\Delta L + \rho$
	BAC Number	Decl	Aspect of Star	I t m tal Io to and Corre t on C ta t	M an Ob rv d T m	T tal C rrec t	S c d f Corr t ed T m	Aspect of Sta	I trum tal P t n a d Correct n C ta ts	Mean Ob rv d T me	Tot l C t n	Seco ds f C t d T me	By cl Star	Mea of G o p	C rrection f Rate of W Clock		
1886 J n 12	2489	+ 31 3	N	I P W	h m 7 4 3 39	− 78	2 6	N	I P W	h m 7 8 7 77	− 6 5	6	m s 3 44 51		3	8	3 44 399
	2504	+ 35 18	N	d c − 3 1	17 33 20	− 1 76	3 44	N	d c − 4	31 17 60	− 1 63	15 97	44 53	3 44 44			
	2517	+ 32 16	N	b + − 16 6	19 5 9	− 78	4 12	N	b + a − 8 6	32 5 29	− 1 64	48 65	44 53			−	−
	2563	+ 33 42	N	Q − 1 73	26 38 59	− 1 77	36 8 2	N	Q − 1 67	4 23 05	− 1 64	2 41	44 59				
	2537	+ 13 45	S		7 21 57 59	− 1 9	55 68	S		7 35 41 96	− 7	4 24	3 44 56		3	63	3 44 44 4
	2617	+ 27 4	S		32 6 4	− 1 82	58 59	S		46 44 95	− 1 66	43 29	44 70	3 44 6			
	2632	+	S		35 29 99	− 87	8 2	S		49 4 39	− 69	7	44 58			−	−
	2639	+ 16 6	S		36 60 34	− 1 91	58 43	S		5 44 73	− 1 70	43 03	44 6				
Jan 14	2381	+ 41 5	N	I P E	6 56 38 28	+ 1 52	39 80	N	I P W	7 10 22 57	+ 6 7	24 24	3 44 44		25	8	13 44 257
	2416	+ 36 58	N	d c − 3 5	7 0 57 27	+ 5	58 77	N	d c − 1 4	44 54	+ 1 65	43 9	44 42	3 44 400			
	2429	+ 40 53	N	b − 6 − 14 2	2 46 55	+ 1 52	48 07	N	b − 9 − 5 3	16 30 76	+ 1 67	32 43	44 36			−	0
	2464	+ 32 1	N	Q + 1 72	8 18 31	+ 1 47	19 78	N	Q + 1 71	22 2 52	+ 1 64	4 16	44 38				
	2364	+ 25 5	S		6 54 15 19	+ 1 45	16 64	S		7 7 59 42	+ 1 64	61 06	13 44 42		0 025	0 163	13 44 305
	8 G m	+ 22 2	S		59 50 35	+ 1 42	51 77	S		13 34 7	+ 6 3	36 33	44 56	3 44 493			
	2442	+ 28 2	S		7 5 10 30	+ 1 44	1 74	S		18 54 61	+ 1 64	56 25	44 51			−	−
	2473	+ 12 15	S		9 58 6	+ 1 38	59 98	S		23 42 84	+ 1 62	44 46	44 48				
	2489	+ 31 13	N	Q − 1 72	7 14 29 16	− 1 97	27 19	N	Q − 1 71	7 28 13 40	− 1 78	11 62	13 44 43		0 025	8	13 44 317
	2504	+ 35 8	N		17 39 3	− 1 94	37 09	N		31 23 3	− 1 76	21 54	44 45	13 44 460			
	2563	+ 33 42	N		26 44 34	− 1 96	42 38	N		40 28 65	− 1 77	26 88	44 50			−	−
	2537	+ 13 45	S		7 22 3 33	− 2 04	1 29	S		7 35 47 51	− 1 80	45 71	13 44 42		0 025	0 163	13 44 305
	2617	+ 27 4	S		33 6 23	− 1 99	4 24	S		46 50 56	− 1 78	48 78	44 54	13 44 490			
	2632	+ 20 11	S		35 35 7	− 2 02	33 69	S		49 19 99	− 1 79	18 20	44 51			−	−
	2639	+ 16 6	S		37 6 14	− 2 03	4 11	S		50 50 40	− 1 80	48 60	44 49				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

Astronomical Date	STAR		Aspect St	Instrumental Position and Correction C t t	Mean Observed Time	Total Correction	Seconds of Corrected Time	Aspect Sta	Instrumental Position and Correction C t t	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn. f P ral. Equat $B_m - H_w = -0^s$ $B_s - H_s = -0$ 37	ΔL + ρ
	BAC Number	Decli nation															
					AMRITSAR (E) Lat 31 38′ Long 4 59ᵐ 89ˢ **AND MOOLTAN (W)** Lat 30° 11 Long 4 45 ,86												
				TRANSITS OBSERVED AT E *By B rrard w th T lescop No 1*				TRANSITS OBSERVED AT W *By H ide w th T lescop No 2*				Diff ren of C rrected Tim (W − E)				
1886 Jan 19	2381	+ 4 5	N	I P E	h m 6 56 5 8	+ 1 5	51 86	N	I P E	h m 7 0 34 44	+ 9	36 34	3 44 48	m s 3 44 445	3	0 05	13 44 37
	2416	+ 36 58	N	d − 3 5	7 1 9 78	+ 1 3	0 8	N	d − 2	14 53 4	+ 1 86	55 8	44 47		0	−	
	2429	+ 40 53	N	b − 3 2 −27 9	2 59 0	+ 1 5	60 5	N°	b − 2 2 − 5	16 42 6	+ 1 89	44 50	44 45		−		
	2464	+ 32 1	N	Q + 1 41	8 3 92	+ 99	3 9	N	Q + 1 88	22 14 47	+ 8₂	6 29	44 38				
	8 Gem	+ 22 2	S		7 0 3 03	+ 0 90	3 93	S		7 3 46 53	+ 1 77	48 30	13 44 37	3 44 7	3	0 137	3 44 47
	2442	+ 28 2	S		5 22 88	+ 0 95	23 83	S		19 6 47	+ 1 79	8 26	44 43		0	−	
	2473	+ 12 15	S		10 11 21	+ 84	12 05	S		23 54 76	+ 1 71	56 47	44 42		−		
	2489	+ 31 13	N	Q − 1 41	7 14 41 3	− 1 85	39 28	N	Q − 1 88	7 28 25 58	− 1 94	23 64	13 44 36	3 44 400	3	0 105	3 44 27
	2504	+ 35 18	N		17 50 91	− 1 82	49 09	N		31 35 44	− 1 91	33 53	44 44		0	−	
	2517	+ 32 16	N		9 23 57	− 83	21 74	N		33 8 09	− 93	6 16	44 42		−		
	2563	+ 33 42	N		26 56 38	− 1 82	54 56	N		40 40 86	− 1 92	38 94	44 38				
	2617	+ 27 4	S		7 33 18 20	− 1 88	16 32	S		7 47 2 62	− 1 97	0 65	3 44 33	3 44 357	3	137	3 44 97
	2632	+ 20 11	S		35 47 77	− 1 93	45 84	S		49 32 19	− 2 00	30 19	44 35	23 44 357	0	−	
	2639	+ 16 6	S		37 8 13	− 1 96	16 17	S		51 2 59	− 2 3	0 56	44 39		−		

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

MOOLTAN (E) *L t 80° 11 Log 4 45ᵐ 56* AND KARACHI (W) *Lat 24° 51 Long 4ʰ 28ᵐ 18ˢ*

Astronomical Date	Star B.A.C Number	Decl at	Star Aspect	In trumental P t on and Co ta t	Mean Observd Time	Total Corr t	Seconds f Corrected Time	Star Aspect	Instrumntal P t o d Cr t Co ta t	Mean Obs rvd T m	Total Crr t	Seconds f Crr t ed Time	By each Star	Man of Grp	Correct f r Rate f E Clock	Corran f r P rel Equations Bₙ − Hₙ = − 0 40, Bₛ − Hₛ = − 0 29	ΔL − ρ
1886 **Jun 27**	2014	+ 35 1	N	I P E	6 0 20 74	+ 70	22 44	N	I P E	6 28 2 4	+2 0	4 41	17 41 97	7 4 985	06 +	0 40 −	7 4 906
	2021	+ 35 15	N	(d) c + 0 3	11 41 27	+ 70	42 97	N	(d) c + 2 2	29 22 9	+2 03	24 94	4 97				
	2139	+ 38 32	N	b − 1	29 7 7	+1 72	9 43	N	b + 4 7 / −32 2	46 49 34	+2 9	5 43	42 00				
	2156	+ 4	N	a − 4 5 / Q + 1 71	31 17 9	+1 73	9 64	N	Q + 1 68	48 59 53	+2 1	61 64	42 00				
	2047	+ 22 34	S		6 16 28 74	+ 68	30 42	S		6 34 10 62	+1 82	12 44	7 42 02	7 4 3	06 +	0 29 −	7 4 35
	2067	+ 2 43	S		19 17 2	+ 69	8 81	S		36 59 9	+1 8	6 90	42 9				
	2084	+ 2 34	S		2 34 72	+1 67	36 39	S		39 6 75	+1 8	8 55	42 16				
	2111	+ 15 59	S		25 28 85	+ 66	30 5	S		43 10 9	+1 74	12 65	42 14				
	2200	+ 43 41	N	Q − 1 71	6 38 59 89	− 7	58 9	N	Q − 68	6 56 41 37	−1 16	40 2	17 42 02	7 4 953	06 +	0 140 −	7 4 874
	2223	+ 41 55	N		43 0 89	−1 69	9 20	N		7 0 52 34	− 20	5 14	4 94				
	2237	+ 34 6	N		45 45 06	−1 72	43 34	N		3 26 56	− 37	25 9	41 85				
	2270	+ 38 3	N		51 45 27	− 69	43 58	N		9 26 86	−1 28	25 58	42 00				
	2191	+ 17 46	S		6 36 14 35	−1 76	12 59	S		6 53 56 20	−1 60	54 60	17 42 01	4 000	06 +	0 129 −	7 4 93
	2208	+ 2 49	S		39 58 40	− 75	56 65	S		57 40 22	−1 68	38 54	41 89				
	2285	+ 6 4	S		54	− 76	9 4	S		7 5 9	− 6	5 9	4 5				
	2299	+ 24 22	S		55 56 28	−1 74	54 54	S		13 38 11	−1 52	36 59	42 05				
Jan 28	2014	+ 35 11	N	I P W	6 10 15 81	+ 62	17 43	N	I P E	6 27 57 93	+1 59	59 52	17 42 09	7 43 005	0 062 +	0 140 −	17 4 937
	2021	+ 35 15	N	(d) c − 1 9	1 16 33	+ 62	37 95	N	(d) c − 2 8	29 18 44	+1 57	20 01	42 06				
	2139	+ 38 32	N	b − 0 6	29 2 77	+ 64	4 41	N	b − 2 9 / − 9 5	46 44 9	+1 58	46 49	42 08				
	2156	+ 40 0	N	a − 25 4 / Q + 1 62	31 12 97	+1 66	14 63	N	Q + 1 67	48 55 20	+1 58	56 78	42 15				
	2047	+ 22 34	S		6 16 23 94	+1 49	25 43	S		6 34 5 98	+1 5	7 49	17 42 06	17 43 068	0 062 +	0 129 −	17 43 001
	2067	+ 21 43	S		19 12 33	+1 48	13 81	S		36 54 28	+1 5	55 79	41 98				
	2084	+ 20 34	S		21 29 95	+1 47	31 42	S		39 12 03	+1 51	13 55	42 13				
	2111	+ 15 59	S		25 24 08	+1 42	25 50	S		43 6 10	+1 50	7 60	42 10				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

73

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

MOOLTAN (F) Lat 30° 11 L g 4 4   6ᵃ   AND KARACHI (W) L t 24° 51 Lo g 4 48ᵐ 11ˢ

Astronomical Date	STAR		Transits Observed at E By B r rd with T l p N 1					Transits Observed at W By H d w th T lc p N 2					Differece of Co t d T (W — E)		Correct n f h Cl k	Rate f	C rrus f Peril Eq t na Rₓ — Hₓ = −ᵇ ᵍ B — Hₛ = ᵒ	ΔL — ρ
	B A C N mber	D cl n t	Sta A pe t	M n Ob d T m	1 t l C rr t on	s d f C wt d l	Appr t St	l l t l C rr f t	M Ol d T	T t l C rr ti	s d f C t d l	By h Star	Mean ℓ Group				
1886 J 28	2200	+ 43 41	N	I P W	6 38 54 78	− 7	53 7	N	I P E	6 5 37 6	− 75	35 3	7 42 4				
	22 3	+ 4 55	N	d 9	43 5 67	− 54	4 3	N	d 8	7 4 80	− 1 75	46	4 98	4 000	+ 0 06	40	74 9
	2237	34 6	N	b − (− 5 4	45 39 9	− (3	38 8	Nᵇ	b −)) 5	3)8	−)	2 9	4 9	8			
	2270	+ 38 3	N	Q − 1 62	5 38 54	+	38 56	N	Q − 67	9 22 3)	− 6	2 63	42 0				
	2191	17 46	S		(36 9 43	− 79	7 64	S		(53 5 48	− 83	49 65	17 42 1				
	2208	+ 49	S		39 53 43	− 84	59	S		5 35 4	− 85	33 57	4 98	4 061	6	9	4 996
	2 8	+ 6 4	S		54 4 44	−	4 4	S		7 46 54	− 7	46 37	4 3	7 4	0 0	
	99	+ 24 2	S		55 49 64	−	49 53	S		13 3 8	− 15	31 66	42 13		+	1
Jan 29	2014	+ 35 1	N	I P W	6 1	+ 1 52	53	N	I P W	6 7 5 84	+ 52	54 36	7 41 83				
	2021	+ 35 15	N	d 9	3 53	+ 52	33 5	N	d 38	29 3 3)	+ 1 5	14 90	41 85	4 89	06	4	74 86
	2139	+ 38 3	N	b + 0 7 +	8 57)3	+ 5	5) 44	N	l 3 3 4 4	4(39 8	+ 5(	4 38	4)4	8			
	21 6	+ 4	N	Q + 55	31 8 4	+ 1 5	9 6	N	Q + 65	48 5 5	+ 1 56	5 61	4 96		+	1
	2047	+ 2 34	S		6 6 8 9	1 52	2 44	S		6 34 0 95	+ 47	2 4	17 4 98				
	2067	+ 43	S		9 7 33	+ 5	8 85	S		3(49 32	+ 4	5 7	4 92	4 948	6	9	74 880
	2084	+ 20 34	S		21 24 9	+ 5	26 44	S		39 (94	+ 1 44	8 38	4 94	8 7 4	0 0	
	2111	+ 5 59	S		25 19 04	+ 52	2 56	S		43 1 09	+ 43	2 5	4 95		+	1
	2200	+ 43 41	N	Q − 1 55	6 38 49 82	− 1 59	48 23	N	Q − 1 65	6 56 3 95	− 1 72	30 23	7 42 00				
	2223	+ 41 55	N		42 6 77	− 1 59	59 8	N		7 4 84	− 73	4	4 93	4 983	061	0 149	4 904
	2237	+ 34 6	N		45 34 79	− 38	33 1	N		3 7 00	− 1 8	15	42 1	8 17 4	0 0	
	2270	+ 38 3	N		51 35 18	− 1 59	33 59	N		9 17 33	− 1 75	15 58	41 99		+	1

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

MOOLTAN (E) Lt $80°11$ Log 4 $45^m 56$ AND KARACHI (W) Lat $24°51$ Log $4^h 28^m 13°$

Astronomical Date	STAR		Star Aperture t Apparent Place nd Correct Correction	TRANSITS OBSERVED AT E _By Brrd with Tlscop No 1_				Star Aperet	TRANSITS OBSERVED AT W _By H unde with Tlp No 2_				Diff of Corrected Times (W – E)		Correct f E Clk	Rate f Clk	Corrn f Pml Equat By – H_N = – o´ 4 B – H = – o o	$\Delta L - \rho$
	BAC Nmb	Dl t		Mean Obsrvl Tim	Total Crr to	Sed f Ct ed Fe		stun tl Post Ct Ctt	Mean Obsd Tm	Ttl Ct	Scod of Correctd Tme	By ech St	Mean of Grop				
1886 Jn 29	2191	+ 17 46	S I P W	$h\ m\ s$ 6 36 4 09	s – 58	s 2 5	S	I P W	$h\ m\ s$ 6 53 46 4	– 86	s 44 55	m 7 42 4		043 $\overline{m}$ 7 4	6	29	7 4 9 5
	2208	+ 12 4	S d)	39 48 06	– 1 58	46 48	S	d – 3 8	57 30 40	– 88	28 52	42 4			+	–	
	2285	+ 16 4	S b + 7 +	53 (8	– 1 58	59 24	S	b – 3 3 a – 4 4	7 1 43 7	– 87	4 3	42 6					
	2490	+ 24 22	S Q – 1 55	55 46	– 1 58	44 53	S	Q – 1 65	3 8 40	– 84	6 56	42 3					
Jn 31	2014	+ 35	N I P E	6 1 43	+ 1 3	2 74	N	I P W	6 27 43 7	+ 58	44 65	7 4 9		943 $\overline{m}$ 4	6	0 140	7 4 864
	2021	+ 35 15	N d 3	11 2 9	+ 1 3	23 22	N	d – 3 8	29 3 6	+ 1 57	5 7	4 95			0 0	–	
	2156	+ 40 0	N b – 4 3 a – 6 3	30 58 57	+ 1 34	59 91	N	b – 2 2 a – 15 4	48 40 25	+ 1 63	4 88	41 97			+		
			s Q + 1 40					s Q + 1 66									
	2047	+ 22 34	S	6 16 9 37	+ 1 29	10 66	S		6 33 51 14	+ 1 51	52 65	17 41 99		943 $\overline{m}$ 7 4	6	0 29	17 4 87
	2067	+ 2 43	S	8 57 76	+ 1 28	59 4	S		36 39 53	+ 49	4 02	41 98			0	–	
	2084	+ 20 34	S	2 5 45	+ 1 28	6 73	S		38 57 3	+ 5	58 63	4 9			+		
	2111	+ 15 59	S	25 9 56	+ 1 26	1 82	S		42 51 27	+ 1 45	52 72	41 90					
	2200	+ 43 4	N Q – 1 4	6 38 39 9	– 1 47	38 44	N	Q – 1 66	6 56 8	– 7	2 47	7 42 3		000 $\overline{m}$ 7 4	6	0 140	7 4 9
	2223	+ 41 55	N	42 50 81	– 1 46	49 35	N		7 0 33 5	– 1 70	3 15	4 00			0	–	
	2237	+ 34 6	N	4 24 96	– 1 49	23 47	N		3 7 2	– 1 76	5 45	4 98			+		
	2270	+ 38 3	N	5 25 30	– 1 50	23 80	N		9 7 53	– 1 74	5 79	41 99					
	2191	+ 17 46	S	6 35 54 36	– 1 5o	52 81	S		6 53 36 61	– 1 84	34 77	17 41 96		935 $\overline{m}$ 17 41	6	0 129	17 4 887
	2208	+ 12 49	S	39 38 14	– 53	36 8	S		57 20 6	– 1 86	18 74	41 93			0 0	–	
	2285	+ 6 14	S	53 5	– 54	49 48	S		7 11 33 31	– 1 87	3 44	4 96			+		
	2299	+ 24 2	S	55 36 3	– 52	34 79	S		13 18 56	– 1 8o	16 76	41 97					

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

75

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

			MOOLTAN (E) *Lat* 30 11 *L* g 4 45^m 56 AND KARACHI (W) *L t* 24° 51 *L* g 4 28^m 13^s													
Astronom cal D te	**STAR**		**TRANSITS OBSERVED AT E** By B rr d w th T l op N 1				**TRANSITS OBSERVED AT W** By St h w th Tel p N 2				**D ff e f C v ted 1 m (W − E)**		**Correct n f Rat f E Clock**	**Corrns f P rol Eq** $B_N - B_N = - 0^s 37$ $B - 8 = - 0 43$	$\Delta L - \rho$
	BAC N mb	D cl nat o	Star A pect C C t t	I t m t l P t d t	M n Ob d T	T tal C rr t	S ds f C r t d l	A pct St	I tr t l P t l C rr t C t	M a Ob ed fi	T t l C r o t n	S ds f C t d l	By each Sta	M an f Gro p			
1836 F b 2	2014	35	N	I P F	h m 6 9 5 47	+ 8	5 65	N	I P E	h m 6 7 3 4	s + 83	34 57	m 7 4 92				
	2021	+ 35 5	N	d − 4 7	2	+1 7	3 7	N	d 8	28 53	+ 5	55	41 85	4 9 5	64	137	88
	2139	+ 38 32	N°	b − 3 3 − 7 7	8 38 42	+ 8	3) 6	N°	b − 6 6	46 2	+ 53	2 65	4 5		+	−	7 4
	2156	+ 40 0	N	Q + 38	3 48 63	+ 9	49 8	N	Q + 64	48 3 3	+1 5	3 8	42 00				
	2017	+ 22 34	S		6 59 3)	+ 8	6 57	S		6 33 4 98	+ 54	42 52	17 4 95				
	2067	+ 2 43	S		8 47 8	+ 7	48 97	S		3( ) 44	+ 53	3)7	4 00	4 9 3	064	0 143	894
	2084	+ 34	S		5 4(	+ 7	6 63	S		38 47 5	54	48 59	4 96		+	−	7 4
	2111	+ 15 59	S		24 59 56	+ 5	6 71	S		42 4 6	+ 53	42 69	4 98				
	2200	+ 43 4	N	Q − 1 38	6 38 9 95	− 57	28 38	N	Q − 64	6 56 1 7	− 1 75	4	7 42 4				
	2223	+ 4 55	N		42 4 9	− 1 57	39 33	N		7 0 2 9	− 75	1 7	41 84	4 985	064	37	9
	2237	+ 34 6	N		45 4 9	− 1 57	3 34	N		57 3	− 75	55 38	4 04		+	−	7 4
	2270	+ 38 3	N		5 5 (	− 58	3 68	‿		8 57 45	− 1 75	55 70	42 0				
	2191	+ 17 46	S		6 35 44 32	− 1 6	42 71	S		6 53 26 53	− 1 75	24 8	42 7				
	2208	+ 2 49	S		39 28 38	− 61	6 7,	S		57 45	− 6	8 69	4 92	17 42 068	064	0 43	989
	2285	+ 16 14	S		53 40 9	− 6	39 3	S		7 1 23 9	− 1 75	44	42 14		+	−	7 4
	2299	+ 24 22	S		55 26 26	− 1 61	24 65	S		13 8 53	− 1 74	6 9	42 14				

TABLE V OBSERVATIONS OF TRANSITS WITH B CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

				MOOLTAN (E) *Lat 30° 11 Long 4ʰ 45 56* AND KARACHI (W) *Lat 24° 51 Long 4ʰ 28 13°*														
Astronomical Date	STAR		Aspect St	Instrumental Position and Correction Constant	TRANSITS OBSERVED AT E By B rr d w th T les ope No 1			Aspect St	Instrumental Position and Correction Constant	TRANSITS OBSERVED AT W By St ah n w th T l sc p N 2			Diff of C rrected T mes (W − L)		Correct of E Clock	Correction f P rel Equat ns $B_N - S_N = -0° 37$ $B_s - S_s = -0° 43$	$\Delta L - \rho$
	BAC N mbe	D l t			M an Ob rv d T m	T tal C rr c t on	S onds of C rect d Tim			Men Ob rv d T m	T t l C rr t o	S onds f C rr t d T me	By a h St	M a of G P			
18.6 F 9	2014	+ 35	N	I P W d c − 1 9 b − 8 − 8 5 Q + 1 00	h m 6 9 45 31	+ 1 9	47 22	N	I P E d c − 0 8 b − 8 5 Q + 1 67	h m 6 27 27 59	+ 1 65	29 24	7 42		66 +	− 0° 37	74 94
	2021	+ 35 15	N		11 5 88	+ 89	7 77	N		28 48 07	+ 64	49 71	41 94	74 985			
	2139	+ 38 32	N		28 32 32	+ 1 89	34 21	N		46 4 53	+ 1 67	6 2	4 9)				
	2156	+ 40	N		30 4 55	+ 89	44 44	N		48 4 75	+ 1 68	6 43	4)9				
	2047	+ 22 34	S		6 18 5 25	+ 1 90	55 15	S		6 33 35 64	+ 1 60	37 24	17 42 09		66 +	− 0° 43	74 00
	2067	+ 2 43	C		8 4 66	+ 1 90	43 56	S		36 24 02	+ 59	25 61	4 5	74 8			
	2084	+ 2 34	S		59 3	+ 9	6	S		38 4 69	+ 5)	41 8	4 6				
	2111	+ 5 59	S		24 53 38	+ 1 8)	55 2	S		42 35 8	+ 1 57	37 38	42 11				
	2200	+ 43 4	N	Q − 2 00	6 38 25 9	− 2	23 09	N	Q − 1 67	(56 (59	− 1 67	4 92	17 4 83		66 +	− 0° 37	74 839
	3	+ 4 55	N		42 36	−	33 92	N		7 0 7 49	− (4	5 85	4 93	74 9			
	237	34 6	N		45 2	− 2	8 2	N		2 51 64	− 7	49 93	41 9				
	22 0	+ 38 3	N		5 0 45	− 2	8 34	N		8 51 98	− 1 6	50 3	41 97				
	2191	+ 17 46	S		6 15 39 44	− 2 1	37 34	S		6 53 21 08	− 1 75	19 33	17 41 99		66 +	− 0° 143	74 9
	208	+ 1 4)	S		3) 3 4	− 2 2	2 29	S		57 5 3	− 9	3 34	42 05	74 48			
	2 8)	+ 16 4	S		53 36 08	− 2 11	33 97	S		7 11 17 79	− 1 77	16 02	42 05				
	2299	+ 24 22	S		55 21 38	− 2 10	19 28	S		13 3 11	− 1 73	1 38	42 10				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

77

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

		MOOLTAN (E) L t $80°$ 11 Lo g 4 46 $56°$ AND KARACHI (W) l t $24°$ 51 Lo g 4^h 28^m 18														
At n mical Date	STAR		TRANSITS OBSERVED AT E By B rr rd w th T l p N 1					TRANSITS OBSERVED AT W By H d w th T l p No 2					Diff re f C ted l (W − E)		C rrection f Rat of W Clock	Corrn s f P rl. Equal ns $B_s − H_s = −o^s$ 4 $B_s − H = −$ 29	$\Delta L + \rho$
	B A C Numb	D l nati n	Star A pect	l tru t l P t d Corre t C tant	M an Ob rved Tim	Total C rrec t n	S co d f C rct ed T m	Star A pect	l t tal P t n d C rre t n C t t	M an Ob rv d Tim	T t l C o t n	S d f C t ed T	By each Sta	M f Group			
1886 J 27	2489	+ 3 13	N	I P E	0 2 88	+ 68	25 56	N	I P E	7 8 4	1 59	5 (9	17 42 3		8	6	0 140	0
	2504	+ 35 8	N	c + o 3	3 3 68	+ 1 7	33 39	N	− 2 8	3 3 91	+ 67	5 58	42 9					
	2517	+ 32 6	N	b − − 7 9	15 4 25	+ 1 69	5 94	N*	b − 2 8 − 34 6	32 46 58	+ 1 6	48 9	42 5	m 7 4		1		7 4 0
	2563	+ 31 4	N	Q + 1 70	22 37	+ 70	38 80	N	Q + 64	40 9 2)	+ 65	94	4 14					
	2473	+ 12 5	S		7 5 54 63	+ (3	5((	S		7 23 37 6	+ 32	38 48	7 4 22		3	6	29	4 668
	2537	+ 3 45	S		7 55 88	+ 63	57 5	S		35 38 44	+ 35	39 79	4 8					
	2613	+ 37	S		8 4 43	+ 65	44 8	S		46 4 8	+ 4	6 (	4 8	g 4		1		4
	2632	+ 20 1	S		3 8 37	+ 66	30 3	S		49 7	+ 1 43	2 20	42 7					
	2691	+ 41 35	N	Q − 70	7 4 47 3	− 67	4 63	N	Q − 64	7 59 9	− 46	7 76	7 42 3		8	6	4	4 044
	2715	+ 42 4(	N		44 4 55	− ((	89	N		8 46 56	− 45	45 1	42 2					
	2784	+ 3 49	N		46 6 9(| − 69 | 5) 2)	N		4 43	− 1 (6	4 54	42 25	g 4		1		4
	2747	3	N		48 36 6	− 7	14 35	N		6 18 2(	− 7	6 55	4 2					
	2676	+ 22 23	S		7 39 37 7(	− 75	36	S		7 57 20 5	− 8	8 24	17 4 3		4	6	9	4 695
	2761	+ 13 3	S		5 3 8	− 77	3 4	S		8 8 4	− 95	12 26	42 22					
	2778	+ 9 32	S		52 51 06	− 78	49 28	S		33 47	− 9(	3 49	42 2	g 4		1	0	4
	2786	+ 27 35	S		55 39 37	− 73	37 64	S		13 2 (8 | − 1 74 |) 94	42 3					
J n 28	2489	+ 31 13	N	I P W − 1 9	7 0 23 5	+ 1 57	24 72	N	I P E c − 2 8	7 28 5 36	+ 1 56	6 92	17 42 20		85	0 5	40	0
	2504	+ 35 8	N	b − 6 − 30 1	13 32 94	+ 6	34 56	N	b − 2 9 − 9 5	3(15 29	+ 57	6 86	42 3					
	2517	+ 32 16	N	e	5 5 6	+ 1 58	7	N	e	32 48 00	+ 56	49 56	42 36	g 7 4		1	0	7 4 0
	2563	+ 31 42	N	Q + 1 62	22 38 39	+ 1 60	39 99	N	Q + 1 66	40 20 70	+ 1 57	22 27	42 28					
	2473	+ 12 15	S		7 5 56 27	+ 36	57 63	S		7 23 38 3	+ 1 47	39 79	17 42 16		245	0 015	129	1
	2537	+ 13 45	S		17 57 40	+ 1 38	58 78	S		35 39 62	+ 1 47	41 09	42 31					
	2613	+ 22 37	S		28 43 87	+ 1 46	45 33	S		46 26 07	+ 1 50	27 57	42 24	g 7 43		1		7 4
	2632	+ 20 11	S		31 29 80	+ 1 45	31 25	S		49 12 01	+ 1 51	3 52	42 27					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

MOOLTAN (E) L t 80° 11 Lo g 4ʰ 45 56 AND KARACHI (W) Lat 24° 51 Long 4 28ᵐ 18

Astronomical Date	Star		Sta A pe t	Transits Observed at E (By B rr d with T l op N 1)				Aspect Z	Transits Observed at W (By H viade w th T les op N 2)				Diff re of C rr cted Times (W − E)		C rrect n for Rate of W Clock	C rms f Perl Equatn n $B_W - H_N = 0° 40$ $B_e - H_s = 0\ 39$	ΔL + ρ
	BAC Numb	D l nat	Z	I t m ntal P ti a d Co recti Cb t ts	Me n Ob erved Tim	Total Corre t n	S co d f C rre t d l m	Z	I trum tal P t n a d Co t C tant	Me n Ob rved T m	Total C rr c ti	Sec d of Correct d Time	By each Star	Mean of Gro p			
1886 Jan 28	2601	+ 43 35	N	I P W / o − 1 9 / b − o 6 / − 30 1 / Q − 1 62	7 4 48 31	− 1 49	46 82	N	I P E / o − 2 8 / b − 2 9 / a − 9 5 / Q − 1 66	7 59 3 66	− 69	28 9	7 42 15		5	140	7 4 028
	2715	+ 42 4(	N		44 5 64	− 1 5	4 14	N		8 1 48 03	− 1 70	46 13	42 9	8ɜ			
	2734	+ 32 49	N		47 2 23	− 1 65	o 58	N		4 44 46	− 1 75	42 71	42 3	7 4	−	−	7 4
	2747	+ 3 0	N		48 37 28	− 1 69	35 59	N		6 19 6	− 1 77	17 85	42 6				
	2676	+ 22 23	S		7 39 39 5	− 1 78	37 27	S		7 57 2 26	− 1 8	9 45	7 42 18		0 15	0 129	7 42 059
	2761	+ 13 23	S		5 33 18	− 1 87	3 31	S		8 8 5 39	− 85	13 54	4 3	3			
	2778	+ 9 32	S		52 52 46	− 1 92	50 54	S		10 34 58	− 87	32 71	42 7	7 4	−	−	7 42
	2786	+ 27 35	S		55 40 66	− 1 73	38 93	S		13 22 95	− 1 79	21 16	42 23				
Jan 29	2489	+ 31 13	N	I P W / o − 1 9 / b + 7 / − 3 9 / Q + 1 57	7 10 24 54	+ 1 52	26 06	N	I P W / o − 3 8 / b − 3 3 / a − 18 9 / Q + 1 66	7 28 6 68	+ 1 54	8 22	17 42 6		0 015	0 140	17 42 000
	2504	+ 35 18	N		13 34 36	+ 1 51	35 87	N		31 16 49	+ 1 57	18 06	42 19	55			
	2517	+ 32 6	N		15 7 00	+ 1 52	8 52	N		32 49 14	+ 1 54	50 68	42 16	7 4	−	−	17 42
	2568	+ 33 42	N		22 39 81	+ 52	4 33	N		40 21 90	+ 1 54	23 44	42 11				
	2473	+ 12 15	S		7 5 57 35	+ 1 49	58 84	S		7 23 39 55	+ 1 40	40 95	17 42 11		0 05	0 139	17 41 984
	2537	+ 3 45	S		17 58 60	+ 1 48	6 8	S		35 40 8	+ 1 4	42 21	42 13	8			
	2613	+ 22 37	S		28 45 15	+ 1 48	46 63	S		46 27 28	+ 1 46	28 74	42 11	17 43	−	−	17 41
	2632	+ 20 11	S		31 31 02	+ 1 48	32 50	S		49 13 22	+ 1 44	14 66	42 16				
	2691	+ 43 35	N	Q − 1 53	7 41 49 65	− 1 55	48 10	N	Q − 1 66	7 59 31 90	− 1 69	30 21	17 42 11		0 015	0 140	17 41 928
	2715	+ 42 46	N		44 7 02	− 1 55	5 47	N		8 1 49 24	− 1 69	47 55	42 08	17 43 083			
	2734	+ 32 49	N		47 3 44	− 1 54	1 90	N		4 45 73	− 1 79	43 94	42 04	17 4	−	−	17 41
	2747	+ 30 0	N		48 38 48	− 1 57	36 91	N		6 20 80	− 1 79	19 03	42 10				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION 79

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

	STAR		Aspect	TRANSITS OBSERVED AT E By B rr rd w th T l scop No 1				Aspect	TRANSITS OBSERVED AT W By Heava d w th T le p No 2			Diff of Corrected T mes (W − E)		Correction f Rate W Clock	Corru f P rel Equat ns $B_N - H_N = -0.4$ $B_S - H = -0.9$	$\Delta L + \rho$
Astronomical Date	BAC Numbe	Decli nation	Star A	I trumental Posit a d Co rr ct o Co t t	Mean Obs rved T me	Tot l Correc tion	Se nds f C rrept d Tim	Star	I tru e t l P t d Co ot n C ta t	M n Ob rv d T m	Total C c t n	Sc ds f C t d T m	By each Star	M an of Group			
1886 Jan 29	2676	+ 2 23	S	I P W	h m 7 39 4 13	−1 58	38 55	S	I P W	h m 7 57 22 57	−1 86	20 71	m 17 42 6		0	5	0 129	966
	2761	+13 23	S	d c − 1 9	50 34 21	−1 5)	3 62	S	d − 3 8	8 8 16 65	−1 91	14 74	42 12	7 4				7 4
	2778	+ 9 32	S	b + 7 a − 3 9	52 53 47	− 57	5 9	S	b − 3 3 −18 9	10 35 83	− 93	13 90	42 00			1	1	
	2786	+ 7 35	S	Q − 1 53	55 41 82	− 57	4 5	S	Q − 1 66	13 24 23	−1 82	22 41	42 16					
Jan 31	2489	+31 3	N	I P E	7 0 25 6	+ 29	26 9	N	I P W	7 8 7 49	+1 54	9 03	7 42 13		45	0 007	0 140	0
	2504	+35 8	N	d c + 0 3	3 35 38	+ 3	36 69	N	d c − 3 8	31 17 32	+1 57	18 89	42 20	7 4		+	1	7 4
	2517	+32 6	N	b − 4 3 a − 6 1	15 8 08	+ 29	9 37	N	b − 2 2 a −14 9	32 49 94	+1 56	5 50	42 13					
	2563	+33 42	N	Q + 1 40	22 40 88	+1 33	42 21	N	Q + 1 63	40 22 78	+1 55	24 33	42 12					
	2473	+12 15	S		7 5 58 5	+1 26	59 76	S		7 23 40 35	+1 43	4 78	17 42 02		060	007	29	938
	2537	+13 45	S		7 59 71	+1 27	60 98	S		35 4 64	+ 45	43 09	42 11	7 4		+	0	7 4
	2513	+22 37	S		28 46 2	+1 29	47 5	S		46 28 1	+ 49	29 60	4 0				1	
	2632	+20 11	S		31 32 18	+1 29	33 47	S		49 14 01	+1 47	15 48	42 01					
	2691	+43 35	N	Q − 1 40	7 41 50 24	−1 47	48 77	N	Q − 1 65	7 59 32 69	−1 69	31 00	17 42 23		88	0 007	0 140	55
	2715	+42 46	N		44 7 61	−1 48	6 13	N		8 1 50 00	−1 70	48 30	42 17	17 42		+	1	7 4
	2734	+32 49	N		47 4 06	−1 52	2 54	N		4 46 49	−1 77	44 72	42 18					
	2747	+30 −0	N		48 39 14	−1 52	37 62	N		6 21 56	−1 77	19 79	42 7					
	2676	+22 23	S		7 39 40 89	−1 53	39 36	S		7 57 23 26	−1 80	21 46	17 42 10		153	0 007	0 129	93
	2761	+13 23	S		50 34 88	−1 53	35 35	S		8 8 17 40	−1 86	15 54	42 19	17 42		+	1	17 42
	2778	+ 9 32	S		52 54 16	−1 55	52 61	S		10 36 59	−1 86	34 73	42 12					
	2786	+27 35	S		55 42 47	−1 51	40 96	S		13 24 94	−1 78	23 16	42 20					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

	STAR			TRANSITS OBSERVED AT E				TRANSITS OBSERVED AT W				Diff c of					
				By B rrard with T lescope No 1				By St han with T l p No 2				C rre ted Tim (W − E)					
Astronomical Date	B A C N mb r	D l st o	Star Aspect	I trm tal Po tion and Corr ti O n ta t	M n Ob rved Time	T t l Co tion	Seconds of C rr ct d T me	S aspect	I st mental Pos t on d C rr t n C t nt	Mea Ob ed Time	T t l C ti	Seconds t C rr t d T me	By ach Star	Mean f Group	C rrect f W Clock	C rr f P rsl Equ ti m B_w − S_w = o° 37 43 − 8 = − o	ΔL + ρ
1886 F b *l*	2489	+ 3 13	N	*I P E*	h m s 7 10 24 57	+1 8	s 5 75	N	*I P E*	h m 7 28 6 39	+ 54	7 93	m 7 42 8				
	2504	+ 35 8	N	d − 4 7	13 34 39	+1 9	35 58	N	d − 2 8	31 16 6	+ 53	17 69	42 1	43	0 009	37	5
	2517	+ 32 (	N	b − 3 3 a − 10 8	5 7 3	+ 7	8 20	N	b − 6 − 0 4	32 48 84	+ 54	50 38	42 18	7 4	+	−	7 42
	2568	+ 33 42	N	Q + 1 38	22 39 87	+1 17	41 04	N	Q + 65	40 21 60	+ 54	23 4	42				
	2473	+ 12 15	S		7 5 57 17	+1 13	58 5	S		7 23 39 21	+1 54	4 75	7 42 25				
	2537	+ 13 4(	S		17 58 66	+1 12	59 78	S		35 4 45	+1 54	4 99	42 2	2 8	009	43	084
	2613	+ 22 37	S		28 45 11	+ 1(	46 27	S		46 6 91	+1 55	8 46	42 9	7 4	+	−	7 4
	2632	+ 20 1	S		31 31 05	+1 14	32 19	S		49 12 87	+ 54	14 41	42 22				
	2691	+ 41 3(	N	Q − 1 38	7 41 49 22	−1 54	47 68	N	Q − 1 65	7 59 3 66	−1 77	29 89	7 42 21				
	2715	+ 4 46	N		44 6 52	− 55	4 97	N		8 1 49 3	−1 78	47 27	42 30	2 3	009	0 137	45
	2734	3 24)	N		47 2 99	−1 60	1 39	N		4 45 41	−1 76	43 65	42 26	17 4	+	−	7 42
	2747	+ 30 0	N		48 38 01	−1 58	36 43	N		6 20 5	−1 76	18 75	42 32				
	2676	+ 22 23	S		7 39 39 78	−1 60	38 18	S		7 57 22 17	−1 77	20 40	17 42 22				
	2761	+ 13 23	S		50 33 75	− 63	32 12	S		8 8 16 26	− 76	4 50	42 38	3 8	009	0 143	84
	2778	+ 9 32	S		52 52 99	−1 66	51 33	S		10 35 46	−1 76	33 70	42 37	17 43	+	−	17 42
	2786	+ 27 35	S		55 41 41	−1 60	39 81	S		13 23 87	−1 76	22 11	42 30				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

81

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

				TRANSITS OBSERVED AT E					TRANSITS OBSERVED AT W				Diff Correct T s (W – I)		Rate of W Clock		
Astronomical Date	STAR			By B	d th T l	p N 1			By Stral	th T l cop N 2								$\Delta L + \rho$
	BAC Numb	D l at	Aspect	l t in t l l t C t C t t	M Ob ed T	T t l C t	S d f l l	Aspect	l t l t d C rr t C t t	M Ob r i T	T t l C t on	S d f l l	By ach St	M f Group	Correct n f W Clock	Corru f P rsl Eq t n Bt – δ_N = – 0 37 B – δ_S = 0 43	
1886 F b 3	2489	3 3	N	I P W	7 0 89	+ 9	4 9	N	I P E	7 8 5 4	+ 64	7 6	7 4	3	37	09
	2 04	+ 35 8	N	d	3 32 8	+ 9	34 69	N	l 8	3	6	6 89	42			
	517	3 6	N	3 4	5 5 46	+ 9	36	N	8 8	3 47 9	+ 65	49 55	4 9	8 4	0 +	17 4
	2563	+ 33 4	N	Q + ∞	2 38	+ 9	4	N	Q 6	4 6	+ 65	22 3	42 28		0 37	
	24 3	+	S		7 5 55 8	+ 88	57 66	S		7 3 38 3	59	39 8	7 42 23	4	43	43
	2 37	+ 3 45	S		7 56 98	88	8 86	S		35 3 58	5	4 7	4 3			
	613	+ 3	S		8 43 54	9	45 44	S		46 66	+ 6	68	4 4	8 4	+	4 4
	63		S		3 9 4	+ 88	3 3	S		49	+ 1 6	3 6	4 3			
	691	+ 41 35	N	Q –	4 49 00	– 9	46 9	N	Q – 6	7 59 3 68	– 68	9	7 42 9	65	37	017
	2 1	4 46	N		44 6 3	– 09	4 3	N		8 48 3	– 6	46 34	4			
	2 34	3 49	N		47 65	–	55	N		4 44 5	– 3	4 3	4 4	8 4	0 +	7 4
	2 47	+ 30	N		48 37 7	–	35 6	N		6 9 55	– 73	7 8	42 2		0 37	
	—															
	2 76	+ 22 3	S		7 39 19 4	– 2	37 3	S		57 2 3	– 76	9 54	7 4 3	5	43	3
	2761	+ 3 23	S		5 33 36	– 2 2	3 24	S		8 8 5 37	– 79	3 58	42 34			
	2778	+ 9 3	S		5 5 68	– 2	5 56	S		34 5	– 8	3 75	4 9	8 4	0 +	7 4
	2 86	+ 27 35	S		55 4 04	– 2 12	38 92	S		3 22 93	– 1 75	21 8	42 26			

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

					PESHAWAR (E) $Lt\ 84°\ 0'\ Long\ 4^h\ 46^m\ 22^s$ AND MOOLTAN (W) $Lat\ 80°\ 11\ Long\ 4\ 45\ 56^s$									
Astronomical Date	STAR			Transits Observed at E By B d th Tel scope No 1				Transits Observed at W By Str h w th T le p N 2					Diff of C re t d Times (W − E)		Cret nfo R t f E Cl k	C rrua f P rsl Equat ns $B_N - S_N - 0\ 155$ $B_S - S_S - 0\ 53$	$\Delta L - \rho$
	BAC Nu b	D l t	Sta A pt Cu Cot t	l t t l l t nd Cotan	M an Obs rv d Time	Tot l Cor c tio	S d of C rre t d f o	A p t Cu I t d C rr t Ctat	l t tal I t d C rr t C tat	M n Ob d T me	T t l C ec t	S ond f C t d t m	By h St	M of G up			
1880 Feb 9	2638	+ 44 17	N	IPE d c + 5 3 b + 4 2 a + 27 1 Q + 2 20	7 5 31 08	+ 2 33	33 41	N	IPE d o + 1 4 b + 1 3 a − 0 2 s Q + 1 65	7 5 59 1	+ 1 73	60 83	27 42	7 457	00	5	3
	2001	+ 43 35	N		59 30 87	+ 2 35	33 22	N		59 58 96	+ 1 73	6 69	27 47		00	0	0 27
	2715	+ 42 46	N		8 1 48 16	+ 2 37	50 53	N		8 2 16 28	+ 73	18	27 48	8 0	+	1	
	2617	+ 27 4	S		7 46 45 2	+ 2 52	48 24	S		7 47 4 4	+ 1 73	5 77	0 7 53	500	00	53	248
	649	+ 6 5	S		5 5 6	+ 2 6	8 36	S		52 44 3	+ 1 7	45 8	27 49		00		
	2659	+ 7 37	S		54 29 88	+ 2 59	32 47	S		54 58	+ 7	59 94	27 47	8			
	262	+ 28 7	S		56 45 5	+ 2 52	48 09	S		57 3 88	+ 1 72	15 60	27 51		+	1	
	2703	+ 41 33	N	Q − 2 20	8 15 20 99	− 2 06	18 93	N	Q − 1 65	8 15 48 05	− 1 57	46 48	0 55	7 49	0	0 155	7 336
	2718	+ 42 22	N		17 18 79	− 2 02	16 17	N		17 45 85	− 1 57	44 28	27 51		0		
	2855	+ 38 25	N		25 49 5	− 1 99	47 52	N		26 6 5	− 58	4 93	27 4		+	1	0
	2759	+ 18	S		8 7 58 39	− 1 81	56 58	S		8 8 25 0	− 1 58	24 12	0 27 54	2 65	00	53	27 43
	2778	+ 9 32	S		10 38 58	− 1 74	36 84	S		11 6 15	− 1 58	4 57	27 73			0 153	
	2815	+ 28 6	S		9 50 6	− 1 88	48 7	S		20 7 9	− 58	6 32	27 60		+	1	0
	2833	+ 24 3	S		22 10 5	− 1 86	8 19	S		22 37 4	− 1 58	35 82	27 63				
Feb 10	2 63	+ 33 42	N	IPW l − l b + N + 17 7 s Q + 2 19	7 40 22 6	+ 2 18	24 79	N	IPE d + 4 b + − 2 6 s Q + 1 65	7 40 50 65	+ 1	52 37	0 27 58	585	000	55	7 430
	638	+ 44 1	N		5 29 56	+ 2 5	3 6	N		5 57 48	+ 74	59 22	27 6		000		
	2691	+ 41 35	N		59 9 4	+ 2 6	3 5	N		59 57 34	+ 1 74	59 08	27 5	8 0 2		0 153	0
	2715	+ 42 46	N		8 1 46 7	+ 2 07	48 84	N		8 2 14 68	+ 1 74	16 42	27 58			1	
	2617	+ 27 4	S		7 46 44 37	+ 2 21	46 58	S		7 47 12 42	+ 1 72	14 14	0 27 56	660	000	53	507
	2649	+ 16 5	S		52 14 25	+ 2 29	26 54	S		52 42 5	+ 1 71	44 21	27 67			0 153	27
	2659	+ 17 37	S		54 28 29	+ 2 28	30 57	S		54 56 55	+ 1 71	58 26	27 69	0 27			0
	26 2	+ 28 7	S		56 44 07	+ 2 20	46 27	S		57 12 27	+ 1 72	13 99	27 72			1	

TABLE V OBSERVATIONS OF TRANSITS WITH B CLOCK AND DEDUCTION

8g

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

PESHAWAR (E) _L t 84° 0′ L g_ 4ʰ 46ᵐ 22ˢ AND MOOLTAN (W) _Lat_ 30° 11 _Long_ 4 45 56ˢ

Astro meal Date	STAR BAC Numb	D h t	Aspect σ	st t l Po t o d C t C t t	Mean Ob d Tm	T tal Corre t on	S ds of C rect d T e	Star's Aspect	t m tal P t and Co t C t ts	M n Ob d l me	Tt l C tu n	S l f C t d l m	By e ch Star	Mean t Group	Correctio for Rate of E Clock	Corru f P rel Equatn n	$\Delta L - \rho$
1886				_I P W_	h m		s		_I P E_	h m s	s		m s				
F b 10	2793	+ 43 33	N		8 5 9 73	− 2 3½	7 4	N		8 5 4ʳ 34	− 1 56	44 78	0 27 37		o	000	0 55	365
	2798	+ 42 2	N	d − 9	7 7 43	− 2 3	5 12	N	d + 14	7 44	− 1 56	42 64	27 52		5		0 0	0
	2855	+ 38 5	N	b + 8 + 17 7	25 48 00	− 25	45 75	N	b 1 − 2 6	26 15 0	− 58	3 42	27 67		8 0		1	
				Q − 2 19					Q − 1 6									
	2759	+ 8	S		8 7 56 88	− 2	54 78	S		8 8 24 05	− 1 60	22 45	0 27 67			0 000	0 153	0 27 441
	2778	+ 9 3	S		37	− 04	35 8	S		11 4 4	− 6	2 79	27 6		594		1	
	2786	+ 7 35	S		3 25 8	− 8	3 64	S		15 8	− 58	5 2	7 58					
	2815	+ 28 (	S		9 49 2	− 2 8	47 3	S		20 6)	− 1 59	4 60	27 57		8 0			
	2833	+ 24 3	S		22 8 66	− 2 5	6 5	S		2 35 64	− 1 59	34 05	27 54					
Feb 11	2638	+ 44 7	N	_I P W_	7 5 8 3	+ 2	3 34	N	_I P W_	7 5 56	+ 1 9	57 92	0 27 58		7 6 0	000	0 155	7 515
	691	+ 43 3	N	d − 9	59 7 85	+ 2 2	3 6	N	d + 4	59 55 9	+ 9	57 8	27 6				1	0 7
				b + 7 a − 6 7					b + 7 − 6 6						8 0			
				Q + 2 5					Q + 1 66									
	2617	+ 7 4	S		7 46 43 3	+ 5	45 18	S		7 47 0 9)	+ 1 8½	12 82	0 27 64			0 000	0 53	570
	2649	+ 16 5	S		52 13 2	+ 3	5 5	S		52 4 13	+ 1 79	4 9	27 77		3		1	0 2
	2659	+ 7 3	S		54 7 2	+ 2 3	29 25	S		54 55 8	+ 1 79	56 97	27 72					
	2672	+ 28 7	S		56 42 8	+ 2 15	44 93	S		57 10 83	+ 1 86	2 69	27 76		8 0			
	2793	+ 43 33	N	Q − 2 5	8 5 18 1	− 2 09	16 2	N	Q − 1 66	8 15 44 99	− 4	43 58	0 27 56		590	000	0 155	27 435
	2798	+ 4	N		17 5 84	− 2 0	13 74	N		17 4 76	− 1 4	41 35	27 6				1	0 27
	2855	+ 38 33	N		25 46 5	− 2 1	44 4	N		26 3 43	− 42	2	27 6		8			
	2759	+ 18 1	S		8 7 55 72	− 2 18	53 54	S		8 8 22 66	− 1 54	21 12	0 27 58			8	0 153	5
	2778	+ 9 32	S		0 36 2	− 2 20	33 92	S		11 3 09	− 55	1 54	27 62		27 674	0		
	2786	+ 27 35	S		13 24 41	− 2 16	22 25	S		13 51 43	− 1 49	49 94	27 69				1	0
	2815	+ 28 6	S		19 47 82	− 2 15	45 67	S		20 14 91	− 1 50	13 41	27 74		8 0			
	2833	+ 24 31	S		22 7 32	− 2 17	5 15	S		22 34 42	− 1 53	32 89	27 74					

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

				PESHAWAR (P) $L t$ 34 0′ L g 4 46 27″ AND MOOLTAN (W) Lat 30° 11 L g 4 40 56″														
	STAR			TRANSITS OBSERVED AT E					TRANSITS OBSERVED AT W					Diff C t d Γ (W − E)		Ref Cl x	Prel Eq t n 53	
Astronomical Date				By B l w th $T l$ p N 1					By St h th $T l$ p N 2									ΔI − ρ
	B A C N b	D l n t	A pec C C t t	t l i t l C t	M Ob d l	T t l C t	d f (t l l	t l i l d C rr t C t t	M Ol l	T t l C t	S l t C t d Γ e	By l St	M f G p	F Cl k	Bₘ − Sₘ = − 0 Bₛ − 0 = 0	
1886					h m					h m								
F b 12	2638	+ 44 7	N	I P E	7 5 7 46	+ 2 29	9 75	N	I P W	5 5 53	+ 5	47 8	7 53	48	8	55	5
	2601	+ 43 35	N	+ d 3	59 2 8	+ 2)	) 57	N	+ l	59 55 3	4	57 4	2 4			1	7
	2715	+ 42 46	N	b + 4 8 + 3	8 44 6	+ 3	46)	N	b + 5	8 6	+ 73	4 35	7 44	E			
				Q + 6					Q + 6								
	2617	+ 27 4	S		7 46 4 38	+ 29	44 67	S		7 47 1 5	+ 64	4	47	4 3	8	53	1
	2643	+ 6 5	S		6 38		4 68	S		52 4 55	+ 1 5	4 5	7 47				
	2660	+ 7 3	S		54 6 44	3	8 75	S		54 54 66	+ 59	56 5	2 5			1	0
	2674	+ 18 7	S		56 4	+ 2 3	44 43	S		57 24	+ 64	88	45				
	2703	+ 43 3	N	Q − 2 6	8 5 33	− 2 4	5 9	N	Q − 6	8 44 4	− 5	4 9	7 6	∞		55	43
	2708	+ 42	N		17 5 21	− 2	3 2	N		17 42 2	− 5	4 6	56			1	0
	2855	+ 38 5	N		25 45 84	− 4	43 8	N		6)	− 54	38	27 58	E			
	2650	+ 16	S		8 7 55 2	− 2 0	63 0	S		8 8 22	− 6	55	0 27 54	6	000	53	4 3
	2658	+ 9 12	S		35 4	− 03	33 37	S		58	− 1 ()	89	27 5				
	2780	+ 27 15	S		3 3 5	− 3		S		3 5 90	− 6	4) 36	7 64			1	
	2815	+ 28 6	S		19 4 6	−	45 15	N		4 35	− 6		7 6	E			
	2833	+ 24 3	S		22 6 64	− 3	4 61	S		2 33 82	− 63	32 9	27 8				
F b 1	2 63	+ 33 4	N	I P 1	4 (68	+ 29	8 9	N	I P F	7 40 44 6	+ 7	46 38	27 41	330	000	55	35
	2638	+ 44	N	+ l 3	5 23 72	8	25 9	N	+ d 4	5 5 5	1	53	7 3				7
	2691	+ 43 35	N	b + 3 2 + 7 9	59 3 54	+ 2 9	25 73	N	b + 4	59 51 47	+	53 8	7 4	E 0		1	
	2 15	+ 42 46	N	Q + 2	8 1 40 9	+ 2 20	43 1	N	Q + 1 6	8 2 8 9	+ 1 71	0 50	27 39				
	2617	+ 27 4	S		7 46 38 39	+ 2 31	40 0	S		7 47 64	+ 71	8 8	0 27 48	3	000	0 153	360
	2649	+ 6 5	S		52 8 37	+ 3	10 4	S		52 36 54	+ 1	38 24	27 50				
	2660	+ 7 3	S		54 2 49	7	4 96	S		54 5 64	+	5 34	2 48	E		1	0
	2672	+ 28 7	S		56 38 5	+ 2 3	4 46	S		57 6 34	+ 7	8 5	27 59				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 85

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

PESHAWAR (E) *Lat 34° 0' Long 4 46ᵐ 22ˢ* AND MOOLTAN (W) *L t 30° 11 Long 4ʰ 45ᵐ 56ˢ*

Astronomical Date	STAR		TRANSITS OBSERVED AT E By B rrard with T lsc ps N 1					TRANSITS OBSERVED AT W By Strah with T l cop N 2					Diff re t Corrected Times (W – E)		Correct fo Rate f E Clock	Corma f P rsl Equations Bx – Sx = – 0° 55 Bs – Ss = – 0 53	ΔL – ρ
	B A C Numbe	Decl n t n	St Aspect	I strum tal Po t n d Correct C ta t	M a Obs rved T me	Total C rrec t on	Seco d f C rrept ed T m	Star Aspect	I trum tal Po t o d Co recti Co tants	M an Ob rved T me	T t l C rec t n	S d f C rre t d T	By ea h Sta	Mean of Group			
1886 F b 17	2793	+ 43 33	N	I P E d	h m s 8 5 3 6	– 2 3	48	N	I P E d	h m s 8 54 48	– 1 51	38 97	m 0 27 49	4 83	0 00	55	3 28
	2798	+ 42 22	N	c + 3	7 1 47	– 2 12	9 35	N	+ 4	17 38 3	– 1 5	36 8	27 46			0	
	2855	+ 38 5	N	b + 3 2 + 7 9	25 42 03	– 9	39 94	N	b – 5 + 0 4	6 8 95	– 5	7 44	27 5	8		1	0
				Q – 2 5					Q – 6								
	2759	+ 8	S		8 7 50 97	– 95	49	S		8 8 18 09	– 1 53	16 56	27 54				
	2778	+ 9 32	S		10 31 4	– 90	29 5	S		0 58 49	– 53	56 96	27 45	7 54	0 00	153	27 36
	2786	+ 27 35	S		13 9 84	– 2 01	17 83	S		13 46 88	– 5	45 37	27 54			1	
	2815	+ 28 6	S		19 43 7	– 2	4 6	S		1 35	– 5	8 84	27 58	8 0			
	2833	+ 24 3	S		2 2 77	– 1 99	0 78	S		22 29 76	– 1 52	28 24	27 46				
Feb 18	2563	3 14	N	I P W d	7 40 15 36	+ 3	7 68	N	I P E d	7 4 43	+ 56	45 6	0 27 58				
	2638	+ 44 7	N	+ 3	5 2	+ 2 43	24 54	N	– 6	5 5 66	+ 54	52 2	27 66	7 68	0 00		4 7
	2691	+ 43 35	N	b + 3 a –	59 2 9	+ 2 4	24 33	N	b – 7 + 3	59 5 46	+ 54	52	27 67			1	0
	2715	+ 42 46	N	Q + 2 18	8 39 8	+ 4	4 69	N	Q + 1 60	8 2 7 5	+ 1 54	9 9	27 6	8 0			
	2617	+ 27 4	S		7 46 37	+ 2 3	39 51	S		7 47 5 47	+ 1 56	7 3	0 27 5				
	2640	+ 6 50	S		52 7 24	+ 2 26	9 50	S		52 35 44	+ 1 6	37 4	27 54	27 35	0 00	53	27 382
	2659	+ 7 37	S		54 2 3	2 25	23 56	S		54 49 53	+ 59	5	7 56			0	
	2672	+ 28 7	S		56 36 97	+ 3 2	39 29	S		57 5 25	1 56	6 8	7 52	8		1	
	2793	+ 43 33	N	Q – 2 18	8 15 12 8	– 1 94	0 24	N	Q – 1 60	8 5 39 35	– 66	37 69	0 27 45	8	0 00	55	7 45
	2798	+ 42 22	N		7 9 90	– 1 97	7 93	N		17 37 3	– 66	35 56	27 63			0	
	2855	+ 38 25	N		25 40 60	– 1 99	38 6	N		26 7 86	– 65	6 21	27 6	8 0		1	
	2759	+ 18	S		8 7 49 83	– 2 11	47 72	S		8 8 16 98	– 1 62	15 36	0 27 64				
	2778	+ 9 32	S		10 30 37	– 2 14	28 13	S		10 57 30	– 1 60	55 70	27 57	27 634	0 00	53	27 48
	2786	+ 27 35	S		13 18 53	– 2 05	16 48	S		13 45 76	– 1 64	44 12	27 64			0	
	2815	+ 28 16	S		19 42 01	– 2 04	39 97	S		20 9 25	– 64	7 6	27 64	8 0		1	
	2833	+ 24 31	S		21 61 43	– 3 06	59 37	S		22 28 67	– 6	27 05	27 68				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

	STAR			Star Aspect	I trinental Position and Correction Constants	Mean Observed Time	Total Correction	Standard Correction	Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Second of Corrected Time	By each Star	Mean of Group	Rate of W Clock	Correction for Relative Equatorial	ΔL + ρ
Astronomical Date	BAC Number	Decl nation															Current of W Clock	$B_W - B_K = -0\ 55$ $B_N - B_S = -0\ 53$	

PESHAWAR (E) Lat 34° 0′ Long 4 46ᵐ 22ˢ AND MOOLTAN (W) Lat 30° 11′ Long 4ʰ 45′ 56ˢ

Transits Observed at E — By Berrard with Telescope No 1

Transits Observed at W — By St h n with Telescope No 2

Difference of Corrected Times (W − h)

							h						h m		m	m			
1886																			
Feb 9	2980	+ 44 9	N	I P E		8 43 45 64	+ 2 34	47 98	N	I P E	8 44 4 3	+ 73	5 76	27 78		7 787	000	0 55	2 632
	3027	+ 40 38	N	d + 5 3		48 34 37	+ 2 36	36 73	N	c + 1 4	49 2 8	+1 3	4 53	27 80			0		
	3060	+ 38 3	N	b + 4 2 + 30		52 43 74	+ 2 41	46 5	N	b + 1 3 a − 0 2	53 2 21	+ 7	13 93	27 8	8		1		
				Q + 2 20						Q + 65									
	2937	+ 21 52	S			8 36 8 98	+ 2 58	56	S		8 36 37 52	+1 2	39 24	0 27 68			000	0 153	0 7 57
	2958	+ 10 3	S			38 1 36	+ 68	4 04	S		38 3 0	+ 7	3 73	27 69		6			
	2971	+ 6 5	S			4)	+ 2 70	4 61	S		4 40 53	+ 7	42 4	7 63			1		
	2978	+ 6 6	S			4 5 4	+ 2 7	53 95	S		42 9 92	+1 7	21 63	27 68	8 0				
	3013	+ 5 46	S			45 50 49	+ 2 7	53 20	S		46 9 16	+ 7	2 87	27 67					
	3100	+ 38 44	N	Q − 2 20		8 59 6 40	− 2 00	4 40	N	Q − 1 65	8 59 33 73	− 58	32 5	0 27 75		7 698	000	0 55	27 543
	3131	+ 43 4	N			9 5 53 07	− 2 06	5 0	N		9 6 2 35	− 57	8 78	27 77					
	3144	+ 35 6	N			7 46 59	− 1 94	44 65	N		8 3 86	− 58	1 28	27 63			0		
	3102	+ 37 17	N			1 7 12	− 98	15 4	N		1 44 43	−1 58	4 84	7 70	8		1		
	31 8	+ 34 52	N			13 38 75	− 1 94	36 81	N		14 6 03	−1 58	4 45	27 64					
	3111	+ 11 7	S			9 1 6	− 72	4 49	S		9 31 85	−1 57	32 28	0 27 79		7 7	0 000	0 153	27 604
	3123	+ 22 28	S			3 9 9	− 1 84	8 06	S		3 47 36	− 57	45 79	27 73					
	3194	+ 25 4	S			16 28 05	− 1 86	26 19	S		16 55 52	− 58	53 94	27 75	8		1		
Feb 10	2980	+ 44 9	N	I P W		8 43 46 44	+ 2 01	48 45	N	I P E	8 44 4 35	+1 68	16 03	0 27 58		2 677	000	0 155	27 532
	30 7	+ 40 38	N	d o − 5 b + o 8		48 35 12	+ 2 06	37 18	N	d o + 4	49 3 8	+ 70	4 88	27 70					
	3060	+ 38 3	N	a + 2 2		52 44 44	+ 2 09	46 53	N	b + 1 a + 4 6	53 2 58	+1 70	14 28	27 75	8 0		1		
				Q + 2 17						Q + 1 65									
	2937	+ 21 52	S			8 36 9 67	+ 2 24	11 91	S		8 36 37 97	+1 73	39 70	0 27 9			000	0 153	0 27 643
	2958	+ 0 3	S			38 2 5	+ 2 34	4 39	S		38 30 44	+1 76	32 20	27 81		27 796			
	2971	+ 6 50	S			40 12 49	+ 2 37	14 86	S		40 41 00	+1 74	42 74	27 88					
	2978	+ 6 16	S			41 51 89	+ 2 38	54 27	S		42 20 32	+1 74	22 06	27 79	8 0		1		
	3013	+ 5 46	S			45 51 22	+ 2 38	53 60	S		46 19 57	+1 74	21 31	27 71					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

87

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL + ρ

PESHAWAR (E) *Lat* 34° 0′ *Lo g* 4ʰ 46ᵐ 22ˢ AND MOOLTAN (W) *Lat* 30° 11 *Lo g* 4ʰ 45ᵐ 56ˢ

Astronomical Date	BAC Number	Decli nation	Star Aspect	Instrumental Position and Correction Constant	Mean Observed Time	Total Correction to	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constant	Mean Observed	Total Correction	Seconds of Corrected	Diff n of Corrected Times (W−E) By each Star	Mean of Group	Correct f R te f W Clock	Corrns f Perml. Equations $B_W - S_W = -0$ 55, $B - S_S = -0$ 3	ΔL + ρ
1886 Feb 10	3131	+41 41	N	I P W	9 55 3 75	− 3	5 43	N	I P E	9 6 2 65	− 6	9 3	27 6	6 43	0 00	0 55	7 488
	3144	+35 6	N	− 1 9	7 47 23	−2 2	45	N	+ 4	8 4 23	− 59	64	27 62			0	0
	3162	+37 7	N	b + 8 +2	7 85	− 23	5 62	N	b + + 4 6	11 44 84	− 6	43 3	27 6	8		I	
	3178	+34 52	N	Q −2 17	3 39 48	−2 21	37 27	N	Q − 65	4 6 6	−1 59	5	27 74				
	3111	+ 7	S		9 6 99	−2 00	4 99	S		9 34 29	−1 55	3 74	27 75	7 5	0 00	0 53	7 604
	3123	+ 8	S		3 2 53	−	8 43	S		3 47 70	−1 56	46 23	27 8			0	0
	3194	+25 40	S		16 28 67	−2 2	26 55	S		6 55 86	− 59	54 27	27 72	8		I	
Feb 11	2989	+44 9	N	I P W	8 43 45 39	+2 13	47 52	N	I P W	8 44 11 6	+1 86	5 47	0 27 95	8 53	0 00	0 55	698
	3027	+4 38	N	− 9	48 34 2	+ 3	36 14	N	+ 4 0	4) 2 28	+ 87	4 5	27 8			0	0
	3060	+38 3	N	b + 7 − 2	52 43 6	+2 3	45 73	N	b +) +	3 66	+1 87	3 53	27 80	8 0		I	
				Q +2 1					Q +1 66								
	2937	+ 52	S		8 36 8 99	+2		S		8 36 37 08	+ 81	38 90	0 27 80	8 48	0 00	0 53	7 695
	2958	+1 30	S		38 44	+2 12	3 56	S		38 29 57	+1 81	31 40	27 84			0	0
	2971	+6 5	S		40 1 98	2 1	14 9	S		40 40	+1 82	4 94	27 85			I	
	2978	+6 6	S		4 5 37	+2 1	53 48	S		4 9 47	8	2 29	27 8	8			
	3013	+5 46	S		45 5 6	+2	5 73	S		46 8 85	+ 8	2 67	27 94				
	3100	+38 44	N	Q −2 11	8 59 6 11	−2 09	4 2	N	Q − 66	8 59 33 23	− 46	3 77	0 27 75	4	0 00	155	6 9
	3131	+43 4	N		9 55 2 72	−2 08	5 64	N		9 6 8 24	0 20	8 44	7 80	7		0	2
	3144	+35−6	N		7 46 23	−2 09	44 4	N		8 1 36	−1 46	1 90	7 76			I	0
	3162	+37 17	N		11 16 82	−2 09	14 73	N		11 44 02	−1 45	4 57	27 84	8 0			
	3178	+34 52	N		3 38 5	−2 09	36 41	N		4 5 59	− 46	4 3	27 72				
	3111	+11 7	S		9 1 6 21	−2 11	4 10	S		9 1 33 44	−1 49	31 95	0 27 85	2 8 7	0 00	0 153	664
	3123	+22 28	S		3 19 66	−2 10	17 56	S		3 46 89	−1 50	45 39	27 83			0	0
	3194	+25 40	S		16 27 84	−2 10	25 74	S		16 55 02	−1 51	53 51	27 77	8		I	

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

		PESHAWAR (E) *Lat* 34° 0' *Long* 4ʰ 46ᵐ 33ˢ AND MOOLTAN (W) *Lat* 80° 11 *Long* 4ʰ 45ᵐ 56ˢ												
	STAR	TRANSITS OBSERVED AT E *By Brad with Telescope No 1*					TRANSITS OBSERVED AT W *By St h with Tl op No 2*				Diffe of Corrected T mes (W — E)		
Astronomical Date	BAC N mb r / Decl nat	Star Aspect	I strum ntal P ition and Correction Con ta ts	Mean Observed Time	T tal Correc tio	Second of Correct d Tim	Star Aspect	I strum tal I t n d Correct Co t ts	M Observ d T mé	T t l Correc t	Seconds f C rr ct ed Γ me	By each Star	M an of Group	Correction for Rate of W Clock	Corrns for Persl. Equations $B_N - S_N = -0°55$ / $B_S - S_S = -0.53$	$\Delta L + \rho$
1886 Feb 12	2089 +44 9	N	I P E / d / b + 4 8 / + 8 3 / Q + 2 17	ʰ ᵐ ˢ 8 43 44 45	+2 29	46 74	N	I P W / d / a + / b + / a − 4 9 / Q + 6	ʰ ᵐ 8 44 12 53	+ 7	ˢ 14 23	ᵐ 27 49	27 547	0 000 / 0 55	7 39
	3027 +40 38	N		48 13 16	+2 31	35 47	N		49 37	+ 69	3 6	27 59		0 1	
	3060 +38 3	N		52 42 59	+2 28	44 87	N		53 0 76	+ 67	43	27 56	8		
	2937 +21 52	S		8 36 8	+2 13	0 11	S		8 36 36 24	+1 63	37 87	0 27 54	27 540	0 000 / 0 53	27 387
	2958 +10 30	S		38 0 45	+2 35	2 80	S		38 28 78	+ 6	3 39	27 59			0
	2971 + 6 5	S		40 11 0	+ 35	13 35	S		4 39 27	+ 6	4 88	27 53		0 1	
	2978 + 6 16	S		4 50 39	+2 34	52 73	S		4 8 6	+ 59	0	27 48	8 0		
	3013 + 5 46	S		45 49 63	+2 35	5 98	S		46 17 93	+ 6	9 54	27 56			
	3100 +38 44	N	Q − 2 17	8 59 5 11	−2 5	3 06	N	Q − 1 62	8 59 32 25	−1 57	30 68	0 27 62	27 59	0 000 / 0 155	27 437
	3131 +43 4	N		9 5 5 77	−2 6	49 71	N		9 6 18 90	−1 55	17 35	27 64			0
	3144 +35 6	N		7 45 31	−2 3	43 28	N		8 12 43	− 58	1 85	27 57		0 1	
	3162 +37 7	N		1 15 93	−2 05	3 88	N		1 43 3	−1 57	4 46	58	8		
	31 8 +34 52	N		13 37 56	−2 04	35 52	N		14 4 63	−1 58	3 07	27 55			
	3111 + 1 7	S		9 1 5 2	− 99	3 2	S		9 1 32 54	− 65	30 89	0 27 67	7 680	0 000 / 0 153	27 537
	3123 +22 28	S		3 8 77	−2 1	6 76	S		3 46 03	−1 61	44 42	27 66			0
	3194 +25 4	S		16 26 84	−2 04	24 8	S		6 54	−1 6	52 5	27 7	8	0 1	
Feb 17	2989 +44 9	N	I P E / d / b + 3 / a +26 4 / Q + 2 5	8 43 40 58	+2 1	42 69	N	I P E / d / a + 1 4 / b + 2 / a + 6 9 / Q + 1 62	8 44 8 7	+1 67	10 38	0 27 69	27 677	0 000 / 0 155	27 532
	3027 +40 38	N		48 9 3	+2 16	31 47	N		48 57 46	+1 68	59 14	27 67			0
	3060 +38 3	N		52 38 67	+2 20	40 87	N		53 6 84	+1 70	8 54	27 67	8 0	1	
	2937 +21 52	S		8 36 3 82	+2 37	6 19	S		8 36 32 17	+1 71	33 90	0 27 71	27 594	0 000 / 0 153	27 441
	2958 + 1 30	S		37 56 3	47	58 79	S		38 24 59	+1 76	26 35	27 56			0
	2971 + 6 50	S		40 6 83	+2 49	9 32	S		40 35 13	+1 76	36 89	27 57		1	
	2978 + 6 16	S		41 46 20	+2 49	48 69	S		42 14 46	+1 76	16 22	27 53	8 0		
	3013 + 5 46	S		45 45 42	+2 50	47 92	S		46 13 76	+1 76	15 52	27 60			

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

PESHAWAR (E) L t 34 0′ Lo g 4 46 22ᵉ AND MOOLTAN (W) L t 30° 11 L g 4 45 56ᵉ

A tron mical Date	STAR BAC Nmb	D l t	A p t σ	I P E / C t t	M Ob ed Γ o	Γ tal C t	S d f C t l l	ta t C t	l t u l (t ta t	M Ob d	T t l C t	S l f C t l l	By h Sta	M f Grou p	Correct f R t f W Clock	C rm (P rel Eq Bₓ Bₛ	ΔL + ρ
1886 **Feb 17**	3100	+38 44	N	I P E	h m 8 58 6 5	—	59 4	N	I P E	h 8 59 8 47	— 54	6 93	7 89				
	3131	+41 4	N	+ d 3	9 5 47)	— 8	45 74	N	+ d 4	9 6 5 5	— 58	3 47	27 73	46	000	ı	9
	3144	+35 6	N	b + 3 +6 4	7 4 37	— 6	39 3	N	b + +6)	8 8 4)	— 53	6)6	27 65				
	3162	+37 7	N	Q-2 5 s	2	— 9	)9	N	Q- 6	39	— 55	3 (	7	E		I	0
	3178	+34 5	N		3 33 57	-2 6	3 5	N		13 6 8	— 53	5) 7	27 76				
	3111	+ 7	S		9 0 6	-1 84	59 8	S		9 8 43	— 48	26 95	27 (7	6	000	3	46
	3123	+ 28	S		3 4 78	— 93	85	S		3 4 88	— 5	4 38	27 53				
	3194	+25 40	S		6 22 88	—)(	9	S		6 5	— 53	48 58	27 (6	E		I	
Feb 18	2989	+44 9	N	I P W	8 43 39 (	+ 35	4 6	N	I P E	8 44 77	+ 5	9 3	27 62	697	000	55	4
	3027	+4 38	N	+ d 3	48 8 5	+ 34	3 39	N	− d 6	48 56 55	+ 5	58 7	7 (8				
	3060	+38 3	N	b + 3 − 4	5 37 3	+2 33	39	N	b − 7 +6 5	53 5 96	53	7 49	27)	E		I	
				Q+2 6					Q+ 6							
	2937	+ 2 5	S		8 36 8	+2 9	5 9	S		8 36 3	+ 6	52 8	o 27 71				
	2958	+ 3	S		37 5 3	+ 8	57 58	S		38 3 63	+ (3	25 6	27 (8	66	000	53	483
	2971	+ 6 5	S		40 5)	+ 7	8 4	S		4 34 9	+ (4	35 83	27 59				
	2978	+ 6 (	S		41 45 6	2 26	47 5	S		4 34)	(3 5		7 6	E		I	
	3013	5 46	S		45 44 56	+ 7	46 83	S		46 9	+ (4	4 43	7 6				
	3100	+38 44	N	Q-2 16	8 58 59 88	— 99	57 89	N	Q- 6	8 59 73	— ((	5 7	o 7 8				
	3131	+43 41	N		9 5 46 63	— 96	44 67	N		9 6 4 8	— 68	12 4	27 73	5	000	55	599
	3144	+35 6	N		7 4 12	— 00	38	N		8 7 54	— 66	5 88	7 6	o		0	
	3162	+37 17	N		1 0 7	-1 99	8 72	N		11 58 2	— (7	36 4	7 82	5 0		I	
	3178	+34 52	N		13 32 39	-2 00	30 39	N		13 59 69	-1 66	58 3	27 64				
	3111	+11 7	S		9 0 60 13	-2 04	58 09	S		9 1 27 38	— 58	5 8	27 7	7	000	53	7 554
	3123	+22 28	S		3 13 59	-2 02	11 57	S		3 40 96	-1 6	39 35	27 78	3		0	
	3194	+25 40	S		16 21 80	-2 01	19 79	S		16 49 05	— 63	47 43	27 63	E 0		I	

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

AMRITSAR (E) $L t$ 31 38 L g 4 59 89ᵃ AND PESHAWAR (W) Lat 84° 0′ L g 4ʰ 46 22ᵃ

Astronomical Dat	STAR		Aspect	TRANSITS OBSERVED AT E By St ah w th Telescope N 2				Aspect	TRANSITS OBSERVED AT W By B rr rd w th T l p N 1				Diff of Corr t d Tim (W – ω)		Rate of E Clock	Corr ct f E Clock	P ral Equati ns $S_N - B_N = + o^t$ 85 $S_S - B_S = +$ 68	$\Delta L - \rho$
	BAC Numb	D l t		t ntal P t on and C rrection (ta t	Me n Ob rv d T me	l t l C	S ds f C rr t d l m	Stat	t tal P t and C rrect C t t	M a Ob rv d Time	T t l C t	S c d of C rre t od l m	By each Star	M of Grou p	C rect f E Clock	C rrns f	
1880					h m					h m			m					
Feb 24	2855	+ 38 25	N	I P W	8 25 8 84	1 56	4	N	I P W	8 8 48	+2 2	27 0	13 66				8	8 698
	2871	+ 36 49	N	o — 5	27 2 87	+1 58	4 45	N	d — 1 3	40 18 86	+2	2 7	16 6	6 66 0	03	0	0 8	3 6 898
	2896	+ 33 12	N	b — 8 a + 6 7	3 50 14	+1 58	5 7	N	b + 8 a — 6 9	44 6 1	+2 2	8 32	16 60	≈ 3		+		
	2908	+ 33 8	N	Q + 1 66	32 28 7	+ 58	9 75	N	Q +2 19	45 44 0	+2 20	46 36	16 6					
	2880	19 59	S		8 28 4 53	+1 62	6 15	S		8 41 4 6	+2 18	42 79	3 16 64					
	2925	+ 19 59	S		34 2 17	+ 6	3 9	S		47 8 29	+ 7	46	6 67	6 66 5	3	0 168		6 9 6
	2937	+ 2 52	S		36 9 55	+1 62	1 17	S		49 35 68	+2 8	37 86	16 69	≈ 3	σ	+		3 6 96
	2958	+ 10 3	S		38 12 4	+ 65	13 69	S		5 28 16	+2 5	3 3	16 62					
	2980	+ 44 9	N	Q – 1 66	8 43 59 4	– 1 78	57 63	N	Q – 2 19	8 57 6 43	– 2 3	4 30	3 16 67					
	3027	+ 40 38	N		48 48 4	– 76	46 38	N		9 2 5 18	– 2 4	3 04	16 66	6 66 5	3	85		6 943
	3060	+ 38 3	N		5 57 47	– 75	55	N		6 14 57	– 7	2 40	16 68	≈ 3		+		3 6 943
	3100	+ 38 44	N		59 5 75	– 1 76	3 99	N		2 3 75	– 2 5	3 60	16 61					
	3013	+ 5 46	S		8 46 4 43	– 1 66	2 77	S		8 59 2 66	– 2 25	19 4	13 16 64					
	3060	+ 28 2	S		54 42 6	– 7	4 89	S		9 7 59 68	– 2 9	57 49	16 60	6 595	1 3	0 168		6 866
	3088	+ 28 2	S		57 3 7	– 7	98	S		7	– 2 9	8 52	16 54	≈ 3		+		3 6 866
	3100	+ 30 7	S		9 0 50 85	– 72	49 13	S		14 7 91	– 2 18	5 73	16 60					
Mar 4	2855	+ 38 25	N	I P E	8 23 40 22	+ 59	4 8	N	I P W	8 36 56 05	+2 18	58 23	13 16 42					
	2871	36 49	N	d – 0 1	25 24 3	59	35 90	N	o – 1 3	38 5 05	+2 8	5 23	16 33	6 3 8	3	85		16 666
	2896	+ 33 12	N	b – 0 7 + 9	29 2 56	+ 60	23 16	N	b + 8 – 5 1	42 3 39	+2 18	39 57	16 41	≈ 13	0	0		3 16 666
	2908	+ 33 8	N	Q + 1 64	3 59 59	+1 62	6 21	N	Q +2 19	44 15 38	+2 18	17 56	16 35			+		
	2880	+ 19 59	S		8 26 55 92	+1 65	57 57	S		8 40 11 89	+2 5	4 04	13 16 42					
	2925	+ 9 59	S		32 33 65	+1 67	35 32	S		45 49 52	+2 15	51 67	16 35	6 410	0 103	0 168		16 681
	2937	+ 21 52	S		34 50 95	+1 67	52 6	S		48 6 80	+2 15	9 01	16 39	≈ 13		+		13 16 681
	2958	+ 10 30	S		36 43 43	+1 69	45 2	S		49 59 40	+2 15	61 55	16 43					

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

91

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

AMRITSAR (E) *L t 81 38´ Lo g ɡ 59ᵐ 39* AND PESHAWAR (W) *Lat 34° 0´ L g ɡ 46ᵐ 22*

Astro mical Dat	STAR BAC Numb	Decl at n	Star Aspet	Transits Observld at E By St al w th T le ope No 2 Pt Ct Ct n t	Men Ob d T mo	Total C t n	Sec d f C ect d T	Star Aspect	Transits Observed at W By B rr l w th T l p N 1 Pt Cret Ct t	M an Ob d T m	Γ t l C t₁	S d f C re t d T	Diff ren of C rrect d T m (W — h) By sch St r	M an of Gro p	Correct f E Clock	Rat of E Clock	Corrn f P rt l ...	ΔL — ρ
1686 M 4	2989	+ 44 9	N	I P E	h m 8 4 3 92	− 73	29 19	N	I P W	h 8 55 47 67	− 2 19	45 48	m 3 16 29					
	30 7	+ 40 38	N	d − 0	47 19 59	− 7	7 89	N	d − 3	9 0 16 4	− 2 18	14 24	16 35	6 35	1	0 85	13 66 3	
	3060	+ 38 3	N	b − 7 + 9 1	5 8 94	− 69	27 25	N	b + 8 − 5	4 45 9	− 2 19	41 6	16 35	₂ 3	+	+	
	3100	+ 38 44	N	Q − 1 64	57 47 8	− 7	45 48	N	Q − 2 9	1 3 98	− 2 9	1 79	16 3					
	3013	+ 5 46	S		8 44 35 7	− 57	34 20	S		8 57 52 89	− 27	5 6	13 16 42					
	3009	+ 8	S		53 13 9	− 64	1 26	S		9 6 30 94	− 22	28 72	6 46	6 388	3	168	3 66 9	
	3088	+ 28 21	S		55 35 8	− 64	13 44	S		8 52 00	− 2 1	49 9	6 35	₂ 3	0	+	
	3109	+ 30 7	S		59 22 3	− 65	65	S		2 39 8	− 2	36 97	16 32		+		
Mar 11	3238	+ 34 9	N	I P E	9 23 49 4	+ 55	5 95	N	I P E	9 37 5 34	+ 2 8	7 52	3 6 57					
	3252	+ 37 0	N	d 0 − 3	26 3 2	+ 1 53	3 65	N	d 0 − 3	39 46 3	+ 2 5	48 8	16 53	6 50	008	0 85	3 6 43	
	3281	+ 4 45	N	b − 3 a + 29	3 14 35	+ 46	5 8	N	b − 12 1	44 30 25	+ 1	32 37	16 56	₂ 3	+	+	
	3297	+ 35 5	N	Q + 1 66	33 3 9	+ 1 52	5 43	N	Q + 2 9	46 9 81	+ 2 16	2 97	16 54					
	3309	+ 26 6	S		9 35 4 55	66	6	S		9 48 2 36	2 21	22 57	13 16 36					
	3318	+ 20 43	S		36 59 07	+ 73	60 80	S		5 14 95	+ 2 27	7 22	16 42	6 30	0 008	68	3 6 546	
	3331	+ 24 8	S		39 39	69	4 8	S		5 38 8	+ 4	4 42	16 34	₂ 3	0	+	
	3343	+ 21 8	S		41 9 1	+ 3	2 84	S		54 34 96	+ 2 24	37 26	16 36					
	3375	+ 35 3	N	Q − 1 66	9 46 52 06	− 1 78	50 28	N	Q − 2 19	0 8 98	− 2 23	6 75	13 16 47					
	3439	+ 35 33	N		59 8 95	− 1 78	7 7	N		12 25 78	− 2 22	3 56	16 39	6 447	008	0 185	3 6 640	
	3446	+ 35 48	N		0 45 25	− 1 78	43 47	N		13 62 17	− 2 22	59 95	16 48	₂ 3	0	+	
	3392	+ 32 55	S		9 49 53 12	− 75	5 37	S		10 3 9 90	− 2 19	7 7	3 6 34					
	3406	+ 12 59	S		52 8 13	− 1 52	6 6	S		5 25 31	− 2 10	23 25	16 64		008	68	3 6 598	
	3416	+ 32 29	S		54 29 18	− 1 73	27 45	S		7 45 99	− 2 19	41 80	6 35	16 422	0	0	
	3423	+ 22 30	S		56 30 41	− 61	28 8	S		9 47 30	− 2 13	45 17	16 37	₂ 3	+	+	
	3460	+ 19 6	S		10 2 55 73	− 1 58	54 15	S		16 12 67	− 2 11	10 56	16 41					

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

AMRITSAR (E) $L\ t\ 31\ 38'\ L\ g\ 4\ 59\ 39$ AND PESHAWAR (W) $L\ t\ 34\ 0'\ L\ g\ 4^h\ 46\ 22^s$

Astronomical Date	Star		Aspect at E	Transits Observed at E By St h w th T l cop N 2				Star Aspect	Transits Observed at W By B rr d th T l p N 1					Diff f Corr tel 1 me (W − E)		Rate of ECl k	Corr of ECl k	Corr f P ml Eq t $S_N - B_N = + 85$ $= + 68$ $- B_S = +$	$\Delta L - \rho$
	BAC Nb	D l t		t tal P t n d Corr t n C t t	Mean Ob rv d T me	Tot l C rr t	S c ds f Corr t ed l		I trum nt l P t l Corr t t	M a Ob rv d T	Total C t	S ds f C t d T	By h Sta	M an f G p				
1836				h m						h m			m					
Mar 13	3 2	37	N	I P W	9 6 8 6	+ 56	9 8	N	I P E	9 39 43 95	+ 6	46 55	3 16 73	7	09	85	3 6 95
	3281	+ 4 45	N	d	3 32	+ 55	3 87		d	44 28)	+ 59	3 68	6 8	6			
	3297	+ 35 51	N	b − 5 a + 7 7	33 2 3	+ 56	3 59	N	b + (+ 3 8	46 7 6)	+ 2 63	32	6 73	3	+	+	
				Q + 1 66					Q + 2 6								
	3309	+ 26 (	S		9 15 2 71	+ 60	4 3	S		9 48 18 3	+ 2 67	20 80	3 6 49		9	68	3 6 7
	3318	+ 2 43	S		36 57 25	+ 62	58 87	S		5 66	+ 2 7	5 37	16 5	6 7			
	3331	+ 4 8	S		39 20 53	+ 1 6	22 4	S		5 36 5	6)	38 74	6 6	3	+	+	
	3343	+ 2 8	S		4 7 35	+ 6	8 97	S		54 32 8	+ 7	35 5	6 55				
	3375	+ 35 31	N	Q − 66	9 4(5 14	− 1 6	48 38	N	Q − 2 6	0 o 68	− 2 57	5	3 6 73	6 7	009	85	3 6 867
	3430	+ 35 43	N		59 6 96	− 1 75	5	N		12 24 4	− 2 57	2 88	6 67	6	0		
	3146	+ 35 48	N		0 0 43 36	− 76	4 6	N		3 6 79	− 5	58	6 62	3	+	+	
	3392	+ 32 55	S		9 49 5 4	− 75	49 3)	S		0 3 8 57	− 2 55	6	13 6 63		009	68	3 6 759
	3406	+ 2 59	S		5 (47	− 67	4 8	S		5 23 88	− 2 46	4	6 6	6 58			
	3416	+ 32 29	S		54 7 3	− 73	5 59	S		7 44 73	− 2 56	4 7	16 58	3	+	+	
	3423	+ 3	S		56 8 6	− 7	6 89	S		9 45 8)	− 49	43 4	6 5				
	3460	+ 9 6	S		0 2 54 04	−	5 34	S		16 39	− 2 48	8 9	6 57				
Mar 19	3238	+ 34 9	N	I P W	9 23 4 3	+ 73	41 5	N	I P W	9 36 57 11	+ 2 63	59 74	13 16 69	6 3	006	85	6 8 4
	3 52	+ 37	N	d	6 22 5	+ 78	23 83	N	l	39 37 79	+ 2 60	40 39	6 56	6	0		
	3 81	+ 4 45	N	o + 5 b + 9 − 3 8	3 5 97	+ 84	7 81	N	− 1 3 b + 1 + 2 3	44 2 98	+ 2 57	24 55	6 74	3	+	+	
	3297	+ 35 51	N	Q + 1 66	32 55 84	+ 1 76	57 6	N	Q + 2 64	46 11 48'	+ 2 62	14 10	16 50				
	3309	+ 26 26	S		9 34 56 66	+ 1 61	58 27	S		9 48 12 13	+ 2 7	14 83	3 6 56	6 8)	006	168	13 16 757
	3318	+ 20 43	S		36 51 33	+ 1 55	52 88	S		50 6 74	+ 2 76	9 50	6 62	6	0		
	3331	+ 24 18	S		39 14 51	+ 1 60	6 11	S		52 29 98	+ 2 71	32 69	16 58	3	+	+	
	3343	+ 21 8	S		41 11 46	+ 1 56	13 02	S		54 26 83	+ 4 6	29 59	16 57				

	STAR		TRANSITS OBSERVED AT E *By St aka w th T lescop No 2*						TRANSITS OBSERVED AT W *By B rr d with T lescop No 1*				D ff re of Corrected Times (W − E)				

AMRITSAR (E) Lat 31 38′ L g 4 59ᵐ 39ˢ AND PESHAWAR (W) Lat 34° 0′ Long 4ʰ 46ᵐ 22ˢ

Astronomical Date	BAC Numb	D cli nation	Sta Aspe t	l t tal P t d C rr t on C t ts	Mean Ob rv d T me	T tal C rrec t n	S d f C t dT e	Star' Aspect	l trum tal Pos t a d C rrect C nsta ts	Mean Observed T me	T tal C rec tion	S ds t C rr ct ed T me	By each Star	Mean of Group	Correction for Rate of E Clock	C rrus for Pers'l Equat'n Sₐ − Bₐ = + 0ˢ 85 S − Bₐ = + 0 68	ΔL − ρ
1886 Mar 19	3375	+ 35 3	N	I P W d + 0 5 b + 9 − 30 8 e Q − 1 66	9 46 44	− 57	42 45	N	I P W d c − 1 3 b + + 2 3 Q − 2 64	9 59 6 69	− 2 66	59 3	3 16 58				
	3439	+ 35 13	N		58 60 81	− 58	59 23	N		0 2 18 5	− 2 65	5 86	16 63	3 16 663	0 006	0 85	3 16 804
	3446	+ 35 48	Nˢ		0 0 37 4	− 1 57	35 57	Nˢ		13 54 86	− 2 66	52 30	16 63	▪ 3	+	+	
	3392	+ 32 55	S		9 49 45 0	− 1 6	43 49	S		1 3 2 64	− 2 64	00	3 16 5				
	3406	+ 59	S		5 6 74	− 85	58 89	S		5 79	− 2 47	5 44	16 55	3 16 653	0 006	0 68	3 6 697
	3416	+ 32 9	S		54 7	− 6	9 65	S		7 38 73	− 2 64	36 09	16 44	▪ 2	+	+	
	3423	+ 22 30	S		56 22 72	− 1 75	20 97	Sˢ		9 4	− 2 54	37 56	46 59				
Mar 20	3238	+ 34 9	N	I P E d + 0 9 b − a + 46 e Q 1 66	9 23 41 13	+ 67	4 80	N	I P W d 0 − 3 b + 6 24 9 Q + 2 60	9 36 56 65	+ 2 57	59 22	13 6 42				
	3252	+ 37	N		6 84	66	3 5	N		39 17 8	+ 54	39 92	16 4	13 6 447	0 003	0 85	3 6 63
	3281	+ 4 45	N		3 5 97	+ 65	7 6	N		44 53	+ 2 5	24 4	6 4	▪ 3	+	+	
	3297	+ 35 51	N		32 55 59	+ 1 65	57 24	N		46 11 19	2 56	13 5	16 51				
	3309	+ 6 26	S		9 34 56 3	+ 68	58 00	S		9 48 65	+ 2 67	4 32	3 6 32				
	3318	+ 20 43	S		36 50 90	+ 7	52 60	S		50 6 15	+ 2 73	8 88	16 28	13 6 33	003	0 68	3 6 494
	3331	+ 24 8	S		39 4 8	+ 69	5 87	S		5 9 52	+ 69	3 2	16 34	▪ 3	+	+	
	3343	+ 2 8	S		4 95	+ 7	65	S		54 6 28	+ 2 72	23 00	6 35				
	3375	+ 35 31	N	Q − 1 66	9 46 43 76	− 1 66	42 10	N	Q − 2 60	9 59 6 26	− 2 64	58 62	13 16 52				
	3439	+ 35 33	N		58 60 63	− 1 67	58 96	N		2 8 13	− 2 63	15 50	6 54	13 6 493	003	85	1 6 68
	3446	+ 35 48	N		10 36 99	− 66	35 31	N		13 54 38	− 2 63	51 75	6 42	▪ 3	+	+	
	3392	+ 32 55	S		9 49 44 85	− 1 65	43 20	S		10 2 62 19	− 2 61	59 58	3 6 38				
	3406	+ 12 59	S		51 60 18	− 1 61	58 57	S		5 17 41	− 2 4	5 00	16 43	3 6 402	003	168	13 6 53
	3416	+ 32 29	S		54 20 98	− 1 65	19 33	S		7 38 13	− 2 60	35 73	16 40	▪ 3	+	+	
	3423	+ 22 30	S		56 22 24	− 1 63	20 61	S		9 39 57	− 2 50	37 07	16 46				
	3460	+ 19 6	S		10 2 47 66	− 1 6	46 05	S		16 4 85	− 2 46	2 39	16 34				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

				AMRITSAR (E) Lat 31 38 Long 4ʰ 59ᵐ 39 AND PESHAWAR (W) Lat 84° 0 L g 4 46 22												
Astronomical Date	STAR			TRANSITS OBSERVED AT E By St h n w th T l cop No 2				TRANSITS OBSERVED AT W By B rr d w th T les op No 1				Diff re of Corr ted Tim (W − E)		Corr t n f Rate f W Cl k	Corr n f P rml Equati n $S_E - B_N = + \sigma$ 85 $S_E - B_S = + \sigma$ 68	$\Delta L + \rho$
	BAC Numb	D l t	Sta A pect	1 trum ntal lo t on al l Co rection C t t	M an Ob rved Tim	T t l Correc t	Se d of C rrect ed T me	Aspect Z	1 t u t l Po t d Corre t C t t	Me n Ob rv d Tm	T t l C rr t	S nds f Cor ct d T m	By each Star	M of Gro p			
1886					h m					h m			m				
F b 24	3238	+ 34 9	N	I P W	9 34 64	+ 57	36 2	N	I P W	1 34 8	+ 2	53	3 6 79				3 6 968
	3252	+ 37 0	N	d	13 5 35	+ 1 56	6 9	N	d	26 3 5	+ 2 9	33 69	16 78	3 6 85	8	85	
	3281	+ 4 45	N	b − 1 5 + 6 7	17 59 5	+ 54	61 6	N	b − 1 3 + 8 + 6 9	3 15 64	+ 2 8	7 82	16 76		1	+	3 6 968
	3297	+ 35 5	N	Q + 1 65	19 49 7	+ 1 56	5 63	N	Q + 2 19	33 5 25	+ 2 9	7 44	16 8				
	3309	+ 26 26	S		9 2 49 70	+ 6	5 3	S		9 35 5 93	+ 2 23	8 6	3 6 86				46
	3318	+ 20 43	S		23 44 28	+ 1 61	45 89	S		37 0 45	+ 2 24	6 9	16 8	3 6 88	8	68	
	3331	+ 24 18	S		26 7 47	+ 1 60	9 07	S		39 23 79	+ 2 23	26 02	16 95		1	+	3 7 46
	3343	+ 21 8	S		28 4 28	+ 1 6	5 89	S		4 20 56	+ 2 24	22 8	6 9				
	38 5	+ 35 31	N	Q − 1 65	9 33 37 17	− 1 74	35 43	N	Q − 2 19	9 46 54 37	− 2 8	52 19	13 16 76				3 6 966
	3439	+ 35 33	N		45 53 97	− 74	52 23	N		59 11 8	− 2 8	9 0	16 77	3 6 83	8	85	
	3446	+ 35 48	N		47 3 32	− 74	28 58	N		1 0 47 56	− 2 6	45 4	16 82		1	+	3 6 966
	3392	+ 32 55	S		9 36 38 17	− 1 3	36 44	S		9 49 55 43	− 2 17	53 26	13 16 82				3 7 2
	3406	+ 12 59	S		38 53 4	− 1 66	5 75	S		52 10 76	− 4	8 62	16 87	3 6 854	002	168	
	3416	+ 32 29	S		41 4 28	− 73	55	S		54 3 5	− 2 16	29 35	6 80		0	0	
	3423	+ 22 30	S		43 15 49	− 69	13 80	S		56 32 85	− 2 5	3 70	16 9		1	+	3 7 2
	3460	+ 9 6	S		49 40 90	− 1 69	39 21	S		0 2 58 23	− 2 14	56 09	16 88				
Mar 4	3238	+ 34 9	N	I P E	9 10 36 04	+ 1 58	37 62	N	I P W	9 23 52 04	+ 2 7	54 21	13 16 59				13 16 798
	3252	+ 37 0	N	o − 0 1	13 6 74	+ 1 54	8 28	N	d − 1 3	26 32 7	+ 2 16	34 86	16 58	13 6 65	8	185	
	3281	+ 4 45	N	b − 7 a + 23 9	8 9	+ 50	2 46	N	b + 0 8 + 10 5	3 6 95	+ 2 13	9 08	16 62		0	0	
	3297	+ 35 51	N	Q + 1 6	9 5 49	+ 1 55	52 04	N	e Q + 2 19	33 6 55	+ 2 16	8 1	6 67		1	+	13 16 798
	3309	+ 26 26	S		9 21 5 1	+ 66	52 77	S		9 35 7 6	+ 2 30	9 36	13 6 59				13 16 799
	3318	+ 20 43	S		23 45 62	+ 1 74	47 36	S		37 1 76	+ 2 24	4 00	16 64	13 16 633	003	168	
	3331	+ 24 18	S		26 8 98	+ 1 70	10 63	S		39 25 05	+ 2 22	27 27	16 64		0	0	
	3343	+ 2 8	S		28 5 70	+ 1 70	7 40	S		41 21 83	+ 2 23	24 06	16 66		1	+	13 16 799

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

95

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AMRITSAR (E) Lat 31 38′ Lo g 4 59ᵐ 39ˢ AND PESHAWAR (W) Lat 34° 0′ Lo g 4 46ᵐ 22ˢ

Astro mical Date	STAR			TRANSITS OBSERVED AT E By St h w th T l cop N 2					TRANSITS OBSERVED AT W By B d th T l op No 1					Diff ren of Cor ected T u es (W - E)		Correctio f Rate f W Clock	Corrns. to P al Equations $B_N - B_N = + 0^s 85$ $B_8 - B_8 = + 0$	$\Delta L + \rho$
	B A C Numb	Decl ti n	Sta Arp ct	I strum t l Po t a d C t C t t	M Ob rved Time	Total C rec t on	S nd f C tt tl	Star Arpe t	l t m tal P s t d C t C t t	M Ob r d T m	T t l C t on	S c d f C t tl m	By each Sta	Me of Gro p				
1886 Mar 4	3375	+ 35 3	N	I P E	h 9 33 38 65	− 1 69	36 96	N	I P W	l 9 4(55 7	− 2 2	53 49	13 6 53			8	85	3 6 703
	3439	+ 35 33	N	_ d	45 55 5	−	53 79	N	_ 3	59 5)	− 2	3	16 52	6 0		0	0	
	3446	+ 3 48	N	b − 7 + 23)	47 3 8	− 68	3 4	N	b + 8 a + 0 5	0 0 48 86	− 2 21	46 65	16 51	3		l	+	
				Q − 63					Q − 2 9									
	3392	32 55	S		9 36 39 63	− 67	37 96	S		9 49 5(7	− 2	54 5	3 16 55			8	68	3 6 730
	3406	2 59	S		38 54 8	− 47	53 3(	S		5 2 5	− 2	9 93	16 58	6 564		0	0	
	3416	+ 32 29	S		41 5 8	− 65	4 15	S		54 32 86	− 9	30 67	16 52	3		l	+	
	3423	+ 2 3	S		43 6 94	− 55	5 39	S		5(14	− 5	3)5	6 56					
	3460	+ 9 6	S		49 42 35	− 1 53	40 82	S		0 2 59 56	− 2 13	57 43	6 61					
Mar 11	3584	+ 39 30	N	I P Ł	0 2 07	+ 1 5	3 58	N	I P E	3 7 92	+ 2 8	3	3 6 5			8	8	3 6 677
	3602	+ 32 58	N	_ d 1	7 84	+ 56	9 4	N	_ 3	5 3 73	+ 2 8	5)	6 5	6 4				
	3610	+ 35 35	N	b − 3 + 15 2	3 44 53	+ 55	46 8	N	b − 2 − 2 4	27 0 5	+ 2 17	2 68	16 60	3		+	+	
	3625	+ 36 55	N	Q + 64	16 33 7	+ 1 54	35 25	N	Q + 2 19	29 49 6	+ 2 8	51 78	6 53					
	3650	+ 28 7	S		10 20 47 06	+ 1 6	48 67	S		34 3 1	+ 2 17	5 7	13 16 60			8	0 168	6 6 770
	3666	+ 26 56	S		23 30 95	+ 6	32 57	S		36 47	+ 17	49 8	6 6	6 600				
	3684	+ 3 5	S		26 1 69	+ 73	3 42	S		39 7 82	+ 2 6	9 98	6 56	3		+	+	
	3696	+ 6 57	S		28 8 06	+ 72	9 78	S		41 24 24	+ 2 7	26 41	16 63					
	3728	+ 34 50	N	Q − 1 64	0 33 44 20	− 1 74	42 46	N	Q − 2 9	0 46 61 3	− 2 21	59 02	13 16 56			0 002	0 185	3 6 0
	3736	+ 34 39	N		35 26 2	− 74	24 28	N		48 42 97	− 2 21	40 76	16 48	6 5 3				
	3757	+ 41 2	N		39 53 02	− 78	51 24	N		53 9 95	− 2 20	7 75	16 5	3		+	+	
	3811	+ 36 56	N		49 50 95	− 1 73	49 22	N		11 3 7 96	− 2 20	5 76	16 54					
	3751	+ 26 7	S		10 37 11 21	− 1 66	9 55	S		10 50 28 21	− 2 20	26 01	3 16 46			0 002	68	6 6 663
	3785	+ 4 5	S		44 54 09	− 1 54	52 55	S		58 11 22	− 2 21	9 01	16 46	6 443			0	
	3797	+ 26 9	S		47 45 19	− 1 66	43 53	S		11 0 62 14	− 2 21	59 93	16 40	3		+	+	
	3824	+ 15 1	S		52 32 94	− 1 60	31 34	S		5 50 00	− 2 21	47 79	16 45					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

AMRITSAR (E) *L t 81 88' Long 4ʰ 59ᵐ 89* AND PESHAWAR (W) *Lat 84° 0' Lo g 4 46ᵐ 22ˢ*

Astronomical Date	Star		Aspect Star	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Sec od of Corrected T n	Aspect Star	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Sec od of Corrected T me	Diff Corrected T me (W − E) By each Star	Mean t Group	Correct n f W Cl k	Rate f W Cl k	Corr f Persl Equatn ns $S_E − B_E = + o^s 185$ $S_S − B_S = +$	$\Delta L + \rho$
	BAC Number	Decl nat o																
1886					*h m*					*h m s*			*m*					
Mar 18	3584	+ 39 30	N	I P W	0 10 1 78	+ 1 62	3	N	I P E	0 23 27	+ 60	9 7	3 6 71		8			
	3602	+ 32 58	N	c − 1 5	12 7 20	+ 58	8 78		− 3	25 89	+ 2 65	25 54	16 6	6 58	8	o 85		3 6 94
	3610	+ 35 35	N	b − 6 − 8 4	13 43 93	+ 1 60	45 53	N	b + 6 + 3 8	26 59 67	+ 2 63	62 3	16 77	3	I	+	
	3625	+ 36 55	N	Q + 1 66	16 33 04	+ 60	34 64	N	Q + 2 60	29 48 80	+ 2 63	51 43	16 79					
	3650	+ 28 7	S		1 2 46 56	+ 57	48 3	S		0 34 2 25	+ 2 69	4 94	3 16 8		8			
	3666	+ 26 56	S		23 30 45	+ 57	32 02	S		36 46 07	+ 68	48 75	16 73	6 8	o 68		3 6 945
	3684	+ 3 5	S		26 1 35	+ 1 50	2 85	S		39 6 78	+ 2 8	19 59	16 74	3	I	+	
	3696	+ 6 57	S		28 7 72	+ 1 51	9 23	S		41 23 28	+ 2 78	26 6	6 83					
	3728	+ 14 50	N	Q − 1 66	10 33 41 56	− 1 73	41 83	N	Q − 2 60	10 46 61 25	− 2 56	58 69	13 6 86		8			
	3736	+ 34 39	N		35 25 37	− 1 73	23 64			48 42 98	− 2 6	40 42	16 8	6 80	o 85		3 6 989
	3757	+ 41 2	N		39 52 34	− 1 7	50 63			53 10	− 2 60	7 41	16 78	3	I	+	
	3811	+ 36 56	N		49 50 3	− 1 72	48 58	N		11 3 7 95	− 2 57	5 38	6 8					
	3751	+ 26 7	S		0 37 0 71	− 1 76	8 95	S		50 28 20	− 2 51	25 69	13 16 74		8			
	3785	+ 4 15	S		44 53 81	− 1 82	5 99	S		58 1 16	− 2 4	8 76	16 77	6 7	o 68		13 16 917
	3797	+ 26 9	S		47 44 6	− 75	4 85	S		1 0 6 6	− 2 52	59 64	16 79	3	I	+	
	3824	+ 15 1	S		52 32 6	− 1 79	30 8	S		5 49 96	− 2 45	47 51	6 7					
Mar 19	3584	+ 39 3	N	I P W	10 10 13 74	+ 86	5 60	N	I P W	1 23 29 73	+ 2 61	32 34	13 16 74		0 005			
	3602	+ 32 58	N	c + 0 5	2 9 79	+ 1 72	11 51	N	− 1 3	25 25 51	+ 2 62	28 13	16 62	6 675	o 185		13 16 855
	3610	+ 35 35	N	b + 0 9 a − 43 6	13 46 43	+ 1 78	48 21	N	b + a + 7 3	27 2 27	+ 2 62	4 89	16 68	3	I	+	
	3625	+ 36 55	N	Q + 1 66	16 35 56	+ 81	37 17	N	Q + 2 63	29 51 42	+ a 6	54 03	16 66					
	3650	+ 28 7	S		10 20 49 29	+ 1 62	50 91	S		10 34 4 82	+ 2 64	7 46	13 16 55		0 005			
	3666	+ 26 56	S		23 33 11	+ 1 59	34 70	S		36 48 8	+ a 66	51 44	16 74	13 16 650	o 168		13 16 823
	3684	+ 3 5	S		26 4 36	+ 1 22	5 58	S		39 19 49	+ a 71	22 20	16 62	13	I	+	
	3696	+ 6 57	S		28 10 72	+ 1 27	11 99	S		41 25 98	+ a 70	28 68	16 69					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION 97

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

AMRITSAR (E) *Lat 31 38' Long 4 59ᵐ 39* AND PESHAWAR (W) *Lat 34° 0' Lo g 4ʰ 46ᵐ 29*

Astronomical Date	STAR — BAC Number	STAR — Decl nation	St Aspect	Total P t n d Correction C t ts	Mean Obse ed Time	T tal C re tion	Seco ds f Correct d T m	Star Aspect	Total l t n nd C re t o Co ts	M an Observed Tim	T tal Corre tio	S le of Co r ct d l o	By each Star	Mo n of Group	Correcti for Rat of W Clock	Corres to Peni Equations Sₑ = Bₑ + 0 8, Sₑ − Bₑ = + 0 68	$\Delta L + \rho$
1886 Mar 19	3728	+ 34 50	N	I P W	33 46)	− 1 55	44 64	N	I P W	4 3 99	− 2 64	1 35	13 16 71				
	3736	+ 34 3)	N	d + 0 5	35 27 99	− 56	36 43	N	d − 1 3	48 45 71	− 63	43 08	16 65	6 6 8	005	+ 0 18	3 6 808
	3757	+ 4	N	b + 9 − 43 6	39 54 88	− 42	43 46	N	b + 1 1 + 7 3	53 73	− 2 66	1 7	16 6				
	3811	+ 36 56	N	Q − 1 66	49 52 98	− 1 51	5 47	N	Q − 2 63	3 6(	− 2 65	8 01	16 54				
	3751	+ 26 7	S		37 13 43	− 4	1 69	S		0 50 3 95	− 2 63	28 33	3 6 64				
	3785	+ 4 5	S		44 56 82	− 2 08	54 74	S		58 3 97	− 55	4	6 68	6 643	8	0 68	3 6 806
	3797	+ 26 9	S		47 47 43	− 74	45 69	S		1 1 4 93	− 2 60	2 33	16 64				
	3824	+ 15 1	S		52 35 43	− 92	33 60	S		5 52 8	− 2 57	5 2	6 6				
Mar 20	3584	+ 39 3	N	I P E	0 0 14 66	+ 1 71	6 37	N	I P W	23 3 45	54	3 99	3 16 6				
	3602	+ 3 58	N	d + 9 − 2	2 54	+ 69	2 3	N	d − 1 3	25 26 22	+ 2 5)	28 8	16 48	6 6	0 006	+ 0 85	3 6 04
	3610	+ 35 35	N	− 9 8	3 47 3	+ 7	49 01	N	b + 1 6 + 3	27 2 92	+ 2 57	3 49	(48				
	3625	+ 36 55	N	Q + 1 67	16 36 51	1 7	38 22	N	Q + 2 60	29 52 08	+ 2 56	54 64	6 4				
	3650	+ 28 7	S		10 20 5 00	+ 66	5 66	S		0 34 5 48	+ 2 63	8	3 16 44				
	3666	+ 26 56	S		23 33 85	+ 1 66	35 5	S		36 49 17	+ 2 64	5 01	16 50	6 4	0 006	+ 0 168	13 6 631
	3684	+ 3 5	S		6 4 8	59	6 39	S		39 20 12	+ 2 74	2 86	6 47				
	3696	+ 6 57	S		28 1 20	+ 59	12 79	S		41 26 54	+ 2 2	29 26	16 47				
	3728	+ 34 50	N	Q − 1 67	0 33 47 00	− 64	45 36	N	Q − 2 60	0 47 4 6	− 2 62	1 99	13 16 63				
	3736	+ 34 39	N		35 28 77	− 64	27 3	N		48 46 35	− 2 62	43 73	16 60	6 605	0 006	+ 0 185	13 6 84
	3757	+ 4 2	N		39 55 75	− 1 62	54 13	N		53 13 34	− 2 66	69	16 55				
	3811	+ 36 56	N		49 53 73	− 1 64	52 09	N		11 3 11 36	− 2 63	8 73	16 64				
	3751	+ 26 7	S		10 37 14 14	− 1 68	12 46	S		10 50 31 49	− 2 57	28 92	13 16 46				
	3785	+ 4 15	S		44 57 26	− 1 76	55 50	S		58 14 50	− 3 46	12 04	16 54	16 5 0	0 006	+ 0 168	13 16 672
	3797	+ 26 9	S		47 48 13	− 1 69	46 44	S		1 1 5 52	− 2 57	2 95	16 51				
	3824	+ 15 1	S		52 36 02	− 1 72	34 30	S		5 53 33	− 5	5 83	16 53				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

DEHRA DŪN (E) Lt 30° 19′ Long 5ʰ 12ᵐ 28ˢ AND AMRITSAR (W) Lat 31 38′ Long 4ʰ 59ᵐ 39ˢ

Astronomical Date	STAR		Aspect at E	TRANSITS OBSERVED AT E By St h with Telescope No 2				Aspect at W	TRANSITS OBSERVED AT W By B rrard with T lescope No 1				Diff e c f Corrected T m (W − E)		Correct n f Rate of E Clock	Correc n fo Persl Equations $S_N - B_N = + 0^s 99$ $B_g - B_g = + 0^s 94$	$\Delta L - \rho$
	BAC Number	D h nt n		I tru tal P t on a l C r et on C t t	Mean Observed Tim	Total Correc tio	Seconds of C rrect d T me		I strume tal Pos t on nd Corr ct on C t t	Mean Ob erved Tim	T tal C rrec tion	Seconds f C rre t d Time	By each Star	Mean of Gro p			
1886 Apr 1	3913	+ 43 48	N	I P E	24 09	+ 87	96	N	I P E	3(5 5	+ 5	53 66	4 7				
	3952	+ 44 16	N	d c + 2 3	32 5 27	+ 1 88	7 15	N	d c − 3 5	44 47 24	+ 51	48 75	41 60	4 633	30	0 199	4 862
	3966	+ 32 23	N	b + a − 11 4	35 27 4	+ 80	29 2	N	b − 2 8 + 2 2	48 9 27	+ 1 6	10 88	41 67	8	0	+
	3973	+ 42 2	N	Q + 1 7	37 24 26	+ 1 86	26	N	Q + 1 78	50 6 6	+ 52	7 68	4 56		+	
	3900	+ 3 29	S		1 2 53 89	+ 1 67	55 56	S		1 34 35 49	+ 1 78	37 27	2 4 71				
	3919	+ 15 0	S		25 4 11	+ 1 7	4 82	S		38 2 7	+ 7	24 42	4 60	4 635	30	0 194	2 4 859
	3937	+ 8 25	S		30 7 5	+ 8	8 93	S		42 48 93	+ 65	5 58	4 65	8	0	+
	3962	+ 1 35	S		34 22 88	+ 1 66	24 54	S		47 4 33	+ 1 79	6 12	41 58		+	
	3998	+ 35 14	N	Q − 1 7	43 38 84	− 1 58	37 26	N	Q − 1 78	11 56 20 83	− 1 97	8 86	12 41 60				
	4010	+ 38 32	N		4(17 10	− 57	15 53	N		58 59	− 2	56 98	4 45	4 543	03	0 199	4 77
	4018	+ 41 13	N		47 47 78	− 1 54	4(4	N		12 0 29 85	− 2 03	27 82	41 58	8	+	
	4031	+ 16 17	S		49 41 37	− 1 69	39 68	S		2 23 17	− 1 84	21 33	12 4 65				
	4039	+ 4 7	S		52 (09	− 1 74	4 35	S		4 57 75	− 1 79	55 96	41 6	4 598	0 030	0 194	2 41 8
	4072	+ 9 22	S		59 16 83	− 70	15 3	S		58 58	− 81	56 77	41 64	8	+	+
	4079	+ 10 18	S		13 1 14 16	− 1 71	12 45	S		13 55 75	− 1 81	53 94	41 49				
Apr 2	3913	+ 43 48	N	I P W	24 6 43	+ 1 99	8 42	N	I P E	11 36 48 62	+ 1 54	50 6	12 41 74				
	3952	+ 44 16	N	d c + 1	32 1 47	+ 2 00	3 47	N	d c − 3 5	44 43 93	+ 1 54	45 47	43 00	12 4 863	0 03	0 199	12 43 093
	3966	+ 32 23	N	b − 4 a − 4 4	35 33 82	+ 1 74	35 56	N	b − 1 0 + 13 5	48 5 83	+ 66	7 49	4 93	8	+	+
	3973	+ 42 21	N	e Q + 1 70	37 20 58	+ 1 95	22 53	N	e Q + 1 79	50 2 76	+ 1 55	4 31	41 78				
	3900	+ 3 29	S		11 21 50 69	+ 1 27	5 96	S		11 34 32 02	+ 1 83	33 85	12 41 89				
	3919	+ 15 0	S		25 37 79	+ 1 44	39 23	S		38 19 32	+ 1 76	21 08	41 85	8 41 860	0 031	0 194	12 42 085
	3937	+ 18 25	S		30 3 74	+ 1 67	5 41	S		42 45 53	+ 1 68	47 21	41 80	8	+	+
	3962	+ 1 35	S		34 19 70	+ 1 26	20 96	S		47 1 03	+ 1 83	2 86	41 90				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

99

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL — ρ

colspan spanning																		

DEHRA DÜN (E) Lat 30° 19′ Long 5ʰ 12ᵐ 23ˢ; AND AMRITSAR (W) Lat 31 38′ Long 4ʰ 59ᵐ 39ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Straha with T lescope No 2				Star Aspect	TRANSITS OBSERVED AT W By Burr rd w th T lescope No 1				Difference of C rrected Times (W − E)		Correction for Rate of E Clock	Correc for Persl Equations	ΔL − ρ
	BAC Numbe	D cl nati n		I t m tal P tt on and C rre t on C t t	Mean Obs rved Time	Total C rro tio	Sec nds of Corre t ed Time		In tr m tal P tt and Corre tion C t t	Mean Observed Time	T tal Correc tion	Sec nd of C rr ct d 1 m	By each Star	Mean of Group		B_W − B_E + 0ˢ 199 B_S − B_W + 0 94	
1886 Ap 2	3998	+ 35 34	N	I P W d c + 0 1 b − 0 4 − 40 4 Q − 1 70	43 35 28	− 1 6	33 67	N	I P A d − 3 5 a + 3 5 Q − 7)	56 7 46	− 1 95	15 5	12 4 84	8	03	0 199	958
	4010	+ 38 3	N		46 3 49	− 53	11 96			58 55 64	− 1)8	53 66	4 70				
	4018	+ 4 33	N		47 44 15	− 48	42 67	N		2 6 46	− 2 0	24 44	4 77	4	+	+	12 4
	4059	+ 43 44	N		56 3 83	− 4	29 43	N		9 3 18	− 2 03	11 15	41 2				
	4031	+ 16 17	S		49 38 09	− 94	36 15	S		2 2 9 75	− 1 8	17 94	2 4 79	98	03	0 194	013
	4039	+ 4 7	S		52 2 95	− 2	1 84	S		4 54 38	− 7(	52 (2	4 78				
	4072	+ 9	S		59 33 58	− 2 04	11 54	S		55 18	− 78	53 4	4 86	4	+	+	2 42
	4079	+ 0 8	S		2 11 89	− 2 3	8 86	S		13 52 4	− 1 9	50 62	41 76				
Apr 3	8913	+ 43 48	N	I P W d c + 0 1 b + 2 a − 45 4 Q + 1 70	1 24 2 67	+ 2 09	4 76	N	I P W d − 1 b − 4 + 8 5 Q + 1 77	36 44 99	+ 1 5	46 50	2 41 74	65	0 043	99	006
	3952	+ 44 6	N		31 57 78	+	59 89	N		44 49 4	+ 1 5	4 (5	41 76				
	3966	+ 32 23	N		35 20	+ 1 81	2 0	N		48 2 26	+ 1 58	3 84	4 83	4	0	+	12 41
	3973	+ 4 2	N		3 16 87	+ 2 5	18)			49 59 4	+ 51	6 65	4 73				
	3900	+ 3 9	S		12 47 07	+ 29	48 36	S		11 34 28 6	+ 1 70	3 31	12 4 95	958	0 043	0 194	44
	3919	+ 5 0	S		25 34 4	+ 1 45	35 59	S		38 5 7	+ 66	7 38	41 79				
	3937	+ 28 25	S		30	+ 1 72	1 74	S		42 42 3	+ 6	43 (4	41 9	4	+	+	12 43
	3962	+ 1 35	S		34 16 05	+ 5	17 3	S		46 57 58	+ 1 71	59 29	41 99				
	3998	35 34	N	Q − 1 70	11 43 31 62	− 51	30 1	N	Q − 1 77	1 56 13 8	− 98	11 83	12 41 72	98	0 042	199	030
	4010	+ 38 32	N		46 9 74	− 1 45	8 29	N		58 5 06	− 1 99	50 7	4 8				
	4018	+ 4 33	N		47 40 46	− 1 38	39 08	N		12 0 22 82	− 1 99	20 ?3	41 75	41	0	+	4
	4059	+ 43 44	N		56 27 10	− 1 31	25 79	N		9 9 75	− 2 0	7 73	41 94				
	4031	+ 16 17	S		11 49 34 42	− 1 92	32 50	S		12 2 16 15	− 1 90	14 25	12 41 75	70	0 043	94	006
	4039	+ 4 7	S		52 9 30	− 2 10	7 20	S		4 50 83	− 85	48 98	41 78				
	4072	+ 9 22	S		59 9 96	− 2 03	7 93	S		11 51 61	− 1 86	49 75	41 82	4	+	+	12 4
	4079	+ 10 18	S		12 1 7 32	− 2 01	5 21	S		13 48 30	− 1 86	46 94	41 73				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

DEHRĀ DŪN (E) Lat 30° 19′ Long 5 12ᵐ 25ˢ; AND AMRITSAR (W) Lat 31 38′ Long 4ʰ 59ᵐ 39ˢ

Astronomical Date	STAR			TRANSITS OBSERVED AT E By Strah with T lescop No 2				TRANSITS OBSERVED AT W By Bur ard w th T lescope N 1				Diff re t C rect d 1 m (W − E)		Correct n f E Clock Rate of	Corru to Persl Equat ous $S_M − B_M = + 0^s·199$ $S_S − B_S = + 0·194$	$\Delta L - \rho$
	BAC Number	D h n tion	Aspect	Inst m ntal Pot n a d C rrection Con tants	Mean Ob rved Time	Total Correc tion	Seconds of C rr ct d Time	Aspect	Instru tal Pot n a d Corre t n C ntat	Me n Ob rv d Time	T tal C rr c ti n	S conds f Correct ed T m	By each Star	Mean of Group			
1886 Apr 10	3913	+ 43 48	N	I P E d c − 0 7 b + 0 1 − 4 1 e Q + 1 69	h m 1 23 2 71	s + 1 7	s 24 41	N	I P W d − 1 b − 2 8 e − 9 8 Q + 2 62	h m 1 36 3 55	+ 2 51	6 06	m 4 65	4 583	57	99	2 4 839
	3952	+ 44 16	N		31 17 81	+ 1 70	19 5	N		43 58 56	+ 2 52	61 08	41 57		0	0	
	3966	+ 32 23	N		34 19 97	+ 72	4 69	N		47 2 71	+ 2 47	23 8	41 49		+	+	
	3973	+ 42 21	N		36 36 80	+ 1 71	38 51	N		49 7 62	+ 2 5	2 3	4 62				
	3900	+ 3 29	S		1 2 6 4	+ 1 64	8 5	S		33 47 39	+ 2 38	49 77	2 41 72	4 657	57	0 194	2 4 908
	3919	+ 15	S		24 53 63	+ 65	55 28	S		37 34 5	+ 2 43	36 93	4 65		0	+	
	3962	+ 1 35	S		33 35 33	+ 1 62	36 95	S		46 16 6	+ 2 39	8 55	4 6				
	3998	+ 35 34	N	Q − 1 69	1 42 51 42	− 1 69	49 73	N	Q − 2 62	11 55 34 06	− 2 75	31 31	12 41 58	4 601	57	99	12 4 839
	4010	+ 38 32	N		45 29 63	− 1 69	2 93	N		58 12 30	− 2 75	9 55	41 63		0 57	0	
	4018	+ 41 33	N		46 6 34	− 1 68	58 66	N		59 43 98	− 2 75	40 23	41 57		+	+	
	4059	+ 43 44	N		55 47 08	− 1 68	45 40	N		2 8 29 77	− 2 73	27 04	41 64				
	4081	+ 16 17	S		11 48 53 87	− 1 73	52 14	S		2 1 36 52	− 2 81	33 71	12 41 57	4 608	57	0 94	4 859
	4089	+ 4 7	S		5 28 6	− 1 75	26 86	S		4 1 34	− 2 85	8 49	4 63				
	4072	+ 9 22	S		58 29 30	− 1 75	37 55	S		11 2 02	− 2 83	9 19	4 64		+	+	
	4079	+ 10 8	S		2 0 26 63	− 1 73	24 90	S		13 9 32	− 2 83	6 49	41 59				
Apr 11	3913	+ 43 48	N	I P E d c + 0 3 b + 1 6 e − 2 6 e Q + 1 64	1 23 15 64	+ 1 2	17 36	N	I P E d c − 3 5 b − 6 e − 17 7 Q + 2 65	1 35 56 36	+ 2 61	58 98	12 41 62	4 590	0 062	99	12 41 851
	3952	+ 44 6	N		31 1 74	+ 1 2	2 46	N		43 5 49	+ 2 61	54 11	41 65		+	+	
	3966	+ 32 23	N		34 32 94	+ 1 68	34 62	N		47 13 63	+ 2 52	16 17	41 55				
	3973	+ 42 21	N		36 29 77	+ 1 2	31 49	N		49 10 43	+ 2 60	13 03	41 54				
	3900	+ 3 29	S		11 30 59 40	+ 1 65	61 05	S		11 33 40 27	+ 2 36	42 63	12 41 58	41 628	0 063	0 194	12 41 884
	3919	+ 15	S		24 46 53	+ 1 66	48 19	S		37 27 38	+ 2 41	29 79	41 60		+	+	
	3937	+ 28 15	S		29 13 70	+ 1 69	14 39	S		41 53 52	+ 2 50	56 02	41 63				
	3962	+ 1 35	S		33 28 30	+ 1 65	29 95	S		46 9 31	+ 2 34	11 65	41 70				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

101

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

DEHRA DŪN (E) *Lat 30° 19′ Long 5ʰ 12ᵐ 25ˢ·* AND AMRITSAR (W) *Lat 31 38′ Long 4ʰ 59ᵐ 39ˢ*

Astronomical Date	STAR BAC Number	Declination	Star Aspect	In trumental Position and Correction Contacts	Mean Observed Time	Total Correction	Second of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Second of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrn. for Persl Equations $B_N - B_N = + 0^s \cdot 99$ $B_S - B_S = + 0 \cdot 94$	$\Delta L - \rho$
					Transits Observed at E By Strahan, with T lescope No 9				**Transits Observed at W** By Burrard with T lescop N 1				**Differen of Corrected Times (W − E)**				
1886 Apr 11	4010	+ 38 32	N	I P E	ʰ ᵐ 1 45 22 42	− 1 58	20 84	N	I P E	ʰ ᵐ 1 58 5 15	− 2 73	2 42	ᵐ 12 41 58	30	0 62	0 199	12 41 84
	4018	+ 41 13	N	d + 0 3 b + 6 a − 2 6	46 53 9	− 56	5 63	N	c − 3 5 b − 1 6 a − 17 7	59 35 92	− 2 71	33 21	41 58	4 8	+	+	
				Q − 1 64					Q − 2 65								
	4031	+ 16 17	S		48 46 65	− 62	45 03	S		2 1 29 52	− 2 87	26 65	12 41 62	88	0 66	0 94	4 844
	4039	+ 4 7	S		5 1 4	− 63	9 78	S		4 4 34	− 2 94	1 40	41 62				
	4072	+ 9 22	S		58 22 9	− 62	20 47	S		11 4 98	− 2 91	2 07	41 60	4 8	+	+	
	4079	+ 10 18	S		0 19 47	− 1 61	17 86	S		12 62 28	− 2 9	59 37	4 51				
Ap 12	3918	+ 43 48	N	I P E	1 23 8 62	+ 1 69	10 31	N	I P W	35 49 34	+ 2 57	51 91	12 41 60		63	99	2 4 8
	3952	+ 44 6	N	d + 0 3 b + 1 6 − 3 5	3 3 75	+ 68	5 43	N	d − 3 1 b − 3 4 − 2 3	43 44 40	+ 2 58	46 98	41 55	4			
	3966	+ 32 3	N		34 25 93	+ 66	27 59	N		47 6 65	+ 2 47	9 12	4 53	8	+	+	
	3973	+ 42 21	N	Q + 1 6	36 22 79	+ 69	4 48	N	Q + 2 63	49 3 46	+ 2 54	6 00	4 52				
	3900	+ 5 29	S		11 20 52 41	+ 1 62	54 03	S		11 33 33 26	+ 2 28	35 54	12 41 51	480	063	94	17
	3919	+ 15 0	S		24 39 6	+ 63	4 24	S		37 2 4	+ 33	2 75	4 5	4		0	
	3937	+ 8 25	S		9 5 73	+ 66	7 39	S		4 46 4	+ 45	48 85	41 46	8	+	+	2 4
	3962	+ 1 35	S		33 21 33	+ 61	22 94	S		46 2 12	+ 2 26	4 38	41 44				
	3998	± 35 34	N	Q − 1 6	42 37 4	− 1 55	35 59	N	Q − 2 63	1 55 19 98	− 2 7	17 2	2 4 62	3	063	0 199	4 8
	4018	+ 41 13	N		46 46 11	− 1 53	44 58	N		59 28 79	− 2 71	26 08	41 50	4 5	0	+	
	4059	+ 41 44	N		55 32 88	− 1 54	31 34	N		12 8 15 56	− 2 68	2 88	4 54	8 12	+		
	4031	+ 16 17	S		11 48 39 65	− 1 59	38 06	S		12 1 22 47	− 2 91	19 56	12 4 50	445	063	94	4
	4039	+ 4 7	S		51 14 41	− 1 60	12 81	S		3 57 20	− 2 98	54 22	41 41	4		0	
	4072	+ 9 22	S		58 15 08	− 1 59	13 49	S		10 57 89	− 2 96	54 93	41 44	8	+	+	
	4079	+ 0 18	S		12 0 12 40	− 1 59	0 81	S		12 55 19	− 2 95	52 24	41 43				

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEHRA DŪN (E) *Lat 30° 19′ Long 5ʰ 12ᵐ 25ˢ* AND AMRITSAR (W) *Lat 31° 38′ Long 4ʰ 59ᵐ 39ˢ*

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Strah with Telescop N 9				Star Aspect	TRANSITS OBSERVED AT W By B rrard with Telescope No 1				Diffrenc f Corrected Times (W − E)		Correcti n f Rate of W Clock	Corrn fo Persl. Equations $S_N - B_N = + 0^s\cdot 199$ $B_8 - B_8 = + 0\cdot 94$	$\Delta L + \rho$
	BAC Number	D l nation		Instrumntal Positi n and Correction C t nts	Mean Obs rved Time	Total C rr c tion	Seconds of Correct ed ime		Instrumntal P ti n a d Correction Co ta te	Mean Ob rved Time	Total Correc tion	Seconds of C rrect ed Time	By each Star	Mean of Gro p			
1886 Apr 1	4233	+ 33 53	N	I P E d + 2 3 b + o − 11 4 Q + 1 70	h m 12 15 46 91	+ 1 8	s 48 72	N	I P E d o − 1 5 b − 2 8 + 13 0 Q + 1 75	h m 2 28 28 99	+ 1 56	30 55	m 12 41 83	4 810	0 0 −	99 +	2 4 998
	4250	+ 9 25	S		12 19 6 4	+ 1 69	8 09	S		12 31 48 14	+ 1 73	49 87	12 41 ,8	4 70	3 0 −	0 194 +	4 931
	4260	+ 2 41	S		21 11 97	+ 1 73	13 70	S		33 53 8	+ 1 66	55 47	4 77				
	4267	+ 11 3	S		23 34 83	+ 1 69	36 52	S		36 16 58	+ 1 7	8 30	41 78				
	4277	− 0 87	S		25 31 96	+ 1 66	33 62	S		38 3 60	+ 1 77	5 37	4 75				
	4408	+ 39 8	N	Q − 1 70	12 52 15 58	− 56	4 02	N	Q − 1 75	3 4 57 79	− 1 99	55 80	12 41 78	4 817	3 0 −	0 199 +	2 42 005
	4415	+ 39 6	N		52 37 45	− 1 57	35 88	N		5 19 71	− 1 98	17 13	41 85				
	4433	+ 40 45	N		56 21 12	− 1 56	19 56	N		8 3 44	− 2 00	1 44	41 88				
	4393	+ 28 10	S		1 50 14 64	− 1 6	3 02	S		13 2 56 65	− 1 88	54 77	12 4 75	4 800	3 0 −	0 94 +	4 953
	4440	+ 10 1	S		58 55 56	− 1 70	53 86	S		11 37 48	− 1 77	35 1	41 85	12 4			12 4
Apr 2	4233	+ 33 53	N	I P W d o + 6 b − o 4 − 39 6 e Q + 1 70	12 15 50 23	+ 1 77	52 00	N	I P E d o − 1 5 b − 1 0 o + 19 0 e Q + 1 77	12 28 32 39	+ 1 62	34 01	12 42 01	41 990	3 0 031 −	0 199 +	12 42 158
	4265	+ 39 54	N		27 23 89	+ 89	25 78	N		40 6 22	+ 1 56	7 78	42 00	12 41			12 42
	4311	+ 38 8	N		32 33 83	+ 1 86	35 69	N		43 16 07	+ 1 38	17 65	41 96				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

103

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

			DEHRA DÜN (E) Lat 30° 19′ Long 5ʰ 12ᵐ 25ˢ AND AMRITSAR (W) Lat 31 38′ Long 4ʰ 58ᵐ 39ˢ														

Astronomical Date	STAR		Transits Observed at E By Strahan with T lescope No 2					Transits Observed at W By Burrard with T lescope N 1					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn for Pend. Equations $S_W - B_W = + 0^s$ 99, $S_E - B_E = + 0$ 94	$\Delta L + \rho$
	B A C Numbe	Decli nation	Star' Aspect	I Instru mental Position and Correction Const	Mean Observed Time	Total Correc tion	Seconds of Corrected Time	Star Aspect	In strumental Position and Correction Const	Mean Observed Time	T tal Correc tion	S ds of Corr t ed Tim	By each Star	Mean of Group			
1886 Ap 2	4250	+ 9 25	S	I P W c + 0 1 d b − 4 − 39 6 Q + 1 7	h m s 2 19 1 08	s + 1 36	11 44	S	I P E − 3 5 d b − 6 a + 19 0 Q + 1 77	h m s 12 31 51 69	s + 1 81	s 51 50	m s 12 42 06				
	4260	+ 21 4	S		2 15 48	+ 1 55	7 03	S		33 57 33	+ 1 73	59 06	42 03		3	94	73
	4267	+ 1 3	S		23 38 46	+ 39	39 85	S		36 2 4	+ 80	84	41 99		0	0	12 42
	4277	− 0 57	S		5 35 73	+ 23	36 96	S		38 17 13	+ 1 89	19 02	42 06		−	+	
	4299	+ 14 11	S		3 20 42	+ 1 43	21 85	S		43 99	+ 1 77	3 76	41 91				
	4384	+ 36 25	N	Q − 1 70	2 48 16 27	− 1 58	4 69	N	Q − 1 77	3 0 58 61	− 1 95	56 66	12 41 97				
	4408	+ 39 8	N		52 8 86	− 1 53	7 33	N		4 6 43	− 1 97	59 46	42 3		040	031	208
	4415	+ 39 6	N		52 40 74	− 52	39 22	N		5 23 31	− 1 97	21 34	42 2	12 43 040	0	0 190	4
	4420	+ 41 24	N		54 9 7	− 1 49	8 2	N		6 52 27	− 2 02	50 25	42 04		−	+	
	4433	+ 40 45	N		56 24 43	− 1 48	22 95	N		9 6 90	− 2 01	4 89	41 94				
	4367	+ 1 34	S		44 22 27	− 2 1	2 6	S		2 57 4 0	− 1 74	2 27	12 42 01				
	4393	+ 28 1	S		50 8 3	− 1 75	16 28	S		3 2 60 20	− 1 87	58 33	42 05		03	94	80
	4440	+ 0	S		58 59 24	− 2 3	57 2	S		1 40 93	− 1 73	39 20	41 99		0	0	2 42
															−	+	
Apr 3	4233	+ 33 53	N	I P W c + 0 d b + 2 0 a − 41 6 s Q + 1 70	12 15 53 6	+ 84	55 48	N	I P W c − 3 d b − 4 a + 10 8 s Q + 1 77	2 28 36 00	+ 1 55	37 55	2 42 10		090	031	258
	4265	+ 39 54	N		27 27 33	+ 1 97	29 30	N		40 9 80	+ 1 54	11 34	42 04	2 43 2	0	0 199	2 42
	4311	+ 38 8	N		32 37 23	+ 1 93	39 16	N		45 19 75	+ 1 54	21 29	42 13		−	+	
	4250	+ 9 25	S		2 19 13 52	+ 1 40	14 92	S		12 31 56 96	− 0 08*	56 88	12 41 96				
	4260	+ 21 41	S		21 18 93	+ 1 59	20 52	S		34 0 89	+ 1 63	2 52	42 00		03	31	6
	4267	+ 11 3	S		23 41 87	+ 1 43	43 30	S		36 23 61	+ 1 68	25 29	41 99	12 43 03	0	0 194	4
	4277	− 0 57	S		25 39 17	+ 1 26	40 43	S		38 20 83	+ 1 72	22 55	42 12		−	+	
	4299	+ 14 1	S		30 23 89	+ 1 46	25 35	S		43 5 67	+ 1 67	7 34	41 99				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

DEHRA DÜN (E) Lat 30° 19' Long 5 19ᵐ 25ˢ AND AMRITSAR (W) Lat 31 38' Long 4ʰ 59ᵐ 39ˢ

Astronomical Date	Star BAC Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction of W Clock	Rate of W Clock	Corrn to Persl. Equations $S_W - B_W = + \sigma'$ 199 $S_B - B_B = +$ 194	$\Delta L + \rho$
													Transits Observed at E By Stalk n with Telescope No 2		Transits Observed at W By Burrard with Telescope No 1		Difference of Corrected Times (W − E)	
1886 Apr 3	4384	+ 36 25	N	I P W	ʰ ᵐ 12 48 19 66	− 1 51	ˢ 18 15	N	I P W	ʰ ᵐ 13 1 2 22	− 1 97	0 25	ᵐ 2 42					
	4408	+ 39 8	N	c + 0 1	52 22 20	− 1 45	20 75	N	c − 3 1	5 4 89	− 2 00	2 89	42 14					
	4415	+ 39 6	N	b + 2 0 a − 4 6	52 44 14	− 1 44	42 70	N	b − 4 a + 1 8	5 26 78	− 99	24 79	42 09	42 074	03	99	0	2 42 243
	4420	+ 41 24	N	Q − 1 70	54 3 14	− 40	74	N	Q − 1 77	6 55 75	− 2 3	53 72	4 98				+	
	4423	+ 40 45	N		56 27 82	− 1 42	26 40	N		9 10 48	− 2 02	8 46	42 06					
	4367	+ 11 34	S		2 44 25 71	− 1 95	23 76	S		12 57 7 63	− 1 85	5 78	12 42 02					
	4393	+ 28 0	S		50 21 44	− 1 68	19 76	S		3 3 3 79	− 1 94	1 85	42 09	42 4	40	3	94	42 3
	4440	+ 10 1	S		59 2 67	− 1 99	0 68	S		11 44 53	− 1 84	42 69	42 01			0	0 +	
Apr 11	4233	+ 33 53	N	I P E	2 16 19 96	+ 1 66	21 62	N	I P E	2 29 0 94	+ 2 50	3 44	12 41 82					
	4285	+ 39 54	N	d c + 0 3	27 53 84	+ 1 65	55 49	N	d − 3 5	40 34 70	+ 2 54	37 24	4 75	12 41 7	010	199	0	12 4 939
	4311	+ 8 8	N	b + 1 6 a − Q + 1 61	33 3 68	+ 66	5 34	N	b − 1 6 a − 14 0 Q + 2 62	45 44 55	2 53	47 08	41 74		0	+		
	4250	+ 9 25	S		12 19 39 43	+ 1 65	41 08	S		2 32 20 42	+ 2 38	22 80	12 4 72					
	4260	+ 2 4	S		21 45 04	+ 1 66	46 70	S		34 25 99	+ 2 43	28 42	41 73	12 41 7 2	30	194	0	12 41 876
	4267	+ 11 5	S		24 7 86	+ 1 66	9 52	S		36 48 84	+ 2 39	51 23	41 71		0	+		
	4277	− 0 57	S		26 4 98	+ 1 65	6 63	S		38 46 5	+ 2 35	48 40	41 77					
	4299	+ 14 1	S		30 49 94	+ 1 66	51 60	S		43 30 85	+ 2 39	33 24	41 64					
	4384	+ 36 25	N	Q − 1 61	12 48 45 98	− 1 56	44 42	N	Q − 2 62	13 1 29 00	− 2 72	26 28	12 41 86					
	4408	+ 39 8	N		52 48 60	− 56	47 04	N		5 31 67	− 2 71	28 96	4 92	12 41 874	030	199	0	12 42 043
	4415	+ 39 6	N		53 10 44	− 1 56	8 88	N		5 53 53	− 2 71	50 82	41 94		0	+		
	4420	+ 41 24	N		54 39 51	− 1 55	37 96	N		7 22 46	− 2 68	19 78	41 82					
	4423	+ 40 45	N		56 54 21	− 1 56	52 65	N		9 37 18	− 2 70	34 48	41 83					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

105

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEHRA DŪN (E) *Lat 30° 19′ Long 5ʰ 12ᵐ 28ˢ* AND AMRITSAR (W) *Lat 31 36′ Long 4ʰ 59 39ˢ*

Astronomical Date	STAR		Apparent	TRANSITS OBSERVED AT E *By Strah with T Telescope V 9*				Star' Aspect	TRANSITS OBSERVED AT W *By B rr rd with T Telescope N 1*				Difference of Corrected Time (W − E)		Correct n for Rate of W Clock	Corrn. for Persl. Equation	$\Delta L + \rho$
	BAC Number	Declination	Star	Instrumental Position and Correction of Star	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction of Star	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group		$S_W - B_W = + 0^\circ$ 99 $S_D - B = + 0$ 94	
1886 Apr 11	4367	+ 11 34	S	I P E + d b + c −	h m s 12 44 5 56 50 47 58 59 28 48	− 56 − 1 56 − 57	5 00 4(2 6 91	S S S	I P E − d − 3 5 b − 6 − 4 0 s	h m s 2 57 34 63 3 3 10 59 54	− 2 85 − 77 − 2 85	3 78 27 81 8 (9	m 2 41 78 4 8 41 78	87 4 II	0 030 0 −	0 194 +	2 41 9 I
	4393	+ 28 0	S														
	4440	+ 10	S	Q − 61					Q − 2 62								
Apr 12	4233	+ 31 53	N	I P E + d b + 6 a − 2 4 s Q + 1 6	2 6 23 39 27 57 33 7 14	+ 67 + 67 + 1 67	25 (58 88 8 8	N N N	I P W − d − 3 1 b − 3 4 − 17 2 Q + 2 65	2 29 4 35 4 38 3 45 47 97	+ 2 5 + 56 + 2 53	6 85 40 69 50 50	2 41 79 4 8 41 69	63 4 II	3 0 −	99 0 +	4 93
	4285	+ 39 54	N														
	4311	+ 38 8	N														
	4250	+ 9 25	S		12 19 4 87 48 5 24 1 35 26 8 46 30 53 39	+ 1 64 + 1 65 + 1 64 + 62 + 63	44 5 5 17 2 99 1 o8 55 02	S S S S S		12 32 23 88 34 29 4 36 62 6 38 49 49 43 34 29	2 35 + 2 4 + 2 3(+ 2 3 + 2 37	26 3 31 81 54 6 5 80 36 (6	2 41 72 4 65 4 (3 4 72 41 64	6 4 II	30 0 −	194 +	4 8-6
	4260	+ 21 4	S														
	4267	+ 11 3	S														
	4277	− 0 57	S														
	4299	+ 4 1	S														
	4384	+ 36 25	N	Q − 1 61	2 48 49 43 52 52 05 53 3 94 54 42 94 56 57 60	− 1 56 − 1 55 − 55 − 1 55 − 1 55	47 87 5 50 2 39 4 39 56 05	N N N N N	Q − 2 65	3 1 32 28 5 34 9 5 56 8 7 25 80 9 40 47	− 2 78 − 2 76 − 2 76 − 2 75 − 2 77	29 5 31 6 54 06 23 05 37 70	2 41 63 41 66 41 67 41 66 4 65	654 4 II	010 0 −	99 0 +	4 8 21
	4408	+ 39 8	N														
	4415	+ 37 6	N														
	4420	+ 41 24	N														
	4433	+ 40 45	N														
	4367	+ 11 34	S		12 44 54 99 50 5 04 59 31 95	− 1 58 − 1 56 − 1 59	53 41 49 48 30 36	S S S		12 57 37 96 13 3 33 9 2 4 93	− 94 − 2 84 − 2 94	35 3 7 (99	12 41 61 41 39 41 63	6 4 II 2	030 0 −	94 0 +	41
	4393	+ 28 10	S														
	4440	+ 10 1	S														

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

DEHRA DŪN (E) Lat 30° 19′ Long 5ʰ 12ᵐ 28ˢ AND AGRA (W) Lat 27° 10′ Long 5ʰ 12ᵐ 14ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E — By Strahan with Telescope No 2				Star Aspect	TRANSITS OBSERVED AT W — By Burrard with Telescope No 1				Difference of Corrected Times (W − E)		Correction to Rate of E Clock	Corrns to Persl Equations $S_N - B_N = + 0ˢ 187$ $S_S - B_S = + 0ˢ 1$	ΔL − ρ
	BAC Numb	D 1 t		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1886 Apr 20	4233	+ 33 53	N	I P E	ʰ ˢ 12 28 5 37	′ ′ + 65	ˢ 7 2	N	I P E	ʰ ᵐ 2 28 1 01	ˢ + 2 03	4 04	0 7 2	6 937	0 000	+ 0 87	4
	4285	+ 39 54	N	d c + 1 2	39 39 13	+ 1 69	40 82	N	d c − 2 6	39 45 63	+ 2	47 74	6 9				7
	4311	+ 38 8	N	b − 0 2 a − 11 7	44 49 04	+ 1 67	50 71	N	b − 2 8 a − 25 6	44 55 50	+ 2 08	57 58	6 87				0
				ˢ Q + 1 60					ˢ Q + 2 09								
	4250	+ 9 25	S		12 31 24 99	+ 1 52	26 51	S		2 31 31 59	+ 1 79	33 38	0 6 87	6 864	0 000	+ 0 21	75
	4260	+ 21 4	S		33 30 51	+ 1 59	32 18	S		33 37 08	+ 1 91	38 99	6 8				7 7
	4267	+ 11 3	S		35 53 39	+ 1 53	54 92	S		35 59 98	+ 1 8	6 79	6 87				
	4277	− 0 57	S		37 50 53	+ 1 49	52 02	S		37 57 21	+ 7	58 9	6 89				0
	4299	+ 14 11	S		42 35 42	+ 1 55	36 97	S		42 42 01	+ 1 84	43 85	6 88				
	4360	+ 31 24	N	Q − 1 60	12 54 55 78	− 1 57	54 21	N	Q − 2 09	12 55 3 29	− 2 19	1 10	0 6 89	6 906	0 000	+ 0 187	7 593
	4408	+ 39 8	N		13 4 33 76	− 1 52	32 24	N		3 4 41 29	− 2 09	39 2	6 96				
	4415	+ 39 6	N		4 55 65	− 53	54 2	N		5 3 6	− 2 10	1 06	6 94				0
	4420	+ 41 24	N		6 24 64	− 1 50	21 4	N		6 32 12	− 2 06	30 6	6 92				
	4433	+ 40 45	N		8 39 39	− 1 49	37 9	N		8 46 79	− 2 07	44 72	6 82				
	4367	+ 11 34	S		2 56 36 88	− 1 66	35 22	S		2 56 44 50	− 2 37	42 13	0 6 91	6 865	0 000	+ 0 211	7 076
	4393	+ 28 10	S		13 2 32 89	− 1 58	31 31	S		13 2 40 35	− 2 22	38 13	6 82				0
Apr 21	4233	+ 33 53	N	I P W	12 28 4 49	+ 1 6	6 10	N	I P E	2 28 11 25	2 03	13 28	0 7 18	33	000	+ 0 187	7 310
	4285	+ 39 54	N	d c + 0 2	39 38 32	+ 1 65	39 97	N	d − 2 6	39 44 96	+ 2 09	47 05	7 08	7			0
	4311	+ 38 8	N	b − 7 a − 4	44 48 4	1 63	49 77	N	b − 8 a − 13 3	44 54 86	ᵇ + 2 05	56 91	7 4				
				ˢ Q + 1 60					ˢ Q + 2 10								
	4250	+ 9 25	S		12 31 24 16	+ 1 47	25 63	S		12 31 30 80	+ 1 91	32 71	0 7 08	7 054	0 000	+ 0 211	7 265
	4260	+ 2 4	S		33 29	+ 1 55	31 25	S		33 36 32	+ 98	38 30	7 5				0
	4267	+ 11 3	S		35 52 53	+ 1 49	54 02	S		35 59 16	+ 1 91	61 07	7 05				
	4277	− 0 57	S		37 49 75	+ 1 44	51 19	S		37 56 38	+ 1 86	58 24	7 05				0
	4299	+ 14 11	S		42 34 58	+ 1 5	36 08	S		42 41 20	+ 1 92	43 12	7 04				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 107

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

			colspan														

DEHRA DŪN (E) *Lat* 30° 19' *Long* 5ʰ 12ᵐ 23ˢ AND AGRA (W) *Lat* 27° 10' *Long* 5ʰ 12ᵐ 14ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Staka with Telescope No 2				Star Aspect	TRANSITS OBSERVED AT W By Berrard with Telescope No 1				Difference of Corrected Times (W — E)		Correction for Rate of E Clock	Corrn. for Persl Equat n $B_H - B_H = +0^s \cdot 87$ $S_R - B_S = +0 \cdot 11$	$\Delta L - \rho$
	BAC Number	Decli nation		Instrument l Position and Correction C t t	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1886 Apr 21	4360	+ 31 24	N	I P W	ʰ ᵐ 12 54 54 94	− 1 60	53 34	N	I P E	ʰ ᵐ ˢ 2 55 2 63	− 2 9	0 43	ᵐ ˢ 0 7 09	ˢ	° 0	° 00	+ 0 187	7 257
	4433	+ 40 45	N	d + 2 b − 0 7 a − 14 1 Q − 1 60	3 8 38 62	− 1 55	37 07	N	c − 2 b − 1 8 a − 13 3 Q − 2 10	3 8 46 24	− 2 12	44 12	7 05	2 0				0
	4367	+ 11 34	S		2 56 36 14	− 1 71	34 43	S		12 56 43 72	− 2 29	41 43	0 7 00		3	0 00	+ 0 21	7 246
	4387	+ 21 46	S		3 0 53 77	− 66	52 11	S		3 0 61 4	− 2 3	59 18	7 07	2 0			+	0
Apr.22	4233	+ 33 53	N	I P W	2 8 3 6	+ 67	5 28	N	I P W	2 28 10 1	+ 2 21	2 32	0 7 04		280	0 00	+ 8	7 20
	4285	+ 39 54	N	d c + 0 2 b + 0 1 a − 3 0 Q + 1 60	39 37 32	+ 1 68	39 00	N	d c + 1 0 b + 8 − 19 6 Q + 2 10	39 43 80	+ 2 31	46 11	7 11				+	0
	4311	+ 38 8	N		44 47 1	+ 1 69	48 86	N		44 53 68	+ 2 28	55 96	7 1	2 0				
	4250	+ 9 25	S		23 3 23	+ 1 5	4 75	S		12 31 29 71	+ 2 04	31 75	0 7 00					
	4260	+ 21 4	S		33 28 73	+ 1 58	30 31	S		33 35 23	+ 2 12	37 35	7 04					
	4267	+ 11 3	S		35 5 59	+ 1 53	53 2	S		35 58 08	+ 2 05	60 3	7 01	0		0 000	+ 0 21	7 23
	4277	− 0 57	S		37 48 8	+ 47	5 9	S		37 53 3	+ 1 91	57 26	6 97	2				0
	4299	+ 14 1	S		42 33 62	+ 1 54	35 6	S		42 40 13	+ 2 07	42 20	7 04					
	4360	+ 31 24	N	Q − 1 60	2 54 54 00	− 1 57	52 43	N	Q − 2 0	12 54 61 45	− 2 01	59 44	0 7 01			0 00	+ 0 187	87
	4406	+ 39 8	N		13 43 03	− 1 50	30 55	N		13 4 39 46	− 1 90	37 56	7		000	0		0
	4415	+ 39 6	N		4 53 96	− 1 50	52 46	N		4 61 34	− 1 90	59 44	6 98				+	
	4420	+ 41 24	N		6 22 96	− 1 48	21 48	N		6 30 30	− 1 89	28 41	6 93	2 0				
	4433	+ 40 45	N		8 37 58	− 1 50	36 08	N		8 45 04	− 1 89	43 5	7 07					
	4367	+ 11 34	S		12 56 35 16	− 1 67	33 49	S		12 56 42 64	− 2 15	40 49	0 7 00			0 00	+ 0 2	4
	4387	+ 21 46	S		13 0 52 82	− 1 61	51 21	S		13 0 60 30	− 2 08	58 22	7 01		00	0	+	7
	4393	+ 28 10	S		2 31 15	− 1 59	29 56	S		2 38 57	− 2 01	36 56	7 00	2 0				0

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

DEHRA DÚN (E) *Lat* 30° 19′ *Long* 5 12ᵐ 25ˢ AND **ÁGRA** (W) *Lat* 27° 10′ *Long* 5ʰ 19ᵐ 14ˢ

Astronomical Date	BAC Number	Decl nation	Star Aspect (E)	Instrumental Position and Correction Co stants (E)	Mean Observed Time (E)	Total Correc tion (E)	Seconds of Correct ed Time (E)	Star Aspect (W)	Instrumental Position and Correction O at ts (W)	Mean Obs rved Time (W)	Total Correc tion (W)	Seconds of Correct ed Time (W)	By each Star (W−E)	Mean of Group	Correction fo Rate of E Cl k	C rrns for Prsnl Equati ns $S_w - B_m = + ♂\,87$, $S_b - B_s = + 0\,21$	$\Delta L - \rho$
1886 Apr 2d	4238	+33 53	N	I P E	12 28 2 68	+1 67	4 35	N	I P W	12 28 9 29	+2 05	11 34	0 6 99	6 9 7	0 000	+ 0 187	64
	4285	+39 54	N	c + d 2	39 36 40	+1 68	38 08	N	− 4	39 42 90	+2 14	45 04	6 96				0 7
	4311	+38 8		b + o 6 / a − 8 3	44 46 29	+1 68	47 97	N	b − 1 7 / a − 1	44 52 84	+2 1	54 95	6 98	8 0			0
				Q +1 62					Q + 2 10								
	4250	+ 9 25	S		12 31 22 23	+1 56	23 79	S		2 31 28 99	+1 74	30 73	6 94	6 90	0 000	+ 0 2	3
	4260	+21 41	S		33 27 81	+1 6	29 42	S		33 34 45	+1 89	36 34	6 9				7
	4267	+11 3	S		35 50 64	+1 57	52 21	S		35 57 34	+1 76	59 10	6 89				0
	4277	− o 57	S		37 47 8	+1 55	49 36	S		37 54 63	+ 64	56 27	6 9	8 0			
	4299	+14 11	S		42 32 69	+1 59	34 28	S		42 39 34	+1 79	41 13	6 85				
	4360	+31 24	N	Q − 1 62	2 54 53 15	−1 59	51 56	N	Q − 2 10	12 54 60 69	−2 18	58 51	0 6 95	6 9 0	0 000	+ 0 87	0 7 997
	4408	+39 8	N		13 4 31 23	−1 56	29 67	N		3 4 38 67	−2 07	36 60	6 93				
	4415	+39 6	N		4 53 10	−1 57	5 53	N		4 60 56	− 06	58 5	6 9				
	4420	+4 24	N		6 22 2	−1 55	20 65	N		6 29 47	−2 3	27 44	6 79	8 0			
	4367	+11 14	S		12 56 34 28	−1 67	32 6	S		12 56 4 96	−2 43	39 53	0 6 92	6 933	0 000	+ 0 211	44
	4387	+21 46	S		13 0 51 96	−1 63	50 33	S		3 0 59 56	−2 3	57 25	6 91				0 7
	4393	+28 10	S		2 3 8	−1 61	28 67	S		2 37 86	−2 23	35 63	6 96	8			0
Apr 24	4233	+33 53	N	I P E	2 28 2 32	+1 59	3 91	N	I P E	12 28 9 00	+1 97	10 97	0 7 06	7 063	0 000	+ 0 187	7 350
	4285	+39 54	N	c + o 2	39 36 07	+1 63	37 70	N	c − 2 6	39 42 74	+2 03	44 77	7 07				0
	4311	+38 8	V	b − 1 9 / a −17	44 45 98	+ 6	47 59	N	b − 3 1 / a −16 6	44 52 65	2 00	54 65	7 06	8 0			
				Q +1 60					Q + 2 08								
	4250	+ 9 25	S		12 31 21 95	+1 42	23 37	S		12 31 28 70	+1 84	30 54	0 7 17	7 073	0 000	+ 0 211	0 7 283
	4260	+2 4	S		33 7 5	+ 50	29 01	S		33 34 6	+ 90	36 06	7 05				
	4267	+11 3	S		35 50 34	+1 43	51 77	S		35 56 99	+1 85	58 84	7 07				
	4277	− o 57	S		47 47 53	+1 37	48 90	S		37 54 21	+1 77	55 98	7 08	8 0			
	4299	+14 1	S		42 32 43	+1 46	33 89	S		42 39 03	+1 85	40 88	6 99				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

109

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

DEHRA DÚN (F) *L t 30° 19′ Lo g b 12ᵐ 28ˢ* AND AGRA (W) *Lat 27° 10 L g 5ʰ 19ᵐ 14*

A tro omical Date	STAR		TRANSITS OBSERVED AT E By Strah w th T los p N 2						TRANSITS OBSERVED AT W By B rr d th T l p N 1						D ff C rrected 1 mos (W − E)		Rat ECl k	C rrm f P rel Eq t S_y − B_x = + o° S_y − B_y = + ω	ΔL − ρ
	BAC Numbe	D l tu n	A p t St	1 t m tal P u l C t C t t	M Ob erved T m	T tal C rrec tu n	S d f C t ed l	N Sta	A p t C rr t C t t	t tal P t d	M Ob d 1	T t l C re t	S ls f t d 1	By a h Star	Mean f G l	C rrect f		
1886 Apr 24	4360	+ 3 24	N	I P E	2 54 5 8	− 1 63	5 8	N	I P E	54 6 33	− 1)	58 4	6)(			8	
	4408	+ 39 8	N	+ d	3 4 3 86	− 58	29 8	N	d 6	3 4 38 1)	− 5	3(24	6)(	6 94	8 o o	8	64
	4415	+ 39 6	N	l − 9 − 7 1	4 5 6	− 57	5 9	N	b − 3 3 − 6 (	4 6 3	− (	8 5	6)(			+	
	44.0	+ 4 4	N		6 1 75	− 55	o	N	Q − 2 8	6 29 4	− 2 3	7	6 9		8 o		
	4433	+ 40 45	N	Q − 1 6o	8 36 48	− 55	34 93	N		8 43 98	− 4	4 84	6 9				
	4367	+ 34	8		56 33 96	− 77	3 9	8		56 4 4)	− 3	3) 8	o 6 99				
	4387	2 46	8		3 5 6	− 1 7	49)1	8		3 59 (	− 2 5	56 9	7	6 9 9	8 o o	8	64
	4393	+ 28	8		2 29 98	− 6(	8 3	8		37 4	− 2 23	35 9	6 87		8 o	+	
Apr 27	4233	33 53	N	I P W	8 83	6(	3 48	N	I P E	8 8 7	+ 93	(4	o 7 (			8	
	4285	+ 39 54	N	l 8	39 35	6(	37 3(	N	6	3) 4 4		44 4	7 (	6(	8 o o	8	82
	4311	+ 38 8	N	b + 7 + 7	44 45 58	+ 6(	47 23	N	b − 3 3 − 2	44 5 3	+)7	54)	7 (		8	+	
				Q + 6ₐ					Q + 2								
	4250	+ 9 5	8		3 35	+ 6(	99	8		31 28 37	+ 73	30 o	o 7 11				
	4260	+ 21 4	8		33 (98	+ 6(	8 62	8		33 33 91	+ 83	35 74	7 1				
	4267	1 3	b		35 49 9	+ 1 (4	51 43	8		35 56 8	+ 6	58 58	7 5		8 o o		34
	4277	− 0 57	8		37 46 89	+ 6(	48 (3	8		37 54 4	+ ((	55 7 *	7 7		8	+	
	4299	+ 4	9		42 3 8	+ 1 6(	33 4(	8		42 38 78	+ 7	4 55	7				
	4360	+ 3 4	N	Q − 1 6ₐ	12 54 52 39	− 6	5 79	N	Q − 2	54 59 98	− 13	57 85	o 7 06			8	
	4408	+ 39 8	N		3 4 3 5	− 6o	8 9o	N		3 4 37 95	− 2 5	35 9	7 00			o	
	4415	+ 39 6	N		4 5 4	− 6o	5 8o	N		4 59 84	− 2 06	57 78	6 98		8 o o	8	96
	44ₐo	+ 4 4	N		6 2 34	− 1 6	9 74	N		6 28 79	− 2 3	26 6	7 2		8 o	+	
	4433	+ 4 45	N		8 36 1	− 1 6	34 52	N		8 43 56	− 4	4 5	7 00				
	4367	+ 11 34	8		12 56 33 48	− 1 6o	31 88	8		12 56 4 5	− 2 29	38 8(	o 6)8				
	4387	+ 21 46	8		13 0 5 9	− 6o	49 59	8		3 58 78	− 2	56 58	6 99	6 9 3	8 o o		84
	4393	+ 28 1	8		2 29 54	− 1 6o	27 94	8		2 37 06	− 2 17	34 89	6 95		8		

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEHRA DŪN (E) L t 30° 19 L g 5 12 23" AND AGRA (W) L t 27° 10' Lo g 5 12ᵐ 14																	
Astro mical Date	STAR		TRANSITS OBSERVED AT E — By St h th T l p N 2						TRANSITS OBSERVED AT W — By B rr d w th T l p N 1						D ff C rr t d T m s (W − E)		Rate f W Cl k	Corre t n f W Cl k	Co m f P 1 Equatu ns S v − B_N = + 0 87 S v − B_N = + 0 · B_S = + 0	ΔL + ρ
	BAC N mb	D l t u	A pct	I t u t l l t d C t C t t	Mo Ob d T mo	T t l C t n	S nd f C rr t d T	A pct	I tr t l P t l C t n C u t	M Ob r d T me	T t l C rr t	S c d f C rr ot d T m	By each Star	M n f Gro p				
1886 Apr 20	4519	+ 42 41	N	I P E	h m 3 26 8 4	+ 7	9 85	N	I P E	h m 3 26 24 72	+ 2 4	26 86	m 0 7 0		♀	8		7
	4652	+ 36 5	N	d + b − − 5	32 22 8	+ 67	24 54	N	d − (b − 8 − 4 4	32 9 51	+ 2 6	3 57	7 3	g 0		+		0 7
				Q + 1 6					Q + 2 9									
	4499	+ 4 24	S		3 5 58	+ 54	52 2	S		3 2 57 35	+ 84	59 2	7 7					7
	4520	+ 4 4	S		28 2 75	+ 5	25	S		28 27 46	1 76	9	6 97	8				
	4550	+ 11 2	S		33 56 65	+ 1 5	58 7	S		34 3 35	+ 8	5 7	7	g 7			+	
	4566	+ 23 5	S		35 37 97	+ 1 59	39 56	S		35 44 60	+ 9	46 5	6 96					
	4595	+ 39 4	N	Q − 1 60	34 25 8	− 1 5	23 57	N	Q − 2 09	3 41 32 63	− 2 0	30 53	0 6 96		000	87		5
	4600	+ 39 7	N		42 7 2	− 5	5 5	N		4 4 58	−	2 48	6 97	6 988				7
	4640	+ 9	N		48 2 4	− 58	0 8	N		48	− 2	7 8	6 98	8			+	
	4652	+ 3 35	N		5 9 3	− 57	7 75	N		5 6 98	− 7	14 8	7 6					
	4678	+ 3 3	N		57 3 97	− 1 56	3 4	N		57 39 56	− 2 8	37 38	6 97					
	4662	+ 5	S		1 3 53 2 4	− 66	48	S		3 53 9 82	− 2 34	7 48	0 7		000	0	36
	4672	+ 2 6	S		55 53 4	− 1 7	51 53	S		55 61 02	− 2 44	58 58	7 05	g 7			+ 0	0 7
Apr 21	4510	+ 4 24	N	I P W	3 26 13 58	+ 1 66	15 24	N	I P E	3 26 20 38	+ 2 09	22 47	0 7 23		000	87	45°
	4543	+ 36 58	N	0 + 2 b − 7 − 10 5	3 7 46	+ 1 62	9 08	N	d 0 − 2 6 b − 1 8 a − 15 6	30 14 26	+ 2 05	6 3	7 23	g 63		+ 0	7 45°
	4552	+ 36 52	N		32 18 3	+ 1 61	9 93	N		32 25 20	+ 2 06	27 26	7 33	8			7
				Q + 1 60					Q + 2 09									
	4499	+ 14 24	S		3 22 46 12	+ 1 53	47 65	S		13 22 52 8	+ 1 90	54 7	0 7 06		000	211	33
	4509	+ 9 39	S		24 5 42	+ 54	26 96	S		24 32 16	+ 1 93	34 09	7 3	g 20			7 33
	4529	+ 4 14	S		28 16 27	+ 1 49	17 76	S		28 23 02	+ 1 85	24 87	7 11	7		+ 0	0
	4559	+ 11 20	S		33 52 19	+ 1 51	53 70	S		33 58 93	+ 1 87	60 80	7 10	g 0			
	4566	+ 23 5	S		35 33 48	+ 1 55	35 03	S		35 40 39	+ 1 94	42 23	7 30				

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEHRA DÚN (F) $L t$ 30 19 $Lo g$ 5 $12^m 25^s$ AND AGRA (W) Lat 27° 10′ $L g$ 5h 12m 14

Astro m cal Date	STAR		Ap e t St	TRANSITS OBSERVED AT E By St h w th T l w th No 2				Ap e t St	TRANSITS OBSERVED AT W By B rr d th T l p N 1				Dff of Corr ted 7 (W − E)		C rre t n f Rate t W Cl k	Corrns f P rel Eq at ns $S_W - B_W = + \sigma$ 87 $S - B = +$	ΔL + ρ
	BAC N mb	D cl t n		l t tal P t l C t C t t	M Ob rv d T o	T t l C t	S l f C l d 7		t m t l P t d C C t t	M Ob d 7	T t l C rre t	b l f C t d 1	By ach Star	Mean f G p			
1886 Apr 21	4595	+ 39 4	N	I P W d	h m 34 20 6	− 5	9 3	N	I P E d	h m 34 28 35	−	26 24	m 0 7 21				
	4600	+ 39 7	N	+ + − 2 (	4 54	− 57	97	N	− 2 (	4 5	−	8 3	7 6	8 7	000	87	7 369
	4640	+ 9	N	l − 7 − 1 5	47 57 8)	− 6	5(7	N	b − 8 − 5 6	48 5 64	−	3 44	7 7			+	
	4652	+ 3 3	N	Q − 6	5 4 7	− 6	3 6	N	Q − 2 9	5 54	− 6	38	7 2	E			
	46 8	+ 32 13	N		57 7 43	− 6	5 82	N		57 35 4	− 2 17	32 97	7				
	4662	+ 5	S		3 51 7 64	− 68	5 96	S		3 53 5 4	− 27	3 4	0 7 8		5 0 000		3 6
	4672	÷ 2 6	S		55 48 9	− 7	47 8	S		55 56 5	− 33	54 9	7 1	E 0		+	
Ap 22	4519	+ 42 4	N	I P W d	3 (9 6		73	1 99	N	I P W d	3 6 5 73	+ 14	8 7	0 7 8		000	87	7 5
	4552	+ 36 5	N	+ b + 9 − 5 5	3 4	+ 70	5 7	N	0 + b + 8 − 9 9	32 20 5	+2 6	77	7 06	7 E		+	
				Q + 6					Q + 2 9								
	4499	+ 4 24	S		3 22 4 76	+ 53	43 9	S		3 2 48 34	+2 05	50 39	0 7 1				
	4509	+ 9 39	S		24 06	+1 54	2 6	S		24 7 63	+2)	9 2	7 2	7 688	000	1	7 99
	4529	+ 4 14	S		28 97	+ 47	3 44	S		8 8 5	98	0 49	7 5				
	4559	+	S		33 47 83	+ 5	49 34	S		33 54 4	+ 4	56 44	7 1	E		+	0 7
	4566	+ 3 5	S		35 9 7	+ 57	3 74	S		35 35 68	+ 3	37 8 ′	7 07				
	4595	+ 39 4	N	Q − 1 60	34 6 23	− 1 49	14 74	N	Q − 2 09	3 ′ 3 68	− 89	21 79	0 7 05				
	4600	+ 39 7	N		4 58 18	− 49	56 69	N		4 5 68	− 88	3 8	7	7 06	000	87	7 93
	4640	+ 29 12	N		47 53 53	− 1 59	5 94	N		47 6 2	− 1 99	59 3	7 9	7	0		
	4652	+ 32 35	N		50 60 5	− 1 55	58 95	N		5 8 4	− 1 97	6 7	7 2	E 0		+	
	4678	+ 3 13	N		57 23 08	− 1 56	21 52	N		57 3 57	− 1 99	28 58	7 06				
	4656	+ 28 3	S		3 51 15 33	− 1 59	13 74	S		13 51 22 84	− 2 00	20 84	0 7 10				
	4662	+ 15 12	S		53 3 36	− 1 67	1 69	S		53 10 84	− 2 3	8 71	7 02	7 70	000	0 2	8 7
	4672	+ 2 6	S		55 44 43	− 1 74	42 69	S		55 52 00	− 2 22	49 78	7 09	S 0		+	0 7

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

DEHRA DÛN (F) *L t 30° 19 L g 5ʰ 12ᵐ 23ˢ* AND AGRA (W) *Lat 27° 10' Lo g 5 12ᵐ 14*

Astronomical Date	STAR		Transits Observed at E By St h w th T l p N 2						Transits Observed at W By B rr d w th l l p N 1							Diff f Co t d l imes (W – h)		Rate f W Cl k	Corr m f P rsl Eq t Sₙ – Bᵥ = + δ – Bₛ = – 87	ΔL + ρ
	BAC Nmb	D h t	Star A p t	l trm tal P t d Corr t n C t ta	Me Ob rv d l	T tal C t	b d f C ro t d l	Star A p t	l t tal P t d C t C ta t	M Ob rv d T m	T t l C t	8 d f C rr t d l m	By a h St	M n f Gro p	Correct f W Cl k		
1886 Ap 23	4519	+ 42 41	N	I P E d + b – 6 – 3 1 Q + 6	ʰ 3 6 6	+ 1 71	6 77	N	I P W d c – 4 b – 7 – 3 5 Q + 2	ʰ 3 61 58	+ 2	3 79	ᵐ 0 7	7	6	7 0 +	7
	4499	+ 4 24	8		3 22 37 49	53	39 2	8		2 44 7	+ 7)	46 6	7 4				
	4509	+ 19 39	8		24 16 82	+ 58	18 4	8		24 3 54	+ 86	25 4	7	78	2	7 249
	45 9	+ 4 4	8		28 7 63	+ 5	9 3	8		28 4 49	+ 68	6 7	7 04	7		+	
	4559	+ 11 20	8		33 43 53	+ 54	45 7	8		33 5 35	+ 77	52 2	7 5	6		+	
	4506	+ 23 5	8		35 24 87	+ 58	6 45	8		35 3 6	+ 1 9	33 5	7 06				
	4595	+ 39 4	N	Q – 1 6	3 41 1 8	– 53	0 55	N	Q – 2 10	3 41 9 58	– 2 7	17 5	0 6 96				
	4600	+ 19 7	N		4 54	– 53	52 48	N		4 61 8	– 08	59 5					
	4640	+ 9	N		47 49 37	– 59	47 78	N		47 56 98	–	54 76	6 98	7 000	8	8	7 8
	4652	+ 32 35	N		50 56 4	– 5	54 67	N		5 3 80	– 5	7	7 4	8		+	
	4678	+ 32 3	N		57 8 88	– 1 58	7 3	N		57 26 47	– 2 7	24 30	7 00				
	4656	+ 28 3	8		3 5 1 2	– 59	9 53	8		3 5 8 75	– 2 4	6 51	0 6 98				
	4662	+ 5	8		5 59 08	– 68	57 4	8		53 6 8	– 4	4 4	7	7 003	000	7 4
	4672	+ 2 6	8		55 40 23	– 73	38 5	8		55 48 4	– 2 52	45 52	7 02	8		+	
Ap .24	4519	+ 4 4	N	I P E d c + o b – 9 a – 9 3 Q + 1 60	3 26 0 85	+ 68	2 53	N	I P E d – 2 6 b – 3 3 a – 17 8 Q + 2 05	13 26 7 54	+ 2 02	9 56	0 7 03	7 087	000	0 87	7 74
	4543	+ 36 58	N		9 54 73	+ 60	56 33	N		30 1 44	+ 2 00	3 44	7 1				
	4552	+ 36 52	N		32 5 60	+ 62	7 2	N		32 12 37	+ 97	14 34	7 12	8		+	
	4499	+ 14 24	8		3 22 13 35	+ 1 43	34 78	8		13 22 40 07	+ 1 83	41 90	0 7 12				
	4509	+ 19 39	8		24 12 65	+ 49	14 14	8		24 19 34	+ 85	21 9	7 5				
	4529	+ 4 4	8		28 3 51	+ 37	4 88	8		28 0 22	+ 1 6	11 98	7	7 090	0 000	0 211	7 3
	4559	+ 11 20	8		33 39 41	+ 1 41	40 82	8		33 46 10	+ 80	47 90	7 08	8 0		+	0
	4506	+ 23 5	8		35 30 73	+ 50	22 23	8		35 27 45	+ 1 88	29 31	7 0				

TABLE V   OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

113

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

		colspan="9" DEHRA DÜN (E) *Lat 30° 19' Lo g 5ʰ 12 23ˢ* AND AGRA (W) *Lat 27° 10' Lo g 5 12ᵐ 14*												

Astronomical Date	STAR		Transits Observed at E By Sthan, with T los p N 2				Transits Observed at W By B rard w th T lo p N 1				Diff re e of Corrected T me (W − E)		Correct for R te of W Clock	Corma fo P ml Equat. $S_m - B_m = +0° 87$ $S_a - B = +0$	$\Delta L + \rho$
	BAC Nmb	D h n ti	Star A pect	t tal P t d Crr t C t ts	M Ob rved Tim	T tal C rec t	Sec d f C rrect ed 7	Sta A pect	In t tal Poe t C rre t C ta t	M Ob rr d T m	T t l C r o t	8 d f C rr t ed 1 m	By eacl Star	M a of Group			
1886 Apr 24	4595	+ 39 4	N	I P E	3 41 7 84	− 58	6 6	N	I P E	3 4 15 45	− 2 1	3 35	7 09				
	4600	+ 39 7	N	+ d	4 49 8	− 55	48 3	N	d − 26	4 5 38	− 2	55 27	7 4	∞	೦೦೦	87	7 245
	4640	+ 9 2	N	b − 9 − 9 3	47 45 3	− 66	43 47	N	b − 1 3 − 7 8	47 52 73	− 2 20	50 53	7 06				
	4652	+ 3 35	N		5 52 8	− 6	50 46	N		50 59 66	− 2 6	57 50	7 04	8 0		+	0 7
	4678	+ 32 13	N	Q − 1 60	57 4 69	− 63	3 6	N	Q − 2 05	57 22 29	− 17	12	7 06				
	4662	+ 5 12	8		3 52 54 93	− 6	53 7	8		3 53 47	− 2 28	9	0 7 02	०8०	೦೦೦		0 7 9
	46 2	+ 2 6	8		55 36	− 84	34 7	8		55 43 67	− 2 36	4 31	7 14	■		+	0 7
Apr 25	4519	+ 4 4	N	I P W	3 25 56 39	+ 1 65	58 4	N	I P E	3 6 3 24	+ ∞	5 24	0 7 20	7	೦೦೦	∞	4 4
	4543	36 8	N	d − 0 8	29 50 3	+ 65	5 95	N	d − 26	29 57 25	+ 96	59 21	7 26	7			
	4552	+ 36 5	N	b + 7 + 1 2	32 1 8	+ 65	2 83	N	b − 3 3 − 2 4	32 8 09	+ 93	2	7 19	8 0		+	
				Q + 1 63					Q + 99								
	4499	14 24	8		3 22 28 78	+ 1 65	3 43	8		13 22 35 81	+ 1 75	37 56	0 7 13				
	4509	+ 19 39	8		24 8 09	+ 65	9 74	8		24 15 09	+ 1 76	16 85	7 1	44	೦೦೦		7 155
	4529	4 4	8		27 58 87	+ 65	60 52	8		28 6 04	+ 67	7 7	7 9	■			
	4559	+ 1	8		33 34 8	+ 65	36 47	8		33 4 87	+ 7	43 9	7 2				
	4568	+ 23 5	8		35 16 19	+ 1 65	7 84	8		35 23 2	+ 8	25 01	7 17				
	4595	+ 39 4	N	Q − 1 63	13 41 3 50	− 1 61	1 89	N	Q − 1 99	3 4 2	− 2 03	8 99	0 7				
	4600	+ 39 7	N		41 45 40	− 6	43 79	N		4 52 96	− 2 03	5 93	7 4	∞	೦೦೦	87	7 3 5
	4640	+ 29 12	N		47 40 77	− 1 61	39 16	N		47 48 38	− 2 13	46 25	7 09	7			
	4652	+ 32 35	N		50 47 67	− 1 61	46 06	N		5 55 32	− 2 09	53 23	7 7	8 0		+	
	4678	+ 32 3	N		57 0 3	− 1 6	8 70	N		57 7 89	− 2 10	15 79	7 09				
	4656	+ 28 3	8		3 51 2 51	− 1 61	0 90	8		3 5 10 13	− 2 12	8 01	0 7 1	77	೦೦೦		88
	4662	+ 15 2	8		52 50 48	− 1 6	48 87	8		52 58 3	− 2 24	55 89	7 02				
	4672	+ 2 6	8		55 31 52	− 1 61	29 9	8		55 39 33	− 2 3	37	7 1	■		+	

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL — ρ

EXPERIMENTAL ARC AT DEHRA DÚN																		

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By St h w th T lesc p N 2				Star Aspect	TRANSITS OBSERVED AT W By B d with T l op No 1				Diff f C cted Times (W — E)		Rate of E Clock	Correct f E Clock	Corrn for P ml Equat $S_N = B_N - +$ 77 $S_S = B_S + 0$ 7	ΔL — ρ
	BAC Numbe	D l nt n		In t me tal P t a d C rr tio C tata	M n Obs rv d Time	T t l Corr to	S co d f C rr t ed I m		l strum tal P t d Corr t n C t t n	M an Ob rvɐd T m	T tal Corr t	Sec nd f Co ct d Time	By ach St	Mea f G p				
1886 May 5	4233	+ 33 53	N	I P W d	h m 7 59 9	63	60 72	N	I P W d — 0 3	h m 2 27 57 94	+ 2 56	6 5	m — 0 0 22		75	000	77	098
	4258	+ 4 30	N	+ d	33 4 5	+ 1 67	5 82	N		33 13 4	+ 2 53	15 57	0 25					
	4285	+ 3) 54	N	b + 2 — 6 6	39 32 88	+ 66	34 54	N	b + 1 3 a + 8	39 3 66	55	34	33	8 l			+	l
	4311	+ 38 8	N	Q + 1 (2	44 4 75	+ 65	44 4	N	Q + 2 49	44 4 56	+ 54	44	3					
	4223	+ 25	S		12 25 6 3	+ 1 61	7 4	S		2 5 4 9	+ 2 59	7 49	— 25		98	000	7	7
	4250	+ 9 5	S		3 8 63	+ 57		S		3 7 9	+ 63	9 9	28					
	4267	+ 3	S		35 47 8	+ 1 57	48 65	S		35 45 69	+ 2 63	48 3	0 33	8 l	0			l
	4277	— 0 57	S		37 44 23	+ 1 54	45 7	S		37 42 82	+ 2 65	45 47	0 3				+	
	4299	+ 14	S		42 29 10	+ 1 57	3 67	S		42 27 7	+ 2 63	3 34	33					
	4346	+ 38 5(	N	Q — 1 62	2 50 42 11	— 1 60	40 51	N	Q — 2 49	50 4 10	+ 0 05	40 5	— 0 36		3 8	000	77	5
	4408	39 8	N		13 4 27 66	— 59	26 7	N		13 4 28 5	— 2 44	5 8	0 6					
	4415	+ 39 6	N		4 49 59	— 58	48 0	N		4 50 8	— 2 42	47 66	35	8 l			+	l
	4420	4 4	N		6 8 57	— 1 58	6 99	N		6 19 7	— 2 43	6 64	0 35					
	4433	+ 4 45	N		8 3 25	— 1 59	31 66	N		8 33 79	— 2 45	31 34	0 32					
	4351	+ 8	S		2 53 7 7	— 1 65	16 07	S		53 15 59	+ 1	5 7	— 0 0 37		3 0 0 0	000	27	43
	4393	+ 28 0	S		13 2 26 7	— 1 63	25 9	S		3 2 27 12	— 2 40	24 72	0 37	8 0 l			+	0 0 l
May 6	4233	+ 33 53	N	I P E d	2 27 58 9	+ 1 70	60 61	N	I P W d — 0 3	2 27 56 97	+ 3 13	60 10	— 0 0 51		453	000	77	276
	4258	+ 4 3	N	0 + 3 b + c a + 3 6	33 4 06	+ 1 68	5 74	N	b + 2 5 + 6	33 2 12	3 13	15 25	0 49					
	4285	+ 39 54	N		39 32 68	+ 1 68	34 36	N		39 3 82	+ 3 13	33 95	0 41	8 l			+	0
	4311	+ 38 8	N	Q + 1 63	44 42 58	+ 1 68	44 26	N	Q + 3 1	44 40 71	+ 3 15	43 86	0 40					
	4209	+ 24 44	S		12 23 4 74	+ 1 70	43 44	S		12 23 39 88	+ 3 7	43 05	— 0 0 39		418	000	227	191
	4223	+ 25	S		25 15 9	+ 1 70	17 6	S		25 7 09	+ 0 09	17 18	0 43					
	4250	+ 9 25	S		31 8 38	+ 1 70	20 08	S		31 16 46	+ 1 23	19 69	0 39	4 0 l			+	0 0 l
	4267	+ 11 3	S		35 46 78	+ 1 70	48 48	S		35 44 83	+ 3 2	48 03	0 45	8 0 l			+	
	42 7	— 0 57	S		37 43 92	+ 7	45 62	S		37 41 96	+ 3 23	45 19	0 43					
	4299	+ 4 1	S		42 28 85	+ 1 0	30 55	S		42 26 92	+ 3 21	30 13	0 42					

* Owing to th irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and con
sequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ

				EXPERIMENTAL ARC AT DEHRA DÚN												
Astronomical D te	STAR		Transits Observed at E By St h w th T l p N 2					Transits Observed at W By B rr l w th T l p N 1					Diff re f Co t d l m (W − E)		Correct f Rat f E Clock	Corrns fo P rel Equat $S_N - B_N = +$ $S_S - B_S = -$	ΔL − ρ
	BAC Numb	D l nat n	Sta Aspect	I t um tal P t a d Crr t C t t	M n Ob rved T me	T tal C ec to	S c d f C ct* d l	Sta Aspect	I t m t l Po t o d Crr t C t t	M Ob d 1 m	T t l Corre t	S l f Corr t d l	By each St r	Men f G l			
1886					*l*					*h m*			*m*				
May 6	4346	+ 38 56	N	I P E	12 50 41 89	− 1 57	4 32	N	I P W	2 5 43 06	− 3 05	4 0	− 0 0 3				
	4360	+ 3 24	N	d + 0 3	54 49 4	− 6	47 8	N	d − 3	54 5 53	− 3 5	47 48	33				
	4408	+ 39 8	N	b + 2 5 + 3 6	3 4 7 53	− 57	5 96	N	b + 6	3 4 28 65	− 3 05	25 60	0 3(	17	000	7	5
	4415	+ 39 6	N		4 49 4	− 59	47 83	N		4 5 57	− 3 06	47 5	3	1			
	4420	+ 4 24	N	Q − 1 63	6 8 39	− 59	6 8	N	Q − 3 0	6 9 48	− 3 7	6 4	0 3)			+	1
	4433	+ 4 45	N		8 33	− 59	3 51	N		8 34 3	− 3 7	3 23	0 8				
	4351	+ 8	S		2 53 7 46	− 57	5 89	S		53 8 6	− 2 93	5 6	− 0 0 27			7	3
	4373	− 3 3	S		58 5	− 57	94	S		58 3 54	− 2 95	59	35	3 30	0 000		
	4387	+ 2 46	S		3 48 5	− 57	46 58	S		3 0 49 3	− 3	46	0 36	0		+	1
	4393	+ 28 0	S		2 26 5	− 58	4 92	S		2 27 61	− 3 3	4 58	0 34				
M y 7	4233	+ 33 53	N	I P E	7 59 4	+ 1 6	6 65	N	I P E	7 57	+ 3 30	60 3	− 0 0 34			7	73
	4258	+ 4 30	N	d 3	33 4 8	+ 1 6	5 8	N	d + 3 7	33 2 4	+ 3 35	5 39	0 4	0 3	000	0	
	4285	+ 39 54	N	h − 4 − 3 8	39 32 8	+ 6	34 44	N	b + 3 − 3 8	39 30 77	+ 3 35	34 2	0 32	0		+	1
	4311	+ 38 8	N	Q + 1 60	44 42 73	+ 6	44 34	N	Q + 3	44 4 67	+ 3 34	44	33				
	4209	+ 24 44	S		23 4 9	+ 59	43 49	S		2 23 39 95	+ 3 22	43 17	− 0 0 3			7	3
	4223	+ 25 2	S		25 6 06	+ 59	17 65	S		25 4 7	+ 3 2	7 29	0 36				
	4250	+ 9	S		3 18 55	+ 1 57	2	S		3 6 6	+ 3 3	9 75	0 3	3 58	000	0 2 7	3
	4267	+ 1 3	S		35 46 97	+ 1 57	48 54	S		35 48 3	+ 0 5	48 8	0 36	0		+	1
	4 77	− 0 57	S		37 44 12	+ 56	45 68	S		37 42	+ 3 09	45 29	39				
	4299	+ 14 11	S		42 29 00	+ 1 58	30 58	S		42 27 06	+ 3 17	30 23	0 35				
	4346	+ 38 56	N	Q − 60	12 50 42 04	− 1 58	40 46	N	Q − 3 10	12 50 43 05	− 2 87	40 18	− 28				
	4360	+ 31 24	N		54 49 5	− 1 60	47 92	N		54 50 60	− 2 91	47 69	0 23				
	4408	+ 39 8	N		3 4 27 66	− 1 58	26 08	N		13 4 28 64	− 2 86	25 78	0 30	9 3	000	77	5
	4415	+ 39 6	N		4 49 54	− 1 58	47 96	N		4 50 50	− 2 85	47 65	0 3	0	0 000		1
	4420	+ 41 24	N		6 18 56	− 1 58	16 98	N		6 19 45	− 2 85	6 60	0 38	0		+	
	4433	+ 40 45	N		8 33 22	− 1 58	31 64	N		8 34 23	− 84	3 39	25				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

					EXPERIMENTAL ARC AT DEHRA DÚN										

Astronomical Date	STAR			TRANSITS OBSERVED AT E *By St han w th Teles op N 2*					TRANSITS OBSERVED AT W *By B rr rd w th T les op N 1*					Diff re of C rrect d Tim (W − h)		Correctn f E Clock	Rate of E Clock	C rrus f P rsl Equatn $S_N - B_N = + o^\circ 77$ $S_S - B = +$	$\Delta L - \rho$
	BAC Number	Decl t	Star Aspect	Instru tal Posit and Correction Constants	M an Observed Time	Tot l Corr ton	Second f Corrct d T me	Star Aspect	In t m nt l P t d Corre t on C nstants	M Ob rv d l m	Ft l Crrec to	S conds f Crrct d lim	By Sta	M an f Group				
1886					*h m*					*h m*			*m*					
M y 7	4351	+ 18	S	I P E	2 53 7 6	− 6	15 99	S	I P E	12 53 8 75	−3	5 74	−o o 25	85	000	7	8
	4373	− 3 3	S	c + o 3	58 2 64	−1 65	o 99	S	+ 3 7	58 3 84	−3	73	6			o	
	4387	+ 21 46	S	b − 4 − 3 8	13 48 33	− 6	46 7	S	b + 4 − 3 8	3 49 38	− 99	46 39	33	8		+	−
	4393	+ 28	S	Q − 1 60	2 26 64	− 6	25 4	S	Q − 3 1	2 7 67	− 93	4 74	o 3				
May 8	4233	+ 33 53	N	I P W	12 27 58 59	1 63	6 22	N	I P E	2 27 16 75	+3 3	60 5	−o o 7	o	000	77	+ o o 007
	4258	+ 4 3	N	o + o	33 3 68	+ 67	5 35	N	+ 3 7	33 82	+3 3	5 2	o 3			o	
	4285	+ 39 54	N	b − 7 − 7 7	39 32 32	+ 66	33 98	N	b + 3 + 2 2	39 30 5	+3 30	33 8	o 6	8 o		+	+ o o 007
	4311	+ 38 8	N	Q + 1 64	44 4 o	+1 65	43 85	N	Q + 3 o	44 4 42	+3 3	43 73	o 12				
	4209	+ 24 44	S		2 23 41 52	+ 6o	43 2	S		2 3 39 67	+3 28	42 95	− o 7		8		− o o
	4223	+ 25 2	S		25 15 7	+1 6	7 3	S		25 3 77	+3 29	7 o6	24	18		7	
	4250	+ 9 25	S		3 18 8	+ 57	9 75	S		3 6 8	+3 28	9 46	o 29			o	
	4267	+ 11 3	S		35 46 53	56	48 9	S		35 44 58	+3 28	47 86	o 23	8 o		+	− o o
	4277	− o 57	S		37 43 72	+ 54	45 26	S		37 4 7	+3 9	44 99	27				
	4299	+ 14 11	S		42 28 58	+1 57	30 15	S		42 26 62	+3 3	29 92	o 23				
	4346	+ 38 56	N	Q − 64	2 50 4 58	−1 63	39 95	N	Q − 3	12 50 4 8	−2 88	39 92	−o o 03		000		+ o o 085
	4360	+ 31 24	N		54 49 09	−1 66	47 43	N		54 50 32	−2 92	47 40	o 03			77	
	4408	+ 39 8	N		3 4 27 2	−1 63	25 58	N		13 4 28 35	−2 88	25 47	o 11	093		o	+ o o 085
	4415	+ 39 6	N		4 49 8	− 63	47 45	N		4 5 23	−2 89	47 34	o	8 o		+	
	4420	+ 4 4	N		6 18 09	−1 6	6 47	N		6 19 22	−2 90	16 32	o 15				
	4433	+ 40 45	N		8 32 74	−1 62	31 12	N		8 33 90	−2 90	31 00	o 12				
	4351	+ 8	S		2 53 17 24	− 70	5 54	S		2 53 18 34	−2 90	15 44	−o o 10		000		o 089
	4373	− 3 3	S		58 2 36	−1 75	o 61	S		58 3 35	−2 90	o 45	o 16	38		7	
	4387	+ 21 46	S		13 0 47 94	− 69	46 25	S		3 0 49 01	−2 91	46	o 15	8 o		o	o 089
	4393	+ 28 1	S		2 26 24	−1 67	24 57	S		2 27 34	−2 91	24 43	o 14			+	+

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

117

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

	STAR			TRANSITS OBSERVED AT E By St ha w th T l sc p No 2					TRANSITS OBSERVED AT W By B rrard w th T l p N 1					Diff c of Corrected 1 mes (W − F)				
Astron mical Dat	BAC N mb	De l n tu n	St Apct	In t mental P t d Crr t n C ta t	M an Ob d Time	T tal C re tion	S o d f C rr ct ed T m	Sta Apct	1 t um tal l os t l C C n ta t	M a Ob rv d T me	T t l C t	S d f C t d l	By a h Star	M an of G p	Correction f Rate f W Clock	Corrn f P ml Eq at m S — B + o S — B =	ΔL + ρ
1886 May 5	4457	35 44	N	*I P W*	h m 3 3 46 99	+ 64	48 63	N	*I P W*	h m 3 13 45 6	+ 2 56	48 32	m − 0 0 3				
	44 9	+ 37 38	N	d +	8 4 0	+ 64	4 74	N	d − 3	8 39 9	+ 55	4 46	8	64	000	7	087
	4519	+ 4 4	N	b + − 6 6	6 6 5	+ 66	7 9	N	b + 3 3 + 8	26 5	+ 2 55	7 65	2(	E			
	4543	+ 36 58	N	Q + 1 62	3	+ 64	75	N	Q + 2 49	3 8 95	+ 2 55	5	0 25	1		+	1
	4552	+ 36 52	N		32 00	+ 1 65	65	N		3 9 86	57	43					
	4470	+ 4	S		3 5 5 4	+ 56	5)6	S		3 5 49 94	+ 64	5 58	− 0 38				
	4496	− 0 14	S		3 73	54	5 27	S		22 1 26	+ 2 65	24 91	36	44	000	27	7
	4509	+ 9 39	S		24 27 98	+ 59	9 57	S		24 6 63	+ 2 6	) 3	34	0			0
	4529	+ 4 14	S		8 8 83	+ 56	39	S		28 17 42	+ 2 (4	0 6	0 33	1		+	1 −
	4562	+ 20 32	S		35 1	+ 5)	12 71	S		35 9 8	+ 2 6	2 4	31				
	4592	+ 31 8	N	Q − 62	3 41 6 57	− 1 62	4 95	N	Q − 2 49	34 7 6	− 2 40	4 66	− 0 2)				
	4606	+ 3 58	N		43 2 46	− 1 6	0 85	N		43 2 93	− 2 4	10 52	33	263	000	7	086
	4628	+ 35 4	N		46 7)4	− 6	6 34	N		46 8 47	− 2 43	6 4	3	E			
	4652	+ 3 35	N		51 7 58	− 6	5)7	N		5 8	− 2 4	5 72	5	1		+	1
	4678	+ 32 13	N		57 3	− (	8 6	N		57 3 (	− 4	8 35	5				
	4699	+ 44 24	N		4 3 22 85	− 57	2 28	N		4 3 22 55	− 2 43	21 2	0 6				
	4640	+ 29 2	S		3 47 60 6	− 61	59 00	S		3 47 6 8	− 3)	58 6)	3		000	227	00
	4672	+ 2 6	S		55 51 5	− 69	4) 8	S		55 5 8	− 2 34	4) 47	34	E			0
	4688	− 8 21	S		4 6 58	− 7	4 86	S		4 6 83	− 2 3	4 53	0 33	1		+	1
	—																
May 6	4457	+ 35 44	N	*I P E* d	3 3 46 8	+ 68	48 46	N	*I P W*	3 3 48 7	+ 0 6	48 3	33		000	7	86
	4479	+ 37 38	N	+ 3 b + 2 5 e + 3 6	8 4 98	+ 6	4 65	N	d − 0 3 b + 5 + 6	8 42 23	+ 0 06	4 29	3(	263	0		
	4519	+ 43 41	N		26 16 12	+ 67	7 79	N		26 14 8	+ 3 14	1 42	0 37	E 0		+	1
	4552	+ 36 5	N	Q + 1 63	32 0 92	1 68	2 60	N	Q + 3 0	32 9 06	+ 3 5	39		1		

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and con sequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

				EXPERIMENTAL ARC AT DEHRA DÚN												
Astronomical D t	STAR			Transits Observed at E By St l w th T l p N 2				Transits Observed at W By B d w th T l p N 1					D ff o t C rr ct d T me (W − E)		R te f W Cl k	C rm f P rnl Eq uati m $S_N − B_N = + o$ 7 7 $S_x − B_x = + o$ − B −	$\Delta L + \rho$
	B A C N b	D l ti	Star A p t	t l P t l C t C tat t	M n Ob rv d 7 m	Γ t l C rr t	S ds f C t l 1	g	tru tal l t t d C t C t t	M an Ob l T	T t l C t	S ds f Corre t d l	By ea h St r	M f G l			
1886 M y (					h m					h m							
	4470	+ 2 4	8	I P E	3 5 5 4	+ 1 7	52 84	8	I P W	3 5 52 35	+ 3	5 48	− o 36	393	000	7	66
	4 09	+) 39	8	d + 3	4 7 77	+ 69	29 46	8	o − 3	24 25 8)	+ 3	29 (	4				
	4 J	+ 4 14	8	l + 5 + 3 6	28 8 57	+	2 27	8	b + 6	28 6 68	3	9 9	3	E 1		+	− o
	4 62	+ 20 32	9	Q + 1 6(	35 1	+ 69	7	8	Q + 3	35 9 7	+3 9	6	44				
	459	+ 31 28	N	Q − 1 63	34 (4	− 1 9	4 83	N	Q − 3	34 4 45	+ 7	4 5	− o 3	3	8o	7	33
	4606	+ 31 58	N		43 12 38	− 59	1 9	N		43 3 47	− 3 3	44	o 35				
	46 9	+ 35 4	N		4(7 84	− 58	(26	N		46 8 9)	− 3 4	5 95	3	E 1		+	1
	4652	32 35	N		5 5	− 5)	5 9	N		51 8 66	− 3 4	5 6	)				
	4678	+ 3 3	N		57 3 3	− 59	8 54	N		57 8 1	+ 6	8 7	7				
	4690	+ 44 24	N		4 32 84	− 1 59	2 5	N		4 3 20 8)	+ 3	9	33				
	4640	+ 9	8		3 47 (48	− 58	58 9	8		3 47 (6	− 3 3	58 5)	− 3	345	0 000	0 27	8
	46(	+ 5 2	8		53 6	− 57	8 (9	8		53 8 9	+ 1	8 3	39				
	46 2	+ (	8		55 5	− 55	49 75	8		55 49 26	+ 3	49 39	o 36	E 1		+	1
	4688	− 8	8		4 6 4	− 5	14 84	8		4 4 35	+ 7	14 52	32				
M y 7	41 7	+ 35 44	N	I P E	3 46 95	+ 63	48 58	N	I P E	3 3 44 95	+ 3 32	48 7	− 3	36	000	77	49
	44 9	+ 37 38	N	d + o 3	8 41 9	+ 1 63	42 7	N	+ 3 3	8 39 00	+ 3 35	42 35	o 37				
	451)	+ 42 4	N	b − 4 − 3 8	2(16	+ 1 64	7 91	N	b + 3 − 3 8	26 4 22	+ 3 38	7 60	o 3	E o 1		o	− o o
	5 43	+ 36 58	N	Q + 1 62	3 6	+ 63	11 79	N	Q + 3 o	3 8 4	3 13	47	o 3			+	
	45 2	+ 36 5	N		32 4	63	22 67	N		32 9	+ 3 3	22 35	32				
	4470	+ 2 4	8		3 55 33	+ 1 58	5 9	8		3 15 49 38	+ 3 2	52 50	− o o 4	44	000	0 227	77
	4496	− 4	8		22 3	48	25 29	8		2 77	+ 3 1	4 88	o 4				
	4500	+ 9 39	8		4 7 96	+ 1 6	9 56	8		24 26 00	+ 3 19	29 19	o 37	E 1		o	− o
	4529	+ 4 4	8		8 18 82	+ 58	4	8		8 16 83	+ 3 13	19 96	o 44			+	
	4562	+ 0 32	8		35 4	+ 1 60	2 74	8		35 9 5	+ 3 20	2 35	o 39				

*Owing to th rreg lar rate of the Chronograph the Pen kq at on had to be applied graphically on the record before the star signals were read off, and con sequently in these cases Q = o oo

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION 119

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

		EXPERIMENTAL ARC AT DEHRA DÛN															

Astron m cal D ta	STAR		TRANSITS OBSERVED AT E *By St h th T l p N 2*				TRANSITS OBSERVED AT W *By B rr d th T l 1 h 1*					Diff f Corr t d l (W − E)		Cor rectio f Rat of W Clock	C rrns f P l Eq t $S_y − B = + c^o$ $B_s = +$ $\varepsilon − B_s = −$	$\Delta L + \rho$
	BAC N b	D l t	Aspe t ū	l tru t l P t d t t ta t	M Ob d T m	T t l Correc t n	S d f C tt l l	A p t ū	t t l P t l C C t	M n Ob rv l l	T tal C t	b d f t l l	By each Star	M n f Group			
1886 M y 7	4592	+ 3 8	N	I P h d + 3 − 4 − 3 8 Q − 6	h m 3 4 6 54	s − (2 | 4)2	N	I P E l + 3 7 − 3 8 Q − 3 10	h 3 4 7 (2	− 2 9	4 72	− 0 2				
	4606	+ 3 58	N		43 4	− (	8	N		43 3 47	− 9	5(	2	3 d o l	8 o o	7 o	7 o
	4(2	+ 3 35	N'		5 7 64	− (	(	N'		5 8 (7	− 2 89	5 8	0 24				
	4678	+ 3 3	N		57 3 3	− 6	28 6	N		57 3 14	− 2 9	28 44	0 17		+	−
	4699	+ 44 4	N		4 3 2 94	− 6	2 34	N		4 3 23 95	− 8	5	9				
	4640	+ 9 2	S		3 47 60 6	− 62	58 99	S		3 47 6 68	−)3	58 75	− 0 4				
	46 6	+ 5	S		53 0 34	− (4	8	S		53 11 47	− 3 03	8 44	0 2(	8 o l	8 o o	27 o	8 −
	1672	+ 2 6	S		55 5 4	− (6	49 74	S		55 52 (	− 3)	4) 5	3		+	−
	4688	− 8 2	S		4 6 5	− 67	4 85	S		4 7 7	− 3	4 56	)				
M y 8	4457	+ 3 44	N	I P W d + 1 − 0 7 − 7 7 Q + 6(	3 3 46 4	+ 66	48 6	N	I P E d + 3 7 + Q + 3 1	3 13 44 67	+ 3 3	47 97	− 0 0 09				
	44 9	+ 37 38	N		18 4 53	+ 67	4 20	N		8 38 8	+ 3 30	42 8		o	8 o o	7	
	4519	+ 42 4	N		2(5 7 | + 6)	7 4	N		(3 98	+ 3 3	7 9		8 l		+	+
	45 2	+ 3(52	N		32 5	+ 66	7	N		32 8 7	+ 3 3	7	o				
	4470	+ 2 4	S		3 5 50 9	+ 57	52 48	S		3 5 48)(	3 8	5 24	− 0 4				
	4496	− 4	S		2 23 8	+ 56	4 84	S		2 3	+ 3 9	24 6	0 4	o	8 o o	o	o
	4509	+ 9 39	S		4 27 49	+ 6	9	S		4 25 ((	+ 3 9	8 95	0 5	8 l		+	+
	4529	+ 4 4	S		28 8 36	+ 57	9 93	S		8 6 44	+ 3 8	9 72	o				
	4592	+ 3 28	N	Q − 1 66	3 4 6 9	− 1 68	4 4	N	Q − 3	3 4 7 2(	− 89	4 37	− 0 0 4				
	4606	±3 58	N		43 2 00	− 1 67	1 33	N		43 3 4	− 2 89	0 25	0 8		8 o o	17	37
	4628	+ 35 4	N		46 7 45	− 1 6(	5 79	N		4(8 (3	− 89	5 74	5	3 d o l	o	o
	4652	+ 32 35	N		5(7 5	− 1 67	5 48	N		5 8 34	− 2 89	5 45	3				
	4678	+ 32 3	N		57 29 74	− 1 67	8 07	N		57 3 95	− 2 89	8 06			+	+
	4699	+ 44 4	N		4 3 22 45	− 62	2 83	N		4 3 23 69	− 2 89	2 8	0 3				
	4640	+ 29 12	S		3 47 60 7	− 1 68	58 49	S		3 47 6 33	− 2 9	58 4	− 7				
	4662	+ 15 12	S		53 9 98	− 1 73	8 25	S		53 11 08	− 9	8 8	0 07	8 o o	8 o o	2 o	7
	4672	+ 2 6	S		55 5 08	− 1 75	49 13	S		55 52	− 2 9	49 2	13	8 o l		+	+

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	Rate Corrections for both Clock Deduced from Transits Observed at both Stations vs Correct for the Interval between Nights of Station and β Hourly Corrt for Night of Observations Interpolated by m of the Quantities a.				At normal Date of Obst	β for		Corrected into Observed Diff ce of Time of Transit	
			at E Station for		at W Station for						
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Agra (E) and Mooltan (W)	26° 8	1885 Novembe 23 to 24	+ 33	− 6 47	+ 1	− 6 37	1885 Novmb 23	+ 5	− 2(8	+ 0	− 7
		24 25	+ 3	− 5 98	+ 1 5	− 6 7	24	+ 5	− 259	+	− 3
		25 26	+ 1 36	− 6 23	+ 1 8	− 6 3	25	+ 50	− 256	+	− 3
		26 27	+ 0 86	− 6 13	+ 1 2	− 6 6	26	+ 047	− 2 8	+ 020	− 3
		27 28	+ 0 29	− 6 27	− 0 04	− 6 22	27	+ 0 5	− 257	+ 011	− 112
							28	+ 005	− 26	+ 0 2	− 113
Deesa (E) and Mooltan (W)	" 59	Dec mber 7 to 8	− 0 13	+ 36	− 0 21	+ 0 31	Dcemb 7	− 0 007	+ 0 4	0 00	+ 001
		8 9	− 0 4	+ 0 25	− 0 30	+ 0 35	8	− 0 1	+ 3	− 001	+ 001
		9 11	− 1 34	+ 0 42	− 1 22	+ 29	9	− 02	+	− 001	000
		11 12	− 0 98	+ 7	− 98	+ 0 9	10	− 3	+ 0 8	− 0	000
		12 18	− 1 06	+ 26	− 96	+ 0	11	− 1	+ 007	− 001	000
							12	− 041	+ 009	− 002	000
							13	− 042	+ 0	− 002	000
Agra (E) and Amritsar (W)	1 35	D be 21 to 22	−	+ 2 30	− 0 06	+ 2 37	D e be 21	− 0 00	+ 97	000	+ 0 0 0
		22 23	+ 0 70	+ 2 46	+ 0 7	+ 2 3	22	+ 4	+ 0)8	+ 3	+ 021
		23 24	+ 1 6	+ 2 40	+ 6	+ 6	23	+ 04	+ 102	+ 008	+ 021
		24 26	+ 2 96	+ 5 17	+ 3 00	+ 5 12	24	+ 056	+ 1 6	+ 2	+ 022
		26 27	+ 2 17	+ 2 56	+ 1 97	+ 2 33	25	+ 06	+ 7	+ 013	+ 23
		27 28	+ 1 85	+ 2 55	+ 1 95	+ 2 69	26	+ 4	+ 4	+ 0 6	+ 022
		28 29	+ 2 9	+ 2 50	+ 2 6	+ 2 54	27	+ 083	+ 06	+ 0 8	+ 022
							28	+ 085	+ 1 7	+ 0 8	+ 23
							29	+ 98	+ 105	+ 20	+ 022
Amritsar (E) and Mooltan (W)	13° 44	1886 January 5 to 6	+ 6 45	− 1 72	+ 6 3	− 1 70	1886 January 5	+ 0 66	− 0 07	+ 0 061	− 0 016
		6 9	+ 10 23	− 3 74	+ 10 55	− 3 49	6	+ 205	− 061	+ 047	− 014
		9 10	+ 2 48	− 1 3	+ 2 6	− 1 33	9	+ 22	− 05	+ 028	− 012
		10 12	+ 4 23	− 4 09	+ 4 28	− 4 13	" 10	+ 094	− 068	+ 2	− 016
		12 " 14	+ 4 25	− 5 53	+ 4 24	− 5 52	" 12	+ 088	− 100	+ 030	− 023
		14 19	+ 10 75	− 12 00	+ 10 8	− 11 96	14	+ 089	− 108	+	− 025
							19	+ 090	− 100	+ 021	− 023

Arc	Approximate Difference of Longitud	Intervals between Nights of Observations	Rate Correct for both Clock Dd ed fro 1 Tra nt Ob rved t both Stat ns us										
			C rre t ns f th I tervals betwee N ghts of Ob rvat a d										
			β Hourly Correct ons for N ght of Obs t I t rpol t d by mean f th Q t t										
			at E Stat on for		t W Stat o for		Astronom l D t f Ob e t	β for		Co rect o to Obs rved Diff n f T mes f Tra t f			
			E Cl k	W Cl k	E Cl ck	W Clo k		E Cl k	W Clock	E Clock	W Clock		
Mooltn (E) and Karachi (W)	7 m 43	1886 J ua y 27 to 28	+ 4 96	− 1 3	+ 5 01	− 1 22	1886 Ja uary 27	+ 208	− o 5	+ 61	− o o 6		
		28 29	+ 5 01	− 1 28	+ 5 09	− 1 19	28	+ 209	− 05	+ 062	− 015		
		29 31	+ 9 79		+ 9 77		29	+ 207	− 5	+ o6	− 15		
		Ja 31 to F b 2	+ o 5	+ 4	+ 1	+ 3	31	+ 7	+ 4	+ 061	+ o 7		
		Februa y 2 to 3	+ 5 46	+ 93	+ 5 35	+ 84	F bruary 2	+ 8	+ 3	+ 64	+ 009		
							3	+ 225	+ 37	+ o6 6	+ 01		
P haw (E) nd M ltan (W)	o 26	February 9 to 10	+ 67	− 46	+ 7	− 36	F bruary 9	+ 7	− 017	+ 001	o 000		
		10 11	+ 1 38	+ o 86	+ 30	+ o 8	10	+ 063	+ 9	000	00		
		11 12	+ 57	+ 87	+ o 50	+ o 89	11	+ 039	+ 035	000	000		
		12 17	+ 3 76	+ 3 88	+ 4 3	+ 4 0	12	+ 7	+ 35	000	000		
		17 18	+ 1 4	+ 24	+ 3	+ 03	17	+ 043	+ 040	000	000		
							18	+ 53	+ 047	000	00		
Amrt ar (E) and Pesh war (W)	3 8	F b 24 to M 4	+ 88 53	− 51	+ 88 74	− 3	F bruary 24	+ 46	− 007	+ o 3	− 00		
		March 4 to 11					Ma ch 4	+ 462	− 007	+ 3	− 002		
		11 13	+ 1 88	+ o 59	+ 75	+ 39	11	+ 38	+	+ 8	+ 002		
		13 19	+ 6 09	− 2 65	+ 5 99	− 68	13	+ 4	− 4	+ 009	− 001		
		19 20	+ 9	− o 76	+ 45	− o 64	19	+ 029	− 24	+ o6	− 005		
							20	o 5	− 29	+ 003	− 006		
Dehra Dún (E) and Amritsar (W)	1 m 44	Ap il 1 to 2	+ 3 52	− 3 39	+ 3 32	− 3 6	April 1	+ o 143	− 146	+ 3	− 03		
		2 3	+ 3 64	− 3 46	+ 3 60	− 3 55	2	+ 147	− 46	+ 031	− 031		
		3 10	+ 40 34		+ 4 61		3	196	− 4	+ 42	− 03		
		10 11	+ 7 06		+ 7 02		10	+ 26,	− 4	+ 057	− 30		
		11 12	+ 7 02	− 3 44	+ 7 6	− 3 8	11	+ 294	− 4	+ o6	− 30		
							12	+ 295	− 40	+ 063	− 03		
Dehra Dún (E) and Agra (W)	o m 9 s	April 20 to 21	+ o 85	+ 4 5	+ o 68	+ 4 35	April 20	+ o 32	+ 85	o 000	o 000		
		21 22	+ 98	+ 4 38	+ 98	+ 4 41	1	+ 36	+ 84	000	000		
		„ 22 23	+ 87	+ 4 21	+ 89	+ 4 21	22	+ 39	+ 80	00	00		
		„ 23 24	+ 42	+ 4 27	+ 36	+ 4 25	23	+ 026	+ 176	000	00		
		„ 24 25	+ 35	+ 4 34	+ 31	+ 4 29	24	+ 015	+ 179	000	000		
							25	+ o 4	+ 180	000	000		

NOTE.—For the Dehra Dún Experimental Arc there are no clock rate corrections the two stations being on the same meridian

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instrumental Position E	Instrumental Position W	E Clock k = ΔL − ρ — By N Stars	By S Stars	Mean	W Clock k = ΔL + ρ — By N Stars	By S Stars	Mean
1885 Nov 23	I P E	I P E	26^m 8 789	26^m 8 85	26^m 888	m	m	m
			18 815	18 818				
	I P W					26 19 4	26 19 103	26 19 079
						19 040	19 057	
24		I P W	19 053	19 012	19 033			
			19 050	19 0 8				
	I P E					19 066	19 051	19 023
						18 984	18 989	
25		I P E	18 903	18 926	18 878			
„			18 803	18 881				
	I P W					19 046	19 113	19 052
„						19 032	19 015	
26		I P W	19 093	19 154	19 135			
			19 48	19 44				
	I P E					19 7	19 185	19 145
						19 122	19 103	
27		I P E	18 8 1	18 852	18 771			
			8 672	18 747				
	I P W					19 093	19 099	19 086
						19 56	19 097	
28		I P W	9 09	19 30	19 109			
			19 085	19 11				
	I P E					19 016	19 089	19 029
						8 966	19 43	
Means	I P E	I P E	26 8 99	26 18 846	26 18 822			
	I P W	I P W	9 090	19 095	19 092			
		I P E				26 19 064	26 19 081	26 19 073
	I P E	I P W				19 054	19 077	19 066
General Mean			26 18 944	26 18 971	26 18 957	26 19 059	26 19 079	26 19 069

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 26^m + \frac{1}{2}(18\ 957 + 19\ 069) = 26^m\ 19^s\ 013$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(19\ 069 - 18\ 957) = +\ 0^s\ 056$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instrumental Position at E	Instrumental Position at W	E Clock = ΔL − ρ By N Stars	E Clock = ΔL − ρ By S Stars	E Clock = ΔL − ρ Means	W Clock = ΔL + ρ By N Stars	W Clock = ΔL + ρ By S Stars	W Clock = ΔL + ρ Means
1885 December 7	I P W	I P W	2 58 554 / 58 629	2 58 58 / 58 592	2 58 589			
	I P E					2 58 640 / 58 655	2 58 678 / 58 6 1	2 58 646
8		I P E	58 650 / 58 660	58 636 / 58 654	58 650			
	I P W					58 729 / 58 74	58 708 / 58 633	58 703
„ 9		I P W	58 553 / 58 545	58 583 / 58 606	58 572			
„	I P E	„				58 6 9 / 58 614	58 612 / 58 542	58 597
11		I P E	58 460 / 58 490	58 39 / 58 449	58 448			
	I P W					58 744 / 58 729	58 727 / 58 725	58 731
„ 12		I P W	58 489 / 58 477	58 51 / 58 545	58 505			
	I P E					58 576 / 58 5 4	58 545 / 58 540	58 544
13		I P E	58 454 / 58 434	58 483 / 58 300	58 4 8			
„	I P W					58 6 1 / 58 584	58 547 / 58 595	58 584
Means	I P W	I P W	2 58 541	2 58 569	2 58 555			
	I P E	I P E	58 525	58 486	58 505			
		I P W				2 58 603	2 58 588	2 58 596
	I P W	I P E				58 690	58 636	58 673
General Means			2 58 533	2 58 527	2 58 530	2 58 647	2 58 622	2 58 614

Whence $\quad \Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 2^m + \frac{1}{2}(58\ 530 + 58\ 634) = 2^m 58\ 582$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(58\ 634 - 58\ 530) = + 0^s\ 052$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

			AGRA (E) AND AMRITSAR (W)					
Astronomical Date	Instrumental Position		Apparent Diff of Longitude by Observation with					
			E Clock $k = \Delta L - \rho$			W Clock $= \Delta L + \rho$		
	E	W	By N Stars	By S Stars	Mean	By N Star	By S Stars	Means
1885 December 21	I P E	I P E	12 34 701 34 668	12 34 708 34 708	} 12 34 696			
	I P W					12 34 741 34 796	12 34 778 34 803	} 12 34 780
22		I P W	34 724 34 726	34 724 34 68	} 34 714			
	I P E					34 739 34 779	34 709 34 779	} 34 752
23		I P E	34 791 34 739	34 779 34 763	} 34 768			
	I P W					34 809 34 862	34 862 34 914	} 34 862
24		I P W	34 687 34 755	34 68 34 620	} 34 686			
	I P E					34 645 34 705	34 622 34 682	} 34 663
26		I P E	34 641 34 508	34 508 34 613	} 34 568			
	I P W					34 6 2 34 657	34 649 34 624	} 34 635
27		I P W	34 675 34 773	34 795 34 783	} 34 756			
	I P E					34 844 34 8 9	34 897 34 922	} 34 873
28		I P E	34 668 34 648	34 600 34 665	} 34 645			
	I P W					34 663 34 55	34 7 3 34 780	} 34 725
29		I P W	34 687 34 78	34 747 34 740	} 34 739			
	I P E					34 739 34 734	34 734 34 7 7	} 34 729
Means {	I P E I P W I P E	I P E I P W I P E I P W	2 34 67 34 726	12 34 668 34 72	12 34 669 34 724	12 34 737 34 52	12 34 764 34 757	12 34 751 34 754
General Mean			12 34 699	2 34 695	12 34 697	12 34 745	12 34 76	34 752

Whence $\quad \Delta L = \tfrac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 12^m + \tfrac{1}{2}(34\ 697 + 34\ 752) = 12^m 34\ 725$

$\rho = \tfrac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \tfrac{1}{2}(34\ 752 - 34\ 697) = +\ 0^s\ 028$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS   125

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instrumental Point on at		Apparent Difference of Longitude by Observations with					
			E Cl k = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1886			*m*	*m*	*m s*	*m*	*m*	*m s*
January 5	I P W	I P W	13 44 243	13 44 253	} 3 44 288	13 44 42	13 44 396	} 13 44 398
			44 346	44 311		44 379	44 394	
6	I P E		44 459	44 357	} 44 414	44 398	44 2(3	} 44 360
			44 49	44 4		44 438	44 34	
9		I P E	44 53	44 75	} 44 126	44 90	44 272	} 44 188
			44 2	44 55		44 33	44 58	
„ 10	I P W		44 84	44 69	} 44 237	44 219	44 271	} 44 276
			44 297	44 97		44 284	44 328	
12		I P W	44 370	44 3 5	} 44 3 8	44 4 2	44 4 7	} 44 411
			44 260	44 315		44 39)	44 424	
14	I P E		44 262	44 277	} 44 257	44 257	44 3 5	} 44 295
			44 260	44 230		44 3 7	44 302	
19		I P E	44 54	44 7	} 44 57	44 3 7	44 247	} 44 258
			44 174	44 27		44 72	44 97	
Means	I P W	I P W	13 44 3 5	3 44 30	13 44 3 3	13 44 400	13 44 408	13 44 404
	I P E		44 3 0	44 321	44 336	44 353	44 3 3	44 3 8
		I P E	44 15	44 33	44 4	44 8	44 9	44 224
	I P W		44 9	44 8 3	44 37	44 5	44 300	44 76
G neral Mea s			13 44 274	13 44 235	3 44 255	13 44 308	3 44 3 8	3 44 3 8

Whence $\Delta L = \frac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 13^m + \frac{1}{2}(44\ 255 + 44\ 308) = 13^m\ 44\ 281$

$\rho = \frac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \frac{1}{2}(44\ 308 - 44\ 255) = +\ 0\ 027$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

	Instrumental Position		Apparent Diff of Longitude by Observation with					
Astronomical Date			E Clock = $\Delta L - \rho$			W Clock = $\Delta L + \rho$		
	E	W	By N Stars	By S Stars	Mean	By N Stars	By S Stars	Mean
1886			m	m	m	m	m	m
January 27	I P E	I P E	17 4 9 6	7 42 35	} 7 4 937	17 42 22	17 4 68	} 17 42 057
			4 874	4 932		42 44	4 095	
28	I P W		41 927	4 00	} 4 962	42 3	42 101	} 42 80
			41 922	41 996		42 028	42 059	
29		I P W	41 816	41 880	} 41 894	42 00	41 984	} 41 970
			41 904	4 975		4 928	41 966	
31	I P E		4 864	4 875	} 41 887	42	4 938	} 42 009
			41 9	4 887		42 55	4 03	
February 2		I P E	41 882	41 894	} 41 919	42 015	42 84	} 42 107
			4 9 2	41 989		42 145	42 184	
3	I P W		41 9 4	4 00	} 4 93	42 109	42 143	} 4 103
			4 839	4 971		42 037	42 123	
Means {	I P E	I P E	17 41 894	17 41 963	17 41 928	17 42 057	1 42 108	17 42 082
	I P W		41 90	4 992	4 946	42 076	4 07	42 09
		I P W	41 86	4 9 8	41 894	41 964	41 975	4 97
	I P E		41 893	41 88	4 887	42 034	4 985	42 009
General Mean			7 4 887	17 4 94	7 4 914	7 42 033	17 42 044	17 42 038

Whence $\quad \Delta L = \frac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 17^m + \frac{1}{2}(41\ 914 + 42\ 038) = 17^m\ 41\ 976,$

$\rho = \frac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \frac{1}{2}(42\ 038 - 41\ 914) = + 0^s\ 062$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 127

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instru ental Pos t on t		Appare t Diff of Lo gt d by Ob rv t on with					
			E Cl k $= \Delta L - \rho$			W Cl ck $= \Delta L + \rho$		
	E	W	By N Stars	By S St rs	M	By N Stars	By S Stars	Means
1886			^{m}	^{m}	^{m}	^{m}	^{m}	^{m} ^{s}
February 9	I P E	I P E	o 27 3	o 27 348	} 7 365	o 27 632	o 27 517	} o 27 574
			27 336	2 473		27 543	27 604	
10	I P W		27 43	27 5 7	} 27 436	27 5 2	27 643	} 27 564
			27 365	27 44		27 488	27 604	
11		I P W	27 5 5	27 57	} 27 51	27 6)8	27 695	} 27 669
			27 435	27 52		27 6 9	27 664	
12	I P E		27 325	27 32	} 27 375	27 392	27 387	} 27 436
			27 43	27 423		27 437	27 527	
17		I P E	27 235	27 36	} 27 321	27 522	27 441	} 27 505
			27 3 8	27 3(		27 59	7 467	
18	I P W		27 473	7 38	} 27 435	27 54	27 483	} 27 545
			27 4 5	27 481		27 599	27 554	
Means	I P E	I P E	o 27 3	o 27 386	o 27 343	o 27 572	o 27 507	o 27 54
	I P W		27 4 8	27 453	27 436	27 538	27 571	27 555
		I P W	27 475	27 546	27 5 0	27 659	27 680	27 669
	I P E		27 379	27 372	27 375	27 415	27 457	7 436
General Means			o 27 393	27 439	7 46	o 7 546	7 554	o 27 550

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 0^m + \frac{1}{2}(27\ 416 + 27\ 550) = 27\ 483$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(27\ 5.0 - 27\ 416) = + 0^s\ 067$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instrumental Posit.		E Cl $k = \Delta I - \rho$			W Cl $k = \Delta L + \rho$		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1886			*m s*	*m*		*m*	*m*	*m s*
February 24	I P W	I P W	13 16 898	3 6 926	} 13 16 908	13 16 968	13 17 046	} 13 17 000
			16 943	16 866		16 966	17 020	
March 4	I P E		16 666	16 681	} 6 655	16 798	16 99	} 16 58
			16 613	16 659		16 703	16 730	
11		I P E	16 743	16 546	} 16 632	16 727	16 770	} 16 05
			16 640	16 598		16 0	16 613	
13	I P W		16 951	16 712	} 6 822	16 942	16 945	} 6 948
			16 867	16 759		16 989	16 9 7	
19		I P W	16 814	16 757	} 16 768	16 855	16 8 3	} 16 821
			16 804	16 697		16 8 8	16 8 6	
20	I P E		16 631	16 494	} 16 595	16 704	16 632	} 6 698
			16 681	6 573		16 784	16 672	
Means {	I P W	I P W	13 6 865	13 6 8 2	13 6 838	13 16 899	13 6 921	13 16 910
	I P E		16 648	16 602	6 625	16 747	16 708	6 7 8
		I P E	6 692	16 572	16 632	16 719	16 692	16 705
	I P W		16 909	16 736	16 822	16 966	16 93	6 948
General M			13 6 778	13 16 680	13 16 729	13 16 833	13 16 813	13 16 823

Whence
$$\Delta L = \tfrac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 13^m + \tfrac{1}{2}(16\ 29 + 16\ 823) = 13^m\ 16\ 776$$
$$\rho = \tfrac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \tfrac{1}{2}(16\ 823 - 16\ 729) = +\ 0\ 047$$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 129

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instrumental Position at E	W	E Clo k = ΔL − ρ By N Stars	By S Stars	Means	W Cl k = ΔL + ρ By N Stars	By S Stars	M ans
1886			m	m	m	m	m	m
April 1	I P E	I P E	12 41 862	12 41 859	} 12 41 829	12 41 998	12 41 933	} 12 4 975
			4 77	4 82		42 005	41 963	
2	I P W		42 093	42 085	} 42 047	42 58	42 173	} 42 180
			4 988	42 23		42 8	42 8	
3		I P W	4 6	42 44	} 42 049	42 58	42 75	} 42 220
			42 039	42 006		42 242	42 203	
10	I P E		41 839	41 908	} 41 866			
			41 859	41 859				
11		I P E	4 85	41 884	} 41 855	41 939	4 876	} 41 952
			4 841	4 844		42 43	4 95	
12		I P W	4 8 2	41 737	} 41 767	4 932	41 836	} 41 841
			4 8 5	41 7 2		4 8 3	4 774	
Means {	I P E	I P E	12 4 832	12 4 852	12 41 842	12 41 996	12 4 93	12 4 964
	I P W		42 04	42 054	4 047	42 183	42 177	42 80
		I P W	42 3	4 75	42 49	42 25	42 89	42 2
	I P E		41 831	41 8 2	41 8 6	41 878	4 805	41 84
Gen ral M ans			2 4 93	12 4 94	12 41 939	12 42 077	12 4 5	2 42 05

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 12^{m} + \frac{1}{2}(41\ 939 + 42\ 051) = 12^{m}\ 41\ 995$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(42\ 051 - 41\ 939) = +0\ 0 6$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

Astronomical Date	Instrumental		DEHRA DÚN (E) AND AGRA (W) Apparent Diff in of Longitude by Observation with					
			F Cl k = ΔL − ρ			W Cl k = ΔL + ρ		
	E	W	By N St	By S Stars	Mean	By N St s	By S Stars	Mean
1886 Ap 1 20	I I E	I P E	ᵒ 7 4 / 7 093	ᵒ 7 75 / 7 076	7 092	7 2 7 / 7 75	ᵒ 7 2 / 7 236	7 7
21	I P W		7 32 / 7 257	7 265 / 7 246	7 272	7 45 / 7 369	7 33 / 7 356	7 377
22		I P W	7 27 / 7 87	7 23 / 7 4	7 224	7 257 / 7 93	7 99 / 7 8	7 283
23	I P E		7 64 / 7 97	7 3 / 7 44	7 130	7 7 / 7 87	7 49 / 7 4	4
24		I P E	7 5 / 7 1 7	7 83 / 64	7 206	74 / 7 245	7 3 / 7 29	7 278
5	I P W		7 280 / 7 99	7 34 / 7 84	7 25	7 4 4 / 7 3 5	7 3 5 / 7 88	7 338
Men	I P E / I P W / / I P E	I P E / / I P W	ᵒ 7 49 / 7 264 / 7 229 / 7 131	ᵒ 7 5 / 7 259 / 7 2 9 / 7 129	7 49 / 7 262 / 7 2 4 / 7 30	ᵒ 7 22 / 7 382 / 7 275 / 7 97	ᵒ 7 260 / 7 333 / 7 29 / 7 232	ᵒ 7 243 / 357 / 7 283 / 7 2 4
General Mean			7 93	ᵒ 7 189	ᵒ 7 191	ᵒ 7 270	ᵒ 7 79	7 274

Whence $\quad \Delta L = \tfrac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 0^m + \tfrac{1}{2}(7\ 191 + 7\ 274) = 0^m 7\ 233,$

$\rho = \tfrac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \tfrac{1}{2}(7^s\ 274 - 7\ 191) = + 0^s\ 042$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS   131

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE ΔL

AND THE RETARDATION OF SIGNALS ρ

EXPERIMENTAL ARC AT DEHRA DÚN								
Astronomer Date	Instrumental Position		Apparent Difference of Longitude by Observation with					
			E Clock $= \Delta L - \rho$			W Clock $= \Delta L + \rho$		
	E	W	By N St	By S Sta	M	By N Stars	By S Stars	Means
1886 May 5	I P W	I P W	− ј8 / − 5	− 7 / − 43	} − 6 16	− 87 / − 86	− 7 / −	} − 0 098
6	I P E		− 27(/ − 55	−) / − 3	} − 18	− 86 / − 33	− 166 / − 8	} − 151
7		I P E	− 73 / − 15	− 3 / − 58	} − 9	− 4) / − 027	− 77 / − 28	} − 095
8	I P W		07 / 85	− / 89	} + 43	07 / 37	+ 7 / 37	} 09
Mean	I P W	I P W	− 25	− 7	− (	− 8	− 9	− 98
	I P E		− 2 6	− 47	− 8	− 60	− 42	− 5
		I P E	− 44	− 95	−)	− 88	− 3	− 95
	I P W		46	+ 39	+ 43	+ 5	+ 77	+ 9
General M			−)	− 77	−)3	− 57	− ()	− 63

Whence $\Delta L = \tfrac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = \tfrac{1}{2}(-0\ 093 - 0\ 063) = -0\ 078$

$\rho = \tfrac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \tfrac{1}{2}(-0\ 063 + 0\ 093) = +0\ 015$

ELECTRO-TELEGRAPHIC LONGITUDES

1887-88

INDIAN ARCS

ABSTRACT OF THE OBSERVATIONS

AND

REDUCTION OF THE RESULTS

NOTE

~~~~~~~

The Explanation of *Table I* given on page 2 applies equally to the observations of 1887 88 in which the same Telescopes were used with the same Micrometers and the same wire systems

Astronl Date	Station	Instrumental Posit o	Collimation C	C	c	c	Level M	b	Remarks	Station	Instrumental l at	Collimation C	C	c_1	c	Level M	b	Remarks
1887 Dec 13		I P E	67 1				65 2				I P E	49				47 1		
			68 1	65 0	+4 5	+3 6	68	+2 8				47 7	50	− 1 3	− 2 2	46 8	+ 1 5	
																47 6		
14		I P W	71 3		+0 5	−0 4	65 4	−4			I P E	49 3		− 1 3	− 2 2	48 8	− 0 5	
			72	70			6 6					48 9	5 0			49 5		
17	MADRAS (T les pe N 2)	I P W	68 3		+ 5	−0 4	69 1	+ 4	Mean C	BANGALORE (T 1 scope N 1)	I P W	47 9		+ 1 3	+	45 2	− 3 7	Mean C from first ix nigl ts ly
			66 5	70 0			7 6		I P E = 69 7			49 2	50 0			44 7		I P E = 48 6
19		I P E	7 4		− 5	− 4	72 7	−1 3	I P W = 69		I P W	48 2		+	3 + 0 4	48 9		I P W = 48 7
			70 5	7			72 9		G n ral Mean = 69 5			49 5	5			48 5		G neral Mean = 48 7
29		I P E	72		− 2 5	− 3 4	5	− 2			I P A	48 9		− 3	− 2	47 2	+ 1 5	
			7 8	7			7 9					48 7	5 0			47 2		
30		I P E	69 9		− 5	− 4	3 5	−4 9			I P E	48		− 1 3	− 2 2	47 9	+ 0 6	
			67 7	7			75 3						50			48 2		
1888 J 2		I P W	68	68	− 5	− 4	68 9	− 6			I P W		5	− 8	−8 2	47	−8 5	
			69				68 8				I P W	3 4	35	+ 3	2	13	+ 0	
												3 6				3 3		
Jan 15		I P W	32		− 3 8	− 4 7	32	− 6			I P W	77 6		+ 8	−	73 7	− 2 8	
			33 7	30			3					77 5	78			75		
16	BANGALORE (T 1 sc pe N 1)	I P A	33 9		− 2	− 2	34	− 5		NAGARKOIL (T 1 cope 2)	I P W	7 9		+ 0 8	− 0 1	78 2	+ 1 1	
			33 9	35 0			34 6		Mean C			8	78 0			78 3		
17		I P E	34	3 0	−	−	33 3	− 2	I P E = 34		I I F	76		+	3	78 4	− 2	Mean C
							34 6		I P W = 33 5			6	75 0			78 3		I P E = 75 6
18		I P W	34	35 0	+ 2	+0 3	35		G ral Mean = 33 8		I P I	75		+ 2 2	+ 1 3	77	− 0	I P W = 78 8
							34 6					75 3	75 0			77 5		G ral Mean = 77 2
19		I P W	33 6	35 0	+ 2	+0 3	35				I P W	78 6		+ 8	−	75 8	− 9	
							34 5					9 3	78			76 7		
20		I P E	33 8	35 0	− 2	− 2	32 5	+ 4			I P W	8 2	8	+ 2 8	+ 9	79	+ 1 8	
							3 3					8 5				8 7		
Feb. 2		I P E	36 4		− 9	− 2 8	34 5	− 3			I I E	75 6	75	4	+ 1 5	75 8	+ 1 4	
			34 5	35 0			34 3					75 0				76		
8	MADRAS (T lescope No. 1)	I P W	3 3		− 3 1	− 4	3 6	− 8		NAGARKOIL (T lescope N 2)	I I L	5 7	75	+ 2 4	5	77 7	− 0 9	
			31 7	3			3 9		Mean C			75 8				8 9		
,, 4		I P W	3	30	− 3 1	− 4 0	32 6	− 0	I P E = 34 5		I P W	8 2	80 0	+ 2 6	7	6 7	− 0 8	Mean C
			31 6				32 2		I P W = 3 6			79				76 5		I P E = 76 2
,, 5		I P E	33 7		− 1 9	− 2 8	3 1		G ral Mean = 33		I P W	76 9	76	− 4	− 2 3	8	+ 2 7	I W P = 78 5
			35	35			32 6					77 7				8 2		G neral Mean = 77 4
,, 6		I P E	33 6	35 0	− 1 9	− 3 8	3 4	+ 1			I P E	77 7	77 0	+ 0 4	− 0 5	6 1	+ 0 9	
							32 5					75 8				76 9		
7		I P W	33 3	35 0	+ 1 9	1 0	3 7	+0 2			I P E	76 6	76 0	+ 1 4	+ 0 5	76 5	+ 0 6	
			31 4				34 9					76 4				77		

Astro l D te	Stati n	Instru m tal Po it o	Coll m t on C	C	d	d	d	Le l M	b	Remarks	n S	I tru tal I t	C ll mat on C	C	d	d	e	Le el M	b	Remarks
1888 Fb 18	NAGARKOIL (T lescope No 2)	I P E	75 9 75 7	75	+2 1	+2		76 5 8 2	−0 3		MANGALORE (T1 p < 1)	I P E	45 8 45	45	−0 4	−1 3		44 8 46	−0 9	M n C I P E = 43 9 I P W = 45 2 G ral M an = 44 6
19		I P W	77 77 3	7	−0	−1 0		77 5 76 6	+0 5	M an C I P E = 5 1 I P W = 79 G ral M n = 77		I P E	4 4 4	45	−0 4	−1 3		45 45 3	−0 8	
20		I P W	78 9 79 3	79 0	+ 9	1		76 8 76 5	− 4			I P W	45 7 44 9	45	+ 4	− 5		45 4 45 2	+ 7	
21		I P E	73 6 5	74	+3	+2 2		79 79 5	−2			I P W	44 4	45	+ 4	− 5		44 7 44 5		
22		I P E	75 9 74 5	76	+1	+		75 6	+ 6			I P W	45 4	45 0	4	− 5		45 44 8	+ 3	
24		I P W	8 6 8 2	8 0	+ 9	+2		79 79 4	+			I P W	46 44 4	45	+ 4	− 5		4 45 7	+ 9	
Mar 5	MADRAS (T1 sc p N 2)	I P E	7 9 77 8	77	+	+ 3		78 6 8 8	+ 5		MANGALORE (T les pe 1)	I P W	4 7 4 5	4	9	− 8		4 6 4 7	−	M n C I P E = 4 2 I P W = 42 6 G l M an = 4 9
7		I P W	79 3 79 8	80	+0 8	−		79 7 8 4	+ 9	M a C I P E = 78 2 I P W = 8 G l M = 79 2		I P W	4	4 0	− 9	−2 8		4 4 4	− 2	
8		I P W	8 8 6	8	+2 8	+)		8 4 8 4	+			I P E	43 3) 4 3	40 0	+ 9	+		4 4 8	+ 5	
9		I I E	78 5 79 6	78	+ 2	+ 3		8 6 8 3	7			I P E	4 8 4	4	+ 9	+		4 9 45 9	− 2	
10		I I E	77 1 8	7 0	+	+ 3		75 4 75 5	+3 7			I P W	43 43 8	45	+3	+ 2		4 6 43 2	+ 0	
12		I I W	) 8 8	8	+ 8	−0		77 78 5	−1 3			I P W	44	45	+3	+ 2		43 5 4 9	+ 3	
Ma 21	BELLARY (T1 sc pe 2)	I I E	95 7 96 3	95	+ 1	+		94 4)4	2 8		MANGALORE (T les pe 1)	I P E	42 9 4 8	4	+ 9	+1 0		41 3 44	− 8	Mean C I P E = 4 6 I P W = 42 1 G eral Mean = 41 9
2		I P E	96 96	95	+2	+1 2		96 6 96	+ 8			I P E	4 42 3	40	+ 9	+1 0		4 8 43 6	−0 8	
23		I P E	97 3 97	95	2	+ 2		92 5 93	+4 3	Mean C I P E = 96 4 I P W = 97 7 G ral M n = 9		I P E	4 4	40 0	+1 9	+		41 2 42	+	
24		I P W	99 96 6	100 0	+2 9	+2 0		95 5 98	−0 3			I P E	42 3 41	40	+1 9	+1 0		4 2	+0 8	
2		I P W	)8 98	100 0	2 9	+		95 5 98 4	−			I P W	4 8 4 6	45	+3	+		42 5 4 4	+0	
26		I P W	97 7 96 5	98 0	+0 9	0		96 9 96 3	−0 5			I P W	43 6 4 4	45 0	+3 1	+2 2		41 5 41 3	−0 1	
27		I P E	96 96	97 0	+0 1	−0 8		02 5 102 5	−5 4			I P W	42 5 45	45	+3	+2 2		42 3 39 7	−0 9	

from its gen ral mean was so trifling tl at it was consid red permissible to adopt as the value of C for J n ary 2nd th mean of th two determinations taken on January 2nd C was hanged from 50 to 135 0 and M from 47 0 to 133 0 at 6h 0m (d real time) so fo all stars o thus date that transited before 6h 0m the values c = − 82 9, and b = − 85 0 should be adopted and for all stars that transited after 6h 0m the values c = + 2 1 and b = + 0 2

Astronl Date	Stati n	I st me t l Pos tio	Collimation				Lev l		Remarks	Stati n	I t u m t l l nt	Coll mation				Level		Remarks
			C	C	c	o	M	b				C	C	o	o	M	b	
1888 April 4	MANGALORE (T lescope No 1)	I P W	d 42 7	d 45 0	d +3 2	d +2 3	d 42 2 41	d −0 2	M an C I P W = 42 2 I P E = 4 3 Ge ral Mea = 4 8	BOMBAY (T lescope h 2)	I P W	d 97 8 96 8	d 98 0	d 0 0	d −0 9	d 95 2 93 9	d −3 4	Mean C I P E = 99 4 I P W = 96 6 General Mean = 98 0
7		I P W	41 3 42	45 0	+3	+2 3	42 6 42 8	+0 9			I P W	95 9 95 9	97 0	−1 0	−1 9	00 8 100 5	+2 7	
8		I P E	4 4 41	40 0	+1 8	+0 9	39 2 39 2	+2 6			I P E	99 8 99 0	100 0	−2 0	−2 9	98 99 2	−0 6	

TABLE II DEDUCTION OF DEVIATION CORRECTION a_2 FROM STAR OBSERVATIONS

Arc	Stati n	Astron mical Date	In trum tal Pos t n	Clock n u	Star	Culm at on f W re Ob rred N	D a t u Consta t A	Observ d T m f Tra t	C rrect o f				Approximat Clock Rate	Seconds f C rrect d T m f Trans t	Right Ascen n (In reased by 12 h un f Lower Culmination)	Apparent Clock Correctons	Ded ed Valu De tion Correction f
									C lli m ti	Lev l	P n Eq a ti Q						
MADRAS (E) AND BANGALORE (W)	MADRAS (Latit d 3 4)	1887						h m	s	s	s	s	s	s	h m s	m s	d
			I P E	E	383 Gr 72	U 5	−0 1261	4 7 32 40	+0 40	+0 0	+2 14		35 04	4 7 40 88	+ 0 5 84	− 68 5
		Dec. 13		U	431	U 1	+0 0 8	4 3 4 25	+ 8	+0 05	+2 4	−0 0	6 5	4 3 12 48	− 4 03	
				W	514	U 4	− 25 4	5 9 54 00	+0 8	+0 3	+2 4		57 24	5 26 2 26	+ 16 24 02	− 76 7
					Columbæ	U	+0 0 99	5 9 3 6	+ 0	+0 06	+2 14	−0	33 36	5 35 36 58	+ 16 3 22	
			I P W	E	383 Gr 72	U 5	− 26	4 7 41 50	− 06	− 2	+2 3		43 37	4 7 40 86	− 0 2 51	
		14			431	U 6	+0 0 80	4 3 3 78	− 01	− 08	+2 3	−0 0	5 8	4 31 2 48	− 0 3 33	− 5 7
				W	514	U 4	−0 2514	5 16 34 8	−0 10	−0 40	−2 13		32 17	5 26 21 30	+ 9 49 13	
					Columbæ	U 1	0 99	5 25 51 55	−0 01	− 08	−2 13	−0 1	49 23	5 35 36 59	+ 9 47 36	− 6 5
		17	I P W	E	383 Gr 72	U 5	−0 1261	4 7 40 60	−0 05	+0 10	+2 13		42 8	4 7 40 80	− 0 1 98	
					431 „	U 11	+0 0180	4 31 15 50	−0 01	+0 03	+2 13	− 0	17 64	4 31 12 48	− 0 5 16	− 22 1
		19	I P E	W	514 „	U 2	−0 2514	5 15 40 30	−0 40	−0 30	−2 14		37 46	5 26 21 51	+ 10 44 05	
				„	Columbæ	U 11	+0 0199	5 24 53 27	−0 04	−0 05	−2 14	+0 01	51 05	5 35 36 63	+ 10 45 58	+ 5 6
		20	I P E	E	514 Gr 72	U 2	−0 2514	5 26 28 70	−0 90	− 10	−2 14		25 56	5 26 21 56	− 0 4 00	
					Columbæ	U 11	+0 0199	5 35 45 50	−0 09	−0 03	−2 14	0 00	43 24	5 35 36 66	− 0 6 58	− 9 5

Arc	Station	Astronomical Date	Instrumental Position	Clock use	Star	Culmination	f W res Observed	Deviation Co t t Δ	Observed Time of Transt	Corrections fo Collimation	Level	Pen Equation Q	Approx t Clock Rate	Seco da f Corre ted T m of Tran t	Right Asc n on (I reased by 12 h m f L wer Culm t n)	Appare t Clock Correct ns	Ded ced Valu n D viati n Correction a
									h m	,	,		,	,	h m s	m	d
		1887		W	8 Ursæ Mi oris	L	3	+0 3737	5 57 16 3	+ 0 5	+0 3	+2 17		9 7	6 8 8 88	+ 0 49 6	
		Dec 30	I P E		51 Cephei	U	4	− 0 4440	6 36 56 80	− 0 bo	− 0 6	−2 17	+0 04	53 4	6 48 5	+ 11 11 54	− 26 8
				E	514 G 72	U	3	− 5 4	5 26 30 43	− 0 60	− 0 04	−2 8		27 6	5 26 2 44	− 6 17	
	MADRAS (Latitud 3 4)			E	Col mbæ	U		+0 99	5 35 45 5	− 06	− 2	−2 8		4 89	5 35 36 66	− 6 23	− 2
		1888		W	8 Ursæ Minoris	L	3	+0 3737	5 57 3 37	+ 0 86	+0 03	+2 8		6 44	6 8 8 86	+ 2 42	
		Jan 2	I P W		51 Cephei	U	4	− 0 444	6 37 4 53	− 1 04	− 0 09	−2 18	+0 04	1 6	6 48 5 45	+ 11 4 19	− 2 2
		1887		E	383 Gr 72	U	4	− 0 1261	4 18 25 13	− 0 30	+0 08	0 0		24 9	4 7 40 88	− 10 44 03	
		Deo 13	I P E		431	U		+0 8	4 4 54 2	− 05	+0 3	0 00	−0 01	54 18	4 31 1 48	− 4 7	+16 2
				E	383 Gr 72	U	5	− 0 126	4 18 24 80	− 0 29	− 0 04	+2 62		7 09	4 7 40 86	− 1 46 3	
		14	I P E		431	U	1	+ 0 80	4 4 5 9	− 0 06	− 02	+2 62	−0 0	54 48	4 3 48	− 4 00	+29 4
				W	514	U	3	− 0 5 4	5 7 2 2 3	− 0 59	− 4	00		21 68	5 26 2 3	− 1 0 38	
				U	C lumbæ	U	0	+0 0 99	5 36 30 92	− 9 06	−0 01	−2 62	−0	8 3	5 35 36 59	− 5 54	+32 6
MADRAS (E) AND BANGALORE (W)				E	383 G 72	U	8	− 0 26	4 18 29 77	+ 06	− 9	+ 6		3 5	4 7 40 80	− 51 45	
				U	431	U	0	+0 0 80	4 41 53 07	+ 0	− 0 06	+2 61	−0	55 62	4 3 2 48	− 0 43 14	+57 7
	BANGALORE (Latitude 3 1)	17	I P W	W	514	U	3	− 0 2514	5 28 2 8	+ 0	− 0 3	−2 61		18 97	5 26 1 43	− 11 7 54	
				U	C lumbæ	U		0 99	5 37 20 84	+ 0	− 07	−2 6	− 10	8 07	5 35 36 6	− 0 45	+59 3
				E	383 Gr 72	U	3	− 0 1261	4 18 27 17	+ 0 05	0 00	+2 62		29 84	4 7 40 76	− 10 49 08	
		19	I P W		431	U	9	+0 0180	4 41 54 16	+ 0 01	0 00	+2 62	−0 0	56 78	4 31 12 48	− 10 44 30	+33 2
				W	514	U	3	− 0 25 4	5 26 26 14	+ 0	0 00	−2 62		23 6	5 6 5	− 0 2	
				U	Columbæ	U	1	+0 0 99	5 35 33 29	+ 0	0 00	−2 6	+ 01	29 69	5 35 36 63	+ 0 6 94	+33 4
		29	I P E	E	514 Gr 72	U	3	− 0 2514	5 37 1 5	− 56	+0	−2 63		8 44	5 26 21 56	− 46 88	
				U	Columbæ	U	10	+0 0199	5 46 24 79	− 0 06	03	−2 63	0 00	22 13	5 35 36 66	− 0 45 47	+ 5 2
		30	I P E	E	514 G 72	U	3	− 25 4	5 37 16 09	− 0 84	+0 04	−2 63		2 66	5 6 53	− 5 3	
				U	Col mbæ	U		0 0 99	5 46 24 38	− 0 06	+0 02	−2 63	0 00	71	5 35 36 66	− 10 45 05	+22 4
				E	514 Gr 72	U	2	− 0 5 4	5 36 76 2	− 2 89	− 6 89	+2 63		50 06	5 21 44	− 10 28 62	
		1888		U	Col mbæ	U		+0 99	5 46 3 06	− 2 25	− 16	−2 63	0 00	23 62	5 35 76 65	− 0 46 97	−67 7
		J n 2	I P W	W	8 Ursæ Mi oris	L	3	+0 3737	6 8 16 77	+ 0 79	+ 0	+2 63		20 20	6 8 8 86	− 0 11 34	
				U	51 Cephei	U	3	− 444	6 47 5 67	+ 0 96	+0 3	−2 63	0 04	4 07	6 48 5 45	+ 1 38	−88 0

Area	Star n	Astronomical Date	Instrumental Position	Clock use	Star	Culmination	f Wires Observed	D via tu Co tant A	Observed Time of Transit	Corrections for			Approximate Clock Rate	Seconds of C rrected Tim f Tranut	Right Ascens n (Increased by 12 hour f Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction s
										C ll m t	Lev l	Pen Eq a t on Q					
BANGALORE (E) AND NAGARKOIL (W)	BANGALORE (Lat d 3)	1888							*h m*			*s*			*h m s*	*m*	*d*
				E	51 C ph	U	3	− 4445	6 48 29 7	− 2 9	− 0 20	+ 2 58		29 46	6 48 5 94	− 23 52	
					C ni Majo is	U	1	+0 0170	6 54 3 47	− 0 12	− 0 03	+ 2 58		33 9	6 54 14 51	− 0 19 9	+ 8 9
		Jan 15	I P W	W	ξ Argús	U	0	+0 0150	7 44 4 00	− 0 1	− 0 03	+ 2 58		6 44	7 44 36 09	+ 0 29 6	
					771 G 72	U	4	− 6	7 46 42 5	− 0 60	− 08	+ 2 58		44 40	7 47 2 8	+ 0 28 45	+ 9
				E	51 Cephe	U	4	− 0 4445	6 48 26 93	− 97	− 6	+ 2 60		28 5	6 48 5 90	− 0 22 60	
					Cani Majoris	U	0	+0 017	6 54 29 94	− 0 5	− 0 01	+ 2 6		32 48	6 54 14 51	− 0 17 97	+ 10 0
		16	I P E	W	ξ A gú	U	5	+0 015	7 44 4	− 0 5	− 0 01	+ 2 60		6 65	7 44 36	+ 0 29 45	
					771 G 72	U	5	− 6	7 46 43 48	− 26	− 2	+ 2 6		45 8	7 47 87	+ 0 27 7	+ 18 2
				E	51 C ph 1	U	3	− 4445	6 48 5 33	− 97	− 0 3	+ 6		26 95	6 48 5 8	− 21	
		17	I P E		C M j	U	7		6 54 8 53	− 0 05	00	+ 2 6	Nil	1	6 54 4 5	− 16 59	+ 9 8
				E	51 C ph	U	3	− 4445	6 48 7 5	+0 14	4	+ 2 6		2 4	6 48 5 73	− 0 14 67	
					C M j ns	U	1	+ 17	6 54 27 6	+	+ 2	+ 2 62	C rrecti	29 8	6 54 14 5	− 0 5 3	− 1 4
		18	I P W	W	ξ A gús	U	0	+0 0 5	7 44 4 76	+0	+0 2	+ 62		7 4	7 44 36 1	+ 0 28	
					771 Gr 72	U	4	− 0 160	7 46 41 73	+0 04	+ 6	2 62		44 45	7 47 12 92	+ 0 28 47	+ 8
				E	51 C phe	U	3	− 4445	6 48 6 7	+0 5	+0 3	+ 2 60		9 58	6 48 5 62	− 3 96	
					C M jo 1	U	1	+0 7	6 54 5 57	+ 1		+ 2 6		28 0	6 54 14 51	− 0 3 69	+ 0 6
		19	I P W	W	ξ A gús	U	1	+ 5	7 44 5 56	+	+ 2	+ 6		8 9	7 44 36	+ 0 7 9	
					771 G 72	U	4	− 6	7 46 42 8	+	4	+ 2 60		45 27	7 47 2 95	+ 0 27 68	+ 1 8
				E	51 C ph	U	3	− 4445	6 48 6 00	− 97	+ 7	+ 73		7 93	6 48 5 5	− 0 12 42	
					C ni Maj ris	U	7	+ 7	6 54 3 94	− 5	0	+ 2 73		26 64	6 54 4 5	− 0 2 13	+ 0 6
		20	I P E	W	ξ A gús	U	1	+0 5	7 44 7 35	− 0 05	+0 3	+ 2 87		0 20	7 44 36 12	+ 25 92	
					771 G 72	U	5	− 0 1160	7 46 44 40	− 27	+ 07	+ 87		47 7	7 47 12 98	+ 0 25 9	+ 0 2
	NAGARKOIL (Latitude 8° 11)	1888															
				E	51 Cephe	U	5	− 0 4535	6 48 56 04	− 0 5	− 24	+ 55		57 3	6 48 5 94	− 0 51 36	
					Canis Majors	U	1	+0 0154	6 55 8 33	0 00	− 0 06	+ 55		9 82	6 54 14 51	− 0 55 3	− 8 4
		Jan. 15	I P W	W	ξ Argús	U	11	+0 0133	7 44 38 90	0 00	− 05	− 1 55	Nil	37 30	7 44 36 09	− 0 1 21	
					771 Gr 72	U	5	− 0 198	7 47 15 30	− 0 0	−	− 55		3 63	7 47 2 8	− 0 0 78	− 3 2
				E	51 Cephei	U	2	− 0 4535	6 48 55 3	− 05	10	+ 1 56		56 9	6 48 5 90	− 0 5	
		16	I P W		Canis Majoris	U	11	+0 0154	6 55 6 87	0 00	+0 05	+ 1 56	C rrecti	8 48	6 54 14 51	− 0 53 97	− 6 3
				W	ξ Argús	U	1	+0 0133	7 44 39·12	+0 03	− 03	− 1 57		37 55	7 44 36 10	− 0 1 45	
		17	I P E		771 Gr 72	U	2	− 0 1198	7 47 16 05	+0 16	− 05	− 1 57		14 59	7 47 12 90	− 0 2 69	+ 8

Arc	Station	Astro num / Date	Instrumental Position	Clock in use	Star	Culmination	Nº Wires Observed	Deviation Contact A	Obs rv d Time of Transit	Correcti ns for — Clim t	Correcti ns for — Level	Correcti ns for — Pen Equation Q	Correcti ns for — Appro mat Cl k Rat	Se nd f C rrect d Tm f Tran t	Right A (I creased by 12 h urs f Lower Culmination)	Appa ent Clock Correct s	Ded ced Val e of D viati n Correcti n
BANGALORE (E) AND NAGARKOIL (W)	NAGARKOIL (Lat t d 8°)	1888							*h m*						*h m*	*m*	*d*
				E	51 Cephei	U	4	− 0 4535	6 48 56 43	+ 0 58	−		+ 1 58	58 58	6 48 5 73	− 0 52 85	+ 4 2
					Ca is M joris	U	1	+ 0 154	6 55 3 76	+ 63			+ 1 58	5 37	6 54 14 51	− 0 50 86	
		Jan 18	I P E	W	ξ A gûs	U	1	+ 0 33	7 44 39 35	+ 0 03	0		− 58	37 8	7 44 36	− 0 69	+ 4 1
				W	771 G 72	U	6	− 98	7 47 6 58	+ 16			− 58	5 6	7 47 12 93	− 2 23	
				E	51 Cephei	U	5	− 0 4535	6 48 53 70	− 0 05	− 0 08		+ 1 56	55 13	6 48 5 63	− 49 50	+ 0 3
		19	I P W		Ca Majoris	U	1	+ 0 0 54	6 5 2 32	0 00	− 0 2		+ 56	3 86	6 54 14 5	− 0 49 35	
				W	ξ A gûs	U	11	0 33	7 44 40 40	0 00	− 0 0		− 56	38 8	7 44 36 12	− 0 2 70	+ 6 4
				W	771 Gr 72	U	8	− 98	7 47 8	−	− 4		− 56	6 5	7 47 2 95	− 0 3 55	
				E	51 C ph 1	U	4	− 0 4535	6 48 53 30	+ 0 86	+ 6		+ 56	55 88	6 48 5 5	− 0 50 36	+ 5 6
		20	I P W		C is Maj r	U	1	+ 0 0 54	6 55 0 59	+ 0 5	+ 3		+ 1 56	2 23	6 54 14 5	− 0 47 72	
				W	ξ A gûs	U		+ 33	7 44 4 27	+ 5	+ 0 4		− 56	39 8	7 44 36 13	− 0 3 67	
				W	771 Gr 72	U	8	− 0 1198	7 47 8 85	+ 23	+ 0 09		− 56	17 6	7 47 2 98	− 0 4 63	+ 7 2
MADRAS (E) AND NAGARKOIL (W)	MADRAS (Latitud 3 4′)	1888															
				E	Argûs	U		+ 4 6	8 20 5 6	− 2	−		+ 93	5 9	8 2 5 74	− 36 21	− 16 9
					815 Gr 72	U		− 0 2690	8 22 44 97	− 0 77	− 0 12		+ 1 93	46 0	8 22 5 05	− 30 96	
		Feb 2	I P E	W	Argû	U		+ 0 4	9 2 53 00	− 0 12	−		+ 93	54 8	9 4 8 2	+ 3 4	− 1 7
					908 G 2	U		− 47	9 9 52)8	− 43	− 7		+ 93	54 4	9 8 3	+ 1 13 72	
				W	Argûs	U		+ 0 0411	9 2 52 00	− 0 17	− 0 01		+ 1 92	53 /4	9 14 8 21	+ 1 14 47	+ 0 6
		3	I P W		908 Gr 72	U		− 0 147	9 9 54 44	− 0 62	− 0 05		+ 1 92	55 69	9 2 8 6	+ 47	
				W	Argûs	U		+ 0 0411	9 2 52 88	− 0 17	− 0 0		+ 1 89	54 59	9 14 8 2	+ 1 3 62	+ 0 8
		4	I P W		908 Gr 72	U		− 0 1470	9 9 53 50	− 0 62	− 0 05		+ 89	54 72	9 21 8 19	+ 13 47	
				E	A gûs	U		+ 416	8 20 46 18	− 0 12	+ 0 0		+ 90	47 97	8 20 5 72	− 32 25	− 4 1
					815 G 72	U		− 0 690	8 22 44 80	− 0 77	+ 0 03		+ 1 90	45 96	8 2 15 00	− 0 30 96	
		5	I P E	W	Argûs	U		+ 4	9 2 52 65	− 0 12	+ 0 0		+ 1 90	54 44	9 4 8 2	+ 1 13 77	+ 6 4
					908 Gr 72	U		− 0 147	9 9 54 18	− 43	+ 0 02		+ 1 90	55 67	9 21 8 23	+ 1 12 56	
				E	A gûs	U		+ 0 4 6	8 2 44 66	− 0 12	+ 0 01		+ 1 91	46 46	8 20 15 71	− 0 30 75	+ 0 7
		6	I P E		815 Gr 72	U		− 0 2690	8 22 44 3	− 0 77	+ 0 09		+ 1 91	45 96	8 22 14 98	− 0 30 98	
				W	Argûs	U		+ 0 041	9 2 52 09	− 0 12	+ 0 01		+ 1 9	53 89	9 14 8 22	+ 1 14 33	+ 9 9
					908 Gr 72	U		− 0 470	9 9 54 26	− 0 43	+ 0 06		+ 1 91	55 80	9 21 8 27	+ 1 12 47	
				E	Argûs	U		+ 0 4 6	8 20 43 79	+ 0 04	0 00		+ 1 90	45 73	8 20 15 70	− 0 30 03	− 10 2
					815 G 72	U		− 0 2690	8 22 39 60	+ 0 29	+ 0 02		+ 1 90	4 81	8 22 14 96	− 0 26 85	
		7	I P W	W	Argûs	U		+ 0 0411	9 2 52 55	+ 0 04	0 00		+ 1 90	54 849	9 14 8 22	+ 1 13 73	− 3 1
					908 G 72	U		− 0 1470	9 9 51 92	+ 0 15	+ 0 01		+ 1 90	53 98	9 21 8 30	+ 1 14 32	

(centre column, spanning: "C rrect n N l" / "Correction N l")

Arc	Stat on	Astronomical Date	Instrumental Position	Clock in use	Star	Culminant n	f Wire Observ d	Devia-t on Co tant A	Observed Time of Transit	Colli mat on	Level	Pen Equa tion Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
		1888							h m	'	'	'	s	s	s h m s	m s	d
		Feb 2	I P E	W	Argús	U	8	+0 0398	9 14 6 84	+ 06	+ 02	+ 55		8 47	9 4 8 20	− 0 0 27	
					908 Gr 72	U	5	−0 1514	9 21 11 20	+ 24	+0 07	55		13 06	9 21 8 13	− 6 4 93	+24 4
				E	Argús	U	8	+ 0403	8 21 3 05	+0 06	−0 02	+1 55		4 64	8 20 15 74	−0 48 90	
		,, 3	I P E		815 G 72	U	3	− 753	8 23 5 13	+ 43	− 06	+1 55		7 05	8 22 5 3	− 0 52 02	+9 9
				W	A gús	U	8	0 398	9 14 7 22	+0 06	−0 0	+ 55		8 82	9 14 8 21	−0 0 61	
					908 G 72	U	5	−0 5 4	9 21 1 68	+0 24	−0 4	+ 55		13 43	9 2 8 16	−0 5 27	+24 4
				E	Argús	U	8	+0 0403	8 21 2 58	+0 07	−0 01	+1 55		4 19	8 20 15 73	−0 48 46	
		4	I P W		815 G 72	U	5	− 2753	8 22 59 08	+0 47	−0 5	+ 55		61 5	8 22 15 02	−0 46 03	− 7 7
				W	Argús	U	8	+0 398	9 14 7 95	+ 06	−	+1 55		9 55	9 4 8 21	− 14	+1 2
					908 Gr 72	U	3	−0 1514	9 21 7 97	+0 27	−0 03	+1 55	C rrection N d.	9 76	9 21 8 9	−0 1 57	
				E	Argús	U	8	+ 0403	8 21 0 98	− 10	+ 05	+1 56		2 49	8 2 5 72	−0 46 77	+1 9
		5	I P W		815 G 72	U	4	−0 2753	8 23 31	− 68	17	+ 56		38	8 22 5 00	−0 47 38	
				W	Argús	U	8	0398	9 4 7 51	− 0	+ 04	56		9 01	9 14 8 21	−0 80	+10 8
					908 G 72	U	5	− 5 4	9 2 9 80	−0 38	+0 2	+ 56		10	9 21 8 23	−0 32 87	
				E	Argús	U	8	+0 4 3	8 20 59 67	− 2	+	+ 56		6 22	8 20 15 7	−0 45 5	+2 8
		6	I P E		815 G 72	U	5	−0 2753	8 2 59 92	− 5	+0 05	+ 56		61 38	8 22 14 98	−0 46 40	
				W	Argús	U	8	+ 398	9 4 7 66	−		+ 56		9 22	9 4 8 22	−0 00	+9 4
					908 G 72	U	5	−0 1514	9 21 9 54	−0 08	+0 04	+1 16		11 06	9 21 8 27	−0 2 79	
				E	Argús	U	8	+0 403	8 20 58 18	+0 02	+0 01	+1 57		59 78	8 20 15 70	−0 44 08	0 8
		7	I P E		815 Gr 72	U	5	− 753	8 57 55	+ 4	+ 4	+ 57		59 3	8 22 4 96	− 44 14	
				W	Argús	U	8	+ 398	9 4 7 66	+ 2	+ 01	57		9 26	9 4 8 22	−0 1 4	+13 2
					908 Gr 72	U	5	− 5 4	9 2 0 2	0 07	+0 02	+ 57		86	9 2 8 30	− 3 56	
		1888		E	Argús	U		+ 398	9 14 3 93	+0 05	00	+1 55		5 53	9 4 8 6	+ 2 63	+14 9
		Feb. 18	I P E		908 Gr 72	U	5	−0 15 4	9 21 6 90	+0 18	−0 0	+1 55	00	8 62	9 2 8 41	− 0 2	
				W	981	U	5	−0 1810	10 8 2 62	+0 23	−0 06	−1 55		1 24	10 17 27 89	+9 26 65	+9 6
					p Carinœ	U	1	+0 0434	10 18 38 33	+0 05	−0 02	−1 55	+0 01	36 82	10 28 5 62	+9 28 80	
				E	Argús	U	1	+ 0398	9 4 4 64	−0 05	+0 01	+ 60		6 0	9 14 8 16	+0 1 96	−4 2
		19	I P W		908 Gr 72	U	5	−0 1514	9 21 4 18	−0 16	+0 02	+1 60	0 00	5 64	9 21 8 39	+0 2 75	
				W	981	U	5	−0 1810	10 7 57 96	−0 19	+0 02	−1 60		56 19	0 17 27 88	+9 31 69	− 7 1
				,,	p Carinœ	U	11	+0 0434	10 18 37 15	−0 05	+0 01	−1 60	+0 0	35 52	10 28 5 62	+9 30 10	

Arc labels (vertical, left margin): **MADRAS (E) AND NAGARKOIL (W)** ; Stat on: **NAGARKOIL (Latitud 8°)** ; lower arc: **NAGARKOIL (E) AND MANGALORE (W)** ; Stat on: **NAGARKOIL (Latitude 8° 11)**

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	N f Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for				Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination n)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
										Clli mation	Level	Pen Equa tion Q	Approximate Clock Rate				
		1888							h m s	+0 04	− 1	+1 55	s	6 46	h m	m s	d
				E	Argûs	U	1	+0 0398	9 14 4 88						9 14 8 5	+ 0 69	− 6 3
		Feb 20	I P W		908 Gr 72	U	5	−0 1514	9 21 3 78	+0 6	−0 02	+1 55	0 00	5 47	9 21 8 37	+ 0 2 90	
				W	981	U	5	−0 1810	10 7 55 02	+0 19	−0 02	−1 55		53 64	10 17 27 87	+ 9 34 23	− 7 6
					p Carinæ	U	1	+0 0434	0 18 34 58	+0 5	−0 1	−1 55	+0 2	33 09	0 8 5 62	+ 9 32 53	
				E	Argûs	U	1	0 0398	9 14 5 28	+0 09	−0 04	+1 55		6 88	9 14 8 14	+ 0 1 26	− 0 1
		21	I P λ		908 Gr 72	U	5	−0 1514	9 21 5 28	+0 35	−0 10	+1 55	0 00	7 08	9 21 8 35	+ 0 27	
NAGARKOIL (Latitude 8°)				W	981	U	5	−0 1810	10 7 52 46	+0 42	−0 1	−1 55		5 23	10 7 27 86	+ 9 36 63	− 5 1
					p Carinæ	U		+0 0434	10 18 3 59	+ 11	− 03	− 55	+0 2	30 14	10 28 5 63	+ 9 35 49	
				E	Argûs	U	1	⊦0 0398	9 14 6 02	+0 01	+0 03	+1 60		7 66	9 14 8 12	+ 0 0 46	− 1 4
		22	I P E		908 Gr 72	U	5	−0 5 4	9 2 5 90	+0 03	+0 08	+1 60	0 00	7 6	9 2 8 33	+ 0 0 72	
				W	981	U	5	−0 8 0	10 7 50 6	+0 4	+0 07	−1 60		49	1 17 27 84	+ 9 38 73	− 2 0
					p Carinæ	U	1	+0 0434	0 8 28 89	+0 01	+0 02	−1 60	+0 02	27 34	10 28 5 63	+ 9 38 29	
				E	Argûs	U	1	+0 0398	9 4 6 27	+ 09	+0 04	+1 55		7 95	9 14 8 09	+ 0 0 14	− 1 6
		24	I P W		908 Gr 72	U	5	−0 5 4	9 5 88	+0 3	+0 1	+ 55	0 00	7 85	9 21 8 30	+ 0 0 45	
				W	981	U	5	−0 1810	0 7 44 20	+ 38	+0 10	−1 55		43 3	0 17 27 82	+ 9 44 69	− 5 3
					p Carinæ	U		0 0434	10 18 23 55	+0 9	+0 03	−1 55	+0 02	22 14	10 28 5 64	+ 9 43 50	
		1888															
				E	Argûs	U	9	+0 04 1	9 24 26 27	−0 05	−0 01	+1 65		27 86	9 14 8 6	− 10 19 70	−18 2
		Feb 18	I P E		908 Gr 72	U	4	−0 469	9 31 23 28	−0 2	−0 5	+1 65	0 00	24 68	9 21 8 4	− 10 16 27	
				W	981	U	2	−0 764	10 18 19 35	−0 20	−0 06	−1 65		1 44	10 7 27 89	− 0 49 55	−17 8
					p Carinæ	U	6	+0 0446	10 28 60 81	−0 06	−0 1	− 65	+0 1	59 1	0 28 5 62	− 0 53 48	
		19	I P E														−18 7*
MANGALORE (Latitude 2 5)		20	I P W	W	981 Gr 72	U	4	−0 1764	10 18 15 75	−0 09	+0 05	−1 62		14 09	10 7 27 87	− 0 46 22	−12 1
					p Carinæ	U	6	+0 0446	10 28 56 13	− 03	+0 01	−1 62	+0 02	54 51	10 28 5 62	− 0 48 89	
		21	I P W	W	981 Gr 72	U	3	−0 764	0 8 1 80	−0 09	0 00	−1 61		10 10	10 17 27 86	− 0 42 24	−19 2
					p Carinæ	U	8	+0 0446	10 28 53 74	−0 03	0 00	−1 61	+0 02	52 12	10 28 5 63	− 0 46 49	
		22	I P W	E	Argûs	U	8	+0 041	9 24 27 82	−0 02	+0 01	+1 61		29 42	9 14 8 12	− 1 21 30	−16 6
					908 Gr 72	U	5	−0 1469	9 31 24 96	−0 08	+ 02	+1 61	0 00	26 5	9 21 8 33	− 10 18 18	
				E	Argûs	U	8	+0 0411	9 24 27 75	−0 02	+0 0	+1 66		9 41	9 4 8 09	− 10 2 32	−16 3
		24	I P W		908 Gr 72	U	5	−0 1469	9 31 24 93	−0 08	+0 05	+1 66	0 00	26 56	9 21 8 30	− 10 18 26	
				W	981	U	3	−0 1764	10 18 4 09	−0 09	+0 06	−1 66		2 40	10 17 27 82	− 34 58	−15 5
					p Carinæ	U	8	+0 0446	10 28 45 29	−0 02	+0 01	−1 66	+0 02	43 64	10 28 5 64	− 0 38 00	

* No star observations were taken for the determination of the deviation correction: it had therefore to be deduced from the readings of two collimators, which were found on February 20th to have remained immovable since February 18th.

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	f Wire Observed N	Deviation Constant A	Observed Time of Transit	C lli mation	Level	P n Equation Q	Approximate Clock Rate	Seconds of Corrected Time f Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
		1888							h m s	s	s	s	s	s	h m s	m	d
				E	945 Gr 72	U	5	−0 0682	9 48 19 17	+0 09	+0 02	−1 57		17 7	9 48 23 73	+ 0 6 02	
		Mar 5	I P E		947	U	11	+δ 0180	9 51 23 11	+0 03	+0 01	−1 57	0 00	21 58	9 51 19 72	− 0 1 86	−91 4
				W	η A gûs	U	8	+0 4 5	10 19 35 05	+0 05	+ 1	+1 57		36 68	0 40 45 73	+ 21 9 05	−89 8
					Ursæ Majoris	U	8	−0 0366	0 35 35 76	+0 6	+0 02	−1 57	+0 1	34 28	10 56 50 34	+ 21 16 06	
				E	945 G 72	U	5	−0 0682	9 48 26 01	−0 0	+ 4	−1 56		24 48	9 48 23 69	− 0 0 79	−20 5
		7	I P W		947	U	1	+0 0 80	9 5 23 82	0 00	+0 0	− 56	0 00	22 27	9 5 9 7	− 0 2 56	
				W	η A gûs	U	8	+0 0415	0 19 3 16	00	+	+1 56		32 73	10 40 45 73	+ 21 13 00	−23 3
					Ursæ Majoris	U	8	−0 366	10 35 37 05	0 00	+0 03	−1 56	+ 01	35 53	10 56 50 35	+ 2 14 82	
				E	945 Gr 72	U	5	− 68	9 48 27 7	+0 14	+0 05	−1 57		25 89	9 48 23 67	− 0 2 22	−18 6
		8	I P W		947	U		+0 18	9 5 25 3	+ 04	+	− 57	00	23 52	9 5 9 7	− 0 3 81	
				W	η A gûs	U	8	+ 4 5	1 19 30 53	+0 07	+0 02	+ 57		32 9	0 40 45 73	+ 21 3 54	−25 5
					Ursæ Majoris	U	8	− 366	35 36 26	+0 09	+0 04	−1 57	+ 01	34 83	10 56 50 36	+ 21 15 53	
				E	945 G 72	U	5	− 682	9 48 28 81	+ 03	0 03	−1 56		27 3	9 48 23 65	− 0 3 66	−18 3
		9	I P E		947	U	1	+0 0 80	9 5 26 46	+0 02	+0 01	−1 56	0 00	24 93	9 51 19 69	− 0 5 24	
				W	η A gûs	U		+0 415	10 19 30 13	+	+0 01	+ 56		31 7	0 4 45 72	+ 21 4 1	−27 3
					Ursæ Majoris	U	8	−0 366	35 35 74	+0 01	+0 02	−1 56	+0 0	34 22	0 56 50 36	+ 21 16 4	
				E	945 G 72	U	5	− 0682	9 48 28 65	+0 09	+	−1 58		27 27	9 48 23 62	− 0 3 65	−27 5
		10	I P E		947	U	11	+0 0180	9 51 27 18	+0 03	+ 06	− 58	0 00	25 69	9 51 19 69	− 0 6 00	
				W	η Argûs	U	4	415	0 19 29 3	+0 05	+ 5	+1 58		30 81	40 45 71	+ 21 14 90	−32 5
					Ursæ Majoris	U	8	−0 0366	10 35 34 31	+0 06	+0 12	−1 58	+0 01	32 92	10 56 50 36	+ 21 17 44	
				E	945 Gr 72	U	5	−0 0682	9 48 30 05	−0 01	−0 05	−1 57		28 42	9 48 23 58	− 0 4 84	−25 4
		12	I P W		947	U	1	+0 0180	9 5 28 29	00	−0 02	− 57	0 00	26 70	9 51 19 67	− 0 7 03	
				W	η A gûs	U	7	+ 0415	10 19 26 64	0 00	−0 2	+1 57		28 19	10 40 45 71	+ 21 17 52	−32 1
					Ursæ Majoris	U	8	− 0366	10 35 3 95	−0 01	−0 04	−1 57	+0 0	30 34	0 56 50 37	+ 21 20 3	
		1888															
		—		E	945 Gr 72	U	5	−0 0683	0 0 2 72	−0 22	−0 01	−1 63		0 86	9 48 23 73	− 21 37 13	+ 9 5
		Mar 5	I P W		947	U	0	+0 0179	10 12 57 74	−0 08	0 00	−1 63	0 00	56 3	9 5 19 72	− 21 36 31	
				W	η Argûs	U	0	+0 415	10 41 7 58	−0 13	0 00	+ 63		9 08	0 40 45 73	− 0 23 35	− 1 1
					Ursæ Majoris	U	8	−0 367	10 57 15 36	−0 13	−0 01	− 63	+	3 6	56 50 34	− 0 23 26	
		,, 7	L P W		945 Gr 72	B	8	−0 0683	10 10 4 54	−0 22	−0 01	−1 63		2 68	9 48 23 69	− 21 38 99	+ 7 3
					947 ,,	U	10	+0 0179	10 12 59 78	−0 08	0 00	−1 63	0 00	58 07	9 51 19 71	− 21 38 36	
		8	L P E		,,												+ 10 4*

MADRAS (E) and MANGALORE (W)

MADRAS (Latitude 13 4)

MANGALORE (Latitude 12 5)

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culminates n	N of W res Observed	Deviation Constant Δ	Observed Time of Transit	Collimation	Level	Pen Equat Q	Approximate Clock Rate	Corrected Time of Transit	Right Ascension (I ressed by 12 hours f Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a
MADRAS (E) AND MANGALORE (W) — MANGALORE (Latitude 5)		1888							h m s	s	s	s	s	s	h m s	m s	d
			I P E	E	945 Gr 72	U	8	-0 0683	0 0 6 66	+ 8	- 08	-1 63		5 3	9 48 3 65	-2 41 38	+8 8
		Mar 9			947	U		+0 179	0 3 1 95	+0 03	-b 04	- 63	0 00	0 3	9 5 9 69	-2 40 62	
				W	η A gûs	U	6	+0 4 5	4 4 83	+0 5	-0 0	+ 63		6 49	0 40 45 72	-0 20 77	+4 9
					U sæ Majoris	U	8	-0 0367	0 57 13 14	+0 05	-0 06	-1 63	+0 01	11 5	10 56 50 36	-0 21 15	
			I P W	E	945 G 72	U	8	-0 0683	10 10 6 80	+0 18	+0 4	-1 64		5 38	9 48 23 62	-2 41 ,6	+2 7
		10			947	U	10	+0 0 79	0 3 2 78	+0 06	+0 0	- 64	0 00	2	9 51 19 69	-21 41 53	
				W	η Argûs	U	9	+0 4 5	10 4 4 0	+0 10	+0 0	+1 64		5 85	0 40 45 71	-0 2 4	-5 2
					Uræ Majoris	U	0	-0 0367	57 11 59	+0 10	+0 3	-1 64	+0 0	09	56 50 36	-0 19 73	
		12	I P W	W	η Argûs	U		+ 04 5	10 4 8	+ 0	+0	+ 72		3 63	0 40 45 71	-0 7 92	-8 7
					Uræ Majoris	U	0	-0 0367	10 57 9 18	+0 10	+0 04	-1 72	+0 01	7 6	10 56 50 37	-0 7 24	
BELLARY (E) AND MANGALORE (W) — BELLARY (Latitude 15 9)		1888															
			I P E	E	η Argûs	U	8	+0 0420	10 40 44 46	+ 06	+0 03	+ 60		46 5	1 40 45 6	- 0 54	-25 8
		Mar 21			Uræ Majoris	U	8	-0 0354	0 56 50 29	+0 5	+0 09	-1 6	+	48 87	56 5 33	+ 1 46	
				W	λ Dra onis	U	8	- 534	6 34 5	+ 7	+	+1 6		36 9	24 47 28	+ 8 10 99	-21 7
					1070 Gr 72	U	1	+0 0190	1 19 20 04	+0 03	+0 05	+1 60	0 00	21 7	1 27 3 4	+ 8 9 42	
			I P E	E	η Argûs	U	8	+0 0420	10 40 4 99	+0 06	+	+ 6		4 66	4 45 59	+ 2 93	-24 5
		22			Uræ Majoris	U	8	- 354	56 46 97	+ 5	+ 3	- 60	+0 4	45 49	56 5 3	+ 4 83	
				W	λ Draconis	U	8	-0 0534	16 33 86	+0 07	+0 3	+1 60		35 56	11 24 47 27	+ 8 11 71	-22 8
					1070 Gr 72	U	11	+ 0190	11 9 19 44	+0 03	+0 1	+1 60	0 00	21 08	11 7 31 14	+ 8 0 06	
			I P E	E	η Argûs	U	8	+0 042	1 40 37 02	+ 06	+ 06	+ 65		38 79	40 45 58	+ 6 79	-24 2
		23			Uræ Majoris	U	8	- 354	10 56 43 5	+0 05	+0 4	-1 65	+0 5	4 64	10 56 5 30	+ 0 8 66	
				W	λ Draconis	U	8	- 534	1 6 33 08	+0 07	+0 6	+1 65		34 96	11 24 47 26	+ 8 12 3	-24 6
					1070 Gr 72	U		+0 0190	11 19 18 86	+0 03	+0 08	+1 65	0 00	20 62	1 27 3 14	+ 8 10 52	
			I P W	E	η Argûs	U		+0 0420	10 40 35 18	+0 09	00	+1 65		36 89	10 40 45 56	+ 0 8 67	-81 9
		24			Uræ Majoris	U	8	-0 0354	10 56 36 77	+0 09	-0 1	-1 62	+0 05	35 28	10 56 50 29	+ 0 15 0	
				W	λ Draconis	U	5	-0 0534	1 16 29 68	+0 12	-0 01	+ 62		31 4	11 24 47 25	+ 8 15 84	-81 4
					1070 Gr 72	U		+ 0 90	11 19 19 52	+0 05	0 00	+ 62	0 00	21 19	11 27 31 14	+ 8 9 95	
		25	I P W	W	λ Draco s	U	1	-0 534	11 16 30 80	+0 12	0 00	+1 63		32 55	11 24 47 24	+ 8 14 69	-53 5
					1070 Gr 72	U	7	+0 0190	11 19 18 63	+0 5	0 00	+1 63	0 00	20 31	11 7 31 13	+ 81 82	
			I P W	E	η Argûs	U	1	+0 0420	10 39 25 52	0 00	-0 01	+1 63		27 14	10 40 45 52	+ 1 18 38	-69 1
		26			Uræ Majoris	U	8	-0 0354	10 55 28 13	0 00	-0 02	-1 63	+0 05	26 53	10 56 50 26	+ 1 23 73	
				W	λ Draconis	U	8	-0 0534	11 16 29 54	0 00	-0 02	+1 63		31 15	11 24 47 22	+ 8 16 07	-70 9
					1070 Gr 72	U	11	+0 0190	11 19 18 57	0 00	-0 01	+1 63	0 00	20 19	11 27 31 13	+ 8 10 94	

* No star observations were taken for the determination of the deviation correction it had the of to be deduced from the reading of two collimators, which were found on March 25th to have remained immovable since March 23rd.

TABLE II DEDUCTION OF DEVIATION CORRECTION *a*, FROM STAR OBSERVATIONS

Arc	Star	Astro meal Date	Instrum ntal P t	Clock use	Sta	Cl n t f W re Obs rred	D a t Co la t A	Ob d Tim f Tra t	C et n for			Appro imat Cl k R te	Seco d f C rre ted T m f Tra t	R gl t Asce (I reased by 12 h n f Low Culmin u)	Apparent Clock C rrect na	Ded d V l D t n C rrecti
									C ll m t	L l	Pen Eq t n Q					
MANGALORE (E) AND BOMBAY (W)	BOMBAY (Latitud 8 4)	1888		W	λ Draconis	U 8	− 5 8	*h m* 4 43 7	− 6	− 5	+ 67		45 8	*h m s* 24 47 08	*m* + 0 9	*d*
					1070 Gr 72	U 1	+ 201	1 27 24 93	−0 05	−0 6	+ 67	0 00	26 5	27 3 1	+ 0 4 6	+38
		Ap 4 *I P W*			1191	U 5	−0 95	48 6	−0 9	−0 3	+ 67		2 78	2 48 20 0	− 0 2 78	
					1192	U 5	− 955	48 29 63	− 9	− 3	+1 67		3 8	2 48 27 68	− 0 3 12	+34 6
					Polaris	L 2	+0 9488	3 6 22 8	+0 90	+ 2	−1 67	−0 09	22 97	3 16 59 67	+ 0 36 7	
				W	λ Draconis	U 8	− 0508	24 56 78	−0 7	+0 2	+1 66		58 49	1 24 47 0	− 0 47	
					1070 G 72	U	+ 020	27 37 73	− 3	+0 05	+ 66	00	19 4	27 3	− 8 3	+44 6
		7 *I P W*			1191	U 5	− 957	48 35 5	−	+0 25	+ 66		37 2	2 48 9 95	− 0 17 25	
					1192	U 5	−0 955	2 48 42 52	−0 21	+0 25	+1 66		44 2	2 48 27 6	− 0 6 60	+39 2
					P l s	L 2	+0 9488	3 6 3 9	+1 00	−0 83	−1 66	−0 09	3 33	3 6 59 3	+ 0 27 98	
				W	λ Drac ni	U 8	−0 5 8	24 59 96	− 2	− 3	+ 6		6 34	4 46 99	− 14 35	
					1070 G 72	U 1	+0 02	1 27 43 03	−0 08	−0 0	+ 6	0 00	44 55	27 3 9	− 13 46	+ 2 6
		8 *I P E*			1191	U 5	−0 957	2 48 34 54	− 62	− 5	+1 6		35 48	2 48 9 93	− 0 5 55	
					1192	U 5	955	48 42 49	− 6	−0 05	+1 6		43 43	48 27 60	− 5 8	+ 3 9
					Polaris	L 2	+0 9488	3 7 9 2	+2 89	+0 8	−1 61	−0 09	57	3 6 59 26	− 0 11 3	

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION   147

Between Colonels Strahan and Heaviside

			OBSERVED WITH TELESCOPE No 2						OBSERVED WITH TELESCOPE No 2					
			At MADRAS (Lat t d 3 4)						At NAGARKOIL (Lat t d 8 1)					
	Nov mbe 30 1887		D b 1887			D b 3 1887			J v 7 1888			J y 28 1888		
Star	D l at	Eq t S−H	St	D l t	Eq t b−H	Star	D l t	Eq t b−H	St	D l t	Iq t b−H	Sta	Decl at	Eq t S−H
NORTH ASPECT														
502	+ 4 1	—	644	+ 2 6	+ 4	691	+ 3 5	oo	1567	+ 9 39	—	1023	+ 26 4	+ o
524	+ 5 3	— 3	666	+ 5 4	—	61	+ 38 38	+ 8	160	+ 38	—	1040	+ 27 12	— 4
533	+ 9 30	— 8	68	+ 4	+	771	+ 7	+ 4	10 4	+ 3	— 4	1052	+ 4 19	— 06
572	+ 8 44	— 04	691	+ 3 5	+ 4	80	+ 4 3	+ 1	10 1	+ 9 4	—	1064	+ 8 22	oo
691	+ 32 5	— 7	761	+ 38 38	—	861	+ 8 46	— 3	16 8	+ 8 5	—	1079	+ 6 23	— 01
761	+ 38 38	— 7	771	+ 7	+ 5	872	+ 6 47	+ 3	1671	+ 7 7	9	1092	+ 9	— 3
780	+ 4 32	+	780	+ 4 3	— oo	901	+ 7 5	o	1723	+ 32	03	1140	+ 19 19	— 01
861	+ 8 46	+	801	+ 8 46	—	913	2 3	+ 2	174	+ 3 58	5	1157	+ 24 1	— 06
872	+ 26 4	— o	8 2	+ 6 47	—	816	+ 7 7	— 9	18 1	5 47	8	1157	+ 24	— 08
			901	+ 7 5	+	977	+ 8 5	+ 4	1847	+ 4 3	9	1678	+ 28 5	— 02
			913	+ 3	— 3	989	+ 26 5	oo	1851	+ 9 5	2	1671	+ 7 8	— 04
			966	+ 7 7	—	1045	+ 2	—	1876	20 5	8	1723	+ 32 7	— 04
			977	+ 8 57	—	1055	+ 2 38	—	188	+ 8 55	—	1742	+ 3 58	— 02
			983	+ 26 5	— 5	1064	+ 18	+ 06	115	+ 3	—	1821	+ 5 47	+ 02
									1386	+ 9 49	07	1837	+ 24 3	— 05
												18 1	+ 9 50	— 02
												1876	+ 20 15	— 03
												1882	+ 28 55	— 04
Mean (S$_N$ − H$_N$)	— 47				+ 0 006			+ o			— 06			— 0 034
SOUTH ASPECT														
561	+ 9	+	625	+ 2 5	7	704	— 6 57	+ 06	1 88	— 5 4	+ o	891	+ 6 4	+ 0 0
684	+ 8	+ 7	639	— 5	+ 8	720	— 3 30	+ 4	1537	— 8 54	— 5	1005	— 3 4	+ 10
704	— 6 57	+	704	— 6 57	+ 6	741	+ 9 3	+ 3	1611	+ 2 44	+	1016	— 9 34	— 02
720	— 33	+	720	— 33	+ 06	5	+ 0 3	+ 7	1638	— 6 58	— 5	1104	— 22	+ o
741	+ 9	+	741	+ 9	—	783	+ 6 59	+ 5	1708	— 1	—	111	— 7 50	— 03
755	+ 10 3	+ 04	75	+ 3	+ 3	807	— 3 53	+ 04	171	— 5	— 4	1124	— 5 59	+ 01
789	+ 6 59	+ o	789	+ 6 59	— 5	81	—	+ 5	1765	— 6	— 4	1134	— 5 34	— 03
807	— 3 53	— 2	807	— 3 53	+ 06	830	6	+ 06	1775	— 8 46	+ 02	1708	—	— 02
815	— 12 2	+ 06	815	— 2 2	— 03	844	59	+ 06	1802	— 34 8	— 7	1 1	— 0 5	— 3
830	+ 0 16	+ 02	830	+ 10 6	oo	891	+ 6	+ 06	1812	— 3 35	—	1765	— 6	—
844	± 11 59	+ 06	844	+ 11 59	+ 01	929	+ 8 27	+ o	1860	— 23	— 4	1775	— 28 46	+ 4
			801	+ 6 0	+ 01	943	— 3 20	+ 05	1901	— 14 12	— 4	1802	— 34 8	+ 08
			943	— 3 20	+ 07	952	— 8 8	+ 05	1922	— 35 8	—	1812	— 3 35	+ 5
			929	+ 8 27	oo	1005	— 30 14	+ 5	1941	— 33 55	— 5	1860	— 23	+
			952	— 8 8	— 01	1016	— 9 34	+ 08	1959	— 14 56	— 05	1901	— 14	+
						1028	+ 2 57	+ 2				1922	— 35 8	—
												1941	— 33 55	+ 5
Mean (S$_S$ − H$_S$)	+ 0 035				+ 0 023			+ 0 049			— 0 36			6

TABLE III   ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Colonels Strahan and Heaviside

Bt y	Sta	D l t	Fq t b – H	St	D l t	Eq t S – H
		OBSERVED W 1 L 1 N 2				
		At BOMBAY (I t t 1 8 54)				
		April 1 1888		A₁ 1 1 1 1888		
	3 10	+ 8 34	– 0	3 16	+ 28 34	– 2
	3 3	+ 6 5	–	3 3	+ 26 5	– 05
	3751	+ 6 6	– 01	3 1	+ 6 6	– 09
	3776	+ 2 47	– 8	3 76	+ 47	– 6
	3797	+ 6 9	– 4	3 97	+ 6 9	– 3
	3809	+ 5 6	– 5	3809	+ 25 6	– 2
	3842	+ 23 42	– 8	38 1	+ 3	– 4
↑	38 1	+ 3	– 3	391	+ J	– 8
↗	3915	+ 9	– 3	3937	+ 8 4	– 4
	3937	+ 8 24	– 8	3 5	+ 44 5	+ 4
	33 2	+ 44 5	– 1	3964	+ 1 59	– 05
	3964	+ 2 59	– 5	3 90	5	– 3
	3 90	+ 5		3 98	+ 15 33	–
	3998	+ 35 33	– 8	4010	+ 38 36	–
	4010	+ 38 36	– 2	4018	+ 41 33	+ 05
	M	(Sₙ – Hₙ)	– 48			– 3
	3 0	+ 4	– 0 4	36 6	+ 6 56	– 0 3
	3 01	+ 8	– 4	3 20	+ 4 1	+
	3 95	+ 4 4	–	3 01	+ 2 8	+
	3824	+ 5	– 08	3 8	4 4	– 3
	3832	+ 3	– 7	35 4	+ 5 0	– 7
	3802	+ 6 39	– 07	383	+ 0 32	– 3
	38 3	+ 45	– 00	380	+ 6 39	– 00
Y	3886	+ 17 4	– 3	36 3	+ 45	+ 4
A H T S	3900	+ 3 8	– 00	3886	+ 7 4	–
	3932	+ 7 25	– 5	3 00	+ 3 8	+ 4
	39 1	+ 5 22	– 0	3 132	+ 7 25	– 05
	3975	– 6 3	– 04	8971	+ 5 22	+ 04
	4030	– 4 31	– 5	307	– 6 3	–
	4039	+ 4 6	+ 03	979	+ 8 53	+ 3
	4049	+ 4 7	– 01	4030	– 4 3	– 0
	4063	– 4 51	+ 03	4039	+ 4 6	– 01
	4077	– 2 30	– 03	4049	+ 4 7	– 09
	Mea	(Sₛ – Hₛ)	– 0 034			– 0 0 5

Between Colonels Strahan and Heaviside

STATION	BY STARS OF NORTH ASPECT				BY STARS OF SOUTH ASPECT			
	Astronomical Date	Telescope in us	Values of the Equation		Astronomical Date	Telescope use	Values of the Equation	
			Mean $S_N - H_N$	General Mean $S_N - H_N$			Mean $S_S - H_S$	General Mean $S_S - H_S$
MADRAS	1887 November 30 December 2 3	No 2 2 2	− 47 + 6 +	−	1887 November 30 Dec 2 3	No 2 2 3	+ 035 + 023 + 49	+ 0 036
NAGARKOIL	1888 January 27 28	No 2 2	− 0 6 − 34	− 047	1888 January 27 28	No 2 2	− 0 36 + 6	− 0 010
BOMBAY	1888 April 12 13	No 2 2	− 0 048 − 3	− 0 039	1888 April 12 13	N 2 2	− 0 34 0 5	− 0 25

Final Values of the Equation Adopted

For the measurements Madras–Bangalore and Bangalore Nagarkoil executed between December 3 1887 and January 27 1888 the following values of the personal equations were adopted for the reductions *vi*

$$S_N - H_N = -0\ 029 \text{ and } S_S - H_S = +0\ 013$$

And for the measurements Madras–Nagarkoil Nagarkoil–Mangalore Madras–Mangalore Bellary–Mangalore and Mangalore–Bombay executed between January 28 1888 and April 12 1888 *viz*

$$S_N - H_N = -0\ 043 \text{ and } S_S - H_S = -0\ 018$$

In these equations the general symbol $S - H$ signifies a quantity which must be added to times observed by Colonel Heaviside before they are compared with those observed by Colonel Strahan

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

MADRAS (E) *L t 13˚4 Lo g 5 21 9ˢ* AND BANGALORE (W) *Lat 13˚1 Long 5 10ᵐ 30ˢ*

Astronomical Date	STAR			Transits Observed at E By St ha w th T le op No 2					Transits Observed at W By H vnde w th T les p No 1					Diff ren e of Corr ct d T m (W − E)		Co rect n f E Cl k Rate t	Corr n f P rel Eq t $S_x - H_x - \sigma^t$ − H − σ	ΔL − ρ
	B A C N mb	D l t	Star Appt	l t m tal Po t on a d Corr t n C ta ts	Mean Ob rred 1 m	T tal C rre t	Second of Co r t d l 1m	A pct Sta	l t m t l I t d C C ta t	M Ob l Time	T tal C c t	Seco d of Correct d T me	By ach St r	M f G p			
1887 Dec 13	1316	+ 21 8	N	I P E	h m 4 11 46 02	+ 2 53	48 55	N	I P E	h 4 2 25 8	+ 2 57	27 85	39 30				
	1346	+ 7 5	N	0 + 3 6	16 29 8	+ 2 4	31 59	N	− 2	7 1 84	− o	83	39 24	9 6	003	9	28
	1370	+ 4 28	N	b + 8 −7 6	20 7 4	+ 2 33	9 73	N	b + a + 6 5	3 56 37	+ 2 6	58 98	39 25	ᵍ			39
	1393	+ 13 29	N	Q + 2 14	24 19 76	+ 2 30	22 06	N	Q + 2 64	34 58 69	+ 2 6	61 31	39 25				
	1335	+ 3 36	8					8									
	1384	+ 12 48	8		4 22 34 46	+ 2 27	36 73	8		4 33 13 3	+ 6	35 93	1 39 20	39 237	003	3	247
	1403	− 7	8		26 1	+ 89	1 9	8		36 48 5	+ 2 7	5 2	39 29			o	0 39
	1418	− 7 4	8		8 48 47	+ 1 7	50 8	8		39 29 3	9	29 4	39 21	ᵍ		+	
	1475	+ 32 24	N	Q − 2 14	4 42 8 8	− 33	7 49	N	Q − 2 64	4 52 49 53	− 8	46 73	39 24	39 7	003	0 039	95
	1485	+ 5 42	N		43 24 65	− 90	22 75	N		54 4 62	− 2 68	1 94	39 19			i	0 39
	1520	+ 32 59	N		49 46 44	− 1 30	45 4	N		5 0 37 2	− 2 8	24 39	39 25	ᵍ		−	
	1460	+ 10 56	8		4 38 18 48	− 2 5	6 43	8		4 48 58 9	− 65	55 64	0 39 2	39 88	003	3	98
	1469	− 3 8	8		39 59 66	− 2 45	57	8		50 38 97	− 2 56	36 4	39 2			0	39
	1495	+ 5 25	9		45 9 7	−	7 5	8		55 56 65	+	56 67	39 6	ᵍ		i	
	1507	− 5 38	8		47 29 15	− 2 52	26 63	8		58 8 35	− 2 54	5 81	39 8			+	
Dec 14	1316	+ 2 18	N	I P W	4 1 46 85	+ 2 04	48 89	N	I P E	4 22 25 90	2 45	28 35	10 39 46	39 440	0 004	9	407
	1370	+ 14 28	N	0 − o 4	20 8	+ 1 2	20 03	N	0 − 2	30 56 95	+ 2 54	59 49	39 46			0	10 39
	1393	+ 3 29	N	b − 4 o − 6 1	24 20 41	2 03	22 44	N	b − o 5 a + 31 o	34 59 29	+ 2 55	61 84	39 40	ᵍ o		i	
				Q + 2 13						Q + 2 62							

*Owing to the rreg l r rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in those cases Q = o oo.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 151

OF THE APPARENT DIFFERFNCE OF LONGITUDES, ΔL − ρ

MADRAS (E) *Lat* 13° 4 *Lo g* 5 21 9ᵉ AND BANGALORE (W) *Lat* 13° 1 *Lo g* 5ʰ 10ᵐ 30ᵉ

Astron mical Date	BAC Numb	D l t	A pt Az	Intrum tal P t d C t t	Mean Ob d T m	T tal C rec t	S d f C d l	Star A pt Az	Intru tal P ti d C ta te	Mean Obs rved T me	T t l C c t	S d f C t d l	By ach Sta (W − h)	M f Group	Correct for Rat of E Clock	Corrn fo Prnl Equatn	ΔL − ρ
1887 D 14	1335	3 36	8	I P W	4 36 05	+2 3	38 08	8 I P E	4 5 14 94	+2 57	17 5		39 43				
	1384	+ 2 48	8	_ d _ 4	34 98	+2 04	37 02	8 _ d _ 2 2	33 3 95	+2 56	16 51		39 49	39 413	o 004	0 0 3	o 39 44
	1403	− o 7	8	b − 4 − 6	6 3	2 3	35	8 b − 5 3	36 48 99	+ 72	5 71		39 36		−	+	
	1418	− 7 4	8	Q + 13	28 48 60	+ 98	50 58	8 Q + 62	39 29 85	+0 18	3 03		39 45				
	1475	+32 24	N	Q − 2 3	4 42 10 04	−2 18	7 86	N Q − 2 62	4 52 47 59	−o 34	47 25		o 39 39				
	148	+15 4	N		43 5 6	−2 3	23 03	N	54 58	− o9	2 49		39 46	9 4 3	o 004	o 029	o 39 380
	1520	+32 59	N		49 47 68	− 8	45 50	N	5 7 86	−2 97	24 89		39 39		−	−	
	1469	− 3 8	8		4 39 59 89	−2 7	57 6	8	4 50 36 87	o 4	37 1		39 39				
	1495	+ 5 25	8		45	−2 5	1 85	8	55 59 87	− 59	57 8		39 43	39 397	004	3	o 39 406
	1507	− 5 38	8		47 29 27	− 7	27 00	8	58 8 81	− 45	6 37		39 37		−	+	
Dec 17	1316	+ 2 8	N	I P W	4 1 48 29	+2 23	5 52	N I P W	4 2 27 56	+2 33	9 89		o 39 37				
	1346	+ 7 5	N	_ d _ 4	6 3 33	+ 9	33 52	N c + 4	7 5	+ 43	94		39 4	39 4	004	029	1 39 387
	1370	+14 28	N	b + _ −22 1	20 19 49	+2 7	21 66	N b − 3 7 +58 5	3 58 59	+2 49	61 08		39 42		−	−	
	1393	+13 29	N	Q +2 3	24 21 83	+2 15	23 98	N Q + 2 6	35 o 93	+2 52	3 45		39 47				
	1335	+13 36	8		4 14 37 54	+2 15	39 69	8	4 25 6 58	+ 5	9		1 39 41				
	1384	+12 48	8		22 36 45	+2 5	38 60	8	33 15 55	+2 55	8		39 5	39 448	o 004	3	10 39 357
	1403	− o 17	8		26 11 83	+2 14	13 97	8	36 50 47	+ 84	53 3		39 34	o	−	+	
	1418	− 7 4	8		28 5 5	+1 99	52 14	8	39 28 68	+3 00	3 68		39 54				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = o oo

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

			MADRAS (F) *L t 13° 4 L g 5 21 9* AND BANGALORE (W) *Lot 13 1 L g 5ʰ 10ᵐ 30ˢ*												
Astron m cal D t	STAR		TRANSITS OBSERVED AT L *By St h w th T l s p N 2*				TRANSITS OBSERVED AT W *By H v d w th T l p N 1*					Diff c f C rr ct d T me (W − k)		C rr t f Rat E Clock	Corr f P ral Eq at n $S_M − H_M = − \circ \; 9$ $S_H − H = +\; 3$ S_B	$\Delta L − \rho$
	B A C N b	D l t	A pc t zi	l tr m t l P t l d C t n C nst t	M Observed T	T tal C rr t	Sec d f C t d Tim	A pct zi	t t l P t d C t Co t t	M n Ob er d l	T tal C t	S d f C rr t l T m	By each Sta	M f Gro l			
1887					h m		s			h m			m				
De 17	1453	+ 23 53	N	*I P W* d − 4 b + 4 − Q − 2 3	4 36 33 97	− 2 00	3 97	N	*I P W* d + 4 b − 3 7 a + 58 5 Q − 2 6	4 47 4 37	− 96	41	39 44	39 433	0 04	9	39 400
	1475	+ 32 4	N		42 46	− 2 2	9 44	N		52 52 13	− 3 2	48 9	39 48				
	1485	+ 5 42	N		43 26 84	− 2 08	24 76	N		54 6 86	− 2 7	4 1	39 35		−	−	
	1520	+ 32 5)	N		49 49 0	− 1 9	47 0	N		5 0 29 78	− 3 22	26 56	39 46				
	1460	+ 56	S		4 38 20 58	− 2 2	18 46	S		4 48 6 46	− 2 63	57 83	39 37	39 383	0 004	3	39 39
	1469	− 3 28	S		39 61 46	− 2 24	59 22	S		50 4 95	− 2 3	38 65	39 43				
	1495	+ 5 25	S		45 2 68	− 2 6	9 5	S		55 6 37	− 2 5	58 86	39 34		−	+	
	1507	− 5 38	S		47 30 90	− 2 26	28 64	S		58 29	− 2 26	8 03	39 39				
Dec 19	1393	+ 3 29	N	*I P E* d − 4 b − 3 3 + 5 6 Q + 2 14	4 24 23 0	+ 2 2	25 03	N	*I P W* d + 4 b + 33 3 Q + 62	4 35 55	+ 2 6	4 7	39 4	39 40	0 03	9	39 08
															−	−	
	1403	− 0 17	S		4 26 12 92	+ 2 06	4 98	S		4 36 5 23	+ 8	54 03	39 5	39 5	0 03	0 03	39 06
															−	+	
	1453	+ 23 53	N	Q − 2 4	4 36 35 24	− 2 28	32 96	N	Q − 2 62	4 47 4 84	− 2 6	08	0 39 2	0 39 50	0 03	29	0 39 8
	1475	+ 32 4	N		42 2 7	− 2 3	4	N		52 52 49	− 2 9	49 59	39 9				
	1485	+ 5 42	N		43 27 93	− 2 27	25 66	N		54 7 45	− 2 65	4 80	39 14		−	−	
	1520	+ 32 59	N		49 50 38	− 2 31	48 07	N		5 0 30 13	− 2 91	27 22	39 15				
	1460	+ 10 56	S		4 38 21 66	− 2 24	19 42	S		4 48 61 11	− 2 58	58 53	10 39 11	10 39 3	0 03	0 013	10 39 23
	1469	− 3 28	S		40 2 4	− 2 2	0 20	S		50 41 7	− 2 40	39 3	39 0				
	1495	+ 5 25	S		45 22 73	− 2 23	20 50	S		55 62 11	− 2 51	59 60	39 10		−	+	
	1507	− 5 38	S		47 31 78	− 2 21	29 57	S		58 11 08	− 2 37	8 71	39 14				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 153

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

MADRAS (E) *Lat 13° 4′ Lo g 5 21ᵐ 9ˢ* AND BANGALORE (W) *L t 13° 1 L ng 5 10ᵐ 30ˢ*

Astronomical Date	Star BAC Nᵇ	D l at	Sta A p t	Transits Observed at E By Stak th T l p N 2 l t t l l t d Crr t C t t	M Obr d T	T tal C rec t n	S d f C ∂t d f m	Star A p t	Transits Observed at W By H und with T l p N 1 l t t l l t d C t C t t	M n Observ d 7 o	T t l C t	S l f C t d l	Dff Co t d l (W − F) By h Star	M a f G p	Correctio f Rate f E Clock	Crrm f P ml Fq t Sᵥ − Hᵥ = 0° + 0 Sᵥ − Hᵥ = + 0 α −	ΔL − ρ
1887 Dec 29	1651	+ 94	N	*I P F*	h m s 5 4 24 47	+2 4	6 5	N	*I P E*	h m 5 25 3 25	+2 6	5 86	m 0 39 35		8	0 029	50
	16 8	+ 8 5	N	d − 3 4	6 6	+ 8	4 4	N	d − 2	27 8	5(	3 43	3))	39	8		39 50
	1671	+ 7 17	N	b − − 9 5	7 58 4	+2 03	(7	N	b 5	28 3(85	+ 6	3) 46	39)		+	−	7
	1689	+ 16 36	N	Q + 2 4	19 42 24	+2 03	44 7	N	Q + 2 6)	3 2 95	+ 6	3 55	39 8				
	1611	+ 2 44	S		5 7 3 5	+2	33 6	S		5 8 9 5)	+2 64	2 23	39 7		8	3	34
	1624	+ 3	S		9 55 66	+2 4	57 0	S		34 3	+ (	36 9	3)	39	8	0	39 34
	1638	− 6 58	S		5 5	+ 99	7 4	S		53 66	+ 65	56 3	3)	8	+	+	
	1837	+ 4 3	N	Q − 2 14	54 7	−2	5 49	N	Q − 2 6)	5 52 57 29	−2 68	54 6)	39	39 8	+	9 −	39 09
	1765	− 1 17	S		5 30 41 0(	−2 9	38 77	S		5 4 2 57	− 6	7 95	0 39 8	80	8 3	39 94
	1851	+ 9 5	S		43 6 61	− 25	59 36	S		54 4 7	−2 63	38 54	39 8	39	+	0 +	
Dec 30	1651	+ 19 42	N	*I P E*	5 14 24 37	+2 10	26 47	N	*I P E*	5 25 3 (	2 54	5 70	10 39 23		8	29	5
	16.8	+ 8 5	N	d − 4	6 95	+ 2	4 5	N	d − 2	7 93	+2 44	3 37	39 2	39 11	8		39 5
	1671	+ 17 7	N	b − 4 9 − 6 8	7 58 04	2 07	6	N	b 6 +2 4	28 36 75	+ 56	39 3	39	0	+	1	0
	1689	+ 16 36	N	Q + 2 17	19 4 3	+2 07	44 2	N	Q + 2 63	30 20 9	+2 57	33 48	39 28				
	1611	+ 2 44	S		5 7 31 00	+1 92	32 92	S		5 8 9 40	+2 68	12 08	10 39 16		3	3	47
	1624	+ 11 3	S		9 5 55	+2	57 56	S		2 34 9	+ 6	3(8	39 4	39 3	8		39 47
	1638	− 6 58	S		12 15 1	+ 8	16 92	S		22 53 33	+2 76	5(09	39 7		+	+	
	1706	− 0	S		21 56 84	+ 7	58 61	S		3 35 2	+2 8	37 93	39 32				

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

			MADRAS (I) $L t$ 13 4 $L g$ 5 21 9 AND BANGALORE (W) $L t$ 13° 1 $L g$ 5 10 30													
Astronomical D t	Star		Transits Observed at E By St k th T l p N 2					Transits Observed at W By H us d wth T l p No 1					Diff c f Corr td Tm (W − E)		Corr f f R t f C l k	S N − H = o o + Ea − H	ΔL − ρ
	BAC N b	D t	Ap t Z	I t l l C t t	M Ob l T	T t l C t	Sc l f Crr t d l	Ap t Z	I t l l C C t t	M Ob d T	Tot l C t	S d f C t d t m	By l Star	M f G P			
1887 D 30	1 4	+ 3 (	N	I P T — d 4	h 5 3 35 68	− 2 2	33 4	N	I P F — d l + (+ 4	h m 5 43 5 34	− 6	58	m 39 11	39 35	8	9	39
	1810	+ 16 2	N		38 35 24	− 2 3	32 94	N		49 47	− 69	2 8	39 4				
	18 1	+ 5 4	N	— 4) — 6 8	4 8 6	− 2 9	25 87	N		5 7 7	− 68	5 3	30 6	+	I	
	1837	24 3	N	Q − 7	42 , 63	− 2 8	5 45	N	Q − 2 63	52 5 30	− 2 78	54 58	39 3				
	1 43	+ 34	S		5 28 3 38	− 2 4	29 97	S		5 39 59	− 2 59	9	39 3	39		3	39 9
	1 65	− 1 7	S		3 4 4	− 4(	38 68	S		4 2 3	− 2 55	7 6	39 8				
	18 1	+ 9 5	S		43 6 64	− 2 35	59 9	S		54 4 0	− 64	38 43	39 4	+	+	
	1800	− 23	S		45 22 64	− 2 68	9 9(	S		5 6 48	− 2 35	59 13	39 7				
1888 I 2	1671	+ 7	N	I P H — l — (— 2 Q + 2 8	5 1 57 8(9 4	+ 2 0 +	59 96 44 3	N	I P W — 8) b − 85 — 67 7 Q + 2 63	5 84 58 30 4 75	− 9 −	39 39 3 55	39 43 39 4	39 4	8	9	39 396
	1611	+ 2 44	S		5 7 30	+ 2 1	32 8	S		5 8 3 62	− 1 37	2 25	39 43	39 39	000	0 3	39 4 3
	1608	− 2 0	S		21 56 57	+ 2 11	58 68	S		32 39 72	− 1 69	38 03	39 35			+	
	1910	+ 16 2	N	Q − 2 8	5 18 35 04	− 2 6	3 8	N	Q − 2 63	5 49 18 76	− 6 46	2 30	1 39 52	39 467	000	0 039	39 438
	18 1	+ 5 4	N		4 27 99	− 2 26	25 73	N		5 11 64	− 6 47	5 7	39 44		0		
	1837	+ 24 3	N		42 7 55	− 2 4	15 3	N		52 61 4	− 6 9	54 75	39 44		ǂ	
	1743	+ 34	S		5 28 32	− 2 25	29 85	S		5 39 15 88	− 6 6	9 27	0 39 42	39 4 7	000	3	0 39 44
	18 1	+ 9 5	S		43 6 38	− 4	59 4	S		54 45 10	− 6 53	38 57	39 43		0	0 3	
	1860	− 3	S		45 2 9	− 2 27	9 9	S		55 66 61	− 7 8	59 35	39 43			+	

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

155

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

MADRAS (E) $L\ t\ 13\ 4\ L\ g$ 21 9 AND BANGALORE (W) $L\ t\ 13°\ 1\ I\ g\ 5\ 10\ 30$

A tro D to	Star BAC Numb	D 1 t	Ap L	Transits Observed at L By St h w th T l N 2	M Ol d 1	T t l C t	S d f C C l l	A ject L	Transits Observed at W B l H l th T l N 1	M Ol d 1 o	I t l C	l f C t l l	Diff t C t l l (W - 1) By St	M f C l	Correct f R t W Clock	mu f P rel Eq - H = - H = a	$\Delta L + \rho$
1887 D 14	160	+ 38 2	N	I P W 4 55 56 46			58 56	N	I P F 5 6 36		2 8	8 8	3) 6	o	۰	9 o	0 39 466
				d - 4 b - 4 - 6 Q + 3					d - 5 t - 3 Q + 6					z	1	1	
	1507	- 8 54	S	4 53 5 8	+ 98	9 85		b		5 4 36	8	39 5	39 6 7	662		3	
	1611	44	S	5 36 8	+ 2	38 8		6		8 5	68	8 4	3) 6				39 5
	16 4	+ 3	S	5 3	+ 3	3 4		S		4 48	58	43 6	3) 66	z	1	0 o	
	1638	- 6 58	S	)	+ 98	2 77		b		1 5) 69	8	6 49	39			+	
	1774	+ 3 6	N	Q - 13 5 4 73	- 4	39 4)		N	Q - 2 6	5 33 22	- 8	9 8	39 6)	6 3		9	9 490
	1810	+ 6	N	8 4 34	-	3)		N		3) 1 47	- 2	8 75	3) 63				
	1821	5 4	N	3 34 6	- 3	3 3		N		4 4 3)	-	68	3) 65	z	1	1	
	1837	+ 24	N	32 23 6	-	55		N		43 4	- 83	1)	3) 64				
	1 08	-	S	5 6 98	- 9	4 69		S		5 46 74	- 37	44 37	39 68			3	9 18
	1715	- 5	S	3 42 7	- 3	9 86		S		4 2 8	- 2	9 53	3) 67	6			
	1743	+ 34	S	18 38 28	- 2	36 6		S		29 5 56	0	5 6	3) 55	z	1	+	
	176	- 7	S	47 0	- 26	44 74		S		3 6 95	- 5	4 44	39				
Dec 17	160	+ 38	N	I P W 4 56 46 7	+ 4	49 3		N	I P W 5 7 26 93	+ 83	8 76	39 63	615	5	9	0 19 48
	160 5	+ 9 4	N	d - 4 5 5 2 68	+ 2	89		N	+ 4 6 7	38	5	3) 66		0	0	
	1658	+ 28 5	N	b - 4 7 18 28 - 22	+ 2 3	2 59		N	b - 3 7 7 58 0 58 5	+ 2	6 9	39 6	9			
	16 1	+ 17 17	N	Q + 3 8 54 35	+ 2 19	56 4		N	Q + 2 6 19 33 5	+ 2 44	6 9	3) 65	z	1	1	
	1597	- 8 54	S	4 54 48 4	+ 9	50 37		S		5 3 26 9)	+ 3 5	3 4	0 39 67	615	5	3	3
	1611	+ 2 44	S	58 27 26	+ 2 8	39 34		S		9 6 6	7	8)	39 53		0		
	1624	+ 11 3	S	5 5 83	+ 5	53 98		S		3 3	+ 57	33 6	39 6	z	1	0	39
	1638	- 6 58	S	39	+ 98	3 37		S		5 04	+ 99	53 3	39 66			+	

* Owing to the irregula rate of the Chronograph the Pen Equation had to be applied graphically on the reco d before the star gnals were read off and con sequently in these cases $Q = o\ oo$

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

MADRAS (F) $L t$ $13° 4$ $L g$ $5^h 21$ 9 AND BANGALORE (W) $L t$ $13° 1$ $L g$ 5 $10^m 80^s$

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT L By St h w th Tel e ps N 2				Star Aspect	TRANSITS OBSERVED AT W By H made w th T l p No 1					Diff of Corr ted T mes (W − E)		Corr t f Rate f W Clock	Corr m f P ral Eq t S_W − H_W = + o S_B − H_B = + o	ΔL + ρ
	BAC Nb	D l t		tml Ptiad Cctn Ctt	Man Obs rv d Time	Ttl Crrc tu	Sd f Cret dl		tl lt Ct Ctt	Me Ob rv d Time	Ttal Crr t	Sec d f Crr t dlm	By al Star	M of GP		
1887					h m	s				h m			m				
D 1	1810	+ 16 2	N	I P W	5 29 3 77	− 2 8	29 69	N	I P W	54 1	− 2 75	9 5	0 39 56		9		39 413
	1821	+ 15 47	N	d	3 24 74	− 9	2 63	N	d	42 5	− 2 4	2 6	39 6	39 587			
	1837	+ 24 32	N	o − o 4 b + 4 − 4	33 14 15	− 2	12 15	N	+ 4 b − 3 7 + 58 5	43 54 73	− 2 99	5 74	39 59		1		
				Q − 2 3					Q − 2 61								
	1708	− 12	S		5 12 57 57	− 32	55 25	S		5 23 37 00	− 2 1	34 89	0 39 64	39 600	5	3	0 39 488
	1765	− 1 17	S		2 37 56	− 2 24	35 32	S		32 17 24	− 2 36	4 88	39 56		1	+	
Dec 19	1602	+ 38 2	N	I P E	4 54 58 86	+ 1 96	6 82	N	I P W	5 5 37 87	+ 2	4 9	39 27		9		39 34
	1651	+ 9 4	N	d − 4	5 3 3 47	+ 2 00	34 47	N	d + 4	4 7	+ 54	3 7	39 4	39 3	0		
	1671	+ 17 7	N	b − 3 3 a + 5 6	7 6 1	+ 2 0	8 3	N	b + 33 3	17 44 8	+ 57	47 38	39 25		1		
				Q + 2 14					Q + 2 6								
	1597	− 8 54	S		4 53 0 15	+ 2 08	2 23	S		5 3 38 49	+ 2 91	41 40	10 39 7		0	3	39 36
	1611	+ 2 44	S		56 38 95	+ 2 5	4	S		7 7 48	+ 2 76	2 24	39 24	39 3		0 0 3	
	1624	+ 11 13	S		59 3 63	+ 2 04	5 67	S		9 4 23	+ 2 65	44 88	39 21		+	+	
	1638	− 6 58	S		5 1 22 99	+ 2 08	5 7	S		12 1 4	+ 2 89	4 3	39 23				
	1774	+ 23 16	N	Q − 2 14	5 21 43 68	− 2 28	41 40	N	Q − 2 62	5 32 23 43	− 2 75	20 68	10 39 28		0	0 09	0 39 274
	1810	+ 6 2	N		27 43 2	− 2 6	4 96	N		38 2 9	− 2 65	2 5	39 9	0 39 293	0		
	1821	+ 15 47	N		29 36 13	− 2 27	33 86	N		40 15 84	− 2 65	3 9	39 33		+	1	
	1837	+ 24 32	N		31 35 68	− 2 29	23 39	N		42 5 4	− 2 77	2 66	39 27				
	1 06	− 12 0	S		5 11 8 97	− 2 19	6 78	S		5 21 48 33	− 2 29	46 04	10 39 26		0	0 013	221
	1 1	− 20 51	S		12 44 6	− 2 17	41 99	S		23 23 29	− 2 6	21 3	39 4	39 98	0		10 39
	1 43	+ 3 41	S		17 40 24	− 2 23	38 01	S		28 19 7	− 2 49	17 22	39 21		+	+	
	1765	− 7	S		19 48 98	− 2 2	46 6	S		30 28 37	− 2 41	25 94	39 8				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION 157

OF THE APPARENT DIFFERENCE OI LONGITUDES $\Delta l + \rho$

	STAR		TRANSITS OBSERVED r L By St h oth T l op No 2					TRANSITS OBSERVED AT W By H md w th Tele cop N 1					D ffe c t Co rect d Ti es (W − h)		C rect for B t of W Clock	Corra f Pernl Eq at ns $S_B - H_V - 0$ oeg $- H - 1 + 0$ oce S_B − 0 0 t	$\Delta l + \rho$
Astronomical Date	B A C N mb	D l t	Sta A pe L P t C re t C ta t	M Ob t l	l t l C oc t	b d f C t l l m	Sta A pect	t t l P d C t t t	M Ob d 1 m	T t l C oc t	b d f C t l l	By scl Sta	M f G l				
1887 D c 29	197	+ 3	N	I P h	h 55 4 87	o(	44)3	N	I P E	h m 6 3 6b	48	4 (	m 3) 11	39 36	o	9	10 39 348
	1986	+ 9 49	N	d − 3 4	54 3 9	2 09	6	N	d	5 69	6	5 3	39 9			o	
	2038	+	N	b − −) 5	6 3 33 8	+ 04	15 2	N	b + 5	4 2	+ 58	4 7	3) 48	E	+	l	10 39 348
				Q + 2 14					Q + 63								
	1959	− 4 56	8		55 6	+)5	8 6	8		6 0 47 36	+ 04	47 40	1 39 34	39 363	9	3 0 0 3	39 386
	2017	+ 8	8		59 9 93	+ 07	2 00	8		9 48 66	+ 6	5 8	39 28			0 0 3	
	2030	− 4	8		6 5	00	5	8		58 86	+ 66	61 52	39 47	8	+	+	
	2097	+ 8 7	N	Q − 2 4	6 2 98	−	78	N	Q − 2 63	6 2 62 63	− 68	59)5	39 17	39 9	9	9	6
	2184	+ 6 3	N		23 59 2	− 25	56 97			34 38 84	− 65	36 9	39 2	8	+	l	39
	2171	− 9	8		6 20 53 27	− 36	50 9	8		6 31 32 69	− 2 58	30 1	39 20	39 8	E	3 0 0 3 +	39 23 0 39 23
Dec 30	1975	+ 23 1	N	I P E	5 524 64	+ 2 13	43 77	N	I P E	6 3 20 55	+ 2 50	23 05	0 39 28	39 9	9	39	74
	1986	+ 19 49	N	d − 4	54	+	4 8	N	d	5 5	+ 54	4 5	39			0	
	2038	+ 21	N	b − 4 9 a − 26 8	6 3 32	+	34	N	b + 6 22 4	4 85	+ 53	11 38	39 (	E	+	l	39 74
	2047	+ 22 34	N	Q + 2 7	5 0 4	2 1	2 53	N	Q + 2 63	5 49 4	+ 2 5	5 9	39 38				
	1959	− 14 56	8		5 50 5 1	+ 1 74	6 85	8		6 0 43 36	+ 2 83	46 9	39 34	39 305	o	3 0 0 3	338
	2017	+ 12 18	8		59 8 73	+ 2	10 75	8		9 47 41	+ 58	49 99	39 24			0 0 3	
	2030	− 10 4	8		6 1 19 04	+ 78	20 82	8		11 57 36	+ 2 80	6 16	39 34	E 0 39 305	+	+	10 39 338
	2069	+ 4 39	8		6 49 53	+ 1 94	51 47	8		17 28 11	+ 2 66	30 77	39 3				

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

MADRAS (E) *Lat 13° 4 Lo g 5ʰ 21 9ˢ* AND BANGALORE (W) *Lat 13° 1 Lo g 5ʰ 10ᵐ 30ˢ*

Astronomical Date	STAR		Aspect	TRANSITS OBSERVED AT E				Aspect	TRANSITS OBSERVED AT W				Difference of Corrected Times (W − E)		Correction f Rate of W Clock	Corrn. f Persl Equation	$S_E - H_E = - 0^s$ 9 3 / $S_B - H_B = + 0$	$\Delta L + \rho$
				By Strahan with Telescop No 2					By H vinde with Telescope No 1									
	BAC Number	D l ratio	Star	I strumental Position and Correction Clock at t	Mean Observed Time	Total Correction	Seconds of Correct ed Time	Star	I strumetal Pt d Correction Clock t	Mean Observed Time	Total Correctio	Seconds of Corrected Time	By each Star	Mean f Group				
1887 Dec 30	2097	+ 28 7	N	I P E	h m 6 12 21 66	− 2 15	19 51	N	I P E	h m 6 22 61 52	− 2 83	58 69	m 39 3		8	0	9	09
	2111	+ 15 59	N	d c − 1 4	4 4 68	− 2 29	2 39	N	d − 2 2	24 54 32	− 2 69	51 63	39 24	39	0	0	39
	2184	+ 16 30	N	b − 4 9 − 26 8	23 57 99	− 2 28	55 71	N	b + o 6 + 2 4	34 37 68	− 2 69	34 99	39 28		+	−	
	2199	+ 13 21	N	Q − 2 17	26 44 18	− 2 32	41 86	N	e Q − 2 63	37 23 74	− 2 67	21 7	39 2				
	2120	+ 7 25	S		6 15 54 76	− 2 38	52 38	S		6 26 34 23	− 2 62	31 6	39 23					
	2144	+ 7 40	S		17 46 31	− 2 37	43 94	S		8 25 78	− 2 62	23 16	19 22	35	0	3	58
	2160	− 32 53	S		19 26 22	− 2 68	23 54	S		30 5 3	− 2 35	2 78	39 24	39	0	0	39
	2171	− 9 1	S		20 52 3	− 2 64	49 66	S		3 31 3	− 2 39	28 9	39 25		+	+	0
1888 Jan 2	1975	+ 23 1	N	I P W	5 52 37 78	+ 2 10	39 88	N	I P W	6 3 16 42	+ 3 04	9 46	0 39 58				0 39 541
	1980	+ 19 49	N	d o − 3 4	54 18 82	+ 2 11	20 93	N	d e + 2	4 57 55	+ 2 93	60 48	39 55	63	009	029	
	2038	+ 21 11	N	b − 0 3 a − 1 2	6 3 28	+ 2 10	30 22	N	b + 0 3 a − 88 0	14 6 77	+ 2 98	9 75	39 53	39	0	0	0
	2047	+ 22 54	N	Q + 2 18	5 6 56	+ 2 0	8 66	N	Q + 2 63	15 45 22	+ 3 03	48 25	39 59		+	−	
	1959	− 14 56	S		5 50 0 88	+ 2 10	2 98	S		6 0 40 85	+ 1 72	42 57	10 39 59				10 39 572
	2017	+ 12 18	S		59 4 80	+ 2 12	6 92	S		9 43 78	+ 2 65	46 43	39 51	550	009	013	
	2030	− 10 4	S		6 1 14 91	+ 2 10	17 0	S		1 54 69	+ 1 87	56 56	39 55	39	0	0	10
	2059	+ 4 39	S		6 45 52	+ 2 11	47 63	S		17 24 79	+ 2 39	27 18	39 55		+	+	
	2097	+ 28 17	N	Q − 2 18	6 12 17 95	− 2 25	15 70	N	Q − 2 63	6 22 57 4	− 1 99	55 15	10 39 45				10 39 483
	2184	+ 16 30	N		23 54 16	− 2 26	51 90	N		34 33 86	− 2 46	31 40	39 5	3	009	029	
	2199	+ 13 21	N		26 40 19	− 2 26	37 93	N		37 20 07	− 2 58	17 49	39 56	39	0	−	10
														10	+		
	2126	+ 7 25	S		6 15 50 73	− 2 25	48 48	S		6 26 30 77	− 2 77	28 00	10 39 52				10 39 439
	2144	+ 7 40	S		17 42 34	− 2 25	40 09	S		28 22 38	− 2 76	19 62	39 53	7	009	013	
	2171	− 19 10	S		20 48 13	− 2 26	45 87	S		31 29 06	− 3 69	25 37	39 50	39 5	0	0	10 39
														10	+	+	

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK AND DEDUCTION 159

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

BANGALORE (E) $L\ t\ 13°\ 1$ $Lo\ g\ 5\ 10^m\ 30^s$ AND NAGARKOIL (W) $L\ t\ 8°\ 11$ $Lo\ g\ 5^h\ 9^m\ 55$

Astronomical Date	Star BAC Numb	D l at	Star Aspe t	Transits Observed at E By H vud w th T l cop N 1				Star Aspect	Transits Observed at W By St h with T l p N 2				Diff rence of C rre ted Times (W − E)		Rate of E Clock	Correction f	Corr a for Persl Equati ns	ΔL − ρ
				l t m tal l l t n d C t C t t	M n Observed T me	T tal C tu	Seco d f C rect ed T		l trum t l P t d C rect C t t	M Ob ed T m	T t l C rrec t o	S l C t ed l m	By ea h Sta	Mean of G o p			$H_N - S_N = +$ 029 $H_S - S_S = -$ 0 3	
1888					l m	s				h m			m					
Jan 15	2278	+ 6 4	N	I P W	6 5 5 77	+ 37	53 4	N	I P W	6 53 27 32	+ 55	28 87	0 35 73					
	2299	+ 24 23	N	d − 4 7	55 53 4	+ 2 38	55 42	N	d	56 29 66	+ 54	3 0	35 78	0 35 735	8	+ 0 029	0 35 65	
	2330	+ 6 7	N	b − l 8 9	7 4 33	+ 4	6 75	N	b − 8 4	7 5 9	+ 5	52 44	35 69		+		
	2338	+ 39 3	N	Q + 2 58	4 5 04	+ 2 29	17 33	N	Q + 55	4 5 46	+ 1 6	53 7	35 74				
	2307	− 4 5	S		6 57 38 83	+ 2 5	4 33	S		6 58 25 56	+ 1 45	7	35 68		8	− l 3	0 35 6 3
	2319	− 5 28	S		58 59 3	+ 2 54	61 85	S		59 36 2	+ 4	37 43	35 58	0 35 635	0		
	2348	− 4 4	S		7 4 57 63	+ 2 5	60 3	S		7 5 34 33	+ 44	35 77	35 64		+		
	2358	− 8	S		6 26 36	+ 2 49	8 85	S		7 3 03	+ 1 46	4 49	35 64				
	2410	+ 2 1	N	Q − 2 58	7 3 49 02	+ 2 77	46 25	N	Q − 55	7 4 23 4	− 57	21 83	0 35 58		8	29	0 35 695
	2423	+ 2 39	N		5 43 6	− 6	4 5	N		16 7 73	− 56	6 7	35 67	0 35 665	0		
	2442	+ 8	N		9 9 8	− 8	6 37	N		19 43 63	− 54	42 09	35 72		+	+	
	2455	+ 2 46	N		20 36 06	− 2 77	33 29	N		21 10 54	− 1 56	8 98	35 69				
	2399	− 3 9	S		7 11 24 37	− 57	1 80	S		7 59 09	− 1 75	57 34	0 35 54		8	3	0 35 58
	2405	− 27 4	S		12 8 89	− 2 59	26 3	S		13 3 65	− 73	1 92	35 62	0 35 593	0		
	2418	− 24 45	S		14 26 99	− 2 59	24 40	S		5 1 73	− 1 72		35 6		+		
	2437	− 5 46	S		17 18 5	− 2 66	16 9	S		17 53 35	− 1 66	5 69	35 60				
Jan 16	2278	+ 26 4	N	I P E d	6 52 49 38	+ 2 47	5 85	N	I P W d	6 53 5 89	+ 63	25 52	0 35 67		8	+ 0 029	0 35 650
	2299	+ 24 23	N		55 51 63	+ 2 48	54 11	N		56 28 14	+ 1 62	29 76	35 65	0 35 620	0		
	2330	+ 16 7	N	b − 0 5 a + 10 0	7 2 96	+ 2 52	15 48	N	b + 1 1 a − 6 3	7 2 49 47	+ 6 1	5 08	35 6		+		
	2338	+ 39 30	N	Q + 2 60	4 13 65	+ 2 39	6 04	N	Q + 1 56	4 49 9	+ 1 69	5 60	35 56				
	2307	− 4 5	S		6 57 37 42	+ 2 62	40 03	S		6 58 14 10	+ 1 56	25 66	0 35 63		8	− 0 013	0 35 576
	2319	− 15 28	S		58 47 84	+ 2 65	60 49	S		59 34 59	+ 52	36 11	35 62	0 35 588	0		
	2348	− 4 4	S		7 4 56	6	58 81	S		7 5 32 78	+ 55	34 33	35 52		+		
	2358	− 0 18	S		6 24 95	+ 2 59	27 54	S		7 55	+ 57	3 12	35 58				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OI THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	STAR				TRANSITS OBSERVED AT E By Heaviside with Telescope No 1				TRANSITS OBSERVED AT W By Strahan with Telescope No 2				Difference of Corrected Times (W - E)		Correction for Rate of E Clock	Corrns for Persl Equations $H_N - S_N = + 0^s\ 029$ $S_S - H_S = - 0\ 0$	$\Delta L - \rho$
Astronomical Date	B A C Numbe	D h nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's A pect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1888					h m s	s	s			h m s	s	s	m s				
Jan 16	2410	+ 22 11	N	I I k	7 13 47 61	− 2 71	44 90	N	I P W	7 14 21 87	− 1 50	20 37	0 35 47				0 35 543
	2423	+ 20 39	N	d c − 2 1	15 41 88	− 2 70	39 18	N	d c 0 1	16 16 22	− 1 4)	14 73	35 55	0 35 513	0 001	+ 0 029	
	2442	+ 28 1	N	b − 0 5 a + 10 0	18 7 81	− 2 74	5 0,	N	b + 1 a − 6 3	18 42 08	− 1 49	40 59	35 5				
	2455	+ 21 46	N	s Q − 2 60	20 34 69	− 2 71	31 98	N	s Q − 1 56	21 8 98	− 1 49	7 49	35 51				
	2399	− 30 29	S		7 11 22 87	− 2 48	20 39	S		7 11 57 67	− 1 65	56 02	0 35 63				0 35 563
	2405	− 27 41	S		12 27 46	− 2 49	24 97	S		13 2 19	− 1 64	0 55	35 58	0 35 575	0 001	− 0 013	
	2418	− 24 45	S		14 25 59	− 2 51	23 08	S		14 60 24	− 1 63	58 61	35 53				
	2437	− 5 46	S		17 17 35	− 2 59	14 76	S		17 51 89	− 1 57	50 3	35 56				
Jan 17	2299	+ 24 23	N	I P k	6 55 50 24	+ 2 50	5 74	N	I I k	6 56 26 86	+ 1 57	28 43	0 35 69				0 35 630
	2330	+ 16 7	N	d c − 2 1	7 2 11 53	+ 2 55	14 08	N	d c + 1 3	7 2 48 07	+ 1 46	49 63	35 55	0 35 620	0 001	+ 0 029	
	2338	+ 39 30	N	b − 0 2 a + 9 8	4 1 21	+ 2 42	14 63	N	b − 1 2 a + 1 8	4 48 70	+ 1 55	50 25	35 62				
				s Q + 2 61					s Q + 1 57								
	2307	− 4 5	S		6 57 15 97	+ 2 64	38 61	S		6 58 12 62	+ 1 59	14 21	0 35 60				0 35 525
	2319	− 15 28	S		58 56 41	+ 2 68	59 09	S		59 33 05	+ 1 59	34 64	35 55	0 35 53	0 001	− 0 013	
	2358	− 0 18	S		7 6 23 57	+ 2 61	26 19	S		7 7 0 99	+ 1 56	1 65	35 46				
	2410	+ 22 11	N	s Q − 2 62	7 13 46 17	− 2 73	43 44	N	b Q − 1 57	7 14 20 62	− 1 57	19 05	0 35 61				0
	2423	+ 20 39	N		15 40 52	− 2 72	37 80	N		16 14 92	− 1 58	13 34	35 54	0 35 567	0 001	+ 0 029	
	2442	+ 28 1	N		19 6 44	− 2 74	3 70	N		19 40 82	− 1 57	39 25	35 55				
	2399	− 30 29	S		7 11 21 41	− 2 49	18 92	S		7 11 56 06	− 1 53	54 53	0 35 61				0 35 553
	2405	− 27 41	S		12 26 08	− 2 51	23 57	S		12 60 60	− 1 53	59 07	35 50	0 35 563	0 001	− 0 013	
	2418	− 24 45	S		14 24 15	− 2 52	21 63	S		14 58 78	− 1 55	57 23	35 60				
	2437	− 5 46	S		17 15 92	− 2 59	53 33	S		17 50 43	− 1 55	48 88	35 55				

TABLE V   OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

161

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

BANGALORE (E) *Lat 13° 1 Long 5ʰ 10ᵐ 30ˢ* AND NAGARKOIL (W) *Lat 8° 11 Long 5ʰ 9ᵐ 55ˢ*

Astronomical Date	Star BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations Hɴ − Sɴ = +0 029; Hs − Ss = −0 013	ΔL − ρ
				By Heaviside with Telescope No 1					**By Strahan with Telescope No 2**				(W − E)				
1888					h m s	s	s			h m s	s	s	m s				
Jan 18	2278	+ 26 4	N	I P W	6 52 46 28	+ 2 67	48 9ₒ	N	I P E	6 53 23 08	+ 1 57	24 65	0 35 ₁0				
	22ₒ9	+ 24 23	N	d c + 0 3	55 48 59	+ 2 66	51 2ₒ	N	d a + 1 3	56 25 ₁6	+ 1 59	26 95	3ₒ ₁0	*s* 0 35 685	0 001	+ 0 029	0 35 715
	2330	+ 16 7	N	b + 1 1 a − 1 4	7 2 9 94	+ 2 65	12 59	N*	b − 0 1 a + 4 2	7 2 46 66	+ 1 59	48 25	35 66		+		
	2338	+ 39 30	N	*s* Q + 2 62	4 10 47	+ 68	13 1ₒ	N	*s* Q + 1 58	4 47 28	+ 1 55	48 83	35 68				
	2307	− 4 5	S		6 5ₒ 34 48	+ 2 64	37 12	S		6 58 11 15	+ 1 6ₒ	12 78	0 35 66				
	2ₒ19	− 1ₒ 28	S		58 54 97	+ 2 62	57 59	S		59 31 5ₒ	+ 1 6ₒ	33 21	35 6ₒ	*s* 0 35 66ₒ	0 001	− 0 013	0 35 65ₒ
	2348	− 4 4	S		7 4 53 27	+ 2 64	55 91	S		7 5 29 95	+ 1 6ₒ	31 58	35 67		+		
	2358	− 0 18	S		6 21 98	+ 2 64	24 62	S		6 58 70	+ 1 6ₒ	6ₒ 33	35 71				
	δ Gem	+ 22 11	N	*s* Q − 2 62	7 13 44 52	− 2 57	41 95	N	*s* Q − 1 58	7 14 19 16	− 1 56	17 6ₒ	0 35 65				
	2423	+ 20 39	N		15 38 8₂	− 2 59	36 23	N		16 13 46	− 1 57	11 89	35 66	*s* 0 35 6₂ₒ	0 001	+ 0 029	0 35 655
	2412	+ 28 1	N		19 4 75	− 2 57	2 18	N		19 39 35	− 1 59	37 76	35 58		+		
	245ₒ	+ 21 46	N		20 31 64	− 2 58	29 06	N		21 6 23	− 1 56	4 67	35 61				
	2399	− 3ₒ 29	S		7 11 20 10	− 2 6ₒ	17 47	S		7 11 54 56	− 1 49	53 07	0 35 6ₒ				
	240ₒ	− 27 41	S		12 24 6ₒ	− 2 62	22 0ₒ	S		12 59 14	− 1 49	57 6ₒ	35 6₂	*s* 0 35 6ₒₒ	0 001	− 0 013	0 35 6ₒ3
	2418	− 24 45	S		14 22 7ₒ	− 2 62	20 15	S		14 57 23	− 1 49	5ₒ 74	35 59		+		
	2437	− ₒ 46	S		17 14 41	− 2 63	11 78	S		17 48 96	− 1 5	4ₒ 43	35 65				
Jan 19	2278	+ 26 4	N	I P W	6 52 44 74	+ 2 6ₒ	47 37	N	I P W	6 53 21 5ₒ	+ 1 54	23 10	0 35 73				
	2299	+ 24 23	N	d c + 0 3	55 47 05	+ 2 64	49 6ₒ	N	d c − 0 1	56 2ₒ 8₂	+ 1 54	25 37	35 68	*s* 0 35 ₁13	0 001	+ 0 029	0 35 ₁43
	2330	+ 16 7	N	b + 1 1 a + 0 6	7 2 8 35	+ 2 64	10 99	N	b − 0 9 a + 0 3	7 2 45 17	+ 1 54	46 71	35 ₁2		+		
	2338	+ 39 30	N	*s* Q + 2 60	4 8 94	+ 2 63	11 57	N	*s* Q + 1 56	4 45 75	+ 1 54	47 29	35 72				
	2307	− 4 5	S		6 57 32 8₇	+ 2 63	35 50	S		6 58 9 69	+ 1 54	11 23	0 35 73				
	2319	− 1ₒ 28	S		58 53 34	+ 2 64	5ₒ 98	S		59 30 14	+ 1 54	31 68	35 7ₒ	*s* 0 35 ₁08	0 001	− 0 013	0 35 696
	2348	− 4 4	S		7 4 51 66	+ 2 64	54 3ₒ	S		7 5 28 48	+ 1 54	3ₒ 02	35 7₂		+		
	2358	− 0 18	S		6 20 43	+ 2 63	23 06	S		6 57 20	+ 1 54	58 74	35 68				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

BANGALORE (E) *Lat 13° 1*, *Long 5ʰ 10ᵐ 30ˢ ;* AND NAGARKOIL (W) *Lat 8° 11 Long 5ʰ 9ᵐ 55*

Astronomical Date	STAR — BAC Number	Declination	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Pernl Equations $H_N = S_N = + 0^s 029$ $H_S = S_S = 0^s 013$	ΔL − ρ
1888 Jan 19	δ Gem	+ 22 11	N	I I W	h m s 7 13 42 94	− 2 56	s 40 38	N	I P W	h m s 7 14 17 72	− 1 58	s 16 14	m s 0 35 ,6				s 0 35 748
	2428	+ 20 39	N	d o + o 3	15 37 26	− 2 56	34 70	N	d c − o 1	16 11 94	− 1 58	10 36	35 66	ς₀ 18			
	2442	+ 28 1	N	b + 1 1 a + o 6	19 3 18	− 2 57	0 61	N	b ⊤ o 9 a + o 3	19 37 93	− 1 58	36 35	35 ,4	m 0 35		0 029	
	2455	+ 21 46	N	s Q − 2 6o	20 30 o5	− 2 5(	27 49	N	s Q − 1 56	21 4 78	− 1 58	3 20	35 71		+		
	2399	− 30 29	S		7 11 18 45	− 2 56	15 89	S		7 11 53 19	− 1 57	51 62	0 35 73				0 35 6,8
	2405	− 27 41	S		12 23 o5	− 2 56	20 49	S		12 57 74	− 1 58	56 16	35 67	ς₉₀			
	2418	− 24 45	S		14 21 11	− 2 56	18 55	S		14 55 79	− 1 58	54 21	35 66	m 0 35		0 013	
	2437	− 5 46	S		17 12 80	− 2 56	10 24	S		17 47 52	− 1 58	45 94	35 70		+	−	
Jan 20	2278	+ 26 4	N	I P E	6 52 43 15	+ 2 71	45 86	N	I P W	6 53 19 86	+ 1 61	21 47	0 35 61				0 5 630
	2299	+ 24 23	N	d o − 2 1 b + 1 4 a + o 6	55 45 46	+ 2 71	48 17	N	d c + 1 9 b + 1 8 a + 5 6	56 22 15	+ 1 61	23 ,6	35 59	ϛ 6oo		0 029	0
				s Q + 2 73					s Q + 1 56					m 0		+	
	2307	− 4 8	S		6 57 31 33	+ 2 71	34 o4	S		6 58 7 96	+ 1 66	9 62	0 35 58				0 35 568
	2319	− 15 28	S		58 51 74	+ 2 72	54 46	S		59 28 34	+ 1 ,0	30 04	35 58	ϛ 58o		0 013	
	2348	− 4 4	S		7 4 49 97	+ 2 85	52 82	S		7 5 26 72	+ 1 66	28 38	35 56	m 0 35		−	
	2358	− 0 18	S		6 18 68	+ 2 85	21 53	S		6 55 47	+ 1 66	57 13	35 6o		+		
	δ Gem	+ 22 11	N	s Q − 2 73	7 13 41 70	− 2 89	38 81	N	s Q − 1 56	7 14 15 98	− 1 50	14 48	0 35 67				0 35 670
	2428	+ 20 39	N		15 36 o1	− 2 89	33 12	N		16 10 29	− 1 50	8 79	35 67	ϛ 64o		0 029	
	2442	+ 28 1	N		18 61 92	− 2 89	59 o3	N		19 36 17	− 1 52	34 65	35 62	m 0 35		+	
	2455	+ 21 46	N		20 28 81	− 2 89	25 92	N		21 3 o2	− 1 50	1 52	35 6o		+		
	2399	− 30 29	S		7 11 17 19	− 2 89	14 30	S		7 11 51 28	− 1 37	49 91	35 61				0 35 618
	2405	− 27 41	S		12 21 73	− 2 89	18 84	S		12 55 84	− 1 38	54 46	35 62	ϛ 63o		0 013	
	2418	− 24 45	S		14 19 86	− 2 88	16 98	S		14 54 03	− 1 39	52 64	35 66	m 0 35		−	
	2437	− 5 46	S		17 11 63	− 2 89	8 64	S		17 45 72	− 1 45	44	35 63		+		

BANGALORE (E) *Lat 13° 1 Long 5h 10m 30s* AND NAGARKOIL (W) *Lat 8° 11 Long 5h 9m 55*

Astronomical Date	BAC Number	Decl nation	Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W−E)	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $H_N-8_N=+0\,029$, $H_S-8_S=-0\,013$	$\Delta L + \rho$
1888 Jan 15	2519	+17 56	N	I P W	h m s 7 32 3 98	+2 41	26 39	N	I P W	h m s 7 33 0 65	+1 50	2 15	0 35 ,6				
	2549	+26 3	N	d / c − 4 7 / b − 1 6 / a + 9 2	36 40 52	+2 36	42 88	N	d / o − 0 1 / b − 2 8 / a − 3 2	37 17 18	+1 51	18 69	35 81	0 35 810	0 000	+ 0 029	0 35 839
	2556	+20 35	N		3? 58 31	+2 40	60 71	N		38 35 05	+1 50	36 55	35 84				
	2558	+18 47	N	Q + 2 58	39 1 83	+2 41	4 24	N	Q + 1 55	39 38 56	+1 51	40 07	35 83				
	2503	+ 6 7	S		7 30 0 40	+2 46	2 86	S		7 30 37 17	+1 49	38 66	0 35 80				
	2513	− 3 52	S		31 6 05	+2 50	8 55	S		31 42 88	+1 47	44 35	35 80	0 35 818	0 000	0 013 −	0 35 805
	2531	−26 33	S		33 37 72	+2 57	40 29	S		34 14 ,0	+1 44	16 14	35 85				
	2542	− 9 17	S		35 17 29	+2 52	19 81	S		35 54 17	+1 46	55 63	35 82				
	2632	+20 11	N	Q − 2 58	7 48 36 42	−2 76	33 66	N	Q − 1 55	7 49 11 08	−1 59	9 49	0 35 83				
	2639	+16 5	N		50 6 64	−2 74	3 90	N		50 41 24	−1 60	39 64	3? 74	0 35 90	0 000	+ 0 029	0 35 819
	2672	+28 6	N		56 7 11	−2 80	4 31	N		56 41 63	−1 58	40 05	35 74				
	2688	+27 51	N		58 13 95	−2 82	11 13	N		58 48 56	−1 58	46 98	35 85				
	2652	−22 35	S		7 51 31 59	−2 59	29 00	S		7 52 6 45	−1 65	4 80	0 35 80				
	2655	−30 2	S		52 41 36	−2 56	38 80	S		53 16 27	−1 67	14 60	3? 80	0 35 ,3	0 000	0 013 −	0 35 60
	2666	−18 5	S		54 19 79	−2 61	17 18	S		54 54 55	−1 66	52 89	35 71				
	2708	−29 25	S		59 11 99	−2 60	9 39	S		59 46 82	−1 65	45 17	35 78				
Jan 16	2519	+17 56	N	I P F	7 32 24 07	+2 49	26 56	N	I P W	7 33 0 69	+1 62	2 31	0 35 75				
	2549	+26 3	N	d / c − 2 1 / b − 0 5 / a +18 2	36 40 61	+2 43	43 05	N	d / o − 0 1 / b + 1 1 / a − 6 3	37 1, 23	+1 64	18 86	35 81	0 35 ,8	0 000	+ 0 029	0 35 847
	2556	+20 35	N		37 58 41	+2 47	60 88	N		38 35 08	+1 63	36 71	35 81				
	2558	+18 47	N	Q + 2 60	39 1 95	+2 49	4 44	N	Q + 1 56	39 38 62	+1 62	40 24	35 80				
	2503	+ 6 7	S		7 30 0 47	+2 58	3 05	S		7 30 37 19	+1 57	38 76	0 35 71				
	2513	− 3 52	S		31 6 13	+2 65	8 ,8	S		31 42 92	+1 55	44 47	35 69	0 35 688	0 000	0 013 −	0 35 675
	2531	−26 33	S		33 37 77	+2 83	40 60	S		34 14 77	+1 48	16 25	35 65				
	2542	− 9 17	S		35 17 36	+2 70	20 06	S		35 54 23	+1 53	55 ,6	35 70				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L + \rho$

BANGALORE (I) *I t B I L q 10 0* AND NAGARKOIL (W) *I t S II I q J 5*

At o n c l D t	STAR			TRANSITS OBSERVED AT I By H I U T I s J N I				TRANSITS OBSERVED AT W B St I U T I p N 2				D II f C t I h (W − I) By I Sta	f M C I	t n R t W Cl	H − H s f I I Fq t S = + I = − I 29 3	$\Delta L + \rho$
18 5 I 16	63		N	I I I	7 45 C 54	− 2	33 8	N	I P W	h 7 49	− 5	J 53	m 35 7				
	30	+ 6 5	N	l	5 C	− C	4	N	l	5 4 5	− 5	39	3 4		8	0 0 9	34
	C	8 C	N	− 8	5C	−)	4 4C	N	1 − 6	56 4	+ 0 8	4 J	35 63			+	0 3
	688	5	N	Q − C	58 4	−)		N	Q − C	58 48 5	− 48	47	35 J4				
	C	35	S		5 3 C	− 4	J	S		75 64	− C	4 8	0 35 C	C		3	5 6 4
	C	−	S		5 4 4	4	J	S		53 C	− 1 64	4 CC	5 9			0	
	CCC	5	S		4 J 8	− 44	4	S		54 54	− C	53	35 C）			−	
J 1	19	+ 5C	N	I P I	3 4 34	+ 4	C 88	N	I P L	I 33 09	+ 5	2 52	0 35 64			9	59
	63	+ C	N	d	3C4 88	+ 5	43 8	N	l	7 7 4	+ 5C	9	3		88	0 0	0 3
	0	C	N	1 − + J 8	37 58 C	+ 5	C 5	N	1 − + 8	J8 5 5	+ 7	C ）	35			+	
	9	+ b 4	N	Q + 6	3J C	+ 5	4 C)	N	Q + 1 3	9 38 J	+ 5C	4 49	3 J				
	03	+ C	S		3 J	+ C		S		3	+ 5	39 8	35 C			3	42
	13	− 3	S		3 C C	+ C4	）	S		3 43 6	58	44 4	3 74			0 0	0 35
	II	− C	S		37 9C	+	4 C）	S		34 4 84	+ C	6 44	3	m		−	
	1	− ）	S		3 5	+ 6		S		5 54 3）	+ 58	55 9	35				
	C）	+ C 5	N	Q − C	0 C）4	− C）	4	N	Q − 5）	50 41 58	− 1 5	40 01	0 C	93		29	8
		+ 8 C	N		C 4	−	4 6）	N		56 4 0C	− 58	4 49	35 8			0 0	0 3
	188	+	N		58 4 C	− 4	5	N		58 48 J2	− 5）	4 33	35 8			+	
	C	− 3	S		1 3 81	− 5	9 8	S		75 C 58	− 5	5 3	0 35 J5	93	88	3	80
		−	S		5 41 C	− 2 5	） C	S		3 C3）	− 54	4 85	35 ）			0 0	0 35
	CCC	− 8 5	S		54 0 4	− 55	1（ 4）	S		54 54 8	− 1	53 27	35 8			−	
	08	− ）	S		5） 2	− 5	）	S		5）4 ）	− 54	4 5	3 8				

a q e tIv I tI Q − o ... I t fti Cl ... I I tI Icn Eq t I dt I ... III d g il lly on tI e reco d before tI e st s h uls were read off and con

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

165

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

BANGALORE (E) *Lat 13° 1 Long 5ʰ 10ᵐ 30ˢ* AND NAGARKOIL (W) *Lat 8° 11 Long 5ʰ 9ᵐ 55*

Astronomical Date	STAR		Star s Aspect	TRANSITS OBSERVED AT E By Heavinde with Telescope No 1				Star s Aspect	TRANSITS OBSERVED AT W By Strahan with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Pernl Equations $H_N - S_N = + 0 \; 029$ $H_S - S_S = - 0 \; 013$	$\Delta L + \rho$
	B A C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1888 Jan 18	2519	+ 17 56	N	I P W	7 32 24 46	+ 2 66	27 12	N	I P F	7 33 1 36	+ 1 59	2 95	0 35 83				
	2540	+ 26 3	N	d c + 0 3	36 40 99	+ 2 65	43 64	N	d c + 1 3	37 17 92	+ 1 57	19 49	35 85				
	2556	+ 20 35	N	b + 1 1 a + 1 8	37 58 78	+ 2 66	61 44	N	b − 0 1 a + 4 1	38 35 72	+ 1 59	37 31	35 84	0 35 858	0 000	+ 0 029	0 35 887
	2558	+ 18 4	N	s Q + 2 62	39 2 31	+ 2 66	4 97	N	s Q + 1 58	39 39 26	+ 1 59	40 85	35 88				
	2503	+ 6 7	S		7 30 0 92	+ 2 65	3 57	S		7 30 37 79	+ 1 61	39 40	0 35 83				
	2513	− 3 52	S		31 6 60	+ 2 66	9 26	S		31 43 50	+ 1 63	45 13	35 87				
	2531	− 26 33	S		33 38 40	+ 2 67	41 07	S		34 15 12	+ 1 67	16 79	35 72	0 35 793	0 000	− 0 013	0 35 780
	2542	− 9 17	S		35 17 90	+ 2 67	20 57	S		35 54 69	+ 1 63	56 32	35 75				
	2632	+ 20 11	N	s Q − 2 62	7 48 36 95	− 2 58	34 37	N	s Q − 1 58	7 49 11 68	− 1 57	10 11	0 35 74				
	2639	+ 16 5	N		50 7 13	− 2 58	4 55	N		50 41 93	− 1 57	40 36	35 81				
	2672	+ 28 6	N		56 7 59	− 2 59	5 00	N		56 42 37	− 1 59	40 78	35 78	0 35 780	0 000	+ 0 029	0 35 809
	2688	+ 27 51	N		58 14 42	− 2 59	11 83	N		58 49 21	− 1 59	47 62	35 79				
	2652	− 22 35	S		7 51 32 31	− 2 56	29 75	S		7 52 6 89	− 1 49	5 40	0 35 65				
	2655	− 30 2	S		52 42 09	− 2 56	39 53	S		53 16 65	− 1 47	15 18	35 65				
	2660	− 18 5	S		54 20 42	− 2 57	1, 85	S		54 55 06	− 1 51	53 55	35 70	0 35 693	0 000	− 0 013	0 35 680
	2708	− 29 25	S		59 12 64	− 2 56	10 08	S		59 47 35	− 1 50	45 85	35 77				
Jan 19	2519	+ 17 56	N	I P W	7 32 25 36	+ 2 64	28 00	N	I P W	7 33 2 37	+ 1 52	3 89	0 35 89				
	2540	+ 26 3	N	d c + 0 3	36 41 89	+ 2 63	44 52	N	d c − 0 1	37 18 91	+ 1 49	20 40	35 88				
	2556	+ 20 35	N	b + 1 1 a + 1 8	31 59 67	+ 2 63	62 30	N	b − 0 9 a + 6 4	38 36 66	+ 1 50	38 16	35 86	0 35 878	0 000	+ 0 029	0 35 907
	2558	+ 18 47	N	s Q + 2 60	39 3 24	+ 2 64	5 88	N	s Q + 1 56	39 40 24	+ 1 52	41 76	35 88				
	2503	+ 6 7	S		7 30 1 82	+ 2 64	4 46	S		7 30 38 79	+ 1 54	40 33	0 35 87				
	2513	− 3 52	S		3 7 54	+ 2 64	10 18	S		31 44 45	+ 1 56	46 01	35 83				
	2531	− 26 33	S		33 39 30	+ 2 66	41 96	S		34 16 16	+ 1 62	17 78	35 82	0 35 840	0 000	− 0 013	0 35 827
	2542	− 9 17	S		35 18 81	+ 2 65	21 46	S		35 55 74	+ 1 58	57 30	35 84				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

BANGALORE (E) Lat 15° 1 long 5ʰ 10ᵐ 90ˢ AND NAGARKOIL (W) Lat 8° 11 Long 5ʰ 9ᵐ 55

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations HA − SA = +0 029 HS − SS = −0 013	ΔL + ρ
				By Heaviside with Telescope No 1					By Strahan with Telescope No 2				(W − E)				
1888					h m s	s	s			h m s	s	s	m s				m s
Jan 19	2632	+ 20 11	N	I P W	7 48 37 84	− 2 57	35 27	N	I P W	7 49 12 72	− 1 62	11 10	0 35 83				0 35 809
	2639	+ 16 5	N	d c + 0 3	50 8 08	− 2 56	5 52	N	d c − 0 1	50 42 85	− 1 60	41 25	35 73				
	2672	+ 28 6	N	b + 1 1 a + 1 8	56 8 53	− 2 57	5 96	N	b − 0 9 a + 6 4	56 43 34	− 1 63	41 71	35 75	s 80 m s 3 0	0 000	+ 0 029	
	2688	+ 27 51	N	s Q − 2 60	58 15 36	− 2 57	12 79	N	s Q − 1 56	58 50 23	− 1 63	48 60	35 81				
	2652	− 22 35	S		7 51 33 11	− 2 54	30 57	S		7 52 7 92	− 1 50	6 42	0 35 85				0 35 84
	2666	− 18 5	S		54 21 33	− 2 55	18 78	S		54 56 01	− 1 52	54 55	35 77	s 97 m s 3 0	0 000	0 013	
	2708	− 29 25	S		59 13 57	− 2 55	11 02	S		59 48 29	− 1 50	46 79	35 77				
Jan 20	2519	+ 17 56	N	I P E	7 32 26 26	+ 2 86	29 12	N	I P W	7 33 3 32	+ 1 61	4 93	0 35 81				0 35 809
	2540	+ 26 3	N	d c − 2 1	36 42 85	+ 2 86	45 71	N	d c + 1 9	37 19 89	+ 1 60	21 49	35 78				
	2556	+ 20 35	N	b + 1 4 a + 0 1	38 0 65	+ 2 86	3 51	N	b + 1 8 a + 7 2	38 37 65	+ 1 61	39 26	35 75	s 80 m s 3 0	0 000	+ 0 029	
	2568	+ 18 47	N	s Q + 2 87	39 4 18	+ 2 86	7 04	N	s Q + 1 56	39 41 20	+ 1 62	42 82	35 78				
	2531	− 26 33	S		7 33 40 16	+ 2 85	43 01	S		7 34 17 09	+ 1 75	18 84	0 35 83				0 35 7
	2542	− 9 17	S		35 19 74	+ 2 85	22 59	S		35 56 65	+ 1 69	58 34	35 75	s 90 m s 3 0	0 000	− 0 013	
	2632	+ 20 11	N	s Q − 2 87	7 48 39 27	− 2 88	6 39	N	s Q − 1 56	7 49 13 70	− 1 51	12 19	0 35 80				0 35 67
	2639	+ 16 5	N		50 9 54	− 2 88	6 66	N		50 43 84	− 1 50	42 34	35 68				
	2672	+ 28 6	N		56 9 94	− 2 88	7 06	N		56 44 25	− 1 53	42 72	35 66	s 28 m s 3 0	0 000	+ 0 029	
	2688	+ 27 51	N		58 16 78	− 2 88	13 90	N		58 51 20	− 1 53	49 67	35 77				
	2652	− 22 35	S		7 51 34 51	− 2 89	31 62	S		7 52 8 77	− 1 38	7 39	0 35 77				0 35 95
	2654	− 30 2	S		52 44 26	− 2 89	41 37	S		53 18 57	− 1 36	17 21	35 84				
	2666	− 18 5	S		54 22 68	− 2 89	19 79	S		54 56 91	− 1 41	55 56	35 77	s 35 868 m s 0	0 000	− 0 013	
	2708	− 29 25	S		59 14 94	− 2 89	12 05	S		59 49 30	− 1 40	47 90	35 85				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

167

OF THE APPARENT DIFFERENCE OF LONGITUDES $\Delta L - \rho$

MADRAS (E) *Lat 13 4 Long 5ʰ 21 9* AND NAGARKOIL (W) *Lat 8° 11 Long 0ʰ 9ᵐ 55*

Astronomical Date	STAR			TRANSITS OBSERVED AT E *By Heiuside with Telescope No 1*					TRANSITS OBSERVED AT W *By Strahan with Telescope No 2*				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl Equations $H_M - S_N = + 0 \cdot 043$ $H_S - S_S = + 0 \cdot 018$	$\Delta L - \rho$
	BAC Number	Decli nation	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888					h m s	s	s			h m s	s	s	m s		s	s	s
Feb 2	2799	+ 18 42	N	I P F	8 17 31 ,6	+ 1 87	33 63	N	I P E	8 28 47 08	+ 1 50	48 58	11 14 9,	14 8,7	0 009	0 043	11 14 949
	2803	+ 18 28	N	d c − 2 8	25 4, 32	+ 1 87	49 19	N	d c + 1 5	3, 2 56	+ 1 52	4 08	14 89				
	2867	+ 10 7	N	b − 1 3 a −16 9	2, 9 02	+ 1 87	10 89	N	b + 1 4 t +24 8	38 24 14	+ 1 60	2, 14	14 8,		+	+	
				s Q + 1 93					s Q + 1 55								
	2883	− 31 9	S		8 29 4 72	+ 1 51	6 23	S		8 40 19 25	+ 2 02	21 27	11 15 04	14 913	0 009	0 018	11 14 940
	2893	− 7 36	S		30 35 33	+ 1 ,0	3, 03	S		41 50 18	+ 1 ,,	51 95	14 92				
	2901	+ 6 6	S		32 18 ,1	+ 1 80	0 31	S		43 33 45	+ 1 64	35 09	14 ,8		+	+	
	2965	+ 29 10	N	s Q − 1 93	8 40 33 ,2	− 1 92	31 80	N	s Q − 1 55	8 51 48 30	− 1 70	46 60	11 14 80	14 ,83	0 009	0 043	11 14 8,5
	3000	+ 28 41	N		46 23 17	− 1 ,3	21 24	N		5, 3, 68	− 1 68	36 00	14 ,(				
	3016	+ 31 0	N		48 3 28	− 1 91	1 37	N		59 17 84	− 1 7t	16 13	14 7(		+	+	
	30,6	+ 28 21	N		49 35 ,8	− 1 93	33 85	N		60 50 34	− 1 68	48 66	14 81				
	2954	− 6 50	S		8 38 49 21	− 2 15	47 06	S		8 50 ,3 33	− 1 33	2 00	11 14 94	14 940	0 009	0 018	11 14 967
Feb 3	2799	+ 18 42	N	I P W	8 17 30 66	+ 1 77	32 43	N	I P E	8 28 46 06	+ 1 5,	47 57	11 1, 14	15 0,	0 009	0 043	11 1, 125
	2810	+ 17 33	N	d − 4 0	18 56 72	+ 1 78	,8 50	N	d c + 1 5	30 12 0,	+ 1 5,	13 5(	15 0(				
	2853	+ 18 28	N	b − 0 8 a +10 6	2, 46 30	+ 1 ,8	48 08	N	b − 0 9 a + 9 9	37 1 60	+ 1 52	3 12	15 04		+	+	
	2867	+ 10 2,	N	s Q + 1 92	27 7 8,	+ 1 80	9 6,	N	s Q + 1 55	38 2, 13	+ 1 55	24 68	1, 0,				
	2833	− 31 9	S		8 29 3 12	+ 2 01	5 1	S		8 40 18 3,	+ 1 ,4	20 09	11 14 96	15 000	0 009	0 018	11 15 027
	2893	− 7 36	S		30 33 88	+ 1 90	3, 78	S		41 49 19	+ 1 63	50 82	1, 04				
	2901	+ 6 6	S		32 17 28	+ 1 84	19 12	S		43 32 ,	+ 1 57	34 12	15 00		+	+	
	2911	+ ,44	S		33 27 8,	+ 1 8,	29 68	S		44 43 11	+ 1 57	44 (8	15 00				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFFRENCE OF LONGITUDES, $\Delta L - \rho$

MADRAS (F) *Lat 13 4 Long* 5ʰ 21ᵐ 9 AND NAGARKOIL (W) *Lat* 8° 11 *Long* 5ʰ 9ᵐ 55

Astronomical Date	STAR BAC Number	Decli nation	Star Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $H_N - S_N = + 0 \cdot 043$ $H_S - S_S = + 0 \cdot 018$	$\Delta L - \rho$
					TRANSITS OBSERVED AT E By Heaviside with Telescope No 1					TRANSITS OBSERVED AT W By Strahan, with Telescope No 2				Difference of Corrected Times (W − h)				
1888 Feb 3	2965	+ 29 10	N	*I P W*	h m s 8 40 32 71	s − 2 12	s 30 59	N	*I P E*	h m s 8 51 47 33	s − 1 63	s 45 70	m s 11 15 11		s 0 009	s 0 043	s 11 15 235
	3016	+ 31 0	N	d c − 4 0	48 2 19	− 2 13	0 06	N	d 0 + 1 5	59 16 85	− 1 62	15 23	15 17				
	3026	+ 28 21	N	b − 0 8 a + 10 6 s Q − 1 92	49 34 60	− 2 11	32 49	N	b − 0 9 a + 9 9 s Q − 1 55	60 49 38	− 1 62	47 76	15 27	11 15 183	+	+	
	2954	− 6 50	S		8 38 47 91	− 1 95	45 96	S		8 50 2 39	− 1 48	0 91	11 14 95		0 009	0 018	11 14 980
	2976	− 1 29	S		42 11 99	− 1 97	10 02	S		53 26 44	− 1 51	24 93	14 91				
	2978	+ 6 15	S		43 7 53	− 2 00	5 53	S		54 22 06	− 1 53	20 53	15 00	11 14 953	+	+	
Feb 4	2799	+ 18 42	N	*I P W*	8 17 29 60	+ 1 77	31 37	N	*I P W*	8 28 44 77	+ 1 60	46 37	11 15 00		0 009	0 043	11 15 075
	2810	+ 17 33	N	d c − 4 0	18 55 56	+ 1 77	57 33	N	d c + 1 7	30 10 74	+ 1 60	12 34	15 01				
	2853	+ 18 28	N	b − 0 7 a + 0 8	25 45 11	+ 1 77	46 88	N	b − 0 8 a − 7 7	37 0 27	+ 1 60	1 87	14 99				
	2867	+ 10 27	N	s Q + 1 89	27 6 60	+ 1 78	8 38	N	s Q + 1 55	38 21 89	+ 1 58	23 47	15 09	11 15 023	+	+	
	2883	− 31 9	S		8 29 2 21	+ 1 80	4 07	S		8 40 17 50	+ 1 44	18 94	11 14 81		0 009	0 018	11 14 9 0
	2893	− 7 36	S		30 32 99	+ 1 79	34 78	S		41 48 15	+ 1 52	49 67	14 89				
	2901	+ 6 6	S		32 16 22	+ 1 78	18 00	S		43 31 36	+ 1 56	32 92	14 92				
	2911	+ 3 44	S		33 26 69	+ 1 78	28 47	S		44 42 00	+ 1 56	43 56	15 09	11 14 943	+	+	
	2965	+ 29 10	N	Q − 1 89	8 40 31 54	− 2 02	29 52	N	Q − 1 55	8 51 45 98	− 1 45	44 53	11 15 01		0 009	0 043	11 15 092
	3000	+ 28 41	N		46 20 81	− 2 02	18 9	N		57 35 29	− 1 46	33 83	15 04				
	3016	+ 31 0	N		4/ 60 94	− 01	58 93	N		59 15 44	− 1 45	13 99	15 06				
	3026	+ 28 21	N		49 33 43	− 2 01	31 42	N		60 47 93	− 1 46	46 47	15 05	11 15 040	+	+	
	2954	− 6 50	S		8 38 46 81	− 1 98	44 83	S		8 49 61 38	− 1 58	59 80	11 14 97		0 009	0 018	11 15 027
	2976	− 1 29	S		42 10 80	− 1 99	8 81	S		53 25 28	− 1 54	23 74	14 93				
	2978	+ 6 15	S		43 6 32	− 1 99	4 33	S		54 20 92	− 1 56	19 36	15 03				
	2987	− 3 2	S		44 20 32	− 2 00	18 32	S		55 34 96	− 1 57	33 39	15 07	11 15 000	+	+	

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

169

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

	STAR		TRANSITS OBSERVED AT E By Heaviside with Telescope No 1					TRANSITS OBSERVED AT W By Strahan with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl Equation $H_N - S_N = + 0\ 043$ $H_S - S_S = + 0\ 018$	$\Delta L - \rho$
Astronomical Date	BAC Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Corrected Time	By each Star	Mean of Group			
1888					h m s	s	s			h m s	s	s	m s	m s			m s
Feb 5	2799	+ 18 42	N	I P E	8 17 28 46	+1 85	30 31	N	I P W	8 28 43 54	+1 56	45 10	11 14 79				11 14 818
	2810	+ 17 33	N	c − 2 8 (d)	18 54 44	+1 86	56 30	N	c − 2 3 (d)	30 9 44	+1 56	11 00	14 ,0	11 14 765	0 010 +	0 043 +	
	2853	+ 18 28	N	b + 0 7 / a − 4 1	25 43 93	+1 85	45 78	N	b + 2 7 / a + 1 9	36 59 03	+1 56	60 59	14 81				
	2867	+ 10 27	N	Q + 1 90 (s)	27 5 56	+1 85	7 41	N	Q + 1 56 (s)	38 20 60	+1 57	22 17	14 76				
	2883	− 31 9	S		8 29 1 06	+1 78	2 84	S		8 40 16 03	+1 58	17 61	11 14 77				11 14 ,26
	2893	− 7 36	S		30 31 81	+1 82	33 63	S		41 46 7,	+1 57	48 32	14 69	11 14 698	0 010 +	0 018 +	
	2901	+ 6 6	S		32 15 11	+1 85	16 96	S		43 30 07	+1 57	31 64	14 68				
	2911	+ 3 44	S		33 25 72	+1 84	27 56	S		44 40 63	+1 58	42 21	14 65				
	2965	+ 29 10	N	Q − 1 90 (s)	8 40 30 35	−1 92	28 43	N	Q − 1 56 (s)	8 51 44 76	−1 59	43 17	11 14 74				11 14 806
	3000	+ 28 41	N		46 19 73	−1 92	17 81	N		57 34 13	−1 59	32 54	14 ,3	11 14 ,3	0 010 +	0 043 +	
	3016	+ 31 0	N		47 59 85	−1 92	57 93	N		59 14 2,	−1 58	12 69	14 ,6				
	3026	+ 28 21	N		49 32 35	−1 92	30 43	N		60 46 79	−1 58	45 21	14 ,8				
	2964	− 6 50	S		8 38 45 65	−1 98	43 67	S		8 49 60 02	−1 54	58 48	11 14 81				11 14 848
	2976	− 1 29	S		42 9 57	−1 99	7 58	S		53 23 94	−1 54	22 40	14 82	11 14 820	0 010 +	0 018 +	
	2978	+ 6 15	S		43 5 22	−1 97	3 25	S		54 1) 60	−1 55	18 05	14 80				
	2987	− 3 2	S		44 19 28	−1 98	17 30	4		55 33 70	−1 55	32 1,	14 8,				
Feb 6	2799	+ 18 42	N	I P E	8 17 27 04	+1 86	28 90	N	I P E	8 28 42 19	+1 56	43 75	11 14 8				11 14 8 2
	2810	+ 17 33	N	c − 2 8 (d)	18 53 09	+1 87	54 96	N	c − 0 5 (d)	30 8 14	+1 56	9 70	14 4	11 14 ,8	0 011 +	0 043 +	
	2853	+ 18 28	N	b + 1 1 / a + 0 7	25 42 62	+1 86	44 48	N	b + 0 9 / a + 2 8	36 57 ,2	+1 56	59 28	14 80				
	2867	+ 10 27	N	Q + 1 91 (s)	27 4 22	+1 87	6 09	N	Q + 1 56 (s)	38 19 32	+1 57	20 89	14 80				
	2883	− 31 9	S		8 28 59 51	+1 87	61 38	S		8 40 14 72	+1 61	16 33	11 14 95				11 14 827
	2893	− 7 36	S		30 30 41	+1 87	32 28	S		41 45 46	+1 58	47 04	14 76	11 14 ,98	0 011 +	0 018 +	
	2901	+ 6 6	S		32 13 69	+1 86	15 ,5	S		43 28 72	+1 57	30 29	14 74				
	2911	+ 3 44	S		33 24 31	+1 87	26 18	S		44 39 35	+1 57	40 92	14 74				

MADRAS (E) *Lat* 13 4 *Long* 5ʰ 21ᵐ 9 AND NAGARKOIL (W) *Lat* 8° 11 *Long* 5ʰ 9ᵐ 50

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

MADRAS (E) *Lat* 13°.4 *Long* 8h 21m.9 AND NAGARKOIL (W) *Lat* 8°.11 *Long* 5h 9m.5o

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Heaviside with Telescope No 1				Star Aspect	TRANSITS OBSERVED AT W By Strahan with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl Equations $H_N − S_N = + 0.043$ $H_S − S_S = + 0.018$	$\Delta L − \rho$
	BAC Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1888					h m s	s	s			h m s	s	s	m s				
Feb 6	2965	+ 29 10	N	I P E	8 40 28 91	− 1 95	26 96	N	I I L	8 51 43 44	− 1 57	41 87	11 14 91		0 011	0 043	11 14 952
	3000	+ 28 41	N	d c − 2 8	46 18 29	− 1 96	16 33	N	d c − 0 5	5, 32 82	− 1 58	31 22	14 89	m 14 898			
	3016	+ 31 0	N	b + 1 1 a + 0 7	47 58 44	− 1 95	56 49	N	b + 0 9 a + 8	59 12 94	− 1 58	11 36	14 87		+	+	
	3026	+ 28 21	N	s Q − 1 91	49 30 91	− 1 96	28 95	N	s Q − 1 56	60 45 44	− 1 57	43 87	14 92				
	2954	− 6 50	S		8 8 44 23	− 1 95	42 28	S		8 49 58 75	− 1 54	57 21	11 14 93		0 011	0 018	11 14 892
	2976	− 1 29	S		42 8 20	− 1 96	6 24	S		53 22 68	− 1 54	21 14	14 90	m 14 86			
	2978	+ 6 15	S		43 3 87	− 1 96	1 91	S		54 18 30	− 1 55	16 15	14 84		+	+	
	2987	− 3 2	S		44 17 93	− 1 95	15 98	S		55 32 30	− 1 54	30 76	14 18				
Feb 7	2799	+ 18 42	N	I P W	8 17 25 55	+ 1 95	27 50	N	I P E	8 28 40 88	+ 1 60	42 48	11 14 98		0 011	0 043	11 15 009
	2810	+ 17 33	N	d c + 1 0	18 51 3	+ 1 95	5 48	N	d c + 0 5	30 6 84	+ 1 59	8 43	14 95	m 14 9			
	2808	+ 18 28	N	b + 0 2 a − 10 2	25 41 10	+ 1 95	43 05	N	b + 0 6 a + 0 8	36 56 41	+ 1 60	58 01	14 96		+	+	
	2867	+ 10 27	N	v Q + 1 90	7 2 65	+ 1 93	4 6	N	v Q + 1 57	38 17 96	+ 1 59	19 55	14 93				
	2883	− 31 9	S		8 28 8 39	+ 1 74	60 13	S		8 40 13 34	+ 1 62	14 96	11 14 83		0 011	0 018	11 14 912
	2893	− 1 36	S		30 29 01	+ 1 84	0 85	S		41 44 09	+ 1 59	45 68	14 83	m 14 883			
	2901	+ 6 6	S		32 1 1	+ 1 89	14 06	S		43 27 40	+ 1 59	28 99	14 9		+	+	
	2911	+ 3 44	S		33 22 18	+ 1 88	4 66	S		44 38 01	+ 1 59	39 60	14 94				
	2965	+ 29 10	N	s Q − 1 90	8 40 2 45	− 1 71	25 66	N	Q − 1 51	8 51 42 16	− 1 54	40 62	11 14 96		0 011	0 043	11 15 119
	3000	+ 28 41	N		46 16 67	− 1 79	14 88	N		57 31 51	− 1 55	29 96	15 08	m 15 065			
	3016	+ 31 0	N		47 56 81	− 1 78	5 0	N		59 11 69	− 1 53	10 16	15 13		+	+	
	3026	+ 28 21	N		49 3 51	− 1 79	7 52	N		60 44 16	− 1 55	42 61	15 09				
	2954	− 6 50	S		8 38 42 80	− 1 96	40 84	S		8 49 57 37	− 1 55	55 82	11 14 98		0 011	0 018	11 14 982
	2976	− 1 29	S		42 6 81	− 1 94	4 87	S		53 21 34	− 1 55	19 79	14 92	m 14 943			
	2978	+ 6 15	S		43 2 40	− 1 91	0 49	S		54 16 98	− 1 55	15 43	14 94		+	+	
	2987	− 3 2	S		44 16 40	− 1 94	14 46	S		55 0 98	− 1 55	29 43	14 97				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

171

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

MADRAS (E) *Lat 13 4 Long* $5^h 21^m 9$ AND NAGARKOIL (W) *Lat* $8° 11$ *Long* $5^h 9^m 50$

Astronomical Date	STAR		Stars Aspect	TRANSITS OBSERVED AT E By Heaviside with Telescope No 1				Stars Aspect	TRANSITS OBSERVED AT W By Strahan with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Peral Equations $H_\gamma - S_\gamma = + 0 043$ $H_\delta - S_\delta = + 0 018$	$\Delta L + \rho$
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888					h m s	s	s	s			h m s	s	s	m s				
Feb 2	3129	+ 18 30	N	I P E	8 54 4 51	+ 1 84	26 35	N	I P E	9 5 39 81	+ 1 50	41 33	11 14 38		0 000	0 043	11 021
	3170	+ 26 43	N	d c − 2 8	9 1 27 44	+ 1 83	29 27	N	d c + 1 5	12 4 19	+ 1 44	44 23	14 16	s 14 9 m			
	3194	+ 25 40	N	b − 1 3 a − 1 7	5 41 99	+ 1 83	49 82	N	b + 1 4 a + 24 4	17 3 31	+ 1 45	4 8	15 00			+	11 11
	3206	+ 0 16	N	s Q + 1 93	7 1 13	+ 1 85	13 38	N	s Q + 1 55	18 1 45	+ 1 50	8 95	14 91				
	3137	− 6 39	S		8 55 39 51	+ 1 83	41 34	S		9 6 54 41	+ 1 15	56 24	11 14 90		0 000	0 018	11 14 911
	3146	+ 2 47	S		57 11 9	+ 1 83	19 22	S		8 3 4	+ 1 66	34 13	14 91	s 14 89 m			
	3160	− 5 53	S		59 5 1	+ 1 83	55 14	S		11 8 21	+ 1 15	10 02	14 88			+	
	3240	− 1 43	S		9 12 29 03	+ 1 83	30 86	S		3 44 03	+ 1 11	45 14	14 88				
	3278	+ 16 57	N	s Q − 1 93	9 19 40 68	− 2 04	38 64	N	Q − 1 55	9 30 55 21	− 1 57	53 64	11 15 00		0 000	0 043	11 15 018
	3292	+ 20 48	N		21 26 49	− 2 03	24 46	N		3 41 08	− 1 61	39 41	15 01	s 14 9 m			
	3317	+ 30 29	N		25 48 13	− 2 05	46 10	N		3 2 16	− 1 12	1 04	14 94			+	
	3327	+ 23 59	N		27 42 36	− 2 03	40 3	N		38 56 92	− 1 64	55 28	14 95				
	3241	− 5 25	S		9 17 46 31	− 2 05	44 34	S		9 28 60 68	− 1 56	59 12	11 14 98		0 000	0 018	11 14 981
	3303	− 0 38	S		22 57 17	− 03	55 14	S		34 11 1	− 1 41	10 10	14 96	s 14 97 m			
	3312	+ 10 24	S		23 59 28	− 2 0	51 26	S		51 19	− 1 51	12 29	15 0			+	
	3330	+ 2 16	S		29 25 81	− 2 03	23 18	S		40 40 11	− 1 44	38 67	14 89				
Feb 3	3129	+ 18 30	N	I P W	8 54 24 49	+ 1 11	26 6	N	I I L	9 5 39 95	+ 1 4	41 40	11 15 34		0 000	0 043	11 15 213
	3170	+ 26 43	N	d c − 4 0	9 1 27 40	+ 1 74	29 14	N	d c + 1 5	12 42 92	+ 1 38	44 30	15 16	s 15 0 m			
	3194	+ 25 40	N	b − 0 8 a + 10 6	5 47 93	+ 1 14	49 67	N	b − 0 9 a + 4 4	17 3 45	+ 1 39	4 84	15 1			+	
	3206	+ 20 16	N	s Q + 1 92	7 12 05	+ 1 76	13 81	N	s Q + 1 55	18 27 58	+ 1 44	29 02	15 21				
	3137	− 6 39	S		8 55 39 26	+ 1 89	41 15	S		9 6 54 61	+ 1 10	56 31	11 15 16		0 000	0 018	11 15 216
	3146	+ 2 47	S		57 17 19	+ 1 86	19 05	S		8 32 65	+ 1 61	34 26	15 21	s 15 198 m			
	3160	− 5 53	S−		59 53 02	+ 1 89	54 91	S		11 8 41	+ 1 70	10 11	15 20			+	
	3240	− 1 43	S		9 12 28 16	+ 1 81	30 63	S		23 44 0	+ 1 65	45 85	15 2				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

MADRAS (E) *Lat 13° 4, Long 5ʰ 21ᵐ 9ˢ* AND NAGARKOIL (W) *Lat 8° 11 Long 5ʰ 9ᵐ 55ˢ*

Astronomical Date	Star BAC Number	Star Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $H_N - S_N = + 0.043$ $H_S - S_S = + 0.018$	
					By Heaviside with Telescope No 1					*By Strahan with Telescope No 2*				*(W − E)*				
1888					h m s	s	s			h m s	s	s	m s				
Feb 3	3278	+ 16 57	N	I P W	9 19 40 67	− 2 06	38 61	N	I P E	9 30 55 34	− 1 62	53 72	11 15 11		0 000	+ 0 043	11 15 198
	32 12	+ 20 48	N	d c − 4 0	21 26 50	− 2 08	24 42	N	d c + 1 5	33 41 18	− 1 66	39 52	15 10	m s 11 15 155			
	3317	+ 30 29	N	b − 0 8 a + 10 6	25 48 17	− 2 13	46 04	N	b − 0 9 a + 24 4	37 2 96	− 1 77	1 19	15 15			+	
	3327	+ 23 59	N	s Q − 1 92	27 42 23	− 2 09	40 14	N	s Q − 1 55	38 57 09	− 1 69	55 40	15 26				
	3271	− 5 25	S		9 17 46 24	− 1 95	44 29	S		9 28 60 81	− 1 41	59 46	11 15 17		0 000	+ 0 018	11 15 146
	3303	− 0 38	S		22 57 06	− 1 97	55 09	S		34 11 67	− 1 46	10 21	15 12	m s 11 15 128			
	3312	+ 10 24	S		23 59 21	− 2 04	57 17	S		35 13 89	− 1 56	12 33	15 16			+	
	3339	+ 2 16	S		29 25 70	− 1 98	23 72	S		40 40 27	− 1 49	38 78	15 06				
Feb 4	3129	+ 18 30	N	I P W	8 54 24 53	+ 1 77	26 30	N	I P W	9 5 39 82	+ 1 56	41 38	11 15 08		0 000	+ 0 043	11 15 191
	3170	+ 26 43	N	d c − 4 0	9 1 27 38	+ 1 77	29 15	N	d c + 1 7	12 4 78	+ 1 56	44 34	15 19	m s 11 15 148			
	3194	+ 25 40	N	b − 0 0 a + 0 8	5 47 94	+ 1 77	49 71	N	b − 0 8 a + 1 2	17 3 31	+ 1 56	4 87	15 16			+	
	3206	+ 20 16	N	s Q + 1 89	7 12 14	+ 1 76	13 90	N	s Q + 1 55	18 27 50	+ 1 56	29 06	15 16				
	3137	− 6 30	S		8 55 39 42	+ 1 80	41 22	S		9 6 54 75	+ 1 58	56 33	11 15 11		0 000	+ 0 018	11 15 108
	3146	+ 2 47	S		57 17 40	+ 1 79	19 19	S		8 32 67	+ 1 57	34 24	15 05	m s 11 15 090			
	3160	− 5 53	S		59 53 20	+ 1 80	55 00	S		11 8 53	+ 1 58	10 11	15 11			+	
	3278	+ 16 5	N	Q − 1 89	9 19 40 63	− 2 01	38 64	N	s Q − 1 55	9 30 55 31	− 1 53	53 78	11 15 14		0 000	+ 0 043	11 15 178
	83 12	+ 20 48	N		21 26 51	− 2 01	24 50	N		33 41 07	− 1 54	39 53	15 03	m s 11 15 135			
	3317	+ 30 29	N		25 48 04	− 2 02	46 02	N		37 2 78	− 1 54	1 24	15 22			+	
	3327	+ 23 59	N		27 42 31	− 2 01	40 50	N		38 56 99	− 1 54	55 45	15 15				
	3271	− 5 25	S		9 17 46 30	− 1 99	44 31	S		9 8 60 91	− 1 52	59 39	11 15 08		0 000	+ 0 018	11 15 121
	3303	− 0 38	S		22 57 11	− 1 99	55 12	S		34 11 73	− 1 53	10 20	15 08	m s 11 15 103			
	3312	+ 10 24	S		23 59 23	− 2 00	57 23	S		35 13 87	− 1 53	12 34	15 11			+	
	3339	+ 2 16	S		29 25 73	− 1 99	23 74	S		40 40 41	− 1 53	38 88	15 14				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

173

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

		MADRAS (L) *Lat 13 4 Long* 5ʰ 21ᵐ 9 AND NAGARKOIL (W) *lat* 8° 11 *long* 8ʰ 9 5ᵒ												
	STAR	TRANSITS OBSERVED AT E *By Hearnside with Telescope No 1*				TRANSITS OBSERVED AT W *By Strahan with Telescope No 2*				Difference of Corrected Times (W − E)				
Astronomical Date	BAC Number / Decli nation	Star Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed time	Star Aspect	In strumental Position and Correction Constant	Mean Observed Time	Total Correc tion	Seconds of Correct ed time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $H_N - S_N = +$ 0 043 $H_S - S_S = +$ 0 018	$\Delta L + \rho$

1888				h m s	s	s			l m s	s	s	m s				
Feb 5	3129 +18 30	N	I P E	8 54 24 55	+1 83	26 38	N	I P W	9 5) 73	+1 52	41 25	11 14 87				
	3170 +26 43	N	c − 2 8 d	9 1 27 53	+1 6	9 35	N	c − 2 3 d	12 4 ((	+1 47	44 13	14 ι8	11 14 8 0	0 000	+ 0 043	11 14 893
	3194 +2 40	N	b + 0 2 / a + 6 4	5 48 01	+1 81	49 82	N	b + 0 (a + 10 8	17 3 21	+1 48	4 69	14 87				
	3206 +20 16	N	Q + 1)0 ᵗ	7 12 17	+1 83	14 00	N	Q + 1 56 s	18 27 6	+1 52	28 88	14 88				

	3137 − 6 39	S		8 55 39 46	+1 8)	41 35	S		9 6 54 55	+1 64	56 19	11 14 84				
	3146 + 2 47	S		57 1, 35	+1 88	19 23	S		8 32 (	+1 59	34 12	14 89	11 14 868	0 000	0 018	11 14 886
	3160 − 5 53	S		59 53 18	+1 88	55 06	S		11 8 35	+1 6)	9 98	14 92			+	
	3240 − 1 43	S		9 12 28 99	+1 88	30 87	S		23 44 0,	+1 62	4, 69	14 81				

	3278 +16 ,7	N	Q − 1 90 ᵗ	9 19 40 62	−1 96	38 66	N	Q − 1 56 s	9 30 55 14	−1 58	53 56	11 14 90				
	329_ +20 4ᵗ	N		21 6 4	−1 9,	24 46	N		32 41 00	−1 61	39 39	14 93	11 14 883	0 000	0 043	11 14 9 6
	3317 +30 29	N		2, 46 20	− 00	46 20	N		37 2 66	−1 67	0 99	14 79			+	
	3327 +23 59	N		27 42 31	−1)8	40 33	N		38 56 87	−1 63	55 24	14 91				

	3271 − 5 2,	S		9 17 46 9	−1 9	44 3(	S		9 28 60 80	−1 49	59 31	11 14 9,				
	3303 − 0 38	S		22 56 92	−1 92	5, 00	S		34 16 ,4	−1 51	10 03	15 01	11 14 9 5	0 000	0 018	11 14 993
	3312 +10 24	S		23 59 12	−1 96	57 16	S		35 13 ,8	−1 ,5	12 23	15 07			+	
	3330 + 2 16	S		2) 25 ,9	−1 92	23 87	S		40 40 24	−1 52	38 72	14 85				

Feb 6	3129 +18 30	N	I P L	8 54 24 6;	+1 8,	26 48	N	I P L	9 5 39 79	+1 53	41 32	11 14 84				
	31⁷0 +26 43	N	c − 2 8 d	9 1 27 52	+1 81	29 33	N	c − 0 5 d	12 42 80	+1 49	44 29	14 96	11 14 920	0 001	0 043	11 14 962
	3194 +25 40	N	b + 1 1 a + 9 9	5 48 07	+1 81	49 88	N	b + 0 9 a + 9 4	17 3 34	+1 49	4 83	14 95		−	+	
	3206 +20 16	N	Q + 1 91 s	7 12 18	+1 84	14 02	N	Q + 1 56 s	18 27 43	+1 52	28 95	14 93				

	3137 − 6 39	S		8 55 39 40	+1 94	41 34	S		9 6 54 67	+1 63	56 30	11 14 96				
	3146 + 2 47	S		57 17 38	+1 90	19 28	S		8 32 67	+1 59	34 26	14 98	11 14 9,8	0 001	0 018	11 14 995
	3160 − 5 53	S		59 53 14	+1 93	55 07	S		11 8 45	+1 61	10 06	14 99		−	+	
	3240 − 1 43	S		9 12 28 89	+1 92	30 81	S		23 44 18	+1 61	45 79	14 98				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION
OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

MADRAS (E) *Lat* 13° 4 *Long* 5h 21m 9   AND NAGARKOIL (W) *Lat* 8° 11 *Long* 5h 9m 55

Astronomical Date	Star: BAC Number	Decli nation	Star Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl. Equations $H_N - S_N = +0\,043$, $H_S - S_S = +0\,018$	$\Delta L + \rho$
1888 Feb 6	3278	+16 57	N	I P E	9 19 40 74	−1 97	38 17	N	I P E	9 30 55 31	−1 58	53 73	11 14 96				
	3292	+20 48	N	c − 2 8	21 26 56	−1 98	24 58	N	c − 0 5	32 41 12	−1 60	39 52	14 94	11 14 9,5	− 0 001	+ 0 043	11 15 017
	3317	+30 29	N	b + 1 1 / a + 9 9	25 48 25	−2 03	46 22	N	b + 0 9 / a + 9 4	37 2 84	−1 64	1 20	14 98				
	3327	+23 59	N	Q − 1 91	27 42 36	−2 00	40 36	N	Q − 1 56	38 57 00	−1 62	55 38	15 02				
	3271	− 5 25	S		9 17 46 27	−1 89	44 38	S		9 28 60 90	−1 50	59 40	11 15 02				
	3303	− 0 38	S		22 57 12	−1 91	55 21	S		34 11 68	−1 52	10 16	14 95	11 15 038	− 0 001	+ 0 018	11 15 025
	3312	+10 24	S		23 59 19	−1 96	57 23	S		35 13 88	−1 56	12 32	15 09				
	3339	+ 2 16	S		29 25 65	−1 92	23 73	S		40 40 34	−1 52	38 82	15 09				
Feb 7	3129	+18 30	N	I P W	8 54 24 51	+1 93	26 44	N	I P E	9 5 39 94	+1 55	41 49	11 15 05				
	3170	+26 43	N	c + 1 0	9 1 27 44	+1 95	29 39	N	c + 0 5	12 42 94	+1 50	44 44	15 05	11 15 133	− 0 001	+ 0 043	11 15 175
	3194	+25 40	N	b + 0 2 / a − 3 1	5 47 89	+1 94	49 83	N	b + 0 6 / a + 13 2	17 3 51	+1 52	5 03	15 20				
	3206	+20 16	N	Q + 1 90	7 11 99	+1 95	13 94	N	Q + 1 57	18 27 63	+1 54	29 17	15 23				
	3137	− 6 39	S		8 55 39 32	+1 89	41 21	S		9 6 54 76	+1 66	56 42	11 15 21				
	3146	+ 2 47	S		57 17 21	+1 91	19 12	S		8 32 73	+1 62	34 35	15 23	11 15 1,5	− 0 001	+ 0 018	11 15 192
	3160	− 5 53	S		59 53 08	+1 89	54 97	S		11 8 54	+1 66	10 20	15 23				
	3240	− 1 43	S		9 12 29 05	+1 90	30 95	S		23 44 34	+1 64	45 98	15 03				
	3278	+16 57	N	Q − 1 90	9 19 40 63	−1 86	38 77	N	Q − 1 57	9 30 55 46	−1 60	53 86	11 15 09				
	3292	+20 48	N		21 26 43	−1 85	24 58	N		32 41 24	−1 61	39 63	15 05	11 15 085	− 0 001	+ 0 043	11 15 127
	3317	+30 29	N		25 48 03	−1 83	46 20	N		37 2 99	−1 67	1 32	15 12				
	3327	+23 59	N		27 42 30	−1 84	40 46	N		38 57 17	−1 63	55 54	15 08				
	3271	− 5 25	S		9 17 46 30	−1 89	44 41	S		9 28 61 07	−1 4,	59 60	11 15 19				
	3303	− 0 38	S		22 57 08	−1 90	55 18	S		34 11 88	−1 51	10 37	15 19	11 15 155	− 0 001	+ 0 018	11 15 172
	3312	+10 24	S		23 59 23	−1 88	57 5	S		35 14 02	−1 56	12 46	15 11				
	3339	+ 2 16	S		29 25 77	−1 89	23 88	S		40 40 53	−1 52	39 01	15 13				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	STAR			Transits Observed at E By Strahan with Telescope No 2				Transits Observed at W By Heaviside with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl Equations $S_W - H_W = -0^s 043$ $S_S - H_S = -0^s 018$	$\Delta L - \rho$
Astronomical Date	B A C Number	Decli nation	Star Aspect	Instrumental Position and Correction Cnstants	Mean Observed Time	Total Correc-tion	Seconds of Correct ed Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888					*h m s*	*s*	*s*			*h m s*	*s*	*s*	*m s*				
Feb 18	3129	+ 18 30	N	I P E	9 5 36 28	+1 52	37 80	N	I P E	9 15 57 30	+1 64	58 94	10 21 14			0 001	0 043	10 21 138
	3170	+ 26 43	N	*d* c + 1 2	12 39 33	+1 47	40 80	N	*d* c − 1 3	23 0 25	+1 70	1 95	21 15	10 21 180			−	
	3194	+ 25 40	N	b − 0 3 a +12 3	16 59 83	+1 48	61 31	N	b − 0 9 a −18 0	2, 20 84	+1 ,0	22 54	21 23			+		
	3206	+ 20 16	N	*s* Q + 1 55	18 23 95	+1 51	25 46	N	*s* Q + 1 65	28 45 01	+1 6,	46 66	21 20					
	3137	− 6 39	S		9 6 51 10	+1 65	52 75	S		9 17 12 44	+1 47	13 91	10 21 16			0 001	0 018	10 21 131
	3146	+ 2 4,	S		8 29 06	+1 60	30 66	S		18 50 29	+1 53	51 82	21 16	10 21 148			−	
	3160	− 5 53	S		11 4 94	+1 63	6 57	S		21 26 23	+1 48	2, 71	21 14			+		
	3240	− 1 43	S		23 40 69	+1 61	42 30	S		34 1 93	+1 50	3 43	21 13					
	3278	+ 16 57	N	*s* Q − 1 55	9 30 51 77	−1 57	50 20	N	*s* Q − 1 65	9 41 12 99	−1 67	11 32	10 21 12			0 001	0 043	10 21 103
	3292	+ 20 48	N		32 37 59	−1 59	36 00	N		42 58 78	−1 64	57 14	21 14	10 21 145			−	
	331~	+ 30 29	N		36 59 30	−1 65	57 65	N		4, 20 38	−1 56	18 82	21 17			+		
	3327	+ 23 59	N		38 53 50	−1 62	51 88	N		49 14 65	−1 62	13 03	21 15					
	3271	− 5 25	S		9 28 57 41	−1 46	55 95	S		9 39 18 80	−1 82	16 98	10 21 03			0 001	0 018	10 21 056
	3303	− 0 38	S		34 8 17	−1 50	6 6,	S		44) 57	−1 ,9	27 78	21 11	10 21 0 ,			−	
	3312	+ 10 24	S		35 10 38	−1 54	8 b4	S		4, 31 61	−1 72	29 89	21 05			+		
	3339	+ 2 18	S		40 36 84	−1 50	35 34	S		50 58 21	−1 ,7	56 44	21 10					
Feb 19	3129	+ 18 30	N	I P W	9 5 36 17	+1 55	37 72	N	I P F	9 15 5, 21	+1 62	58 83	10 21 11			0 001	0 043	10 21 021
	31⁰4	+ 25 40	N	*d* c − 1 0	16 59 71	+1 58	61 29	N	*d* c − 1 3	2, 20 67	+1 68	22 35	21 06	10 21 063			−	
	3206	+ 20 16	N	b + 0 5 a − 5 7	18 23 91	+1 57	25 48	N	b − 0 8 a −18 7	28 44 86	+1 64	46 50	21 02			+		
				s Q + 1 55					*s* Q + 1 63									
	3160	− 5 53	S		9 11 4 97	+1 51	6 48	S		9 21 26 09	+1 43	27 54	10 21 06	10 21 060		0 001	0 018	10 21 043

NAGARKOIL (E) *Lat* 8° 11 *Long* 8ʰ 9ᵐ 55   AND   MANGALORE (W) *Lat* 12° 52′ *Long* 4ʰ 59ᵐ 83°

Astronomical Date	STAR BAC Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Peral Equations $S_N - H_N = -0°.043$ / $S_S - H_S = -0.018$	$\Delta L - \rho$
1888					h m s	s	s			h m s	s	s	m s				
Feb 19	32₁8	+ 16 5₁	N	I P W	9 30 51 72	− 1 55	50 17	N	I P I	9 41 12 90	− 1 65	11 25	10 21 08				
	3317	+ 30 29	N	*d* / c − 1 0	36 59 13	− 1 51	57 62	N	*d* / c − 1 3	47 20 28	− 1 54	18 74	21 12	10 21 073	0 001	0 043	10 21 031
	3327	+ 23 59	N	b + 0 5 / a − 5 7	38 53 43	− 1 51	51 92	N	b − 0 8 / a − 18 7	49 14 54	− 1 60	12 94	21 02		+	−	
				s / Q − 1 55					*s* / Q − 1 63								
	3271	− 5 25	S		9 28 57 45	− 1 59	55 86	S		9 39 18 70	− 1 81	16 89	10 21 03	10 21 000	0 001	0 018	10.21 013
															+	−	
Feb 22	3129	+ 18 30	N	I P Γ	9 5 37 71	+ 1 65	39 36	N	I P W	9 15 58 87	+ 1 65	60 52	10 21 16				
	3170	+ 26 43	N	*d* / + 0 2	12 40 62	+ 1 65	42 27	N	*d* / c − 0 5	23 1 71	+ 1 71	3 42	21 15	10 21 135	0 001	0 043	10 21 091
	3194	+ 25 40	N	b + 1 6 / a − 1 7	17 1 20	+ 1 65	2 85	N	b + 0 3 / a − 16 6	27 22 28	+ 1 69	23 97	21 12		−	−	
	3206	+ 20 16	N	*s* / Q + 1 59	18 25 36	+ 1 65	27 01	N	*s* / Q + 1 61	28 46 46	+ 1 66	48 12	21 11				
	3197	− 6 39	S		9 6 52 59	+ 1 60	54 19	S		9 17 13 96	+ 1 48	15 44	10 21 25				
	3146	+ 2 47	S		8 30 50	+ 1 62	32 12	S		18 51 81	+ 1 54	53 35	21 23	10 21 203	0 001	0 018	10 21 184
	3160	− 5 53	S		11 6 42	+ 1 61	8 03	S		21 27 71	+ 1 48	29 19	21 16		−	−	
	3240	− 1 43	S		23 42 20	+ 1 62	43 82	S		34 3 49	+ 1 50	4 99	21 17				
	3278	+ 16 57	N	*s* / Q − 1 59	9 30 53 25	− 1 53	51 72	N	*s* / Q − 1 61	9 41 14 52	− 1 59	12 93	10 21 21				
	3292	+ 20 48	N		32 39 01	− 1 53	37 48	N		42 60 23	− 1 55	58 68	21 20	10 21 215	0 001	0 043	10 21 181
	3317	+ 30 29	N		36 60 65	− 1 52	59 13	N		47 21 87	− 1 48	20 39	21 26		−	−	
	3327	+ 23 59	N		38 54 92	− 1 53	53 39	N		49 16 16	− 1 54	14 62	21 23				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

NAGARKOIL (E) *Lat 8° 11 Long 5ʰ 9ᵐ 55* AND MANGALORE (W) *Lat 12° 52′ Long 4ʰ 59ᵐ 33ˢ*

Astronomical Date	STAR		Star s Aspect	TRANSITS OBSERVED AT E — By Strahan with Telescope No 2				Star s Aspect	TRANSITS OBSERVED AT W — By Heaviside with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn. for Persl Equations $S_N - H_N = -0.043$, $S_S - H_S = -0.018$	$\Delta L - \rho$
	B A C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888 Feb 22	3271	− 5 25	S	*I P E*	h m s 9 28 58 91	s − 1 57	s 5, 34	S	*I P W*	h m s 9 39 20 33	s − 1 73	s 18 60	m s 10 21 26				
	3303	− 0 38	S	d c + 0 2	34 9 ₁3	− 1 57	8 16	S	d c − 0 5	44 31 05	− 1 ₁1	29 34	21 18	s 10 21 208	s 0 001	s 0 018	s 10 21 189
	3312	+ 10 24	S	b + 1 6, a − 1 7	35 11 83	− 1 54	10 29	S	b + 0 3, a − 16 6	45 33 08	− 1 ₆3	31 45	21 16		−	−	
	3339	+ 2 18	S	e Q − 1 6₁	40 38 36	− 1 56	36 80	S	e Q − 1 6₁	50 59 72	− 1 69	58 03	21 23				
Feb 24	3129	+ 18 30	N	*I P W*	9 ₅ 37 92	+ 1 70	39 6	N	*I P W*	9 15 59 03	+ 1 ₁1	60 74	10 21 12				
	3170	+ 26 43	N	d c + 2 0	12 40 84	+ 1 72	42 56	N	d c − δ 5	23 1)5	+ 1 76	₃ 71	21 15	s 10 21 145	s 0 001	s 0 043	s 10 21 101
	319₄	+ 25 40	N	b + 2 2, a − 3 5	17 1 39	+ 1 72	₅ 11	N	b + 0 9, a − 15 9	27 22 53	+ 1 ₅5	24 28	21 17		−	−	
	3206	+ 20 16	N	e Q + 1 59	18 25 57	+ 1 70	27 27	N	e Q + 1 66	28 46 6₉	+ 1 72	48 41	21 14				
	3137	− 6 39	S		9 6 52 91	+ 1 67	54 58	S		9 17 14 14	+ 1 55	15 69	10 21 11				
	3146	+ 2 47	S		8 30 80	+ 1 67	32 47	S		18 ₅1 97	+ 1 60	53 57	21 10	s 10 21 133	s 0 001	s 0 018	s 10 21 114
	3160	− 5 53	S		11 6 66	+ 1 67	8 33	S		21 27 90	+ 1 ₅6	29 46	21 13		−	−	
	3240	− 1 4₃	S		23 42 42	+ 1 68	44 10	S		34 3 71	+ 1 ₅8	5 29	21 19				
	3278	+ 16 ₅7	N	s Q − 1 59	9 30 ₅3 45	− 1 49	51 96	N	s Q − 1 66	9 41 14 ₁3	− 1 63	13 10	10 21 14				
	3292	+ 20 48	N		32 39 26	− 1 4,	37 79	N		42 60 49	− 1 59	58 90	21 11	s 10 21 123	s 0 001	s 0 043	s 10 21 079
	3317	+ 30 29	N		36 60 95	− 1 46	59 49	N		47 22 13	− 1 54	20 59	21 10		−	−	
	3327	+ 23 59	N		38 55 16	− 1 47	53 69	N		49 16 40	− 1 57	14 83	21 14				
	3271	− 5 25	S		9 28 59 17	− 1 51	57 66	S		9 39 20 52	− 1 ₁6	18 ₁6	10 21 10				
	3303	− 0 38	S		34 9 98	− 1 51	8 47	S		44 31 33	− 1 74	29 59	21 12	s 10 21 130	s 0 001	s 0 018	s 10 21 111
	3312	+ 10 24	S		35 12 06	− 1 48	10 58	S		45 33 35	− 1 67	31 68	21 10		−	−	
	3339	+ 2 18	S		40 38 58	− 1 51	37 07	S		50 59 99	− 1 72	58 27	21 20				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

NAGARKOIL (E) *Lat* 8° 11', *Long* 5ʰ 9ᵐ 55ˢ; AND MANGALORE (W) *Lat.* 12° 52', *Long* 4ʰ 59ᵐ 35ˢ.

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $S_N-H_N=-0\cdot043$, $S_S-H_S=-0\cdot018$	$\Delta L + \rho$
		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
1888 Feb 18	3475	+13 54	N	I P E	9 56 7 56	+1 54	9 10	N	L P E	10 6 28 74	+1 61	30 35	10 21 25		+0 016	+0 043	10 21 226
	3485	+21 44	N	ᵈ e + 1 2	58 50 65	+1 51	52 16	N	ᵈ e − 1 3	9 11 74	+1 66	13 40	21 24	10 21 253	+	−	10 21 226
	3500	+29 52	N	b − 0 3 / a + 12 3	10 0 23 47	+1 45	24 92	N	b − 0 9 / a −18 0	10 44 46	+1 73	46 19	21 2?				
	3511	+23 40	N	ˢ Q + 1 55	1 35 66	+1 49	37 15	N	ˢ Q + 1 65	11 56 72	+1 68	58 40	21 25				
	3449	+6 10	S		9 51 26 74	+1 58	28 32	S		10 1 48 01	+1 56	49 57	10 21 25		+0 016	+0 018	10 21 241
	3458	+0 11	S		52 43 09	+1 61	44 70	S		3 4 42	+1 52	5 94	21 24	10 21 243	+	−	
	3470	−7 51	S		55 4 47	+1 66	6 13	S		5 25 91	+1 46	27 37	21 24				
	3579	+14 55	N	ˢ Q − 1 55	10 13 23 16	−1 56	21 60	N	ˢ Q − 1 65	10 23 44 46	−1 69	42 77	10 21 17		+0 016	+0 043	10 21 163
	3606	+14 43	N		16 46 90	−1 56	45 34	N		27 8 20	−1 69	6 51	21 17	10 21 190	+	−	
	3643	+16 43	N		23 27 91	−1 58	26 33	N		33 49 26	−1 67	47 59	21 26				
	3650	+28 7	N		24 42 96	−1 64	41 32	N		35 4 06	−1 58	2 48	21 16				
	3568	−16 16	S		10 11 14 43	−1 41	13 02	S		10 21 36 06	−1 91	34 15	10 21 13		+0 016	+0 018	10 21 133
	3596	−29 6	S		14 52 83	−1 34	51 49	S		25 14 61	−2 02	12 59	21 10	10 21 135	+	−	
	3628	+7 37	S		20 47 72	−1 52	46 20	S		31 9 08	−1 74	7 34	21 14				
	3637	−12 48	S		22 35 38	−1 42	33 96	S		32 57 01	−1 88	55 13	21 17				
Feb 19	3475	+13 54	N	I P W	9 56 5 42	+1 54	6 96	N	I P E	10 6 26 56	+1 59	28 15	10 21 19		+0 017	+0 043	10 21 154
	3485	+21 44	N	ᵈ c − 1 0 / b + 0 5 / a − 8 7	58 48 48	+1 58	50 06	N	ᵈ c − 1 3 / b − 0 8 / a −18 7	9 9 58	+1 65	11 23	21 17	10 21 180	+	−	
				ˢ Q + 1 55					ˢ Q +1 63								
	3449	+6 10	S		9 51 24 72	+1 54	26 26	S		10 1 45 93	+1 53	47 46	10 21 20		+0 017	+0 018	10 21 153
	3458	+0 11	S		52 41 11	+1 52	42 63	S		3 2 29	+1 49	3 78	21 15	10 21 153	+	−	
	3521	−28 26	S		10 3 28 95	+1 44	30 39	S		13 50 24	+1 26	51 50	21 11				

NAGARKOIL (E) Lat 8° 11 Long 5h 9m 55s : AND MANGALORE (W) Lat 12° 52', Long 4h 59m 38s

Corrns. for Persl Equations: $S_E - H_E = -0.041$ $S_s - H_s = -0.018$

Astronomical Date	Star BAC Number	Decli nation	Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrns. for Persl Equations	ΔL + ρ
		° ′			h m s	s	s			h m s	s	s	m s	m s			
1888 Feb 19	3579	+14 55	N	I P W / c −1 0 / b +0 5 / a −5 7 / Q −1 55	10 13 21 07	−1 53	19 54	N	I P E / c −1 3 / b −0 8 / a −18 7 / Q −1 63	10 23 42 14	−1 67	40 67	10 21 13	10 21 060	+0 017	+0 043	10 21 034
	3606	+14 43	N		16 44 89	−1 56	43 33	N		27 5 99	−1 67	4 32	20 99				
	3568	−16 16	S		10 11 12 59	−1 62	10 97	S		10 21 33 98	−1 89	32 09	10 21 12	10 21 050	+0 017	+0 018	10 21 049
	3596	−29 6	S		14 51 10	−1 66	49 44	S		25 12 41	−1 99	10 42	20 98				
Feb. 20	3475	+13 54	N	I P W / c +1 0 / b −0 4 / a −7 0 / Q +1 56	9 56 2 98	+1 59	4 57	N	I P W / c −0 5 / b +0 7 / a −12 1 / Q +1 62	10 6 24 14	+1 64	25 78	10 21 21	10 21 193	+0 019	+0 043	10 21 169
	3485	+21 44	N		58 46 01	+1 61	47 62	N		9 7 19	+1 68	8 87	21 25				
	3500	+29 52	N		10 0 18 80	+1 65	20 45	N		10 39 85	+1 72	41 57	21 12				
	3449	+6 10	S		9 51 22 26	+1 56	23 82	S		10 1 43 42	+1 60	45 02	10 21 20	10 21 180	+0 019	+0 018	10 21 181
	3458	+0 11	S		52 38 65	+1 54	40 19	S		2 59 80	+1 57	61 37	21 18				
	3521	−28 26	S		10 3 26 46	+1 47	27 93	S		13 47 68	+1 41	49 09	21 16				
	3579	+14 55	N	Q −1 56	10 13 18 62	−1 53	17 09	N	Q −1 62	10 23 39 88	−1 60	38 28	10 21 19	10 21 233	+0 019	+0 043	10 21 209
	3606	+14 43	N		16 42 29	−1 53	40 76	N		27 3 61	−1 60	2 02	21 26				
	3643	+16 43	N		23 23 30	−1 52	21 78	N		33 44 64	−1 61	43 03	21 25				
	3568	−16 16	S		10 11 16 03	−1 62	8 41	S		10 21 31 41	−1 74	29 67	10 21 26	10 21 228	+0 019	+0 018	10 21 229
	3596	−29 6	S		14 48 57	−1 65	46 92	S		25 9 97	−1 83	8 14	21 22				
	3628	+7 37	S		20 43 20	−1 55	41 65	S		31 4 46	−1 64	2 82	21 17				
	3637	−12 48	S		22 30 94	−1 61	29 33	S		32 52 33	−1 74	50 59	21 26				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

NAGARKOIL (E) Lat 8 11 Long 5ʰ 9ᵐ 55 ; AND MANGALORE (W) Lat 12 52′ Long 4ʰ 59ᵐ 33ˢ

Astronomical Date	STAR BAC Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Pers! Equations $S_W - H_W = -0·043$, $S_S - H_S = -0·018$	$\Delta L + \rho$
1838		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
Feb 21	3475	+ 13 54	N	I P E	9 56 0 13	+1 56	1 88	N	I P W	10 6 21 44	+1 61	23 05	10 21 17	10 21 17	0 020 +	0 043	10 21 250
	3485	+ 21 44	N	c + 2 2	58 43 34	+1 57	44 91	N	c − 0 5	9 4 48	+1 66	6 14	21 23	m 10 21 2,3			
	3500	+ 29 52	N	b − 2 2 / a − 2 6	10 0 16 04	+1 56	17 60	N	b 0 0 / a −19 2	10 37 19	+1 ,4	38 93	21 33				
	3511	+ 23 40	N	Q + 1 54	1 28 30	+1 56	29 86	N	Q + 1 61	11 49 53	+1 69	51 22	21 36				
	3449	+ 6 10	S		9 51 19 54	+1 53	21 07	S		10 1 40 80	+1 55	42 35	21 28	m 10 21 260	0 020 +	0 018	10 21 262
	3458	+ 0 11	S		52 35 92	+1 52	37 44	S		2 51 0	+1 51	58 71	21 27				
	3470	− 7 51	S		54 57 35	+1 52	58 87	S		5 18 70	+1 4,	20 15	21 28				
	3521	− 28 26	S		10 3 23 ,0	+1 52	25 22	S		13 45 16	+1 2,	46 43	21 21				
	3579	+ 14 55	N	Q − 1 54	10 13 15 88	−1 52	14 36	N	Q − 1 61	10 23 37 24	−1 60	35 64	21 28	m 10 21 2 8	0 020 +	0 043	10 21 255
	3606	+ 14 43	N		16 39 56	−1 52	38 04	N		27 0 9,	−1 62	59 33	21 29				
	3643	+ 16 43	N		23 20 63	−1 51	19 12	N		33 41 94	−1 59	40 3,	21 23				
	3650	+ 28 7	N		24 35 49	−1 51	33 98	N		34 56 79	−1 50	55 29	21 31				
	3568	− 16 16	S		10 11 7 30	−1 56	5 74	S		10 21 28 87	−1 84	27 03	21 29	m 10 21 240	0 020 +	0 018	10 21 242
	3596	− 29 6	S		14 45 77	−1 ,6	44 21	S		25 7 40	−1 95	5 45	21 24				
	3628	+ 7 37	S		20 40 46	−1 53	38 93	S		31 1 78	−1 66	0 12	21 19				
	3637	− 12 48	S		22 28 18	−1 55	26 6,	S		32 49 68	−1 81	47 87	21 24				
Feb 22	3475	+ 13 54	N	I P E	9 55 57 45	+1 6,	59 10	N	I P W	10 6 18 71	+1 62	20 33	10 21 23	m 10 21 240	0 020 +	0 043	10 21 217
	3485	+ 21 44	N	0 + 0 2 / b + 1 6 / a − 1 7	58 40 ,2	+1 6,	42 17	N	c − 0 5 / b + 0 3 / a −16 6	9 1 77	+1 66	3 43	21 26				
	3500	+ 29 52	N	Q + 1 39	10 0 13 27	+1 66	14 93	N	Q + 1 61	10 34 43	+1 3	36 16	21 23				
	3458	+ 0 11	S		9 52 33 08	+1 61	34 69	S		10 2 54 40	+1 53	55 93	21 24	m 10 21 227	0 020 +	0 018	10 21 229
	3470	− 7 51	S		54 54 55	+1 61	56 16	S		5 15 87	+1 47	17 34	21 18				
	3521	− 28 26	S		10 3 20 84	+1 60	22 44	S		13 42 38	+1 32	43 ,0	21 26				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

181

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

NAGARKOIL (E) *Lat* 8° 11′ *Long* 5ʰ 9ᵐ 55 AND MANGALORE (W) *Lat* 12° 52′ *Long* 4ʰ 59ᵐ 73ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Penl Equations $E_N - H_N = -0'·043$ $E_S - H_S = -0·018$	$\Delta L + \rho$
					h m s	*s*	*s*			*h m s*	*s*	*s*	*m s*				
1888 Feb 22	3579	+ 14 55	N	*I P E*	10 13 13 11	− 1 53	11 58	N	*I P W*	10 23 34 49	− 1 60	32 89	10 21 31		0·020	0·043	10 21 294
	3606	+ 14 43	N	$c + 0\,2$	16 36 82	− 1 53	35 29	N	$c - 0\,5$	26 58 23	− 1 61	56 62	21 33	10 21 317			
	3650	+ 28 7	N	$b + 1\,6$ $a - 1\,7$	24 32 72	− 1 53	31 19	N	$b + 0\,3$ $a - 16\,6$	34 54 01	− 1 51	52 50	21 31		+	−	
				$Q - 1\,59$					$Q - 1\,61$								
	3568	− 16 16	S		10 11 4 55	− 1 58	2 97	S		10 21 26 05	− 1 ,9	24 26	10 21 29		0·020	0·018	10 21 289
	3596	− 29 6	S		14 43 00	− 1 58	41 42	S		25 4 59	− 1 89	2 70	21 28	10 21 287			
	3628	+ 7 37	S		20 37 70	− 1 56	36 14	S		30 59 09	− 1 66	57 43	21 29		+	−	
Feb 24	3475	+ 13 54	N	*I P W*	9 55 52 08	+ 1 69	53 77	N	*I P W*	10 6 13 34	+ 1 68	15 02	10 21 25		0·019	0·043	10 21 219
	3485	+ 21 44	N	$c + 2\,0$	58 36 72	+ 0 12*	36 84	N	$c - 0\,5$	8 56 34	+ 1 73	58 07	21 23	10 21 243			
	3500	+ 29 52	N	$b + 2\,2$ $a - 3\,5$	10 0 9 43	+ 0 13*	9 56	N	$b + 0\,9$ $a - 15\,9$	10 29 03	+ 1 78	30 81	21 25		+	−	
				$Q + 1\,59$					$Q + 1\,66$								
	3440	+ 0 10	S		9 51 11 33	+ 1 68	13 01	S		10 1 32 66	+ 1 63	34 29	10 21 28		0·019	0·018	10 21 219
	3458	+ 0 11	S		52 27 70	+ 1 67	29 37	S		2 49 02	+ 1 59	50 61	21 24	10 21 218			
	3470	− 7 51	S		54 49 14	+ 1 67	50 81	S		5 10 46	+ 1 55	12 01	21 20		+	−	
	3521	− 28 26	S		10 3 15 56	+ 1 63	17 19	S		13 36 93	+ 1 41	38 34	21 15				
	3579	+ 14 55	N	$Q - 1\,59$	10 13 7 78	− 1 49	6 29	N	$Q - 1\,66$	10 23 29 09	− 1 64	27 45	10 21 16		0·019	0·043	10 21 141
	3606	+ 14 43	N		16 31 48	− 1 48	30 00	N		26 52 ,8	− 1 64	51 14	21 14	10 21 165			
	3643	+ 16 43	N		23 12 48	− 1 48	11 00	N		33 33 82	− 1 63	32 19	21 19		+	−	
	3650	+ 28 7	N		24 27 40	− 1 46	25 94	N		34 48 66	− 1 55	47 11	21 17				
	3568	− 16 16	S		10 10 59 19	− 1 52	5, 67	S		10 21 20 64	− 1 82	18 82	10 21 15		0·019	0·018	10 21 151
	3596	− 29 6	S		14 37 68	− 1 55	36 13	S		24 59 20	− 1 92	57 28	21 15	10 21 150			
	3637	− 12 48	S		22 20 12	− 1 52	18 60	S		32 41 56	− 1 81	39 75	21 15		+	−	

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0·00

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

MADRAS (E) Lat 13° 4', Long 5ʰ 21ᵐ 9ˢ AND MANGALORE (W) Lat 12° 52', Long 4ʰ 59ᵐ 35ˢ

Astronomical Date	STAR BAC Number	Declination	Star's Aspect	Transits Observed at E (By Strahan with Telescope No 2) Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Transits Observed at W (By Heavinde with Telescope No 1) Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference of Corrected Times (W – E) By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations S_W – H_W = – 0.043 S_S – H_S = – 0.018	ΔL – ρ
1888 Mar 5	3278	+ 16 57	N	I P E	9 30 51 35	+1 ,6	53 11	N	I P W	9 52 27 64	+1 54	29 18	21 36 07	21 36 053	0 014	0 043	21 35 996
	3292	+ 20 48	N	d c + 1 3	32 37 04	+1 90	38 94	N	d c – 2 8	54 13 43	+1 53	14 96	36 02		—	—	
	3317	+ 30 29	N	b + 0 5 a –90 6	36 58 27	+2 31	60 58	N	b – 0 2 a + 4 2	58 35 13	+1 52	36 65	36 07				
	3327	+ 23 59	N	Q + 1 57	38 52 77	+2 03	54 80	N	Q + 1 63	10 0 29 32	+1 53	30 85	36 05				
	3271	– 5 25	S		9 28 57 87	+0 97	58 84	S		9 50 33 16	+1 60	34 76	21 35 92	21 35 990	0 014	0 018	21 35 958
	3303	– 0 38	S		34 8 45	+1 13	9 58	S		55 43 94	+1 59	45 53	35 95		—	—	
	3339	+ 2 18	S		40 36 91	+1 23	38 14	S		10 2 12 65	+1 59	14 24	36 10				
	3409	+ 30 11	N	Q – 1 57	9 53 10 85	–0 84	10 01	N	Q – 1 63	10 14 47 72	–1 74	45 98	21 35 97	21 36 038	0 014	0 043	21 35 981
	3416	+ 32 29	N		54 35 32	–0 73	34 59	N		16 12 42	–1 74	10 68	36 09		—	—	
	3423	+ 22 29	N		56 36 73	–1 16	35 57	N		18 13 41	–1 73	11 68	36 11				
	3475	+ 13 55	N		10 5 39 76	–1 50	38 26	N		27 15 94	–1 70	14 24	35 98				
	3449	+ 6 10	S		10 0 59 10	–1 78	57 32	S		10 22 35 08	–1 68	33 40	21 36 08	21 36 047	0 014	0 018	21 36 015
	3458	+ 0 11	S		2 15 70	–1 99	13 71	S		23 51 44	–1 67	49 77	36 06		—	—	
	3470	– 7 51	S		4 37 46	–2 26	35 20	S		26 12 86	–1 66	11 20	36 00				
Mar 7	3278	+ 16 57	N	I P W	9 30 53 24	+1 62	54 86	N	I P W	9 52 29 60	+1 54	31 14	21 36 28	21 36 240	0 016	0 043	21 36 181
	3292	+ 20 48	N	d c – 0 1	32 39 03	+1 65	40 68	N	d c – 2 8	54 15 37	+1 53	16 90	36 22		—	—	
	3317	+ 30 29	N	b + 0 9 a –21 9	37 0 68	+1 75	2 43	N	b – 0 2 a + 7 3	58 37 14	+1 49	38 63	36 20				
	3327	+ 23 59	N	Q + 1 56	38 54 90	+1 68	56 58	N	Q + 1 63	10 0 31 31	+1 53	32 84	36 26				

MADRAS (E) *Lat 13° 4′ Long* 5ʰ 21ᵐ 9ˢ AND MANGALORE (W) *Lat 12° 52′, Long* 4ʰ 59ᵐ 33ˢ

Astronomical Date	STAR BAC Number	Declination	E Star's Aspect	E Instrumental Position and Correction Constants	E Mean Observed Time	E Total Correction	E Seconds of Corrected Time	W Star's Aspect	W Instrumental Position and Correction Constants	W Mean Observed Time	W Total Correction	W Seconds of Corrected Time	Diff By each Star	Diff Mean of Group	Correction for Rate of E Clock	Corrn for Persl. Equations $S_H - H_H = -0ˢ·043$ $S_S - H_S = -0·018$	$\Delta L - \rho$
1888 Mar 7	3271	− 5 25	S	I P W / d / c − 0 1 / b + 0 9 / a − 2 1 9 / Q + 1 56	9 28 59 04	+1 42	60 46	S	I P W / d / c − 2 8 / b − 0 2 / a + 7 3 / Q + 1 63	9 50 35 16	+1 62	36 78	21 36 32	21 36 293	0 016	0 018	21 36 259
	3303	− 0 38	S		34 9 78	+1 46	11 24	S		55 45 96	+1 60	47 56	36 32		−	−	
	3312	+ 10 24	S		35 11 87	+1 56	13 43	S		56 48 13	+1 57	49 70	36 27				
	3339	+ 2 18	S		40 38 47	+1 49	39 96	S		10 2 14 63	+1 59	16 22	36 26				
	3409	+ 30 11	N	Q − 1 56	9 53 13 08	−1 37	11 71	N	Q −11 63	10 14 49 80	−1 77	48 03	21 36 32	21 36 290	0 016	0 043	21 36 231
	3416	+ 32 29	N		54 37 71	−1 34	36 37	N		16 14 43	−1 77	12 66	36 29		−	−	
	3423	+ 22 29	N		56 38 89	−1 45	37 44	N		18 15 38	−1 73	13 65	36 21				
	3475	+ 13 55	N		10 5 41 42	−1 53	39 89	N		27 17 93	−1 70	16 23	36 34				
	3438	+ 5 33	S		9 58 61 53	−1 60	59 93	S		10 20 37 84	−1 68	36 16	21 36 23	21 36 288	0 016	0 018	21 36 254
	3449	+ 6 10	S		10 0 60 83	−1 60	59 23	S		22 37 13	−1 68	35 45	36 22		−	−	
	3458	+ 0 11	S		2 17 13	−1 65	15 48	S		23 53 50	−1 66	51 84	36 36				
	3470	− 7 51	S		4 38 68	−1 72	36 96	S		26 14 94	−1 64	13 30	36 34				
Mar 8	3423	+ 22 29	N	I P W / d / c + 1 9 / b + 1 2 / a − 22 1 / Q − 1 57	9 56 40 06	−1 40	38 66	N	I P E / d / c + 1 0 / b + 0 5 / a + 10 4 / Q − 1 63	10 18 16 44	−1 63	14 81	21 36 15	21 36 195	0 018	0 043	21 36 134
	3475	+ 13 55	N		10 5 42 67	−1 48	41 19	N		27 19 02	−1 59	17 43	36 24		−	−	
	3438	+ 5 33	S		9 59 2 69	−1 56	1 13	S		10 20 38 98	−1 57	37 41	21 36 28	21 36 230	0 018	0 018	21 36 194
	3449	+ 6 10	S		10 1 2 03	−1 55	0 48	S		22 38 23	−1 57	36 66	36 18		−	−	
	3458	+ 0 11	S		2 18 43	−1 61	16 82	S		23 54 57	−1 55	53 02	36 20				
	3470	− 7 51	S		4 39 93	−1 67	38 26	S		26 16 04	−1 52	14 52	36 26				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

			colspan="5" MADRAS (E) *Lat* 18° 4 *Long* 5ʰ 21ᵐ 9ˢ: AND MANGALORE (W) *Lat* 12° 52′, *Long* 4ʰ 59ᵐ 88ˢ											
	STAR		colspan="5" TRANSITS OBSERVED AT E By Strahan, with Telescope No 2					colspan="5" TRANSITS OBSERVED AT W By Heavinde with Telescope No 1					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrⁿ for Persl Equations $S_E − H_E = − 0\ 043$ $S_S − H_S = − 0\ 018$	ΔL − ρ
Astronomical Date	BAC Number	Decli nation	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888 Mar 9	3278	° ′ + 16 57	N	I P E	ʰ ᵐ ˢ 9 30 55 89	ˢ + 1 63	ˢ 57 52	N	I P E	ʰ ᵐ ˢ 9 52 31 80	ˢ + 1 59	ˢ 33 39	ᵐ ˢ 21 35 87				
	3292	+ 20 48	N	d c + 0 3	32 41 63	+ 1 66	43 29	N	d c + 1 0	54 17 59	+ 1 58	19 17	35 88	ˢ 21 35 895	0 015	0 043	21 35 837
	3317	+ 30 29	N	b + 0 7 a − 22 8	37 3 23	+ 1 76	4 99	N	b − 2 0 a + 6 9	58 39 34	+ 1 55	40 89	35 90	ᵐ 21 35			
	3327	+ 23 59	N	s Q + 1 56	38 57 48	+ 1 70	59 18	N	s Q + 1 63	10 0 33 55	+ 1 56	35 11	35 93				
	3303	− 0 38	S		9 34 12 58	+ 1 47	14 05	S		9 55 48 17	+ 1 65	49 82	21 35 77				
	3312	+ 10 24	S		35 14 59	+ 1 54	16 13	S		56 50 38	+ 1 62	52 00	35 87	ˢ 21 35 847	0 015	0 018	21 35 814
	3339	+ 2 18	S		40 41 16	+ 1 47	42 63	S		10 2 16 90	+ 1 63	18 53	35 90	ᵐ 21 35			
	3409	+ 30 11	N	s Q − 1 56	9 53 15 68	− 1 37	14 31	N	s Q − 1 63	10 14 52 02	− 1 72	50 30	21 35 99				
	3416	+ 12 29	N		54 40 27	− 1 34	38 93	N		16 16 66	− 1 72	14 94	36 01	ˢ 21 35 993	0 015	0 043	21 35 935
	3423	+ 22 29	N		56 41 47	− 1 44	40 03	N		18 17 65	− 1 68	15 97	35 94	ᵐ 21 35			
	3475	+ 13 55	N		10 5 44 05	− 1 52	42 53	N		27 20 21	− 1 65	18 56	36 03				
	3438	+ 5 33	S		9 59 4 14	− 1 62	2 52	S		10 20 40 09	− 1 63	38 46	21 35 94				
	3449	+ 6 10	S		10 1 3 37	− 1 61	1 76	S		22 39 42	− 1 63	37 79	36 03	ˢ 21 36 010	0 015	0 018	21 35 977
	3458	+ 0 11	S		2 19 77	− 1 64	18 13	S		23 55 75	− 1 61	54 14	36 01	ᵐ 21 36			
	3470	− 7 51	S		4 41 27	− 1 76	39 51	S		26 17 1,	− 1 60	15 57	36 06				
Mar 10	3278	+ 16 57	N	I P E	9 30 56 43	+ 1 74	58 17	N	I P W	9 52 32 54	+ 1 71	34 25	21 36 08				
	3292	+ 20 48	N	d c + 1 3	32 42 17	+ 1 79	43 96	N	d c + 2 2	54 18 32	+ 1 ,2	20 04	36 08	ˢ 21 36 075	0 009	0 043	21 36 023
	3317	+ 30 29	N	b + 3 7 a − 29 9	37 3 2	+ 1 93	5 65	N	b +*1 0 a − 1 3	58 40 03	+ 1 72	41 75	36 10	ᵐ 21 36			
	3327	+ 23 59	N	s Q + 1 58	38 58 07	+ 1 84	59 91	N	s Q + 1 64	10 0 34 22	+ 1 73	35 95	36 04				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 185

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

MADRAS (E) *Lat 13° 4, Long 5ʰ 21ᵐ 9ˢ* AND MANGALORE (W) *Lat 12° 52′ Long 4ʰ 59ᵐ 33ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E *By Strahan with Telescope No 2*				Star's Aspect	TRANSITS OBSERVED AT W *By Heaviside, with Telescope No 1*				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl Equations $S_N - H_V = -0\ 043$ $S_S - H_S = -0\ 018$	$\Delta L - \rho$
	B A C Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888		$°\ ′$			$h\ m\ s$	s	s			$h\ m\ s$	s	s	$m\ s$				
Mar 10	3271	− 5 25	S	I P E	9 29 2 34	+1 48	3 82	S	I P W	9 50 38 16	+1 70	39 86	21 36 04				
	3303	− 0 38	S	d	34 13 13	+1 53	14 66	S	d	55 48 98	+1 71	50 69	36 03		0 009	0 018	21 36 016
	3312	+ 10 24	S	c + 1 3	35 15 13	+1 66	16 79	S	c + 2 2	56 51 09	+1 71	52 80	36 01	s 21 36 043			
				b + 3 7					b + 1 0								
	3339	+ 2 18	S	a − 29 9	40 41 67	+1 56	43 23	S	a − 1 3	10 2 17 62	+1 70	19 32	36 09		−	−	21 36 016
				s					s								
				Q + 1 58					Q + 1 64								
	3409	+ 30 11	N	s	9 53 16 25	−1 24	15 01	N	s	10 14 52 68	−1 56	51 12	21 36 11				
				Q − 1 58					Q − 1 64						0 009	0 043	21 36 023
	3416	+ 32 29	N		54 40 86	−1 20	39 66	N		16 17 31	−1 56	15 75	36 09	s 21 36 075			
	3423	+ 22 29	N		56 42 06	−1 35	40 71	N		18 18 29	−1 56	16 73	36 02		−	−	21 36 023
	3475	+ 13 55	N		10 5 44 70	−1 46	43 24	N		27 20 88	−1 56	19 32	36 08				
	3438	+ 5 33	S		9 59 4 71	−1 56	3 15	S		10 20 40 79	−1 57	39 22	21 36 07				
	3449	+ 6 10	S		10 1 4 02	−1 55	2 47	S		22 40 13	−1 58	38 55	36 08		0 009	0 018	21 36 041
	3458	+ 0 11	S		2 20 48	−1 62	18 86	S		23 56 48	−1 57	54 91	36 05	s 21 36 068			
	3470	− 7 51	S		4 41 98	−1 71	40 27	S		26 17 92	−1 58	16 34	36 07		−	−	21 36 041
Mar 12	3278	+ 16 57	N	I P W	9 30 57 52	+1 59	59 11	N	I P W	9 52 33 67	+1 73	35 40	21 36 29				
	3292	+ 20 48	N	d	32 43 35	+1 63	44 98	N	d	54 19 46	+1 74	21 20	36 22		0 008	0 043	21 36 214
	3317	+ 30 29	N	c − 0 1	37 4 91	+1 76	6 67	N	c + 2 2	58 41 16	+1 77	42 93	36 26	s 21 36 265			
				b − 1 3					b + 1 3								
	3327	+ 23 59	N	a − 28 8	38 59 18	+1 61	60 85	N	a − 8 7	10 0 35 39	+1 75	37 14	36 29		−	−	21 36 214
				s					s								
				Q + 1 57					Q + 1 63								
	3271	− 5 25	S		9 29 3 43	+1 33	4 76	S		9 56 39 33	+1 65	40 98	21 36 22				
	3303	− 0 38	S		34 14 13	+1 39	15 52	S		55 50 11	+1 66	51 77	36 25		0 008	0 018	21 36 202
	3312	+ 10 24	S		35 16 19	+1 51	17 70	S		56 52 25	+1 70	53 95	36 25	s 21 36 218			
	3339	+ 2 18	S		40 42 87	+1 42	44 29	S		10 2 18 81	+1 67	20 48	36 19		−	−	21 36 202

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$.

MADRAS (E) *Lat 13° 4 Long 5h 21m 9* ; AND MANGALORE (W) *Lat 12° 52′, Long 4h 59m 33°*

Astronomical Date	STAR BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $S_N - H_N = -0^s\,043$ $S_S - H_S = -0\,018$	$\Delta L + \rho$
		°			h m s	s	s			h m s	s	s	m s	s	s	s	s
1888 Mar 5	3704	+30 0	N	I P E	10 21 32 47	+2 29	34 76	N	I P W	10 43 9 26	+1 52	10 78	21 36 02				
	3710	+28 34	N	d c + 1 3	22 30 36	+2 22	32 58	N	d c − 2 8	44 7 16	+1 52	8 68	36 10				
	3735	+26 5	N	b + 0 5 a − 90 6	27 23 30	+2 11	25 41	N	b − 0 2 a + 4 2	48 59 84	+1 52	61 36	35 95	21 36 028	+0 009	− 0 043	21 35 994
	3742	+25 21	N	s Q + 1 57	28 19 01	+2 09	21 10	N	s Q + 1 63	49 55 61	+1 53	57 14	36 04				
	3663	− 1 9	S		10 14 29 41	+1 12	30 53	S		10 36 5 01	+1 60	6 61	21 36 08				
	3672	+ 5 20	S		16 18 83	+1 34	20 17	S		37 54 68	+1 58	56 26	36 09	21 36 088	+0 009	− 0 018	21 36 0,9
	3720	+ 4 11	S		23 56 54	+1 29	57 83	S		45 32 37	+1 58	33 95	36 12				
	3726	+ 1 37	S		25 15 38	+1 21	16 59	S		46 51 06	+1 59	52 65	36 06				
	3797	+26 9	N	s Q − 1 57	10 39 52 82	−1 03	51 79	N	s Q − 1 63	11 1 29 53	−1 73	27 80	21 36 01				
	3809	+25 16	N		41 37 81	−1 05	36 76	N		3 14 42	−1 74	12 68	35 92	21 36 018	+0 009	− 0 043	1 35 984
	3824	+15 0	N		44 40 90	−1 46	39 44	N		6 17 22	−1 70	15 52	36 08				
	3843	+13 55	N		48 49 9,	−1 50	48 47	N		10 26 23	−1 70	24 53	36 06				
	3761	+12 18	S		10 32 39 62	−1 56	38 06	S		10 54 15 83	−1 69	14 14	21 36 08	21 36 100	+0 009	− 0 018	21 36 091
	3832	+ 0 32	S		46 31 69	−1 97	49 72	S		11 8 27 51	−1 67	25 84	36 12				
Mar 7	3704	+30 0	N	I P W	10 21 31 57	+1 75	33 32	N	I P W	10 43 8 26	+1 50	9 76	21 36 44				
	3710	+28 34	N	d c − 0 1	22 29 40	+1 73	31 13	N	d c − 2 8	44 6 03	+1 51	7 54	36 41	21 36 390	+0 009	− 0 043	21 36 356
	3742	+25 21	N	b + 0 9 a − 21 9 s Q + 1 56	28 18 00	+1 70	19 70	N	b − 0 2 a + 7 3 s Q + 1 63	49 54 50	+1 52	56 02	36 32				
	3663	− 1 9	S		10 14 27 81	+1 46	29 27	S		10 36 3 94	+1 60	5 54	21 36 27				
	3672	+ 5 20	S		16 17 39	+1 51	18 90	S		37 53 69	+1 58	55 27	36 37	21 36 303	+0 009	− 0 018	21 36 294
	3720	+ 1 3,	S		25 13 88	+1 48	15 36	S		46 50 04	+1 59	51 63	36 27				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

187

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

				MADRAS (E) Lat 13° 4, Long 5ʰ 21ᵐ 9 AND MANGALORE (W) Lat 12° 52′ Long 4ʰ 59ᵐ 33ˢ													
	STAR			**TRANSITS OBSERVED AT E** *By Strahan with Telescope No 2*				**TRANSITS OBSERVED AT W** *By Heaviside with Telescope No 1*					Difference of Corrected times (W − E)		Correction for Rate of W Clock	Corrᵏ for Persl Equations $S_N - H_N = -0^s\,043$ $S_S - H_S = -0^s\,018$	$\Delta L + \rho$
Astronomical Date	BAC Number	Decli nation	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888 Mar 7	3761	+ 12 18	8	*I P W* d c − 0 1 b + 0 9 a − 21 9 s Q − 1 56	h m s 10 32 38 40	s − 1 55	s 36 8₃	8	*I P W* d c − 2 8 b − 0 2 a + 7 3 s Q − 1 63	h m s 10 54 14 ₁6	s − 1 71	s 13 05	s 21 36 20	m s 21 36 200	s + 0 009	s − 0 018	21 36 191
Mar 8	3704	+ 30 0	N	*I P W* d c + 1 9 b + 1 2 a − 22 1 s Q + 1 57	10 21 30 91	+ 1 81	32 72	N	*I P E* d c + 1 0 b + 0 5 a + 10 4 s Q + 1 63	10 43 7 47	+ 1 60	9 07	21 36 35	m s 21 36 260	s + 0 009	s − 0 043	21 36 226
	3710	+ 28 34	N		22 28 80	+ 1 80	30 60	N		44 5 24	+ 1 61	6 85	36 25					
	3735	+ 26 5	N		27 21 61	+ 1 78	23 39	N		48 58 03	+ 1 60	59 63	36 24					
	3742	+ 25 21	N		28 17 41	+ 1 77	19 18	N		49 53 78	+ 1 60	55 38	36 20					
	3672	+ 5 20	8		10 16 16 70	+ 1 58	18 28	8		10 37 52 94	+ 1 69	54 63	21 36 35		m s 21 36 205	s + 0 009	s − 0 018	21 36 286
	3720	+ 4 11	8		23 54 46	+ 1 57	56 03	8		45 30 57	+ 1 70	32 27	36 24					
	3797	+ 26 9	N	s Q − 1 57	10 39 51 22	− 1 37	49 85	N	s Q − 1 63	11 1 27 81	− 1 64	26 17	21 36 32		m s 21 6 290	s + 0 009	s − 0 043	21 36 256
	3809	+ 25 16	N		41 36 19	− 1 37	34 82	N		3 12 68	− 1 64	11 04	36 22					
	3824	+ 15 0	N		44 39 00	− 1 4₁	37 53	N		6 15 48	− 1 61	13 87	36 34					
	3843	+ 13 55	N		48 48 12	− 1 48	46 64	N		10 24 52	− 1 60	22 92	36 28					
	3761	+ 12 18	8		10 32 37 70	− 1 50	36 20	8		10 54 14 10	− 1 60	12 50	21 36 30		m s 21 36 298	s + 0 009	s − 0 018	21 36 289
	3785	+ 4 14	8		36 60 29	− 1 57	58 72	8		58 36 51	− 1 56	34 95	36 23					
	3788	+ 7 56	8		38 2 16	− 1 54	0 62	8		59 38 48	− 1 58	36 90	36 28					
	3832	+ 0 32	8		46 49 44	− 1 60	47 84	8		11 8 25 77	− 1 55	24 22	36 18					
Mar 9	3704	+ 30 0	N	*I P E* d c + 0 3 b + 0 7 a − 22 8 s Q + 1 56	10 21 30 57	+ 1 76	32 33	N	*I P E* d c + 1 0 b − 2 0 a + 6 9 s Q + 1 63	10 43 6 87	+ 1 56	8 43	21 36 10		m s 21 36 070	s + 0 013	s − 0 043	21 36 040
	3710	+ 28 34	N		22 28 36	+ 1 7₅	30 11	N		44 4 65	+ 1 56	6 21	36 10					
	3735	+ 26 5	N		27 21 26	+ 1 ₁1	22 97	N		48 57 46	+ 1 ₅7	59 03	36 06					
	3742	+ 25 21	N̄		28 17 02	+ 1 70	18 72	N		49 53 17	+ 1 57	54 74	36 02					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

MADRAS (E) *Lat 13° 4, Long* 5h 21m 9s AND MANGALORE (W) *Lat 12° 51′ Long* 4h 59m 35s

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E (By Strahan with Telescope No 2)				Star Aspect	TRANSITS OBSERVED AT W (By Heavinds with Telescope No 1)				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Persl Equations $S_W − H_W = − 0^s\ 043$ $S_S − H_S = − 0^s\ 018$	$\Delta L + \rho$
	BAC Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1888					h m s	s	s			h m s	s	s	m s				
Mar 9	3663	− 1 9	S	I P E	10 14 26 73	+ 1 45	28 18	S	I P E	10 36 2 54	+ 1 64	4 18	21 36 00				
	3672	+ 5 20	S	c + 0 3 d	16 16 36	+ 1 51	17 87	S	c + 1 0 d	37 52 26	+ 1 63	53 89	36 02	21 36 043	0 013	0 018	21 36 048
	3720	+ 4 11	S	b + 0 7 a − 22 8	23 53 98	+ 1 50	55 48	S	b − 2 0 a + 6 9	45 29 94	+ 1 64	31 58	36 10		+	−	
	3726	+ 1 37	S	s Q + 1 56	25 12 75	+ 1 48	14 23	S	s Q + 1 63	46 48 68	+ 1 64	50 32	36 09				
	3797	+ 26 9	N	s Q − 1 56	10 39 50 72	− 1 41	49 31	N	s Q − 1 63	11 1 27 17	− 1 69	25 48	21 36 17	21 36 130	0 013	0 043	21 36 100
	3809	+ 25 16	N		41 35 66	− 1 42	34 24	N		3 12 04	− 1 68	10 36	36 12		+	−	
	3824	+ 15 0	N		44 38 57	− 1 52	37 05	N		6 14 83	− 1 66	13 17	36 12				
	3843	+ 13 55	N		48 47 62	− 1 53	46 09	N		10 23 85	− 1 65	22 20	36 11				
	3761	+ 12 18	S		10 32 37 31	− 1 55	35 76	S		10 54 13 4,	− 1 66	11 81	21 36 05	21 36 010	0 013	0 018	21 36 005
	3785	+ 4 14	S		36 59 89	− 1 62	58 27	S		58 35 82	− 1 62	34 20	35 93		+	−	
	3788	+ 7 56	S		38 1 82	− 1 59	0 23	S		59 37 85	− 1 64	36 21	35 98				
	3832	+ 0 32	S		46 48 99	− 1 65	47 34	S		11 8 25 04	− 1 62	23 42	36 08				
Mar 10	3704	+ 30 0	N	I P E	10 21 29 30	+ 1 91	31 21	N	I P W	10 43 5 61	+ 1 73	7 34	21 36 13	21 36 128	0 018	0 043	21 36 103
	3710	+ 28 34	N	c + 1 3 d	22 27 09	+ 1 90	28 99	N	c + 2 2 d	44 3 44	+ 1 73	5 17	36 18		+	−	
	3785	+ 26 5	N	b + 3 7 a − 29 9	27 20 02	+ 1 8,	21 89	N	b + 1 0 a − 1 3	48 56 23	+ 1 73	57 96	36 07				
	3742	+ 25 21	N	s Q + 1 58	28 15 68	+ 1 86	17 54	N	s Q + 1 64	49 51 95	+ 1 72	53 67	36 13				
	3663	− 1 9	S		10 14 25 57	+ 1 52	27 09	S		10 36 1 44	+ 1 70	3 14	21 36 05	21 36 105	0 018	0 018	21 36 10,
	3672	+ 5 20	S		16 1, 16	+ 1 60	16 76	S		37 51 18	+ 1 70	52 88	36 12		+	−	
	3720	+ 4 11	S		23 52 82	+ 1 58	14 40	S		45 28 84	+ 1 71	30 55	36 15				
	3726	+ 1 37	S		25 11 58	+ 1 55	13 13	S		46 47 53	+ 1 70	49 23	36 10				
	3797	+ 26 9	N	s Q − 1 58	10 39 49 55	− 1 30	48 25	N	s Q − 1 64	11 1 25 99	− 1 56	24 43	21 36 18	21 36 200	0 018	0 043	21 36 175
	3809	+ 25 16	N		41 34 43	− 1 30	33 13	N		3 10 92	− 1 56	9 36	36 23		+	−	
	3824	+ 15 0	N		44 37 39	− 1 44	35 95	N		6 13 72	− 1 56	12 16	36 21				
	3843	+ 13 55	N		48 46 41	− 1 45	44 96	N		10 22 70	− 1 56	21 14	36 18				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION 189

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

			MADRAS (E) Lat 13 4 Long 5ʰ 21ᵐ 9 AND MANGALORE (W) Lat 12° 52, Long 4ʰ 59ᵐ 33														
	STAR		TRANSITS OBSERVED AT E — By Strahan with Telescope No 2					TRANSITS OBSERVED AT W — By Heaviside with Telescope No 1					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Persl Equations Sₘ − Hₙ = - 0 043, Sₛ − Hₛ = 0 018	ΔL + ρ
Astronomical Date	B A C Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1888 Mar 10	3761	+ 12 18	S	I P E	10 32 36 11	- 1 48	34 63	S	I P W	10 54 12 33	- 1 57	10 ,6	21 36 13	21 36 128	+ 0 018	- 0 018	21 36 128
	3785	+ 4 14	S	d c + 1 3	36 58 63	- 1 58	57 05	S	d c + 2 2	58 34 75	- 1 58	33 17	36 12				
	3788	+ 7 56	S	b + 3 7 a − 29 9	37 60 59	- 1 53	59 06	S	b + 1 0 a − 1 3	59 36 76	- 1 57	35 19	36 13				
	3832	+ 0 32	S	Q − 1 58	46 47 91	- 1 61	46 ,0	S	Q − 1 64	11 8 24 00	- 1 57	22 43	36 13				
Mar 12	3704	+ 30 0	N	I P W	10 21 26 81	+ 1 76	28 57	N	I P W	10 43 3 10	+ 1 86	4 96	21 36 39	21 36 440	+ 0 019	- 0 043	21 36 426
	3710	+ 28 34	N	d c − 0 1	22 24 57	+ 1 74	26 31	N	d c + 2 2	44 0 92	+ 1 86	2 78	36 47				
	3735	+ 26 5	N	b − 1 3 a − 28 8	27 17 43	+ 1 70	19 13	N	b + 1 3 a − 8 7	48 53 72	+ 1 85	55 57	36 44				
	3742	+ 2, 21	N	Q + 1 57	28 13 15	+ 1 69	14 84	N	Q + 1 72	49 49 49	+ 1 85	51 34	36 50				
	3663	− 1 9	S		10 14 23 03	+ 1 38	24 41	S		10 35 39 00	+ 1 76	60 ,6	21 36 35	21 36 340	+ 0 019	- 0 018	21 36 341
	3672	+ 5 20	S		16 12 60	+ 1 45	14 05	S		37 48 68	+ 1 ,7	50 45	36 40				
	3720	+ 4 11	S		23 50 38	+ 1 44	51 82	S		45 26 32	+ 1 77	28 09	36 27				
	3797	+ 26 9	N	Q − 1 57	10 39 47 03	- 1 44	45 59	N	Q − 1 72	11 1 23 59	- 1 59	22 00	21 36 41	21 36 423	+ 0 019	- 0 043	21 36 399
	3809	+ 25 16	N		41 31 92	- 1 45	30 47	N		3 8 49	- 1 60	6 89	36 42				
	3824	+ 15 0	N		44 34 84	- 1 58	33 26	N		6 11 33	- 1 63	9 70	36 44				
	3761	+ 12 18	S		10 32 33 50	- 1 61	31 89	S		10 54 9 93	- 1 64	8 29	21 36 40	21 36 437	+ 0 019	- 0 018	21 36 438
	3785	+ 4 14	S		36 56 03	- 1 70	54 33	S		58 32 45	- 1 67	30 78	36 45				
	3788	+ 7 56	S		37 58 00	- 1 66	56 34	S		59 34 46	- 1 66	32 80	36 46				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

BELLARY (F) *Lat* 15° 9 *Long* 5ʰ 7ᵐ 52ˢ: AND MANGALORE (W) *Lat* 12° 52′ *Long* 4ʰ 59ᵐ 88ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $S_w - H_w = -0\ 043$ $S_s - H_s = -0\ 018$	$\Delta L - \rho$
				By Strahan with Telescope No 2					**By Heavisde with Telescope No 1**					**(W − E)**			
1888					ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
Mar 21	3704	+ 30 0	N	I P E	10 42 44 99	+ 1 86	46 85	N	I P E	10 51 4 61	+ 1 ,9	6 40	8 19 55				
	3710	+ 28 34	N	_d_ c + 1 2	43 42 79	+ 1 84	44 63	N	_d_ c + 1 0	52 2 43	+ 1 79	4 22	19 59	19 5,8	0 020	0 043	19 55
	3735	+ 26 5	N	b + 2 8	48 35 67	+ 1 81	37 48	N	b - 0 8	56 55 2,	+ 1 78	57 03	19 55	ss∞ 8 +		−	8
	3742	+ 25 21	N	a − 23 8 / Q + 1 60	49 31 38	+ 1 81	33 19	N	a - 7 0 / Q + 1 73	57 51 04	+ 1 77	52 81	19 62				
	3663	− 1 9	S		10 35 41 14	+ 1 55	42 69	S		10 44 0 43	+ 1 69	2 12	8 19 43				
	3672	+ 5 20	S		37 30 79	+ 1 61	32 40	S		45 50 17	+ 1 71	51 88	19 48	19 46,5	0 020	0 018	19 467
	3720	+ 4 11	S		45 8 54	+ 1 60	10 14	S		53 27 88	+ 1 71	29 59	19 45	ss∞ 8 +		−	8
	3726	+ 1 37	S		46 27 21	+ 1 56	28 77	S		54 46 57	+ 1 70	48 27	19 50				
	3797	+ 26 9	N	_s_ Q − 1 60	11 1 5 36	− 1 38	3 98	N	_s_ Q - 1 73	11 9 25 18	− 1 68	23 50	8 19 52				
	3809	+ 25 16	N		2 50 21	− 1 40	48 81	N		11 10 07	− 1 68	8 39	19 58	19 54	0 020	0 043	19 524
	3824	+ 15 0	N		5 53 14	− 1 50	51 64	N		14 12 90	− 1 72	11 18	19 54	ss∞ 8 +		−	8
	3761	+ 12 18	S		10 53 51 84	− 1 53	50 31	S		11 2 11 53	− 1 73	9 80	8 19 49				
	3785	+ 4 14	S		58 14 30	− 1 60	12 70	S		6 33 95	− 1 75	32 20	19 50	19 498	0 020	0 018	19 500
	3788	+ 7 56	S		59 16 25	− 1 57	14 68	S		7 35 91	− 1 74	34 17	19 49	ss∞ 8 +		−	8
	3832	+ 0 32	S		11 8 3 60	− 1 65	1 95	S		16 23 22	− 1 76	21 46	19 51				
Mar 22	3704	+ 30 0	N	I P E	10 42 41 63	+ 1 81	43 44	N	I P E	10 51 1 16	+ 1 82	2 98	8 19 54				
	3710	+ 28 34	N	_d_ c + 1 2	43 39 42	+ 1 79	41 21	N	_d_ c + 1 0	51 58 99	+ 1 81	60 80	19 59	19 55,3	0 021	0 043	19 531
	3735	+ 26 5	N	b + 0 8	48 32 32	+ 1 76	34 08	N	b - 0 8	56 51 82	+ 1 80	53 62	19 54	ss∞ 8 +		−	8
	3742	+ 25 21	N	a − 23 7 / Q + 1 60	49 28 05	+ 1 76	29 81	N	a - 8 9 / Q + 1 74	57 47 55	+ 1 80	49 35	19 54				
	3663	− 1 9	S		10 35 37 75	+ 1 50	39 25	S		10 43 57 15	+ 1 69	58 84	8 19 59				
	3672	+ 5 20	S		37 27 41	+ 1 56	28 97	S		45 46 86	+ 1 71	48 57	19 60	19 565	0 021	0 018	19 568
	3720	+ 4 11	S		45 5 05	+ 1 55	6 60	S		53 24 43	+ 1 71	26 14	19 54	ss∞ 8 +		−	8
	3726	+ 1 37	S		46 13 80	+ 1 52	25 32	S		54 43 15	+ 1 70	44 85	19 53				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 191

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

BELLARY (E) *Lat 15° 9′ Long 5ʰ 7ᵐ 52ˢ* AND MANGALORE (W) *Lat 12° 52′, Long 4ʰ 59ᵐ 33ˢ*

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E *By Strahan with Telescope No 2*				Star Aspect	TRANSITS OBSERVED AT W *By Heavinde with Telescope No 1*				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Pernl Equations $S_F - H_F = - 0\ 043$ $S_S - H_S = - 0\ 018$	$\Delta L - \rho$
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888 Mar 22	3797	+ 26 9	N	I P E d c + 1 2 b + 0 8 a − 23 7 s Q − 1 60	$h\ m\ s$ 11 1 1 89	s − 1 43	s 0 46	N	I P E d c + 1 0 b − 0 8 a − 8 9 s Q − 1 74	$h\ m\ s$ 11 9 21 72	s − 1 68	s 20 04	$m\ s$ 8 19 58	s 19 580	s 0 021	s 0 043	s 19 558
	3809	+ 25 16	N		2 46 82	− 1 45	45 37	N		11 6 65	− 1 68	4 97	19 60			+	−	8
	3824	+ 15 0	N		5 49 72	− 1 55	48 17	N		14 9 46	− 1 73	7 73	19 56	8				
	3761	+ 12 18	S		10 53 48 36	− 1 58	46 78	S		11 2 8 09	− 1 74	6 35	8 19 57	19 5,8	0 021	0 018	19 581
	3785	+ 4 14	S		58 10 84	− 1 65	9 19	S		6 30 54	− 1 76	28 78	19 59			+	−	8
	3788	+ 7 56	S		59 12 85	− 1 62	11 23	S		7 32 57	− 1 76	30 81	19 58	8				
	3832	+ 0 32	S		11 7 60 14	− 1 68	58 46	S		16 19 81	− 1 78	18 03	19 57					
Mar 23	3704	+ 30 0	N	I P E d c + 1 2 b + 4 3 a − 24 4 s Q + 1 65	10 42 37 67	+ 1 95	39 62	N	I P E d c + 1 0 b + 0 2 a − 7 0 s Q + 1 72	10 50 57 32	+ 1 81	59 13	8 19 51	19 468	0 023	0 043	19 448
	3710	+ 28 34	N		43 35 45	+ 1 93	37 38	N		51 55 05	+ 1 81	56 86	19 48			+	−	8
	3735	+ 26 5	N		48 28 36	+ 1 90	30 26	N		56 47 89	+ 1 81	49 70	19 44	8				
	3742	+ 25 21	N		49 24 02	+ 1 89	25 91	N		57 43 56	+ 1 79	45 35	19 44					
	3672	+ 5 20	S		10 37 23 42	+ 1 69	25 11	S		10 45 42 93	+ 1 72	44 65	8 19 54	19 457	0 023	0 018	19 462
	3720	+ 4 11	S		45 1 10	+ 1 68	2 78	S		53 20 49	+ 1 71	22 20	19 42			+	−	8
	3726	+ 1 37	S		46 19 87	+ 1 65	21 52	S		54 39 22	+ 1 71	40 93	19 41	8				
	3797	+ 26 9	N ——	s Q − 1 65	11 0 58 08	− 1 39	56 69	N	s Q − 1 72	11 9 17 81	− 1 64	16 17	8 19 48	19 500	0 023	0 043	19 480
	3809	+ 25 16	N		2 42 97	− 1 42	41 55	N		11 2 68	− 1 64	1 04	19 49			+	−	8
	3824	+ 15 0	N		5 45 85	− 1 52	44 3	N		14 5 53	− 1 67	3 86	19 53	8				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

BELLARY (E) *Lat* 15° 8', *Long* 5h 7m 52s ; AND MANGALORE (W) *Lat* 12° 52', *Long* 4h 59m 83s

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl. Equations $S_x - H_w = -0^s\,043$; $S_s - H_s = -0\,018$	ΔL − ρ
					h m s	s	s			h m s	s	s	m s		s		s
1888 Mar 23	3761	+ 12 18	S	I P E / c + 1 2 / b + 4 3 / a − 24 4 / Q − 1 65	10 13 44 50	− 1 55	42 95	S	I P E / c + 1 0 / b 4 0 2 / a − 7 0 / Q − 1 72	11 2 4 15	− 1 70	2 45	8 19 50	8 8 19 490	+ 0 023	− 0 018	8 19 495
	3785	+ 4 14			58 7 02	− 1 62	5 40	S		6 26 61	− 1 73	24 88	19 48		+	−	
	3788	+ 7 56			59 9 03	− 1 59	7 44	S		7 28 64	− 1 72	26 92	19 48				
	3832	+ 0 32			11 7 56 28	− 1 66	54 62	S		16 15 85	− 1 73	14 12	19 50				
Mar 24	3663	− 1 9	S	I P W / c + 2 0 / b − 0 3 / a − 81 7 / Q + 1 62	10 35 29 95	+ 1 15	31 10	S	I P E / c + 0 10 / b + 0 8 / a − 5 0 / Q + 1 73	10 43 48 91	+ 1 74	50 65	8 19 55	8 8 19 580	+ 0 024	− 0 018	8 19 586
	3672	+ 5 20	S		37 19 43	+ 1 35	20 78	3		45 38 63	+ 1 76	40 39	19 61		+	−	
Mar 26	3710	+ 28 34	N	I P W / c 0 0 0 / b − 0 5 / a − 70 0 / Q + 1 63	10 43 21 96	+ 2 02	23 98	N	I P W / c + 1 2 / b − 0 1 / a − 7 9 / Q + 1 72	10 51 41 73	+ 1 86	43 59	8 19 61	8 8 19 633	+ 0 027	− 0 043	8 19 61
	3735	+ 26 5	N		48 14 79	+ 1 95	16 74	N		56 34 57	+ 1 81	36 38	19 64		+	−	
	3742	+ 25 21	N		49 10 58	+ 1 93	12 51	N		57 30 33	+ 1 83	32 16	19 65				
	3720	+ 4 11	S		10 44 48 01	+ 1 32	49 33	S		10 53 7 17	+ 1 74	8 91	8 19 58	8 8 19 610	+ 0 027	− 0 018	8 19 619
	3726	+ 1 37	S		46 6 78	+ 1 26	8 04	S		54 25 94	+ 1 74	27 68	19 64		+	−	
	3707	+ 26 9	N	Q − 1 63	11 0 44 51	− 1 31	43 20	N	Q − 1 72	11 9 4 48	− 1 62	2 86	8 19 66	8 8 19 663	+ 0 027	− 0 043	8 19 647
	3809	+ 25 16	N		2 29 41	− 2 35	28 06	N		10 49 34	− 1 62	47 72	19 66		+	−	
	3824	+ 15 0	N		5 32 49	− 1 64	30 85	N		13 52 17	− 1 65	50 52	19 67				

Astronl Date	Stat on	I t ert l Po t on	C llin t ot C	C	c	c	L l M	b	Remarks	n u	I t t l i t	C ll t o (	(	l	I l M	l	Remarks
1877 Ap 25		I P E	l 8 8	d	d	d	d	d			I P h	l (8	l	d	d d	d	d	
26			9(3									5					
27												(8)						
28			84 2									o 4						
29			8 3	8 0	− o 5	− 1 4	81 9	+ 2 (										
30			84 4	85 o	− o 5	− 4	9 6	+ 2)				(8 8	o o	− 4	− 3	(5 4	+ 4 2	
May 1	BOMBAY (T l pe No 1)	I I W	84 8	+ o 5	− o 4	8 3 5	−			I P W		7	o	+ 4	−	(	− 3	
2			83 7	85 o	+ o 5	− o 4	82)	− 1 4				(9)	+ o 4	− o 5	( ))	+ o 3	
3							83 3		M an C d I P E = 84 7 I I W = 84 3 G l M = 84 5								M n C l I P E = ( ) I P W = 7o 1 G l M ( ) (
3			81 7	85	+ o 5	− o 4	8 3	− 1 o		ADEN (T l c p No 2)		o	o	+ o 4	− o 5	o 1	+ 5	
							83 8											
4			82 9	85	+ 5	− o 4	84 5	− o				(9	o o	+ o 4	− o 5	o (	+ 1	
							84											
5		I P h	83 7	8	− o 5	− 4	84)	− o 4					o	+ o 4	− 5	((	+ 3 o	
6												( ) (	o o	+ 4	− 5	3 2	+ 3 (	
7			8)	8 5	− o 5	− 1 4	8 3	− o 9			I P h	(8 (	o o	− o 4	− 1 3	(2 3	+ 3	
							8 4											
8		I P W	86 4	8) o	+ o 5	− o 4	88	+ 3 6				(8 8	o o	− 4	− 1 3	o 2	− (	
							88											
)			84	85	+ 5	− o 4	85 4	+				(8		− o 4	3	( )	o (	
							86											
M y 3		I I F									I I I	(4						
2			41 1	4 o	+ 1	+ o 6	34 3	+ / 4				2	o	+)	+ 1	o1	− 24 8	
							34 o											
2(	ADEN (T l cope No 1)		41 5	40	+ 5	+ o 6	44 o	− 2		SUEZ (T l)		(3 3	5 o	+)	+ 1	77 6	− o	
							43 o		Mean C d I P E = 41 6 I P W = 4 4 G r l Me n = 4 5								Mean C d I P E = 74 3 I I W) 5 G t l M an = (9
27			42 1	40 o	+ 1 5	+ o 6	4 1	− o 6				4 2	5 o	+ 1)	+ 1 1	75)	+ o	
							42											
28		I P W	42 5	40 o	− 1 5	− 2 4	41 o	+ o 1			I P W	8 /	5 o	− 1 9	− 2 7	(4 2	− 2	
							42 2											
29			40 (	4 o	− 1 5	− 2 4	39 4	− 2 2				(9 3	7 5 o	− 1 9	− 2 7	7 5)	− 1 o	
							39 2											
30			41 1	40 o	− 1 5	− 2 4	3) 8	− 1 7				80 o	75	− 1 9	− 2 7	74 o	− 2 9	
							9 8					8o o	75 o					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

BELLARY (E) *Lat 15° 9 Long 5ʰ 7ᵐ 59ˢ;* AND MANGALORE (W) *Lat 12° 52′, Long 4ʰ 59ᵐ 38ˢ*

Astronomical Date	BAC Number	Decli-nation	E Star's Aspect	E Instrumental Position and Correction Constants	E Mean Observed Time	E Total Correction	E Seconds of Corrected Time	W Star's Aspect	W Instrumental Position and Correction Constants	W Mean Observed Time	W Total Correction	W Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $S_N - H_N = -0^s 043$, $S_S - H_S = -0 018$	ΔL + ρ
1838 Mar.21	3932	+ 17 25	N	I P E	h m s 11 20 42 09	+ 1 72	43 81	N	I P E	h m s 11 29 1 73	+ 1 75	3 48	8 19 67				
	3937	+ 28 24	N	d c + 1 2	21 13 54	+ 1 84	15 38	N	d c + 1 0	30 33 30	+ 1 78	35 08	19 70	19 685	0 003	0 043	19 645
	3964	+ 21 59	N	b + 2 8 a − 23 8	26 46 98	+ 1 77	48 75	N	b − 0 8 a − 7 0	35 6 66	+ 1 77	8 43	19 68	∓ 8	+	−	8
	3990	+ 20 51	N	e Q + 1 60	34 1 86	+ 1 70	3 56	N	e Q + 1 73	42 21 50	+ 1 75	23 25	19 69				
	3954	+ 8 45	S		11 24 30 60	+ 1 63	32 23	S		11 32 50 19	+ 1 72	51 91	8 19 68				
	3971	+ 5 22	S		28 13 21	+ 1 60	14 81	S		36 32 78	+ 1 71	34 49	19 68	19 673	0 003	0 018	19 658
	3975	− 6 ʋ	S		30 1 60	+ 1 50	3 10	S		38 21 07	+ 1 68	22 75	19 65	∓ 8	+	−	8
	3979	+ 8 53	S		31 20 15	+ 1 64	21 79	S		39 39 75	+ 1 72	41 47	19 68				
	4014	+ 16 4	N	e Q − 1 60	11 38 52 54	− 1 49	51 05	N	e Q − 1 73	11 47 12 42	− 1 72	10 70	8 19 65				
	4031	+ 16 16	N		41 47 57	− 1 49	46 08	N		50 7 45	− 1 72	5 73	19 65	19 680	0 003	0 043	19 640
	4056	+ 22 43	N		47 52 63	− 1 42	51 21	N		56 12 62	− 1 69	10 93	19 72	∓ 8	+	−	8
	4066	+ 22 5	N		50 25 03	− 1 43	23 60	N		58 44 99	− 1 69	43 30	19 70				
	4021	+ 5 30	S		11 40 12 64	− 1 60	11 04	S		11 48 32 40	− 1 75	30 65	8 19 61				
	4039	+ 4 6	S		44 22 24	− 1 61	26 63	S		52 42 05	− 1 75	40 30	19 67	19 643	0 003	0 018	19 628
	4049	+ 4 17	S		46 5 51	− 1 61	3 90	S		54 25 28	− 1 75	23 53	19 63	∓ 8	+	*1	8
	4072	+ 9 21	S		51 22 94	− 1 56	21 38	S		59 42 78	− 1 74	41 04	19 66				
Mar 22	3932	+ 17 25	N	I P E	11 20 41 46	+ 1 67	43 13	N	I P E	11 29 1 15	+ 1 77	2 92	8 19 79				
	3937	+ 28 24	N	d c + 1 2	22 12 96	+ 1 79	14 75	N	d c + 1 0	30 32 69	+ 1 81	34 50	19 75	19 763	0 003	0 043	19 723
	3964	+ 21 59	N	b + 0 8 a − 23 7	26 46 40	+ 1 72	48 12	N	b − 0 8 a − 8 9	35 6 04	+ 1 8	7 82	19 70	∓ 8	+	−	8
	3990	+ 20 51	N	e Q + 1 60	34 1 25	+ 1 65	2 90	N	e Q + 1 74	42 20 93	+ 1 78	22 71	19 81				
	39 4	+ 8 45	S		11 24 29 98	+ 1 59	31 57	S		11 32 49 57	+ 1 73	51 30	8 19 73				
	3971	+ 5 22	S		28 12 62	+ 1 56	14 18	S		36 32 15	+ 1 71	33 86	19 68	19 713	0 003	0 018	19 698
	3970	− 6 3	S		30 1 02	+ 1 45	2 47	S		38 20 49	+ 1 67	22 16	19 69	∓ 8	+	−	8
	3979	+ 8 53	S		31 19 55	+ 1 59	21 14	S		39 39 16	+ 1 73	40 89	19 75				

BELLARY (E) Lat 15° 9' Long 5h 7m 52s: AND MANGALORE (W) Lat 12° 52', Long 4h 59m 83

Astronomical Date	STAR BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Peral Equations $S_N - H_N = -0.043$, $S_S - H_S = -0.018$	ΔL + ρ
				Transits Observed at E By Strahan with Telescope No 2					Transits Observed at W By Heaviside, with Telescope No 1				Difference of Corrected Times (W − E)				
					h m s	s	s			h m s	s	s	m s	m s	s	s	s
1888 Mar 22	4014	+16 4	N	I P E	11 38 51 97	−1 54	50 43	N	I P E	11 47 11 79	−1 72	10 07	8 19 64				19 628
	4031	+16 16	N	d / c +1 2	41 47 00	−1 54	45 46	N	d / c +1 0	50 6 84	−1 72	5 12	19 66	19 768	0 003	0 043	8
	4056	+22 43	N	b +0 8 / a −23 7	47 52 08	−1 47	50 61	N	b −0 8 / a −8 9	56 11 99	−1 69	10 30	19 69	ℳ 8	+	−	
	4066	+22 5	N	Q −1 60	50 24 49	−1 48	23 01	N	Q −1 74	58 44 38	−1 69	42 69	19 68				
	4021	+5 30	S		11 40 12 08	−1 64	10 44	S		11 48 31 84	−1 77	30 07	8 19 63				19 645
	4039	+4 6	S		44 21 67	−1 65	20 02	S		52 41 50	−1 77	39 73	19 71	19 660	0 003	0 018	8
	4049	+4 17	S		46 4 93	−1 65	3 28	S		54 24 72	−1 77	22 95	19 67	ℳ 8	+	−	
	1072	+9 21	S		51 22 41	−1 61	20 80	S		59 42 18	−1 75	40 43	19 63				
Mar 23	3932	+17 25	N	I P E	11 20 40 87	+1 80	42 67	N	I P E	11 29 0 61	+1 77	2 38	8 19 71				19 673
	3937	+28 24	N	d / c +1 2	22 12 37	+1 92	14 29	N	d / c +1 0	30 32 15	+1 80	33 95	19 66	19 714	0 003	0 043	8
	3964	+1 59	N	b +4 3 / a −4 4	26 45 78	+1 85	47 63	N	b +0 2 / a −7 0	35 5 55	+1 79	7 34	19 71	ℳ 8	+	−	
	3990	+20 51	N	Q +1 65	34 0 63	+1 78	2 41	N	Q +1 72	42 20 40	+1 78	22 18	19 77				
	3954	+8 45	S		11 24 29 37	+1 71	31 08	S		11 32 49 03	+1 74	50 77	8 19 69				19 653
	3971	+5 22	S		28 12 01	+1 68	13 69	S		36 31 62	+1 72	33 34	19 65	19 668	0 003	0 018	8
	3975	−6 3	S		30 0 40	+1 57	1 97	S		38 19 98	+1 69	1 67	19 70	ℳ 8	+	−	
	3979	+8 53	S		31 18 99	+1 71	20 70	S		39 38 60	+1 73	40 33	19 63				
	4014	+16 4	N	Q −1 65	11 38 51 38	−1 51	49 87	N	Q −1 72	11 47 11 23	−1 67	9 56	8 19 69				19 693
	4031	+16 16	N		41 46 39	−1 51	44 88	N		50 6 29	−1 67	4 62	19 74	19 731	0 003	0 043	8
	4056	+22 43	N		47 51 50	−1 44	50 06	N		56 11 48	−1 66	9 82	19 76	ℳ 8	+	−	
	4066	+22 5	N		50 23 88	−1 45	22 43	N		58 43 83	−1 66	42 17	19 74				
	4021	+5 30	S		11 40 11 52	−1 62	9 90	S		11 48 31 28	−1 72	29 56	8 19 66				19 710
	4039	+4 6	S		44 21 14	−1 63	19 51	S		52 41 05	−1 72	39 33	19 82	19 725	0 003	0 018	8
	4049	+4 17	S		46 4 31	−1 63	2 68	S		54 24 10	−1 73	22 37	19 69	ℳ 8	+	−	
	1072	+9 21	S		51 21 80	−1 59	20 21	S		59 41 65	−1 1	39 94	19 73				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

			BELLARY (E) *Lat 15° 9′ Long 5ʰ 7ᵐ 52ˢ* AND MANGALORE (W) *Lat 12° 52′, Long 4ʰ 59ᵐ 38ˢ*														
			TRANSITS OBSERVED AT E					**TRANSITS OBSERVED AT W**				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	$S_H - H_H = - 0^s \cdot 043$ $S_S - H_S = - 0 \cdot 018$	
Astronomical Date	**STAR**			By *Strahan* with Telescope No 2					By *Heaviside* with Telescope No 1							Corrn for Perl Equations	$\Delta L + \rho$
	B A C Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1888 Mar 24	3964	+ 21 59	N	$I\ P\ W$ d $c\ +\ 2\ 0$ $b\ -\ 0\ 3$ $a\ -81\ 7$ $Q\ +1\ 62$	*h m s* 11 26 45 23	*s* + 1 90	*s* 47 13	N	$I\ P\ E$ d $c\ +\ 1\ 0$ $b\ +\ 0\ 8$ $a\ -\ 5\ 0$ $Q\ +1\ 73$	*h m s* 11 35 5 02	*s* + 1 79	*s* 6 81	*m s* 8 19 68	19 680 Mn 8	0 003 +	0 043 −	19 640 8
	3979	+ 8 53	S		11 31 18 71	+ 1 47	20 18	S		11 39 38 15	+ 1 76	9 91	8 19 73	19 730 Mn 8	0 003 +	0 018 −	19 715 8
	4014	+ 16 4	N	$Q - 1\ 62$	11 38 51 04	− 1 55	49 49	N	$Q - 1\ 73$	11 47 10 82	− 1 67	9 15	8 19 66	19 697 Mn 8	0 003 +	0 043 −	19 657 8
	4056	+ 22 43	N		47 50 99	− 1 32	49 67	N		56 11 01	− 1 66	9 35	19 68				
	4066	+ 22 5	N		50 23 32	− 1 34	21 98	N		58 43 39	− 1 66	41 73	19 75				
	4021	+ 5 30	S		11 40 11 36	− 1 90	9 46	S		11 48 30 81	− 1 70	29 11	8 19 65	19 688 Mn 8	0 003 +	0 018 −	19 6,3 8
	4039	+ 4 6	S		44 21 01	− 1 94	19 07	S		52 40 50	− 1 71	38 79	19 72				
	4049	+ 4 17	S		46 4 21	− 1 93	2 28	S		54 23 70	− 1 71	21 99	19 71				
	4072	+ 9 21	S		51 21 55	− 1 77	19 78	S		59 41 15	− 1 70	39 45	19 67				
Mar 25	3932	+ 17 25	N	$I\ P\ W$ d $c\ +\ 2\ 0$ $b\ -\ 0\ 1$ $a\ -53\ 5$ $Q\ +1\ 63$	11 20 40 07	+ 1 73	41 80	N	$I\ P\ W$ d $c\ +\ 2\ 2$ $b\ +\ 0\ 1$ $a\ -\ 5\ 1$ $Q\ +1\ 72$	11 28 59 74	+ 1 79	61 53	8 19 73	19 730 Mn 8	0 002 +	0 043 −	19 689 8
	3937	+ 28 24	N		22 11 37	+ 1 98	13 35	N		30 31 28	+ 1 80	33 08	19 73				
	3954	+ 8 45	S		11 24 30 21	− 0 08*	30 13	S		11 32 48 11	+ 1 76	49 87	8 19 74	19 737 Mn 8	0 002 +	0 018 −	19 721 8
	3971	+ 5 22	S		28 11 26	+ 1 47	12 73	S		36 30 72	+ 1 76	32 48	19 75				
	3975	− 6 3	S		29 59 83	+ 1 23	61 06	S		38 19 05	+ 1 73	20 ,8	19 72				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in this case $Q = 0$ 00

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION   197

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

BELLARY (E) *Lat* 15°9 *Long* 5h 7m 52s AND MANGALORE (W) *Lat* 12°59 *Long* 4h 59m 33s

Astronomical Date	BAC Number	Declination	Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W − E)	Mean of Group	Correction for Rate of W Clock	Corrns for Penl Equations $s_N - H_N = -0\,043 = 0$; $s_S - H_S = -0\,018 = 0$	$\Delta L + \rho$
					h m s	*s*	*s*			*h m s*	*s*	*s*	*m s*				
1888 Mar 25	4056	+ 22 43	N	I P W d c + 2 0 b − 0 1 a − 53 5 Q − 1 63	11 47 48 92	+0 20*	49 12	N	I P W d c + 2 2 b + 0 1 a − 5 1 Q − 1 72	11 56 10 56	−1 65	8 91	8 19 79	19,0	0 002	0 043	19,729
	4066	+ 22 5	N		50 21 35	+0 19*	21 54	N		58 42 93	−1 64	41 29	19 75	≡ 8	+	−	8
	4039	+ 4 6	S		11 44 20 42	−1 82	18 60	S		11 52 40 04	−1 68	38 36	8 19 76	19,37	0 002	0 018	19,71
	4049	+ 4 17	S		46 3 59	−1 82	1 77	S		54 23 23	−1 69	21 54	19 77	≡ 8	+	−	8
	4072	+ 9 21	S		51 21 04	−1 71	19 33	S		59 40 69	−1 68	39 01	19 68				
Mar 26	3932	+ 17 25	N	I P W d b 0 0 b − 0 5 a − 70 0 Q + 1 63	11 20 39 67	+1 68	41 35	N	I P W d c + 2 2 b − 0 1 a − 7 9 Q + 1 72	11 28 59 41	+1 79	61 20	8 19 85	19,860	0 000	0 043	19,817
	3937	+ 28 24	N		22 10 94	+2 02	12 96	N		30 30 99	+1 82	32 81	19 85	≡ 8		−	8
	3964	+ 1 59	N		26 44 47	+1 82	46 29	N		35 4 26	+1 82	6 08	19 79				
	3990	+ 20 51	N		33 59 37	+1 62	60 99	N		42 49 14	+1 80	20 94	19 95				
	3954	+ 8 45	S		11 24 28 33	+1 44	29 77	S		11 32 47 18	+1 76	49 54	8 19 77	19,780	0 000	0 018	19,62
	397	+ 5 22	S		28 11 03	+1 35	12 38	S		36 30 44	+1 74	32 18	19 80	≡ 8		−	8
	3975	− 6 3	S		29 59 63	+1 05	60 68	S		38 18 73	+1 72	20 45	19 77				
	3979	+ 8 53	S		31 17 95	+1 44	19 39	S		39 37 41	+1 76	39 17	19 78				
	4014	+ 16 4	N	Q − 1 63	11 38 50 21	−1 61	48 60	N	Q − 1 72	11 47 10 10	−1 66	8 44	8 19 84	19,825	0 000	0 043	19,82
	4031	+ 16 16	N		41 45 23	−1 61	43 62	N		50 5 08	−1 66	3 42	19 80	≡ 8		−	8
	4056	+ 22 43	N		47 50 23	−1 43	48 80	N		56 10 26	−1 64	8 62	19 82				
	4066	+ 22 5	N		50 22 64	−1 45	21 19	N		58 42 66	−1 63	41 03	19 84				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off and consequently in these cases Q = 0 00

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

BELLARY (E) Lat 15° 9', Long 5h 7m 52s: AND MANGALORE (W) Lat 12° 52' Long 4h 59m 35s

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction (W)	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $S_W - H_W = -0\ 043$, $S_S - H_S = -0\ 018$	ΔL + ρ
1688 Mar 26	4021	+ 5 30	S	I P W	11 40 10 55	− 1 91	8 64	S	I P W	11 48 30 15	− 1 69	28 46	8 19 82		19 7,5	0 000	0 018	19 ,57
	4039	+ 4 6	S	c 0 0, b − 0 5, a −70 0	44 20 19	− 1 94	18 25	S	c + 2 2, b − 0 1, a − 7 9	52 39 73	− 1 70	38 03	19 78					
	4049	+ 4 17	S		46 3 41	− 1 94	1 47	S		54 22 94	− 1 70	21 24	19 77	8 19 77			−	8
	4072	+ 9 21	S	Q − 1 63	51 20 80	− 1 80	19 00	S	Q − 1 72	59 40 41	− 1 68	38 73	19 73					
Mar 27	3932	+ 17 25	N	I P E	11 20 40 19	+ 1 54	41 73	N	I P W	11 28 59 82	+ 1 78	61 60	8 19 87		19 843	0 002	0 043	19 08
	3937	+ 28 24	N	c − 0 8, b − 5 4, a −51 8	22 11 56	+ 1 79	13 35	N	c + 2 2, b − 0 9, a − 4 7	30 31 34	+ 1 ,9	33 13	19 78					
	3964	+ 21 59	N		26 45 07	+ 1 6,	46 72	N		35 4 76	+ 1 ,8	6 54	19 82	8 19 90			−	8 19 08
	3990	+ 20 51	N	Q + 1 64	33 59 90	+ 1 51	61 41	N	Q + 1 ,3	42 19 53	+ 1 ,8	21 31	19 90					
	3954	+ 8 45	S		11 24 28 80	+ 1 37	30 17	S		11 32 48 2	+ 1 ,5	49 97	8 19 80		19 80,3	0 002	0 018	19 ,8,3
	3971	+ 5 22	S		28 11 43	+ 1 30	12 73	S		36 30 80	+ 1 75	32 55	19 82					
	3975	− 6 3	S		29 59 96	+ 1 08	61 04	S		38 19 11	+ 1 72	20 83	19 79	8 19 80			−	8 19 ,8,3
	39,9	+ 8 53	S		31 18 37	+ 1 37	19 74	S		39 3, 79	+ 1 75	39 54	19 80					
	4014	+ 16 4	N	Q − 1 64	11 38 50 77	− 1 76	49 01	N	Q − 1 73	11 47 10 50	− 1 69	8 81	8 19 80		19 813	0 002	0 043	19 68
	4031	+ 16 16	N		41 45 ,3	− 1 77	43 96	N		50 5 46	− 1 68	3 ,8	19 82					
	4056	+ 22 43	N		47 50 82	− 1 62	49 20	N		56 10 6,	− 1 68	8 99	19 79	8 19 84			−	8 19 68
	4066	+ 22 5	N		50 23 18	− 1 64	21 54	N		58 43 06	− 1 68	41 38	19 84					
	4021	+ 5 30	S		11 40 10 96	− 1 98	8 98	S		11 48 30 44	− 1 71	28 73	8 19 75		19 763	0 002	0 018	19 743
	4039	+ 4 6	S		44 20 59	− 2 00	18 59	S		52 40 09	− 1 72	38 37	19 ,8					
	4049	+ 4 17	S		46 3 84	− 2 00	1 84	S		54 23 33	− 1 72	21 61	19 77	8 19 ,5			−	8 19 743
	4072	+ 9 21	S		51 21 26	− 1 90	19 36	S		59 40 82	− 1 71	39 11	19 ,5					

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

199

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

MANGALORE (E) *Lat* 12° 52', *Long* 4ʰ 59ᵐ 43ˢ : AND BOMBAY (W) *Lat* 18° 54 *Long* 4ʰ 51ᵐ 25ˢ

Astronomical Date	BAC Number	Decli nation	Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correc tion (W)	Seconds of Correct ed Time (W)	By each Star (W−E)	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $H_M - S_M = + 0^s\ 0_43$ $H_S - S_S = + 0\ 0_18$	$\Delta L - \rho$
					h m s	s	s			h m s	s	s	m s				
1888 Apr 4	4010	+ 38 31	N	I P W	11 46 15 05	+2 04	37 09	N	I P W	11 54 42 91	+1 19	44 10	8 7 01				
	4018	+ 41 32	N	c + 2 3	48 5 08	+2 06	7 14	N	c − 0 9	56 13 06	+1 12	14 18	7 04	7 013	0 001	0 043	7 058
	4056	+ 22 43	N	b − 3 4 / a − 7 7	56 3 10	+1 98	5 68	N	b − 3 4 / a +30 4	12 4 11 23	+1 49	12 72	7 04	g 8	+	+	8
	4066	+ 22 5	N	Q + 1 88	58 36 12	+1 97	38 09	N	Q + 1 67	6 43 55	+1 50	45 05	6 96				
	4080	− 4 31	S		11 49 46 61	+1 88	48 49	S		11 57 53 57	+1 89	55 46	8 6 97				
	4039	+ 4 6	S		52 33 24	+1 90	35 14	S		12 0 40 37	+1 76	42 13	6 99	7 003	0 002	0 018	7 023
	4049	+ 4 17	S		54 16 42	+1 90	18 32	S		2 23 57	+1 7,	25 34	7 02	g 8	+	+	8
	4072	+ 9 21	S		59 33 91	+1 92	30 83	S		7 41 15	+1 71	42 86	7 03				
	4107	+ 26 30	N	Q − 1 88	12 6 17 60	−1 77	15 83	N	Q − 1ˢ67	12 14 24 78	−1 91	22 87	8 7 04				
	4127	+ 24 34	N		10 47 98	−1 ,8	46 20	N		18 55 07	−1 87	53 20	7 00	7 005	0 002	0 043	7 050
	4141	+ 23 39	N		13 47 21	−1 ,8	45 43	N		21 54 25	−1 86	52 39	6 96	g 8	+	+	8
	4156	+ 18 25	N		15 10 9,	−1 80	9 15	N		23 17 95	−1 ,8	16 17	7 02				
	4096	+ 6 26	S		12 4 28 44	−1 84	26 60	S		12 12 35 15	−1 61	33 54	8 6 94				
	4114	+ 10 53	S		7 51 21	−1 84	49 37	S		15 58 04	−1 66	56 38	7 01	6 968	0 003	0 018	6 998
	4134	− 3 20	S		12 32 09	−1 88	30 21	S		20 38 62	−1 46	37 16	6 95	g 8	+	+	8
	4168	+ 5 56	S		16 57 88	−1 84	56 04	S		25 4 62	−1 61	3 01	6 97				
Apr 7	4010	+ 38 31	N	I P W	11 46 33 87	+1 89	35 76	N	I P W	11 54 41 58	+1 27	42 85	8 7 09				
	4018	+ 41 32	N	c + 2 3	48 3 92	+1 91	5 83	N	c − 1 9	56 11 7,	+1 21	12 96	7 13	7 0,3	0 001	0 043	, 119
	4056	+ 22 43	N	b + 0 9 / a − 8 1	56 2 59	+1 81	4 40	N	b + 2 7 / a +41 9	12 4 9 87	+1 61	11 48	7 08	g 8	+	+	8
	4066	+ 22 5	N	Q + 1 70	58 34 98	+1 81	36 79	N	Q + 1 66	6 42 16	+1 62	43 ,8	6 99				
	4080	− 4 31	S		11 49 45 42	+1 72	47 14	S		11 57 52 19	+2 05	54 24	8 7 10				
	4039	+ 4 6	S		52 32 07	+1 74	33 81	S		12 0 38 99	+1 91	40 90	7 09	7 093	0 003	0 018	7 114
	4049	+ 4 17	S̄		54 1, 29	+1 74	17 03	S		2 22 18	+1 93	24 11	7 08	g 8	+	+	8
	4072	+ 9 21	S		59 32 7,	+1 76	34 53	S		7 39 78	+1 8,	41 63	7 10				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

MANGALORE (E) Lat 12° 52′, Long 4ʰ 59ᵐ 33ˢ AND **BOMBAY (W)** Lat 18° 54′, Long 4ʰ 51ᵐ 25ˢ

Astronomical Date	STAR BAC Number	Declination	Star Aspect	Transits Observed at E — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Transits Observed at W — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference (W − E) By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl. Equation $H_K − S_M = + 0 \cdot 043$ $H_S − S_S = + 0 \cdot 018$	ΔL − ρ
1888 Apr 7	4107	+ 26 30	N	I P W	12 6 16 09	− 1 57	14 52	N	I P W	12 14 23 33	− 1 78	21 55	8 7 03	7 033	0 003	0 043	7 079
	4127	+ 24 34	N	d, c + 2 3	10 46 44	− 1 58	44 86	N	d, c − 1 9	18 53 63	− 1 74	51 89	7 03				8
	4141	+ 23 39	N	b + 0 9, a − 8 1	13 45 66	− 1 58	44 08	N	b + 2 7, a + 41 9	21 52 86	− 1 74	51 12	7 04	8	+	+	8
				Q − 1 70					Q − 1 66								
	4114	+ 10 53	S		12 7 49 71	− 1 64	48 07	S		12 15 56 63	− 1 51	55 12	8 7 05	7 090	0 003	0 018	7 111
	4134	− 3 20	S		12 30 51	− 1 68	28 83	S		20 37 24	− 1 28	35 96	7 13	8	+	+	8
Apr 8	4018	+ 41 32	N	I P E	11 48 3 42	+ 1 90	5 32	N	I P E	11 56 11 06	+ 1 42	12 48	8 7 16	160	0 003	0 043	7 206
	4056	+ 22 43	N	d, c + 0 9	56 1 95	+ 1 84	3 79	N	d, c − 2 9	12 4 9 50	+ 1 49	10 99	7 20				8
	4066	+ 22 5	N	b + 2 6, a − 6 0	58 34 40	+ 1 83	36 23	N	b + 0 6, a + 8 3	6 41 85	+ 1 50	43 35	7 12	8	+	+	8
				Q + 1 71					Q + 1 61								
	4049	+ 4 17	S		11 54 14 66	+ 1 77	16 43	S		12 2 22 05	+ 1 58	23 63	8 7 20	7 185	0 003	0 018	7 206
	4072	+ 9 21	S		59 32 21	+ 1 80	34 01	S		7 39 61	+ 1 57	41 18	7 17	8	+	+	8
	4107	+ 26 30	N	Q − 1 71	12 6 15 53	− 1 57	13 96	N	Q − 1 61	12 14 22 94	− 1 74	21 20	8 7 24	7 257	0 003	0 043	7 303
	4127	+ 24 34	N		10 45 84	− 1 58	44 26	N		18 53 25	− 1 73	51 52	7 26				8
	4156	+ 18 25	N		15 8 83	− 1 60	7 23	N		23 16 21	− 1 71	14 50	7 21	8	+	+	8
	4096	+ 6 26	S		12 4 26 30	− 1 65	24 65	S		12 12 33 59	− 1 65	31 94	8 7 29	287	0 003	0 018	7 308
	4134	− 3 20	S		12 29 91	− 1 67	28 24	S		20 37 16	− 1 62	35 54	7 30				7
	4168	+ 5 56	S		16 55 74	− 1 63	54 11	S		25 3 03	− 1 65	1 38	7 27	8	+	+	8

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION
OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

261

MANGALORE (E) *Lat 12° 52′ Long 4ʰ 59ᵐ 83ˢ* AND BOMBAY (W) *Lat 18° 56′, Long 4ʰ 51ᵐ 28*

Astronomical Date	Star BAC Number	Star Declination	Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	Diff. of Corrected Times (W−E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $H_N - S_N = +0'·043$ $H_S - S_S = +0·018$	$\Delta L + \rho$
1888 **Apr 4**	4311	+ 38 8	N	I P W / d / c + 2 3 / b − 0 2 / a − 7 7 / Q + 1 88	*h m s* 12 36 39 37	+ 2 03	41 40	N	I P W / d / o − 0 9 / b − 3 4 / a + 36 4 / Q + 1 67	*h m s* 12 44 47 61	+ 1 21	48 82	*m s* 8 7 42	7 375	0 024	+ 0 043	7 394
	4351	+ 18 1	N		45 11 30	+ 1 96	13 26	N		53 19 02	+ 1 57	20 59	7 33	± 8	−	+	8
	4358	− 2 46	S		12 46 38 21	+ 1 88	40 09	S		12 54 45 56	+ 1 88	47 44	8 7 35	7 350 ± 8	0 024 −	+ 0 018 +	7 344 8
	4387	+ 21 45	N	Q − 1 88	12 52 45 67	− 1 79	43 88	N	Q − 1 61	13 0 53 04	− 1 82	51 22	8 7 34	7 3,0	0 024	0 043	7 399
	4406	+ 18 7	N		56 24 34	− 1 80	22 54	N		4 31 60	− 1 41	29 89	7 35	± 8	−	+	8
	4421	+ 28 27	N		58 30 76	− 1 77	28 99	N		6 38 30	− 1 89	36 41	7 42				
	4394	− 8 23	S		12 54 34 20	− 1 89	32 31	S		13 2 41 12	− 1 38	39 74	8 7 43	7 430 ± 8	0 024 −	+ 0 018 +	7 424 8
Apr 7	4285	+ 39 53	N	I P W / d / c + 2 3 / b + 0 9 / a − 8 1 / Q + 1 ,0	12 31 42 64	+ 1 91	44 55	N	I P W / d / o − 1 9 / b + 2 7 / a + 41 9 / Q + 1 66	12 39 50 69	+ 1 23	51 92	8 7 3i	7 363	0 025	+ 0 043	7 381
	4304	+ 28 10	N		35 51 24	+ 1 83	53 07	N		43 58 93	+ 1 50	60 43	7 36	± 8	−	+	8
	4351	+ 18 1	N		45 24 38	+ 1 81	26 19	N		53 31 85	+ 1 70	33 55	7 36				
	4267	+ 41 3	S		12 27 57 01	+ 1 77	58 ,8	S		12 36 4 31	+ 1 80	6 11	8 7 33	7 350	0 025	0 018	7 343
	4277	− 0 57	S		29 54 27	+ 1 73	56 00	S		38 1 35	+ 2 00	3 35	7 35	± 8	−	+	8
	4291	+ 6 34	S		33 22 32	+ 1 75	24 07	S		41 29 54	+ 1 89	31 43	7 36				
	4358	− 2 46	S		46 51 31	+ 1 72	53 03	S		54 58 37	+ 2 02	60 39	7 36				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

MANGALORE (E) *Lat* 12° 51′, *Long* 4ʰ 59ᵐ 33   AND BOMBAY (W) *Lat* 18° 54′ *Long* 4ʰ 51ᵐ 25ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Heavinds, with Telescope No 1				Star Aspect	TRANSITS OBSERVED AT W By Strahan, with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. for Pernl. Equations $H_N - S_N = +0$ ᵒ⁴³ $H_S - S_S = +0$ ᵒ¹⁸	$\Delta L + \rho$
	B A C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1868 Apr 7	4387	+ 21 45	N	I P W	h m s 12 52 58 41	s − 1 59	s 56 82	N	I P W	h m s 13 1 5 86	s − 1 70	s 4 16	m s 8 7 34		7 310	0 025	0 043	7 338
	4406	+ 18 7	N	d c + 2 3	56 17 12	− 1 60	15 52	N	d c − 1 9	4 44 43	− 1 64	42 79	7 27					
	4421	+ 28 27	N	b + 0 9 a − 8 1	58 43 53	− 1 55	41 98	N	b + 2 7 a + 41 9	6 51 11	− 1 82	49 29	7 31		$\bar{x} \bar{\alpha}$	−	+	8
	4458	+ 34 41	N	s Q − 1 70	13 5 21 34	− 1 53	19 81	N	s Q − 1 66	13 29 12	− 1 95	27 17	7 36					
	4394	− 8 23	S		12 54 46 99	− 1 70	45 29	S		13 2 53 84	− 1 22	52 62	8 7 33		7 343	0 025	0 018	7 336
	4431	+ 2 3	S		13 0 19 98	− 1 66	18 32	S		8 27 04	− 1 37	25 67	7 35					
	4436	+ 3 39	S		1 56 03	− 1 66	54 37	S		10 3 12	− 1 40	1 72	7 35		$\bar{x} \bar{\alpha}$	−	+	8
	4440	+ 10 0	S		3 17 77	− 1 64	16 13	S		11 24 97	− 1 50	23 47	7 34					
Apr. 8	4285	+ 39 53	N	I P E	12 31 47 12	+ 1 90	49 02	N	I P E	12 39 55 14	+ 1 43	56 57	8 7 55		7 528	0 026	0 043	7 545
	4304	+ 28 10	N	d c + 0 9	35 55 72	+ 1 85	57 57	N	d c − 2 9	44 3 61	+ 1 47	5 08	7 51					
	4311	+ 38 8	N	b + 2 6 a − 6 0	36 57 02	+ 1 89	58 91	N	b − 0 6 a + 8 3	45 5 04	+ 1 44	6 48	7 57		$\bar{x} \bar{\alpha}$	−	+	8
	4351	+ 18 1	N	s Q + 1 71	45 28 87	1 82	30 69	N	s Q + 1 61	53 36 66	+ 1 51	38 17	7 48					
	4267	+ 11 3	S		12 28 1 46	+ 1 81	3 27	S		12 36 9 2	+ 1 56	10 81	8 7 54		7 508	0 026	0 018	7 500
	4277	− 0 57	S		29 58 73	+ 1 78	60 51	S		38 6 37	+ 1 59	7 96	7 45					
	4291	+ 6 34	S		33 26 7	+ 1 7	28 54	S		41 34 52	+ 1 58	36 10	7 56		$\bar{x} \bar{\alpha}$	−	+	8
	4358	− 2 46	S		46 55 83	+ 1 75	57 58	S		55 3 46	+ 1 60	5 06	7 48					
	4387	+ 21 45	N	Q − 1 71	12 53 2 88	− 1 59	1 29	N	Q − 1 61	13 1 10 64	− 1 72	8 92	8 7 63		7 607	0 026	0 043	7 624
	4406	+ 18 7	N		56 41 58	− 1 60	39 98	N		4 49 26	− 1 71	47 55	7 57					
	4421	+ 28 27	N		58 47 98	− 1 57	46 41	N		6 55 18	− 1 75	54 03	7 62		$\bar{x} \bar{\alpha}$	−	+.	8
	4394	− 8 23	S		12 54 51 49	− 1 68	49 81	S		13 2 58 98	− 1 61	57 37	8 7 56		7 607	0 026	0 018	7 599
	4431	+ 2 3	S		13 0 24 46	− 1 66	22 80	S		8 32 08	− 1 64	30 44	7 64					
	4436	+ 3 39	S		1 60 48	− 1 65	58 83	S		10 8 09	− 1 64	6 45	7 62		$\bar{x} \bar{\alpha}$	−	+	8

Rate Corrections for both Clocks Deduced from Transits Observed at both Stations, *viz :*

a, Corrections for the Intervals between Nights of Observations and

β, Hourly Corrections for Nights of Observations, Interpolated by means of the Quantities a.

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	a at E Station for		a at W Station for		Astronomical Dates of Observations	β for		Correction to Observed Difference of Times of Transit for	
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Madras (E) and Bangalore (W)	10ᵐ 40	1887 88 December 13 to 14	− 0 30		− 0 59		1887 88 December 13	− 0 019		− 0 003	
		,, 14 17	− 1 77	− 50 79	− 1 59	− 56 51	,, 14	− 021	− 0 703	− 004	− 0 125
		17 19	− 1 00		− 0 68		,, 17	− 020		− 004	− 125
		,, 29 30	+ 0 20	+ 1 37	+ 0 14	+ 1 29	,, 19	− 018		− 003	+ 010
		Dec 30 to Jan 2	+ 0 06	+ 3 76	− 0 18	+ 3 56	,, 29	+ 007	+ 055	+ 001	+ 010
							,, 30	+ 003	+ 053	+ 001	+ 010
							January 2	− 001	+ 051	000	+ 009
Bangalore (E), and Nagarkoil (W)	0ᵐ 36	January 15 to 16	+ 1 37	− 0 18	+ 1 41	− 0 09	January 15	+ 0 058	− 0 006	+ 0 001	0 000
		,, 16 17	+ 1 38	− 0 20	+ 1 42	− 0 23	,, 16	+ 058	− 007	+ 001	000
		,, 17 18	+ 1 55	− 0 29	+ 1 48	− 0 29	,, 17	+ 061	− 011	+ 001	000
		,, 18 , 19	+ 1 56	− 0 92	+ 1 52	− 0 97	,, 18	+ 064	− 016	+ 001	000
		,, 19 20	+ 1 56	− 1 11	+ 1 72	− 0 94	,, 19	+ 066	− 041	+ 001	000
							20	+ 068	− 043	+ 001	000
Madras (E) and Nagarkoil (W)	11ᵐ 15	February 2 to 3	+ 1 22	+ 0 12	+ 0 98	− 0 08	February 2	+ 0 046	+ 0 001	+ 0 009	0 000
		,, 3 , 4	+ 1 13	− 0 02	+ 1 26	+ 0 02	,, 3	+ 048	000	+ 009	000
		4 5	+ 1 09	− 0 03	+ 1 18	+ 0 04	4	+ 049	000	+ 009	000
		5 6	+ 1 41	0 00	+ 1 33	− 0 09	,, 5	+ 052	− 001	+ 010	000
		6 7	+ 1 47	− 0 05	+ 1 32	− 0 14	, 6	+ 058	− 003	+ 011	− 001
							7	+ 058	− 004	+ 011	− 001
Nagarkoil (E) and Mangalore (W)	10ᵐ 21	February 18 to 19	0 00	+ 2 00	+ 0 29	+ 2 30	February 18	+ 0 006	+ 0 090	+ 0 001	+ 0 016
		,, 19 20		+ 2 57		+ 2 32	19	+ 006	+ 096	+ 001	+ 017
		,, 20 , 21		+ 2 77		+ 2 64	, 20		+ 107		+ 019
		,, 21 , 22		+ 2 72		+ 2 79	, 21		+ 114		+ 020
		,, 22 ,, 24	− 0 21	+ 5 38	− 0 22	+ 5 39	,, 22	− 005	+ 114	− 001	+ 020
		—					24	− 005	+ 112	− 001	+ 019

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	Rate Corrections for both Clocks Deduced from Transits Observed at both Stations, *vis :* a, Corrections for the Intervals between Nights of Observations and β, Hourly Corrections for Nights of Observations, Interpolated by means of the Quantities a.									
			a at E Station for		a at W Station for		Astronomical Dates of Observations	β for		Correction to Observed Difference of Times of Transit for	
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Madras (E) and Mangalore (W)	21ᵐ 36ˢ	1888 March 5 to 7	− 1 79	+ 1 27	− 1 96	+ 1 14	1888 March 5	− 0 039	+ 0 025	− 0 014	+ 0 009
		„ 7 „ 8	− 1 21	+ 0 66	− 1 19	+ 0 65	7	− 045	+ 026	− 016	+ 009
		„ 8 „ 9	− 1 41	+ 0 39	− 1 12	+ 0 76	„ 8	− 051	+ 026	− 018	+ 009
		„ 9 „ 10	− 0 63	+ 1 18	− 0 73	+ 1 02	„ 9	− 041	+ 035	− 015	+ 013
		„ 10 „ 12	− 0 97	+ 2 64	− 1 14	+ 2 45	„ 10	− 025	+ 049	− 009	+ 018
							„ 12	− 022	+ 053	− 008	+ 019
Bellary (E) and Mangalore (W)	8ᵐ 20ˢ	March 21 to 22	+ 3 45	+ 0 61	+ 3 45	+ 0 61	March 21	+ 0 144	+ 0 025	+ 0 020	+ 0 003
		„ 22 „ 23	+ 3 77	+ 0 48	+ 3 99	+ 0 56	22	+ 153	+ 024	+ 021	+ 003
		„ 23 „ 24		+ 0 45		+ 0 38	„ 23	+ 162	+ 020	+ 023	+ 003
		„ 24 „ 25		+ 0 50		+ 0 42	24		+ 018	+ 024	+ 003
		„ 25 „ 26		+ 0 36		+ 0 36	25		+ 017		+ 002
		„ 26 „ 27	+ 4 65	− 0 34	+ 4 54	− 0 36	26	+ 191	000	+ 027	000
							27	+ 191	− 015	+ 027	− 002
Mangalore (E) and Bombay (W)	8ᵐ 7ˢ	April 4 to 7	+ 1 29	− 13 03	+ 1 21	− 12 99	April 4	+ 0 017	− 0 181	+ 0 002	− 0 024
		„ 7 „ 8	+ 0 61	− 4 45	+ 0 44	− 4 66	7	+ 020	− 185	+ 003	− 025
							„ 8	+ 022	− 190	+ 003	− 026

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 295

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date	Instrumental Position at E	Instrumental Position at W	Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1887-88			m s	m s	m s	m s	m s	m s
December 13	I P E	I P E	10 39 228	10 39 247	} 10 39 217			
„ „	„	„	39 195	39 198	}			
„ 14	I P W	„	39 407	39 442	} 39 409	10 39 466	10 39 551	} 10 39 514
„ „	„	„	39 380	39 406	}	39 499	39 538	}
„ 17	„	I P W	39 387	39 357	} 39 384	39 481	39 523	} 39 481
„ „	„	„	39 400	39 392	}	39 433	39 488	}
„ 19	I P E		39 108	39 060	} 39 102	39 234	39 236	} 39 241
„ „	„	„	39 118	39 123	}	39 274	39 221	}
„ 29	„	I P E	39 250	39 234	} 39 193	39 348	39 386	} 39 283
„ „	„	„	39 092	39 194	}	39 176	39 223	}
„ 30	„	„	39 205	39 237	} 39 167	39 274	39 328	} 39 267
„ „	„	„	39 107	39 119	}	39 209	39 258	}
January 2	I P W	I P W	39 396	39 403	} 39 419	39 543	39 572	} 39 534
„ „			39 438	39 440	}	39 483	39 539	}
Means {	I P E	I P E	10 39 180	10 39 205	10 39 193	10 39 252	10 39 299	10 39 275
{	I P W	I P W	39 394	39 424	39 409	39 483	39 545	39 514
{		I P W	39 405	39 398	39 402	39 485	39 531	39 508
{	I P E	„	39 113	39 092	39 102	39 254	39 228	39 241
General Means			10 39 273	10 39 280	10 39 277	10 39 369	10 39 401	10 39 385

Whence $\quad \Delta L = \frac{1}{2} \{ (\Delta L - \rho) + (\Delta L + \rho) \} = 10^m + \frac{1}{2} (39^s 277 + 39^s 385) = 10^m 39^s 331,$

$\rho = \frac{1}{2} \{ (\Delta L + \rho) - (\Delta L - \rho) \} = \frac{1}{2} (39^s 385 - 39^s 277) = + 0^s 054$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ.

			BANGALORE (E), AND NAGARKOIL (W)					
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock $= \Delta L - \rho$			W Clock $= \Delta L + \rho$		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1888			m s	m s	m s	m s	m s	m s
January 15	I P W	I P W	o 35 765	o 35 623	} o 35 666	o 35 839	o 35 805	} o 35 806
, ,	,,	,,	35 695	35 581		35 819	35 760	
, 16	I P E	,,	35 650	35 576	} 35 583	35 827	35 675	} 35 713
,,	,,	,	35 543	35 563		35 734	35 614	
, 17	,,	I P E	35 650	35 525	} 35 581	35 759	35 742	} 35 776
,	,,	,	35 597	35 553		35 822	35 780	
, 18	I P W	,	35 715	35 653	} 35 687	35 887	35 780	} 35 789
,, ,,	,,	,,	35 655	35 603		35 809	35 680	
, 19	,,	I P W	35 743	35 696	} 35 716	35 907	35 827	} 35 832
,,	,,	,	35 748	35 678		35 809	35 784	
20	I P E	,,	35 630	35 568	} 35 622	35 809	35 777	} 35 785
,, ,,	,	,,	35 670	35 618		35 757	35 795	
Means	I P W	I P W	o 35 738	o 35 645	o 35 691	o 35 844	o 35 794	o 35 819
	I P E	,,	35 613	35 581	35 602	35 782	35 715	35 749
	,	I P E	35 624	35 539	35 581	35 791	35 61	35 776
	I P W	,	35 685	35 628	35 657	35 848	35 730	35 789
General Means			o 35 668	o 35 598	o 35 633	o 35 816	o 35 750	o 35 783

Whence $\quad \Delta L = \frac{1}{2} \left\{ (\Delta L - \rho) + (\Delta L + \rho) \right\} = 0^m + \frac{1}{2} (35^s 633 + 35^s 783) = 0^m 35^s 708,$

$\rho = \frac{1}{2} \left\{ (\Delta L + \rho) - (\Delta L - \rho) \right\} = \frac{1}{2} (35^s 783 - 35^s 633) = + 0^s 075$

*

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 207

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

	Instrumental Position at		Apparent Difference of Longitude by Observations with					
Astronomical Date			E Clock = $\Delta L - \rho$			W Clock = $\Delta L + \rho$		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
			m s	*m s*	*m s*	*m s*	*m s*	*m s*
1888 February 2	I P E	I P E	11 14 949	11 14 940	11 14 923	11 15 021	11 14 911	11 14 983
" "		"	14 835	14 967		15 018	14 981	
" 3	I P W	"	15 125	15 027	15 092	15 213	15 216	15 193
" "	"		15 235	14 980		15 198	15 146	
" 4	,	I P W	15 075	14 970	15 041	15 191	15 108	15 150
"	,		15 092	15 027		15 178	15 121	
" 5	I P E		14 818	14 726	14 800	14 893	14 886	14 925
" "	"	,	14 806	14 848		14 926	14 993	
" 6	"	I P E	14 852	14 827	14 881	14 962	14 995	15 007
, "	,	,	14 952	14 892		15 017	15 055	
" 7	I P W	"	15 009	14 912	15 006	15 175	15 192	15 167
, ,	,	"	15 119	14 982		15 127	15 172	
Means	I P E	I P E	11 14 897	11 14 907	11 14 902	11 15 005	11 14 986	11 14 995
	I P W		15 122	14 975	15 049	15 178	15 182	15 180
		I P W	15 084	14 999	15 041	15 185	15 115	15 150
	I P E		14 812	14 787	14 800	14 910	14 940	14 925
General Means			11 14 9,9	11 14 917	11 14 948	11 15 070	11 15 056	11 15 063

Whence $\quad \Delta L = \tfrac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 11^m + \tfrac{1}{2}(14^s 948 + 15^s 063) = 11^m 15^s 006,$

$\rho = \tfrac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \tfrac{1}{2}(15^s 063 - 14^s 948) = + 0^s 058$

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date		Instrumental Position at		Apparent Difference of Longitude by Observations with					
				E Clock = $\Delta L - \rho$			W Clock = $\Delta L + \rho$		
		E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1888				m s	m s	m s	m s	m s	m s
February	18	I P E	I P E	10 21 138	10 21 131	10 21 107	10 21 226	10 21 241	10 21 191
,	,,	,,	,,	21 103	21 056		21 163	21 133	
,	19	I P W	,	21 021	21 043	21 027	21 154	21 152	21 097
	,,	,,	,	21 031	21 013		21 034	21 049	
,,	20	,,	I P W				21 169	21 181	21 197
,	,	,	,				21 209	21 229	
,,	21	I P E	,,				21 250	21 262	21 252
,,	,	,	,,				21 255	21 242	
,,	22	,,	,,	21 091	21 184	21 161	21 217	21 229	21 257
,,	,	,	,,	21 181	21 189		21 294	21 289	
,	24	I P W	,	21 101	21 114	21 101	21 219	21 219	21 183
,	,	,	,	21 079	21 111		21 141	21 151	
Means		I P E	I P E	10 21 121	10 21 094	10 21 107	10 21 195	10 21 187	10 21 191
		I P W	,,	21 026	21 028	21 027	21 094	21 101	21 097
		,	I P W	21 090	21 113	21 101	21 185	21 195	21 190
		I P E	,,	21 136	21 187	21 161	21 254	21 256	21 255
General Means				10 21 093	10 21 105	10 21 099	10 21 182	10 21 185	10 21 183

Whence $\qquad \Delta L = \frac{1}{2} \left\{ (\Delta L - \rho) + (\Delta L + \rho) \right\} = 10^{m} + \frac{1}{2} (21^{s} 099 + 21^{s} 183) = 10^{m} 21^{s} 141,$

$\qquad\qquad\qquad \rho = \frac{1}{2} \left\{ (\Delta L + \rho) - (\Delta L - \rho) \right\} = \frac{1}{2} (21^{s} 183 - 21^{s} 099) = + 0^{s} 042$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 209

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

MADRAS (E) AND MANGALORE (W)

Astronomical Date	Instrumental Position at E	Instrumental Position at W	E Clock = ΔL − ρ — By N Stars	E Clock — By S Stars	E Clock — Means	W Clock = ΔL + ρ — By N Stars	W Clock — By S Stars	W Clock — Means
			m s	m s	m s	m s	m s	m s
1888 March 5	I P E	I P W	21 35 996	21 35 958	21 35 988	21 35 994	21 36 079	21 36 037
" "	,	"	35 981	36 015		35 984	36 091	
" 7	I P W	"	36 181	36 259	36 231	36 356	36 294	36 280
" "	"	"	36 231	36 254			36 191	
" 8	"	I P E	36 134	36 194	36 164	36 226	36 286	36 264
" "	"					36 256	36 289	
" 9	I P E	"	35 837	35 814	35 891	36 040	36 048	36 048
" "	"	"	35 935	35 977		36 100	36 005	
" 10	"	I P W	36 023	36 016	36 026	36 103	36 105	36 128
" "	,	"	36 023	36 041		36 175	36 128	
" 12	I P W	"	36 214	36 202	36 208	36 426	36 341	36 401
" "	"	"				36 399	36 438	
Means	I P E	I P W	21 36 006	21 36 008	21 36 007	21 36 064	21 36 101	21 36 082
	I P W	"	36 209	36 238	36 223	36 394	36 316	36 355
	"	I P E	36 134	36 194	36 164	36 241	36 288	36 264
	I P E	"	35 886	35 896	35 891	36 070	36 027	36 048
General Means			21 36 059	21 36 084	21 36 071	21 36 192	21 36 183	21 36 187

Whence

$$\Delta L = \tfrac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 21^m + \tfrac{1}{2}(36^s\ 071 + 36^s\ 187) = 21^m\ 36^s\ 129,$$

$$\rho = \tfrac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \tfrac{1}{2}(36^s\ 187 - 36^s\ 071) = +\ 0^s\ 058$$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date		Instrumental Position at		Apparent Difference of Longitude by Observations with					
				E Clock = $\Delta L - \rho$			W Clock = $\Delta L + \rho$		
		E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1888				m s	m s	m s	m s	m s	m s
March	21	*I P E*	*I P E*	8 19 555	8 19 467	8 19 512	8 19 645	8 19 658	8 19 643
„	„		,	19 524	19 500		19 640	19 628	
„	22		„	19 531	19 568	19 560	19 723	19 698	19 674
„	„	„	,	19 558	19 581		19 628	19 645	
„	23		„	19 448	19 462	19 471	19 673	19 653	19 682
„	„		,	19 480	19 495		19 693	19 710	
,	24	*I P W*	„		19 586	19 586	19 640	19 715	19 671
		,	„				19 657	19 673	
	25	,	*I P W*			19 715	19 689	19 721	19 715
,					.		19 729	19 721	
	26			19 617	19 619	19 629	19 817	19 762	19 780
		„		19 647	19 632		19 782	19 757	
,	27	*I P E*		19 652	19 667	19 639	19 798	19 783	19 773
,	,			19 604	19 632		19 768	19 743	
Means		*I P E*	*I P E*	8 19 516	8 19 512	8 19 514	8 19 667	8 19 665	8 19 666
		I P W			19 586	19 586	19 649	19 694	19 671
		,	*I P W*	19 632	19 626	19 629	19 734	19 740	19 747
		I P E	,	19 628	19 650	19 639	19 783	19 763	19 773
General Means				8 19 592	8 19 593	8 19 592	8 19 713	8 19 716	8 19 714

Whence

$$\Delta L = \tfrac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 8^m + \tfrac{1}{2}\left(19^s 592 + 19^s 714\right) = 8^m 19^s 653,$$

$$\rho = \tfrac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \tfrac{1}{2}\left(19^s 714 - 19^s 592\right) = + 0^s 061$$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 277

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

MANGALORE (E) AND BOMBAY (W)								
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
			m s	m s	m s	m s	m s	m s
1888 April 4	I P W	I P W	8 7 0,8	8 7 023	} 8 7 030	8 7 394	8 7 344	} 8 7 388
			7 050	6 988		7 389	7 424	
7			7 119	7 114	} 7 106	7 381	7 343	} 7 350
			7 079	7 111		7 338	7 336	
8	I I E	I P E	7 206	7 206	} 7 256	7 545	7 500	} 7 567
			7 303	7 308		7 624	7 599	
Means {	I P W I I E	I P W I P E	8 7 077 7 255	8 7 0,9 7 257	8 7 068 7 256	8 7 376 7 585	8 7 362 7 550	8 7 369 7 567
General Means			8 7 166	8 7 158	8 7 162	8 7 481	8 7 456	8 7 468

Whence $\Delta L = \tfrac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 8^m + \tfrac{1}{2}(7^s\ 162 + 7^s\ 468) = 8^m\ 7^s\ 315,$

$\rho = \tfrac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \tfrac{1}{2}(7^s\ 468 - 7^s\ 162) = +\ 0^s\ 153$

ELECTRO-TELEGRAPHIC LONGITUDES

1889-90.

INDIAN ARCS.

ABSTRACT OF THE OBSERVATIONS

AND

REDUCTION OF THE .RESULTS.

NOTE

~~~~~~~~~

The Explanation of *Table I*, given on page 2, applies equally to the observations of 1889 90, in which the same Telescopes were used with the same Micrometers and the same wire systems

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_2	o_1	o	M	b				C_0	C	o_1	o	M	b	
			d	d	d	d	d	d				d	d	d	d	d	d	
1889 Nov 15		I P E	40 6				42 0				I P W	61 6				60 7		
			40 6	40 0	-3 0	-3 8	43 0	-6 2				64 4	60 0	-1 6	-2 4	58 7	-1 4	
			39 2				44 6					62 3				61 1		
,, 16		I P W	33 5				34 0				I P W	61 5				59 5		
			35 8	40 0	+3 0	+2 2	33 9	-3 3				62 0	60 0	-1 6	-2 4	59 1	-2 0	
			36 2				33 2					62 7				60 3		
,, 17		I P W	34 8				30 9				I P E	61 4				58 3		
			34 0	40 0	+3 0	+2 2	31 1	-3 9				59 3	60 0	+1 6	+0 8	58 0	+3 4	
			34 2				31 2					60 6				58 2		
,, 18	AGRA (Telescope No 1)	I P E	41 0				38 1		Mean C I P E = 39 6 I P W = 34 3 General Mean = 37 0	MOOLTAN (Telescope No 2)	I P E	61 1				59 0		Mean C_0 I P E = 60 4 I P W = 62 7 General Mean = 61 6
			38 2	40 0	-3 0	-3 8	36 2	-0 2				61 0	60 0	+1 6	+0 8	58 3	+2 6	
,, 19		I P E	40 0				40 0				I P E	59 3				59 7		
			39 2	40 0	-3 0	-3 8	40 3	-4 4				60 8				57 6		
			39 7				43 8					60 4	60 0	+1 6	+0 8	58 6	+3 3	
,, 20		I P E	37 8				40 2					61 9				58 6		
			39 7	40 0	-3 0	-3 8	40 8	-3 5			I P W	62 1				63 2		
			40 0				40 4					62 9	60 0	-1 6	-2 4	65 5	+3 0	
,, 21		I P W	34 0				37 0					60 7				65 0		
			33 9	40 0	+3 0	+2 2	35 4	-1 4			I P W	63 6				63 4		
			34 8				34 5					64 2	60 0	-1 6	-2 4	65 0	+2 8	
,, 22		I P W	32 8				36 2					62 9				64 9		
			34 3	40 0	+3 0	+2 2	35 7	-1 3			I P E	58 1				58 3		
			33 4				35 3					60 2	60 0	+1 6	+0 8		+3 3	
												60 3				58 2		
Dec 1		I P E	39 6				40 7				I P W	58 0				58 9		
			41 5	40 0	-1 9	-2 7	43 1	-4 5				59 7	60 0	-0 6	-1 4	60 0	-1 3	
			39 1				44 1					58 0				58 9		
,, 2	AGRA (Telescope No 1)	I P W	35 9				35 9		Mean C I P E = 40 0 I P W = 36 1 General Mean = 38 1	KARACHI (Telescope No 2)	I P W	60 1				59 9		Mean C I P E = 61 6 I P W = 59 5 General Mean = 60 6
			36 9	40 0	+1 9	+1 1	35 9	-3 1				58 5	60 0	-0 6	-1 4	59 4	-1 3	
			38 0				33 3					59 6				58 6		
,, 3		I P W	35 7				35 4				I P E	62 7				60 3		
			35 3	40 0	+1 9	+1 1	34 9	-3 2				61 5	60 0	+0 6	-0 2	60 3	0 0	
			34 9				34 5					61 2				61 2		
,, 4		I P E	40 8				39 6				I P E	62 2				62 0		
			41 7	40 0	-1 9	-2 7	41 3	-3 0				62 6	60 0	+0 6	-0 2	63 9	-2 4	
			38 9				42 5					60 5				63 0		

Left half:

Astronl Date	Station	Instrumental Position	C_0	C	c_1	c	M	b	Remarks
1889 Dec 5	AGRA (Telescope No 1)	I P E	38 8				40 1		
			39 0	40 0	-1 9	-2 7	40 9	-3 0	Mean C
			40 4				42 3		I P E = 40 0
,, 6		I P W	35 9				37 1		I P W = 36 1
			36 2	40 0	+1 9	+1 1	35 8	-2 2	General Mean = 38 1
			36 4				34 9		
Dec 28	AGRA (Telescope No 1)	I P E	38 4				41 3		
			41 1	40 0	-2 3	-3 1	40 5	-3 7	
			38 6				42 5		
,, 29		I P W	34 8				36 4		
			36 2	40 0	+2 3	+1 5	35 2	-1 7	
			37 1				36 4		
30		I P W	38 5				33 8		Mean C₀
			37 1	40 0	+2 3	+1 5	33 5	-4 5	I P E = 39 0
			36 8				32 4		I P W = 36 4
,, 31		I P W	36 0				38 1		General Mean = 37 7
			35 2	40 0	+2 3	+1 5	37 5	+0 3	
			35 6				38 3		
1890 Jan 1		I P E	39 6				41 2		
			37 3	40 0	-2 3	-3 1	40 5	-3 4	
			38 2				41 7		
,, 2		I P E	39 9				39 9		
			39 1	40 0	-2 3	-3 1		-3 9	
			38 9				43 3		
Jan 15	KALIANPUR (Telescope No 2)	I P W	55 2				55 7		
			56 3	55 0	-1 0	-1 8	55 5	-0 6	
			56 9				55 1		Mean C
,, 17		I P W	55 3				54 9		I P E = 56 2
			56 6	55 0	-1 0	-1 8	54 8	-1 5	I P W = 55 8
			55 9				53 7		General Mean = 56 0
,, 18		I P E	55 2				56 1		
			56 1	55 0	+1 0	+0 2	55 4	+0 2	
			56 3				55 8		

Right half:

Station	Instrumental Position	C_0	C_0	c_1	c	M	b	Remarks
KARACHI (Telescope No 2)	I P E	61 5				64 2		
		60 9	60 0	+0 6	-0 2	64 1	-4 2	Mean C₀
		61 4				66 0		I P E = 61 6
	I P W	60 0				58 2		I P W = 59 5
		60 2	60 0	-0 6	-1 4	58 1	-2 5	General Mean = 60 6
		61 2				58 0		
KALIANPUR (Telescope No 2)	I P W	56 9				59 0		
		55 9	60 0	+2 7	+1 9	59 7	+2 2	
		57 1				59 7		
	I P W	56 4				60 8		
		56 3	60 0	+2 7	+1 9	59 7	+3 3	
		56 8				61 2		
	I P E	57 4				60 0		Mean C₀
		57 9	60 0	-2 7	-3 5	60 1	-3 0	I P E = 57 9
		58 3				60 8		I P W = 56 6
	I P E	57 6				60 1		General Mean = 57 3
		57 8	60 0	-2 7	-3 5	60 5	-3 2	
		58 0				60 9		
	I P E	58 0				60 2		
		58 5	60 0	-2 7	-3 5	60 6	-3 1	
		57 5				60 5		
	I P W	55 3				59 1		
		57 0	60 0	+2 7	+1 9	59 0	+1 8	
		57 6				59 2		
BOMBAY (Telescope No 1)	I P E	36 5				34 2		
		37 5	35 0	+0 9	+0 1	34 6	+1 3	
		37 1				34 9		Mean C₀
	I P W	35 8				37 1		I P E = 36 7
		34 8	35 0	-0 9	-1 7	37 3	+1 3	I P W = 35 1
		34 7				37 1		General Mean = 35 9
	I P W	34 2				37 2		
		34 3	35 0	-0 9	-1 1	37 1	+1 2	
		35 4				37 0		

Astronl Date	Station	Instrumental Position	Collimation C_0	C_0	c_1	o	Level M	b	Remarks	Station	Instrumental Position	Collimation C_0	C	c_1	o	Level M	b	Remarks
			d	d	d	d	d	d				d	d	d	d	d	d	
1890 Jan 19		IPE	55 9				55 6				IPE	37 0				37 0		
			56 6	55 0	+1 0	+0 2	54 7	+0 5				37 3	35 0	+0 9	+0 1	38 0	−2 0	
			56 2				56 2					37 3				38 6		
„ 20		IPE	56 3				55 6		Mean C_0		IPE	35 7				36 8		Mean C_0
	KAIIANPUR (Telescope No 2)		56 6	55 0	+1 0	+0 2	54 3	+1 1	$IPE = 56\ 2$	BOMBAY (Telescope No 1)		36 6	35 0	+0 9	+0 1	37 3	−1 5	$IPE = 36\ 7$
			57 0				54 8		$IPW = 55\ 8$			35 6				38 0		$IPW = 35\ 1$
„ 21		IPW	55 5				53 7		General Mean $= 56\ 0$		IPW	35 9				37 0		General Mean $= 35\ 9$
			56 3	55 0	−1 0	−1 8	54 0	−2 0				36 4	35 0	−0 9	−1 7	37 0	+1 1	
			54 5				54 2					34 6				37 0		
Feb 4		IPE	34 6				32 0				IPW	59 2				54 6		
			33 2	40 0	−3 6	−4 4	31 6	+5 1				58 1	60 0	+2 3	+1 5	54 5	−3 1	
			32 9				30 3					58 6				54 8		
„ 5		IPW	38 3				39 8				IPW	57 6				55 5		
			36 5	40 0	+3 6	+2 8	38 5	+3 1				57 4	60 0	+2 3	+1 5	56 8	−1 5	
			40 1				40 3					56 9				56 4		
„ 6		IPW	37 2				38 8		Mean C_0		IPE	57 7				60 7		Mean C_0
	JUBBULPORE (Telescope No 1)		39 2	40 0	+3 6	+2 8	38 2	+1 9	$IPE = 33\ 8$	KALIANPUR (Telescope No 2)		58 2	60 0	−2 3	−3 1	60 2	−3 1	$IPE = 57\ 7$
			39 4				37 9		$IPW = 39\ 0$			56 5				61 4		$IPW = 57\ 6$
„ 7		IPE	34 9				34 8		General Mean $= 36\ 4$		IPE	57 8				57 4		General Mean $= 57\ 7$
			34 0	40 0	−3 6	−4 4	35 3	+1 6				58 5	60 0	−2 3	−3 1	57 0	+0 3	
			33 7				34 3					57 2				57 8		
„ 8		IPE	33 8				31 1				IPE	57 3				57 3		
			34 2	40 0	−3 6	−4 4	31 1	+5 3				58 4	60 0	−2 3	−3 1	56 6	+0 8	
			32 5				31 2					57 6				56 9		
„ 9		IPW	39 9				36 7				IPW	57 8				57 1		
			41 9	40 0	+3 6	+2 8	35 2	−1 0				51 6	60 0	+2 3	+1 5	57 5	−0 6	
			38 5				34 3					55 9				56 7		
												55 8						
Mar 24		IPE	34 4				34 2		Mean C_0		IPE	66 3				60 9		Mean C_0
	MOOLTAN (Telescope No 1)		32 7	35 0	−3 5	−4 3	33 3	−2 1	$IPE = 33\ 5$	QUETTA (Telescope No 2)		65 9	60 0	+7 0	+6 2	60 9	+6 0	$IPE = 66\ 5$
			33 4				33 4		$IPW = 29\ 5$			66 4				61 3		$IPW = 67\ 5$
„ 27		IPW	30 2				28 1		General Mean $= 31\ 5$		IPE	66 5				61 8		General Mean $= 67\ 0$
			29 4	35 0	+3 5	+2 7	27 9	−3 1				66 8	60 0	+7 0	+6 2	62 3	+4 4	
							29 1					66 7				63 7		

(All numeric values are in the unit marked *d* at the head of each column.)

Astronl Date	Station	Instrumental Position	C_0	C_s	c_1	c	M	b	Remarks	Station	Instrumental Position	C_0	C_s	c_1	c	M	b	Remarks
1890 Mar 28	MOOLTAN (Telescope No 1)	I P W	29 9				28 0			QUETTA (Telescope No 2)	I P W	66 9				65 1		
			28 5	35 0	+3 5	+2 7	29 5	-2 7				65 8	60 0	-7 0	-7 8	64 0	-2 7	
												66 6				63 8		
" 30		I P E	32 2				34 7		Mean C_0; I P E = 33 5; I P W = 29 5; General Mean = 31 5		I P W	68 2				63 3		Mean C_0; I P E = 66 5; I P W = 67 5; General Mean = 67 0
			33 8	35 0	-3 5	-4 3	34 3	-3 0				68 2	60 0	-7 0	-7 8	62 1	-4 2	
												69 3				63 1		
" 31		I P E	33 3				34 3				I P W	67 2				63 1		
			34 3	35 0	-3 5	-4 3	34 9	-3 1				67 1	60 0	-7 0	-7 8	62 4	-4 5	
												67 8				62 0		
Apr 7	KARACHI (Telescope No 1)	I P E	20 5				18 4			QUETTA (Telescope No 2)	I P E	63 8				61 8		
			21 6	20 0	-0 3	-1 1	20 1	+0 4				63 3	60 0	+6 2	+5 4	61 4	+4 7	
												64 6				61 3		
" 8		I P W	20 5				19 4				I P E	64 3				62 4		
			20 4	20 0	+0 3	-0 5	17 4	-1 3				64 0	60 0	+6 2	+5 4	60 3	+4 7	
												63 8				61 7		
" 9		I P W	17 8				19 0		Mean C; I P E = 20 1; I P W = 19 3; General Mean = 19 7		I P W	67 6				60 4		Mean C; I P E = 64 0; I P W = 68 4; General Mean = 66 2
			18 5	20 0	+0 3	-0 5	19 7	-0 3				67 0	60 0	-6 2	-7 0	59 5	-6 3	
												67 8				59 8		
10		I P E	20 2				16 2				I P W	68 9				61 2		
			19 2	20 0	-0 3	-1 1	17 3	+2 9				68 9	60 0	-6 2	-7 0	58 9	-6 1	
												69 9				60 2		
, 11		I P E	18 6				15 4				I P E	61 4				60 4		
			20 1	20 0	-0 3	-1 1	16 3	+3 8				62 7				61 6		
												64 5	60 0	+6 2	+5 4	61 9	+4 9	
												63 3						
12		I P W	18 9				19 8				I P E	64 6				66 2		
			19 6	20 0	+0 3	-0 5	18 8	-0 4				64 2	60 0	+6 2	+5 4	65 4	+0 2	
												66 1				66 3		

Arc: AGRA (E) AND MOOLTAN (W)
Station: AGRA (Latitude 27 10)

Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant Δ	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
1889		E	1,9 Gr 72	U	6	−0 078	*h m s* 1 51 32 1	−0 39	−0 40	+1 67		32 98	*h m s* 1 51 52 8	*m s* +0 19 82	*d*	*d*
Nov 15	*I P E*	,	1324 „	L	5	+0 091	2 27 22 5	+0 36	+0 14	−1 67	+0 23	21 56	2 27 40 4	+0 18 84	−5 8	
		W	Groom 2283	L	2	+0 497	2 45 50 7	+2 08	+1 43	+1 67		55 88	3 12 29 5	+26 33 62	+3 2	−1 0
		,	326 Gr 72	U	2	−0 298	3 4 16 4	−1 32	−1 10	+1 67	−0 09	15 56	3 30 46 6	+26 31 04	−0 4	
			1424 „	L	6	+0 105	3 21 25 0	+0 41	+0 18	−1 67	−0 18	23 74	3 47 54 6	+26 30 86		
		E	179 Gr 72	U	6	−0 078	1 51 22,3	+0 22	−0 21	+1 60		23 91	1 51 52 8	+0 28 89	*Rejected*	
, 16	*I P W*		1324 „	L	2	+0 091	2 26 49 3	−0 21	+0 0,	−1 60	+0 23	47 ,9	2 27 40 4	+0 52 61		+15 ,
		W	Groom 2283	L	2	+0 497	2 45 57 9	−1 30	+0 ,6	1 60		59 06	3 12 29 6	+26 30 54	+15 0	
			326 Gr 72	U	2	−0 298	3 4 26 3	+0 76	−0 59	+1 60	−0 09	27 98	3 30 46 6	+26 18 62	+16 4	
		„	1424 „	L	6	+0 105	3 21 31 3	−0 24	+0 10	−1 60	−0 18	29 38,	3 47 54 6	+26 25 22		
		E	179 Gr 72	U	7	−0 0,8	1 51 13 6	+0 22	−0 38	+1 60		15 04	1 51 52 8	+0 37 ,6	+7 0	
17	*I P W*		1324 „	L	3	+0 091	2 27 2 9	−0 21	+0 13	−1 60	+0 23	1 45	2 27 40 4	+0 38 95		+14 0
		W	326 „	U	2	−0 298	3 4 35 7	+0 76	−1 05	+1 60		37 01	3 30 46 7	+26 9 69	+21 0	
		,	1424 „	L	6	+0 105	3 21 38 2	−, 24	+0 17	−1 60	−0 09	36 44	3 47 54 6	+26 18 16		
		E	179 Gr 72	U	7	−0 0,8	1 50 57 7	−0 39	−0 01	+1 60		58 90	1 51 52 8	+0 53 90	−73 9	−73 9
18	*I P E*		1324 „	L	5	+0 091	2 27 0 0	+0 36	0 00	−1 60	+0 23	58 99	2 27 40 4	+0 41 41		
		E	179 Gr 72	U	6	−0 078	1 50 54 2	−0 39	−0 29	+1 60		55 12	1 51 52 7	+0 57 58	−5 1	
„ 19	*I P E*	,	1324 „	L	4	+0 091	2 26 44 6	+0 36	+0 10	−1 60	+0 23	43 69	2 27 40 4	+0 56 71		−1 9
		W	326 „	U	2	−0 298	3 4 46 9	−1 32	−0 ,8	+1 60		46 40	3 30 46 8	+26 0 40	+1 4	
		„	1424 „	L	5	+0 10,	3 21 54 7	+0 41	+0 13	−1 60	−0 09	53 55	3 4, 54 5	+26 0 95		
		E	179 Gr 72	U	7	−0 078	1 50 45 4	−0 39	−0 23	+1 61		46 39	1 51 52 7	+1 6 31	+7 3	
„ 20	*I P E*		1324 „	L	4	+0 091	2 26 33 9	+0 36	+0 08	−1 61	+0 23	32 96	2 27 40 5	+1 7 54		+12 3
		W	326 „	U	2	−0 298	3 4 59 0	−1 32	−0 62	+1 61		58 67	3 30 46 8	+25 48 13	+17 3	
		,	1424 ,	L	5	+0 105	3 22 0 6	+0 41	+0 10	−1 61	−0 09	59 41	3 47 54 5	+25 55 09		
		W	326 Gr 72	U	1	−0 298	3 4 57 7	+0 76	−0 25	+1 54		59 75	3 30 46 9	+25 47 15	−3 0	−3 0
„ 21	*I P W*	„	1424 „	L	5	+0 105	3 22 10 4	−0 24	+0 04	−1 54	−0 09	8 57	3 47 54 5	+25 45 93		
		E	179 Gr 72	U	4	−0 0,8	1 50 25 3	+0 22	−0 08	+1 51		26 95	1 51 52 7	+1 25 75	−6 4	
„ 22	*I P W*	‑	1324 „	L	5	+0 091	2 26 17 3	−0 21	+0 0,	−1 51	+0 23	15 84	2 27 40 5	+1 24 66		−5 6
		W	326 „	U	2	−0 298	3 5 3 8	+0 76	−0 23	+1 51		5 84	3 30 46 9	+25 41 06	−4 9	
		„	1424 „	L	5	+0 105	3 22 17 2	−0 24	+0 04	−1 51	−0 09	15 40	3 47 54 5	+25 39 10		

TABLE II DEDUCTION OF DEVIATION CORRECTION, *a*, FROM STAR OBSERVATIONS

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Correction	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
		1889							*h m s*	*s*	*s*	*s*	*s*	*s*	*h m s*	*m s*	*d*	*d*
				E	179 Gr 72	U	0	−0 075							1 51 52 8			
				„	1324 „	L	5	+0 090	2 53 43 1	+0 23	+0 04	−1 71		41 66	2 27 40 4	−26 1 26		−11 4
		Nov 15	I P W	W	Groom 2283	L	3	+0 484	3 12 16 6	+1 32	+0 36	+1 71		19 99	3 12 29 1	+0 9 51	−8 1	
				„	326 Gr 72	U	6	−0 288	3 30 30 3	−0 83	−0 27	+1 71	−0 09	30 82	3 30 46 6	+0 15 78	−14 6	
				„	1424 „	L	5	+0 103	3 47 46 1	+0 26	+0 05	−1 71	−0 18	44 52	3 47 54 6	+0 10 08		
				E	179 Gr 72	U	1	−0 075	2 17 41 2	−0 24	−0 14	+1 71		42 53	1 51 52 8	−25 49 73		
				„	1324 „	L	5	+0 090	2 53 34 0	+0 23	+0 0	−1 71	+0 23	32 80	2 27 40 4	−25 52 40	−16 2	
		„ 16	I P W	W	Groom 283	L	3	+0 484	3 12 26 2	+1 32	+0 51	+1 71		29 74	3 12 29 6	−0 0 14	−9 1	−12 1
				U	326 Gr 72	U	1	−0 288	3 30 39 3	−0 83	−0 39	+1 71	−0 09	39 70	3 30 46 6	+0 6 90	−11 1	
				„	1424 „	L	5	+0 103	3 47 53 6	+0 26	+0 0	−1 71	−0 18	52 04	3 47 54 6	+0 2 56		
				E	179 Gr 72	U	7	−0 075	2 47 31 2	+0 08	+0 23	+1 70		33 21	1 51 52 8	−25 40 41		
				„	1324 „	L	1	+0 090	2 53 23 3	−0 08	−0 09	−1 0	+0 23	21 66	2 27 40 4	−25 41 26	−5 2	
		„ 17	I P E	W	Groom 2283	L	0	+0 484	3 12 30 2	−0 44	−0 87	+1 70		30 59	3 12 29 6	−0 0 99	+5 7	+1 7
				U	3?6 Gr 72	U	1	−0 288	3 30 49 5	+0 28	+0 66	+1 70	−0 09	52 05	3 30 46 7	−0 5 35	+4 7	
				„	1424 „	L	6	+0 103	3 48 6 2	−0 09	−0 12	−1 70	−0 18	58 11	3 47 54 6	−0 3 51		
				E	179 Gr 72	U	8	−0 075	2 17 21 8	+0 08	+0 18	+1 70		23 6	1 51 52 8	−25 30 96		
				„	1324 „	L	3	+0 090	2 53 13 9	−0 08	−0 07	−1 0	+0 23	12 28	2 27 40 4	−25 31 88	−2 6	
		„ 18	I P E	W	326 „	U	2	−0 288	3 30 54 3	+0 18	+0 50	+1 0		56 78	3 30 46 7	−0 10 08	−4 2	−4 9
				„	1424 „	L	8	+0 103	3 48 8 3	−0 09	−0 09	−1 0	−0 09	6 33	3 47 54 6	−0 11 73		
				E	179 Gr 72	U	5	−0 075	2 17 11 5	+0 08	+0 23	+1 68		13 49	1 51 52 7	−25 20 79		
					Groom 2283	L	5	+0 484	3 37 55 6	−0 44	−0 84	+1 68	+0 14	56 14	3 12 29 6	−25 26 54	−10 3	
		„ 19	I P E	W	326 Gr 72	U	2	−0 288	3 30 59 8	+0 28	+0 64	+1 68		2 40	3 30 46 8	+0 15 60	−10 8	−10 5
				„	1424 „	L	8	+0 103	3 48 16 3	−0 09	−0 11	−1 68	−0 09	14 33	3 47 54 5	−0 19 83		
				E	179 Gr 72	U	7	−9 075	2 17 2 7	−0 24	+0 21	+1 65		4 32	1 51 52 7	−25 11 62		
				„	1324 „	L	3	+0 090	2 52 56 3	+0 23	−0 08	−1 65	+0 23	55 03	2 27 40 5	−25 14 53	−17 6	
		„ 20	I P W	W	Groom 2283	L	5	+0 484	3 12 59 4	+1 32	−0 77	+1 65		1 60	3 12 29 6	−0 32 00	−12 2	−14 0
				„	326 Gr 72	U	3	−0 288	3 31 8 1	−0 83	+0 58	+1 65	−0 09	9 41	3 30 46 8	−0 22 61	−12 3	
				„	1424 „	L	10	+0 103	3 48 23 6	+0 26	−0 10	−1 65	−0 18	21 93	3 47 54 5	−0 27 43		
				W	179 Gr 72	U	5	−0 075	1 52 23 7	−0 24	+0 19	+1 65		25 30	1 51 52 7	−0 32'60		
					Groom 2283	L	4	+0 484	3 13 2 0	+1 32	−0 71	+1 65	−0 42	3 84	3 12 29 6	−0 34 24	−2 9	
		„ 21	I P W		326 Gr 72	U	2	−0 288	3 31 19 5	−0 83	+0 54	+1 65		20 86	3 30 46 9	−0 33 96	+1 6	+0 7
				„	1424 „	L	5	+0 103	3 48 29 4	+0 26	−0 10	−1 65	−0 09	27 82	3 47 54 5	−0 33 32		

Arc: AGRA (E) AND MOOLTAN (W)
Station: MOOLTAN (Latitude 30 11)

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Correction	Deduced Value of Deviation Correction a	Adopted value of Deviation Correction
									h m s	s	s	s	s	s	h m s	m s	d	d
AGRA (E) AND MOOLTAN (W)	MOOLTAN (Latitude 30 11)	1889 Nov 23		E	179 Gr 72	U	8	-0 075	2 16 44 7	+0 08	+0 23	+1 69		46 70	1 51 52 7	-24 54 00	-1 6	+1 8
				,,	1324 ,,	L	5	+0 090	2 52 36 4	-0 08	-0 09	-1 69	+0 23	34 77	2 27 40 5	-24 54 27		
			I P E	W	Groom 2283	L	4	+0 484	3 13 7 2	-0 44	-0 84	+1 69		7 61	3 12 29 6	-0 38 01	+4 6	
				,,	326 Gr 72	U	3	-0 288	3 31 25 9	+0 28	+0 64	+1 69	-0 09	28 42	3 30 46 9	-0 41 52	+2 3	
				,,	1424 ,,	L	6	+0 103	3 48 37 2	-0 09	-0 11	-1 69	-0 18	35 13	3 47 54 5	-0 40 63		
AGRA (E) AND KARACHI (W)	AGRA (Latitude 27 10)	1889		E	269 Gr 72	U	2	-0 092	2 51 52 0	-0 32	-0 32	+1 48		52 84	2 51 31 7	-0 21 14	-22 1	-25 2
					1364 ,,	L	3	+0 212	3 3 4 9	+0 62	+0 38	-1 48	+0 05	4 47	3 2 36 6	-0 27 87	-23 4	
		Dec 1	I P E	,	Lalan (F) 2774	L	3	+0 270	3 59 38 3	+0 79	+0 51	+1 48	+0 33	41 41	3 59 11 8	-0 29 61		
				W	380 Gr 72	U	2	-0 154	3 20 54 2	-0 50	-0 47	+1 48		54 71	4 5 57 6	+45 2 89	-30 2	
				,,	1512 ,,	L	4	+0 114	3 46 52 5	+0 32	+0 15	-1 48	+0 02	51 51	4 31 46 3	+44 54 79		
				E	269 Gr 72	U	3	-0 092	2 51 39 3	+0 13	-0 22	+1 49		40 70	2 51 31 7	-0 9 00	-78 2	-73 0
				,	1364 ,,	L	3	+0 212	3 3 10 9	-0 25	+0 26	-1 49	+0 05	9 47	3 2 36 7	-0 32 77	-73 3	
		,, 2	I P W	,,	Groom 642	U	3	-0 298	3 30 41 5	+0 38	-0 55	+1 49	+0 19	43 01	3 30 47 6	+0 4 59	-69 1	
				,,	Lalan (F) 2774	L	3	+0 270	3 59 44 6	-0 32	+0 35	+1 49	+0 33	46 45	3 59 11 8	-0 34 65	-71 3	
				,,	1512 Gr 72	L	3	+0 114	4 32 12 1	-0 13	+0 11	-1 49	+0 49	11 08	4 31 46 3	-0 24 78		
				E	269 Gr 72	U	4	-0 092	2 51 13 8	+0 13	-0 23	+1 50		35 20	2 51 31 6	-0 3 60	-66 0	-67 1
				,	1364 ,,	L	3	+0 212	3 3 1 9	-0 25	+0 27	-1 50	+0 05	0 47	3 2 36 8	-0 23 67		
		,, 3	I P W	,,	Groom 642	U	3	-0 298	3 30 35 1	+0 38	-0 57	+1 50	+0 19	36 60	3 30 47 6	+0 11 00	-67 9	
				,	Lalan (F) 2774	L	3	+0 270	3 59 37 5	-0 32	+0 36	+1 50	+0 33	39 37	3 59 11 8	-0 27 57		
				W	380 Gr 72	U	3	-0 154	3 20 45 2	+0 20	-0 33	+1 50		46 57	4 5 57 6	+45 11 03	-67 3	
				,,	1512 ,,	L	5	+0 114	3 46 54 7	-0 13	+0 11	-1 50	+0 02	53 20	4 31 46 2	+44 53 00		
				E	269 Gr 72	U	3	-0 092	2 51 30 4	-0 32	-0 22	+1 55		31 41	2 51 31 6	+0 0 19	-37 0	-38 9
				,,	1364 ,,	L	3	+0 212	3 1 48 5	+0 62	+0 25	-1 55	+0 05	47 87	3 2 36 8	-0 11 07		
		,, 4	I P E	,,	Groom. 642	U	3	-0 298	3 30 38 1	-0 94	-0 53	+1 43	+0 19	38 25	3 30 47 6	+0 9 35	-38 8	
				,,	Lalan (F) 2774	L	4	+0 270	3 59 21 6	+0 79	+0 34	+1 43	+0 33	24 49	3 59 11 8	-0 12 69		
				W	380 Gr 72	U	3	-0 154	3 20 49 4	-0 50	-0 31	+1 43		50 02	4 5 57 6	+45 7 58	-41 0	
				,,	1512 ,,	L	4	+0 114	3 46 50 6	+0 32	+0 10	-1 43	+0 02	49 61	4 31 46 2	+44 56 59		
				E	269 Gr 72	U	5	-0 092	2 51 13 6	-0 32	-0 22	+1 49		24 55	2 51 31 5	+0 6 95	-32 3	-34 9
				,,	Groom 642	U	4	-0 298	3 30 33 0	-0 94	-0 53	+1 49	+0 19	33 21	3 30 47 6	+0 14 39	-33 7	
		,, 5	I P E	W	Lalan (F) 2774	L	4	+0 270	3 59 13 6	+0 79	+0 34	+1 49	+0 33	16 55	3 59 11 8	-0 4 75		
				W	380 Gr 72	U	3	-0 154	3 20 49 2	-0 50	-0 31	+1 49		49 88	4 5 57 6	+45 7 72	-38 7	
				,,	1512 ,,	L	4	+0 114	3 46 49 8	+0 32	+0 10	-1 49	+0 02	48 75	4 31 46 1	+44 57 35		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
		1889							h m s	s	s	s	s	s	h m s	m s	d	d
				E	269 Gr 72	U	3	− 0 092	2 51 15 4	+ 0 13	− 0 16	+ 1 49		16 86	2 51 31 5	+ 0 14 64		
				„	1364 „	L	3	+ 0 212	3 2 36 7	− 0 25	+ 0 18	− 1 49	+ 0 05	35 19	3 2 37 0	+ 0 1 81	− 42 2	
	AGRA (Latitude 27° 10′)	Dec 6	I P W		Groom 642	U	3	− 0 298	3 30 27 4	+ 0 38	− 0 39	− 1 49	+ 0 19	26 09	3 30 47 6	+ 0 21 51		− 40 2
				„	Lalan (F) 2774	L	3	+ 0 270	3 59 7 6	− 0 32	+ 0 25	+ 1 49	+ 0 33	9 35	3 59 11 8	+ 0 2 45	− 33 6	
				W	380 Gr 72	U	3	− 0 154	3 20 46 4	+ 0 20	− 0 23	+ 1 49		47 86	4 5 57 6	+ 45 9 74		
				„	1512 „	L	4	+ 0 114	3 46 49 9	− 0 13	+ 0 07	− 1 49	+ 0 02	48 37	4 31 46 1	+ 44 57 73	− 44 8	
		1889																
				E	269 Gr 72	U	2	− 0 095	3 35 44 6	− 0 16	− 0 09	+ 1 60		45 95	2 51 31 7	− 44 14 25		
				„	1364 „	L	3	+ 0 215	3 47 23 3	+ 0 32	+ 0 10	− 1 60	+ 0 06	22 18	3 2 36 6	− 44 45 58	− 101 1	
		Dec 1	I P W	W	Groom 642	U	5	− 0 305	3 27 19 6	− 0 49	− 0 22	+ 1 60		20 49	3 30 47 6	+ 3 27 11		− 99 5
					Lalan (F) 2774	L	6	+ 0 275	3 56 39 0	+ 0 41	+ 0 13	+ 1 60	+ 0 02	41 16	3 59 11 8	+ 2 30 64	− 97 4	
				„	1512 Gr 72	L	7	+ 0 115	4 29 2 5	+ 0 17	+ 0 04	− 1 60	+ 0 04	1 15	4 31 46 3	+ 2 45 15	− 99 9	
				E	269 Gr 72	U	2	− 0 095	3 35 47 0	− 0 16	− 0 09	+ 1 59		48 34	2 51 31 7	− 44 16 64		
				„	1364 „	L	5	+ 0 215	3 46 56 3	+ 0 32	+ 0 10	− 1 59	+ 0 05	55 18	3 2 36 7	− 44 18 48	− 5 9	
		„ 2	I P W	W	Groom 642	U	5	− 0 305	3 29 47 6	− 0 49	− 0 22	+ 1 59		48 48	3 30 47 6	+ 0 59 12		− 4 4
					Lalan (F) 2774	L	5	+ 0 275	3 58 11 6	+ 0 41	+ 0 13	+ 1 59	+ 0 02	13 75	3 59 11 8	+ 0 58 05	− 1 8	
	AGRA (E) AND KARACHI (W)			„	1512 Gr 72	L	6	+ 0 115	4 30 50 8	+ 0 17	+ 0 04	− 1 59	+ 0 04	49 46	4 31 46 3	+ 0 56 84	− 5 4	
				E	269 Gr 72	U	3	− 0 095	3 35 40 2	− 0 02	0 00	+ 1 61		41 79	2 51 31 6	− 44 10 19		
				„	1364	L	4	+ 0 215	3 46 49 6	+ 0 05	0 00	− 1 61	+ 0 05	48 09	3 2 36 8	− 44 11 29	− 3 5	
		„ 3	I P E	W	Groom 642	U	4	− 0 305	3 29 47 5	− 0 07	0 00	+ 1 61		49 04	3 30 47 6	+ 0 58 56		− 0 6
	KARACHI (Latitude 24° 51′)			„	Lalan (F) 2774	L	4	+ 0 275	3 58 10 6	+ 0 06	0 00	+ 1 61	+ 0 02	12 29	3 59 11 8	+ 0 59 51	+ 1 6	
					1512 Gr 72	L	6	+ 0 115	4 30 49 2	+ 0 02	0 00	− 1 61	+ 0 04	47 65	4 31 46 2	+ 0 58 55	0 0	
				E	269 Gr 72	U	3	− 0 095	3 35 32 2	− 0 02	− 0 17	+ 1 60		33 61	2 51 31 6	− 44 2 01		
				„	1364 „	L	4	+ 0 215	3 46 45 7	+ 0 05	+ 0 18	− 1 60	+ 0 05	44 38	3 2 36 8	− 44 7 58	− 18 0	
		„ 4	I P E	U	Groom 642	W	6	− 0 305	3 29 41 2	− 0 07	− 0 40	+ 1 60		42 33	3 30 47 6	+ 1 5 27		− 17 5
				„	Lalan (F) 2774	L	5	+ 0 275	3 58 13 4	+ 0 06	+ 0 24	+ 1 60	+ 0 02	15 32	3 59 11 8	+ 0 56 48	− 15 1	
				„	1512 Gr 72	L	6	+ 0 115	4 30 50 5	+ 0 02	+ 0 07	− 1 60	+ 0 04	49 03	4 31 46 2	+ 0 57 17	− 19 3	
				E	269 Gr 72	U	3	− 0 095	3 35 25 8	− 0 02	− 0 29	+ 1 59		27 08	2 51 31 5	− 43 55 58		
				„	1364 „	L	4	+ 0 215	3 46 38 5	+ 0 05	+ 0 32	− 1 59	+ 0 05	37 33	3 2 36 9	− 44 0 43	− 15 6	
		„ 5	I P E	W	Groom 642	U	6	− 0 305	3 29 41 1	− 0 07	− 0 70	+ 1 59		41 92	3 30 47 6	+ 1 5 68		− 15 6
				„	Lalan (F) 2774	L	5	+ 0 275	3 58 12 7	+ 0 06	+ 0 43	+ 1 59	+ 0 02	14 80	3 59 11 8	+ 0 57 00	− 15 0	
				„	1512 Gr 72	L	7	+ 0 115	4 30 48 6	+ 0 02	+ 0 12	− 1 59	+ 0 04	47 19	4 31 46 1	+ 0 58 91	− 16 1	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction *a*	Adopted Value of Deviation Correction *a*
									h m s	*s*	*s*	*s*	*s*	*s*	*h m s*	*m s*	*s*	*s*
AGRA (E) and KARACHI (W) — KARACHI (Latitude 24 51')		1889		E	289 Gr 72	U	4	−0 095	3 35 19 3	−0 16	−0 17	+1 59		20 56	2 51 31 5	−43 49 06	−15 8	
				,	1364 ,,	L	5	+5 215	3 46 32 0	+0 32	+0 19	−1 59	+0 05	30 97	3 2 37 0	−43 53 97		
		Dec 6	I P W	W	Groom 642	U	5	−0 305	3 29 41 7	−0 49	−0 42	+1 59		42 38	3 30 47 6	+1 5 22	−8 1	−11 9
				,	Lalan (F) 2774	L	5	+0 275	3 58 9 0	+0 41	+0 26	+1 59	+0 02	11 28	3 59 11 8	+1 0 52	−11 9	
				,,	1512 Gr 72	L	6	+0 115	4 30 47 2	+0 17	+0 07	−1 59	+0 04	45 89	4 31 46 1	+1 0 21		
AGRA (E) and KALIANPUR (W) — AGRA (Latitude 27 10')		1889		E	Radcliffe 1311	U	3	−0 262	4 52 53 9	−0 95	−0 59	+1 55		53 91	4 53 0 9	+0 6 99	−21 7	
				,	ε Ursæ Minoris	L	3	+0 156	4 57 7 9	+0 51	+0 20	+1 55	0 00	10 16	4 57 8 1	−0 1 06		−27 6
		Dec 28	I P E	W	Groom 1004	U	3	−0 342	6 1 51 0	−1 23	−0 74	+1 55		50 58	6 3 57 2	+2 6 62	−33 4	
				,	δ Ursæ Minoris	L	2	+0 346	6 5 44 5	+1 17	+0 56	+1 55	0 00	47 78	6 7 31 4	+1 43 62		
				E	Radcliffe 1311	U	3	−0 262	4 52 50 9	+0 46	−0 27	+1 51		52 60	4 53 0 9	+0 8 30	−22 4	
				,	ε Ursæ Minoris	L	4	+0 156	4 57 7 9	−0 25	+0 09	+1 51	0 00	9 25	4 57 8 2	−0 1 05		−26 7
		,, 29	I P W	W	Groom 1004	U	2	−0 342	6 1 49 9	+0 59	−0 34	+1 51		51 66	6 3 57 2	+2 5 54	−31 0	
				,	δ Ursæ Minoris	L	3	+0 346	6 5 46 0	−0 57	+0 26	+1 51	0 00	47 20	6 7 31 4	+1 44 20		
				E	Radcliffe 1311	U	3	−0 262	4 52 58 0	+0 46	−0 72	+1 50		59 24	4 53 0 9	+0 1 66	+4 9	
				,	ε Ursæ Minoris	L	4	+0 156	4 57 3 0	−0 25	+0 25	+1 50	0 00	4 50	4 57 8 2	+0 3 70		−1 8
		,, 30	I P W	W	Groom 1004	U	2	−0 342	6 1 57 0	+0 59	−0 90	+1 50		58 19	6 3 57 2	+1 59 01	−8 5	
				,	δ Ursæ Minoris	L	3	+0 346	6 5 36 6	−0 57	+0 68	+1 50	0 00	38 21	6 7 31 4	+1 53 19		
				E	Radcliffe 1311	U	3	−0 262	4 52 55 0	+0 46	+0 05	+1 49		57 00	4 53 0 9	+0 3 90	−1 2	
				,	ε Ursæ Minoris	L	4	+0 156	4 57 3 7	−0 25	+0 02	+1 49	0 00	4 92	4 57 8 3	+0 3 38		−6 5
		,, 31	I P W	W	Groom 1004	U	2	−0 342	6 1 53 2	+0 59	+0 06	+1 49		55 34	6 3 57 2	+2 1 86	−11 8	
				,	δ Ursæ Minoris	L	3	+0 346	6 5 36 8	−0 57	−0 05	+1 49	0 00	37 67	6 7 31 4	+1 53 73		
		1890		E	Radcliffe 1311	U	3	−0 262	4 52 53 8	−0 95	−0 54	+1 48		53 79	4 53 0 9	+0 7 11	−13 9	
				,	ε Ursæ Minoris	L	3	+0 156	4 57 4 8	+0 51	+0 19	+1 48	0 00	6 98	4 57 8 3	+0 1 32		−19 0
		Jan 1	I P E	W	Groom 1004	U	2	−0 342	6 1 51 0	−1 23	−0 68	+1 48		50 57	6 3 57 2	+2 6 63	−24 1	
				,,	δ Ursæ Minoris	L	2	+0 346	6 5 38 2	+1 17	+0 52	+1 48	0 00	41 37	6 7 31 4	+1 50 03		
				E	Radcliffe 1311	U	3	−0 262	4 52 56 1	−0 95	−0 62	+1 47		56 00	4 53 0 9	+0 4 90	−4 5	
				,,	ε Ursæ Minoris	L	5	+0 156	4 57 3 2	+0 51	+0 21	+1 47	0 00	5 39	4 57 8 4	+0 3 01		−7 3
		,, 2	I P E	W	Groom 1004	U	1	−0 342	6 1 54 3	−1 23	−0 78	+1 47		53 76	6 3 57 2	+2 3 44	−10 1	
					δ Ursæ Minoris	L	2	+0 346	6 5 31 7	+1 17	+0 59	+1 47	0 00	34 93	6 7 31 4	+1 56 47		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction s	Adopted Value of Deviation Correction
									h m s	s	s	s	s	s	h m s	m s	d	d
AGRA (E) AND KALIANPUR (W)	KALIANPUR (Latitude 24° 7')	1889		W	Radcliffe 1311	U	5	−0 270	4 52 35 0	+0 58	+0 32	+1 71		37 61	4 53 0 9	+0 23 29	0 0	−4 1
		Dec 28	I P W	,,	ε Ursæ Minoris	L	6	+0 158	4 56 43 5	−0 31	−0 16	+1 71	0 00	44 80	4 57 8 1	+0 23 30		
				,,	Groom. 1004	U	4	−0 352	6 3 24 7	+0 75	+0 40	+1 71		27 56	6 3 57 2	+0 29 64	−8 1	
				,,	δ Ursæ Minoris	L	2	+0 353	6 7 6 8	−0 72	−0 29	+1 71	0 00	7 50	6 7 31 4	+0 23 90		
				W	Radcliffe 1311	U	8	−0 270	4 52 35 4	+0 58	+0 48	+1 58		38 04	4 53 0 9	+0 22 86	+3 6	−1 6
		,, 29	I P W	,,	ε Ursæ Minoris	L	5	+0 156	4 56 42 7	−0 31	−0 15	+1 58	0 00	43 82	4 57 8 2	+0 24 38		
				,	Groom 1004	U	3	−0 352	6 3 24 0	+0 75	+0 60	+1 58		26 93	6 3 57 2	+0 30 27	−6 9	
				,,	δ Ursæ Minoris	L	3	+0 353	6 7 5 6	−0 72	−0 44	+1 58	0 00	6 02	6 7 31 4	+0 25 38		
				W	Radcliffe 1311	U	5	−0 270	4 52 23 6	−1 07	−0 44	+1 56		23 65	4 53 0 9	+0 37 25	−45 9	−50 3
		,, 30	I P E	,	ε Ursæ Minoris	L	5	+0 158	4 56 48 3	+0 58	+0 14	+1 56	0 00	50 58	4 57 8 2	+0 17 62		
				,,	Groom 1004	U	3	−0 352	6 3 9 5	−1 39	−0 55	+1 56		9 12	6 3 57 2	+0 48 08	−54 6	
				,	δ Ursæ Minoris	L	3	+0 353	6 7 18 5	+1 33	+0 40	+1 56	0 0	21 79	6 7 31 4	+0 9 61		
				W	Radcliffe 1311	U	5	−0 270	4 52 23 9	−1 07	−0 47	+1 57		23 93	4 53 0 9	+0 36 97	−59 4	−44 2
		31	I P E	L	ε Ursæ Minoris	L	5	+0 158	4 56 45 9	+0 58	+0 15	+1 57	0 00	48 20	4 57 8 3	+0 20 10		
				,,	Groom 1004	U	3	−0 352	6 3 11 1	−1 39	−0 58	+1 57		10 70	6 3 57 2	+0 46 50	−49 1	
				,,	δ Ursæ Minoris	L	2	+0 353	6 7 16 2	+1 33	+0 43	+1 5?	0 00	19 53	6 7 31 4	+0 11 87		
		1890		W	Radcliffe 1311	U	5	−0 270	4 52 23 7	−1 07	−0 45	+1 59		23 77	4 53 0 9	+0 37 13	−36 5	−40 9
		Jan 1	I P E	,	ε Ursæ Minoris	L	5	+0 158	4 56 44 5	+0 58	+0 14	+1 59	0 00	46 81	4 57 8 3	+0 21 49		
				,,	Groom 1004	U	3	−0 352	6 3 11 0	−1 39	−0 56	+1 59		10 64	6 3 57 2	+0 46 56	−45 2	
				,,	δ Ursæ Minoris	L	3	+0 353	6 7 13 4	+1 33	+0 42	+1 59	0 00	16 74	6 7 31 4	+0 14 66		
				W	Radcliffe 1311	U	5	−0 270	4 52 22 6	+0 58	+0 26	+1 60		25 04	4 53 0 9	+0 35 86	−24 9	−29 0
		,, 2	I P W	,,	ε Ursæ Minoris	L	5	+0 158	4 56 42 0	−0 31	−0 08	+1 60	0 00	43 21	4 57 8 4	+0 25 19		
				,,	Groom 1004	U	3	−0 352	6 3 9 4	+0 75	+0 33	+1 60		12 08	6 3 57 2	+0 45 12	−33 1	
				,,	δ Ursæ Minoris	L	3	+0 353	6 7 9 0	−0 72	−0 24	+1 60	0 00	9 64	6 7 31 4	+0 21 76		
KALIANPUR (E) AND BOMBAY (W)	KALIANPUR (Latitude 24° 7')	1890		E	51 Cephei	U	4	−0 411	6 48 57 6	−0 83	−0 12	+1 60		58 25	6 49 4 9	+0 6 65	−36 3	−35 2
		Jan 15	I P W	,,	Radcliffe 4208	L	3	+0 350	6 50 53 9	+0 67	+0 08	+1 60	0 00	56 25	6 50 35 3	−0 20 95		
				W	λ Ursæ Minoris	L	2	+1 141	7 13 59 1	+2 23	+0 29	+1 60		63 22	7 32 38 6	+18 35 38	−34 1	
				,,	Groom 1119	U	1	−1 117	7 27 46 7	−2 22	−0 31	+1 60	−0 02	45 75	7 47 58 2	+19 52 45		
				E	51 Cephei	U	3	−0 411	6 48 59 2	−0 83	−0 31	+1 70		59 76	6 49 4 9	+0 5 14	−29 3	−28 4
		,, 17	I P W	,	Radcliffe 4208	L	3	+0 350	6 50 49 9	+0 67	+0 20	+1 70	0 00	52 47	6 50 35 3	−0 17 17		
				W	λ Ursæ Minoris	L	2	+1 141	7 13 54 6	+2 23	+0 73	+1 70		59 26	7 32 38 3	+18 39 04	−28 4	
				,,	Groom 1119	U	1	−1 117	7 27 56 9	−2 22	−0 79	+1 70	−0 02	55 57	7 47 38 8	+19 43 23		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction *a*	Adopted value of Deviation Correction
		1890							h m s	s	s	s	s	s	h m s	m s	d	d
				E	51 Cephei	U	3	−0 411	6 49 32 5	+0 09	+0 04	+1 70		34 33	6 49 4 9	− 0 29 43	+55 6	
		Jan. 18	I P E	"	Radcliffe 4208	L	2	+0 350	6 50 20 9	−0 07	−0 03	+1 70	0 00	22 50	6 50 35 4	+ 0 12 90		+58 2
			·	W	λ Ursæ Minoris	L	2	+1 141	7 12 18 1	−0 25	−0 10	+1 70		19 45	7 32 38 1	+20 18 65	+60 8	
				"	Groom 1119	U	3	−1 117	7 29 33 6	+0 25	+0 10	+1 70	−0 02	3, 63	7 47 39 1	+18 1 47		
				E	51 Cephei	U	3	−0 411	6 49 10 2	+0 09	+0 10	+1 70		12 09	6 49 4 9	− 0 7 19	+ 2 5	
		,, 19	I P E	"	Radcliffe 4208	L	3	+0 350	6 50 39 2	−0 07	−0 07	+1 70	0 00	40 76	6 50 35 5	− 0 5 26		+ 4 6
				W	λ Ursæ Minoris	L	2	+1 141	7 13 20 7	−0 25	−0 24	+1 70		21 91	7 32 17 9	+19 15 99	+ 6 6	
	KALIANPUR (Latitude 24 7)				Groom 1119	U		−1 117	7 28 36 1	+0 25	+0 26	+1 70	−0 02	38 29	7 47 39 4	+19 1 11		
				E	51 Cephei	U	3	−0 411	6 49 10 2	+0 09	+0 23	+1 74		12 26	6 49 4 9	− 0 7 36	+ 5 2	
		,, 20	I P E	"	Radcliffe 4208	L	3	+0 350	6 50 37 5	−0 0,	−0 15	+1 74	0 00	39 02	6 50 35 6	− 0 3 42		+ 8 0
				W	λ Ursæ Minoris	L	2	+1 141	7 13 17 2	−0 25	−0 53	+1 74		18 16	7 32 37 7	+19 19 54	+10 8	
				"	Groom 1119	U	2	−1 117	7 28 42 1	+0 25	+0 58	+1 ,4	−0 02	44 65	7 47 39 7	+18 55 05		
KALIANPUR (K) AND BOMBAY (W)				E	51 Cephei	U	3	−0 411	6 49 28 0	−0 83	−0 42	+1 70		28 43	6 49 4 8	− 0 23 63	+45 5	
		,, 21	I P W	,	Radcliffe 4208	L	3	+0 350	6 50 22 0	+0 67	+0 26	+1 70	0 00	24 63	6 50 35 6	+ 0 10 97		+47 3
				W	λ Ursæ Minoris	L	2	+1 141	7 12 32 9	+2 23	+0 97	+1 70		37 80	7 32 37 6	+19 59 80	+49 0	
				,	Groom 1119	U	3	−1 117	7 29 32 3	−2 22	−1 05	+1 70	−0 02	30 71	7 47 39 9	+18 9 19		
		1890																
				E	51 Cephei	U	1	−0 428	7 8 31 5	+0 05	+0 22	0 00		31 77	6 49 4 9	−19 26 87	− 6 5	
		Jan 15	I P E	,	Radcliffe 4208	L	1	+0 361	7 10 7 5	−0 04	−0 13	0 00	0 00	7 33	6 50 35 3	−19 32 03		− 4 8
				W	λ Ursæ Minoris	L	2	+1 181	7 32 47 8	−0 12	−0 50	p 00		47 18	7 32 38 6	− 0 8 58	− 3 0	
				,	Groom 1119	U	2	−1 160	7 47 39 2	+0 12	+0 55	0 00	−0 01	39 85	7 47 38 2	− 0 1 65		
				W	51 Cephei	U	2	−0 428	6 49 7 0	−0 78	+0 22	+1 40		7 84	6 49 4 9	− 0 2 94	− 9 8	
	BOMBAY (Latitude 18 54)	,, 17	I P W	"	λ Ursæ Minoris	L	2	+1 181	7 32 54 0	+2 11	−0 50	+1 40	−0 06	56 95	7 32 38 3	− 0 18 65		− 8 7
				,	Groom 1119	U	2	−1 160	7 47 39 6	−2 10	+0 55	+1 40	−0 02	39 37	7 47 38 8	− 0 0 57	− 7 7	
				E	51 Cephei	U	2	−0 428	7 8 25 2	−0 78	+0 20	+1 40		26 02	6 49 4 9	−19 21 12	−13 1	
		,, 18	I P W	"	Radcliffe 4208	L	2	+0 361	7 10 4 9	+0 64	−0 12	+1 40	0 00	6 82	6 50 15 4	−19 31 42		−14 6
				W	λ Ursæ Minoris	L	1	+1 181	7 33 2 1	+2 11	−0 46	+1 40		5 15	7 32 38 1	− 0 27 05	−16 0	
				,	Groom 1119	U	1	−1 160	7 47 29 0	−2 10	+0 51	+1 40	−0 02	28 79	7 47 39 1	+ 0 10 31		
				E	51 Cephei	U	2	−0 428	7 8 29 3	+0 05	−0 34	+1 44		30 45	6 49 4 9	−19 25 55	− 2 6	
		,, 19	I P E	"	Radcliffe 4208	L	3	+0 361	7 10 1 5	−0 04	+0 20	+1 44	0 00	3 10	6 50 35 5	−19 27 60		0 0
				W	λ Ursæ Minoris	L	1	+1 181	7 32 47 7	−0 12	+0 76	+1 44		49 78	7 32 37 9	− 0 11 88	+ 2 5	
				"	Groom 1119	U	1	−1 160	7 47 56 4	+0 12	−0 84	+1 44	−0 02	57 10	7 47 39 4	− 0 17 70		

TABLE II. DEDUCTION OF DEVIATION CORRECTION, a, FROM STAR OBSERVATIONS.

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Correction	Deduced Value of Deviation Correction s	Adopted Value of Deviation Correction
								s.	h m s	s	s	s	s	s	h m s	m s	d	d
KALIANPUR (E) AND BOMBAY (W)	BOMBAY (Latitude 18° 54′)	1890 Jan 20, I P E		E	51 Cephei	U	2	-0 428	7 8 26 3	+0 05	-0 26	+1 41		27 50	6 49 4 9	-19 22 60	-8 1	-5 7
				"	Radcliffe 4208	L	2	+0 361	7 10 3 1	-0 04	+0 15	+1 41	0 00	4 62	6 50 35 6	-19 29 02		
				W	λ Ursæ Minoris	L	1	+1 181	7 32 54 9	-0 12	+0 57	+1 41		56 76	7 32 37 7	-0 19 06	-3 2	
				"	Groom 1119	U	1	-1 160	7 47 50 3	+0 12	-0 63	+1 41	-0 02	51 18	7 47 39 7	-0 11 48		
		, 21, I P W		E	51 Cephei	U	3	-0 428	7 8 25 0	-0 78	+0 19	+1 41		25 82	6 49 4 8	-19 21 02	-9 7	-9 5
				"	Radcliffe 4208	L	2	+0 361	7 10 2 3	+0 64	-0 11	+1 41	0 00	4 24	6 50 35 6	-19 28 64		
				W	λ Ursæ Minoris	L	2	+1 181	7 33 2 8	+2 11	-0 42	+1 41		5 90	7 32 37 6	-0 28 30	-9 5	
				"	Groom 1119	U	1	-1 160	7 47 46 4	-2 10	+0 46	+1 41	-0 02	46 15	7 4, 39 9	-0 6 25		
JUBBULPORE (E) AND KALIANPUR (W)	JUBBULPORE (Latitude 23 10′)	1890 Feb 4, I P E		E	λ Ursæ Minoris	L	2	+1 147	7 32 0 2	+5 45	-2 38	+1 80		5 07	7 32 40 1	+0 35 03	+7 4	+10 5
				"	Groom 1119	U	2	-1 127	7 47 21 8	-5 44	+2 59	+1 80	+0 00	20 76	7 47 38 9	+0 18 14		
				W	Piazzi IX 37	U	4	-0 134	9 11 48 1	-0 69	+0 42	-1 80		46 03	9 21 27 5	+9 41 47	+13 6	
				"	Groom 3548	L	3	+0 354	9 11 22 5	+1 65	-0 65	-1 80	0 00	21 0	9 21 9 8	+9 48 10		
		, 5, I P W		E	λ Ursæ Minoris	L	2	+1 147	7 32 5 5	-3 47	-1 45	+1 78		2 36	7 32 40 5	+0 38 14	+9 9	+10 1
				"	Groom 1119	U	2	-1 127	7 47 16 2	+3 46	+1 57	+1 78	+0 01	23 02	7 47 38 7	+0 15 68		
				W	Piazzi IX 37	U	4	-0 134	9 11 44 7	+0 44	+0 25	-1 78		43 61	9 21 27 5	+9 43 89	+10 3	
				,	Groom 3548	L	2	+0 354	9 11 24 0	-1 05	-0 39	-1 78	0 00	20 78	9 21 9 7	+9 48 92		
		, 6, I P W		E	λ Ursæ Minoris	L	2	+1 147	7 32 8 4	-3 47	-0 89	+1 79		5 83	7 32 40 9	+0 35 07	+8 7	+6 7
				,	Groom 1119	U	2	-1 127	7 47 16 9	+3 46	+0 96	+1 79	+0 01	23 12	7 47 38 4	+0 15 28		
				W	Piazzi IX 37	U	4	-0 134	9 11 42 7	+0 44	+0 16	-1 79		41 51	9 21 27 5	+9 45 99	+4 7	
				"	Groom 3548	L	2	+0 354	9 11 24 4	-1 05	-0 24	-1 79	0 00	21 32	9 21 9 6	+9 48 28		
		, 7, I P E		E	λ Ursæ Minoris	L	1	+1 147	7 31 38 3	+5 45	-0 75	+1 75		44 75	7 32 41 4	+0 56 65	+23 0	+23 4
				"	Groom 1119	U	1	-1 127	7 47 36 5	-5 44	+0 81	+1 75	+0 01	33 63	7 47 38 0	+0 4 37		
				W	Piazzi IX 37	U	4	-0 134	9 11 45 4	-0 69	+0 13	-1 75		43 09	9 21 27 6	+9 44 51	+23 8	
				,	Groom 3548	L	2	+0 354	9 11 13 8	+1 65	-0 20	-1 75	0 00	13 50	9 21 9 6	+9 56 10		
		, 8, I P E		E	λ Ursæ Minoris	L	2	+1 147	7 31 27 8	+5 45	-2 48	+1 74		32 51	7 32 41 9	+1 9 39	+35 7	+35 1
				"	Groom 1119	U	1	-1 127	7 47 50 3	-5 44	+2 69	+1 74	+0 01	49 30	7 47 37 5	-0 11 80		
				W	Piazzi IX 37	U	5	-0 134	9 11 45 8	-0 69	+0 43	-1 74		43 80	9 21 27 6	+9 43 80	+34 5	
				,	Groom 3548	L	2	+0 354	9 11 9 7	+1 65	-0 67	-1 74	0 00	8 94	9 21 9 6	+10 0 66		
		, 9, I P W		E	λ Ursæ Minoris	L	2	+1 147	7 31 23 8	-3 47	+0 47	+1 75		22 55	7 32 42 5	+1 19 95	+41 6	+42 6
				,	Groom 1119	U	2	-1 127	7 47 46 9	+3 46	-0 51	+1 75	+0 01	51 61	7 47 37 0	-0 14 61		
				W	Piazzi IX 37	U	4	-0 134	9 11 45 1	+0 44	-0 08	-1 71		43 75	9 21 27 6	+9 43 85	+43 6	
				,	Groom 3548	L	2	+0 354	9 11 7 1	-1 05	+0 13	-1 71	0 00	4 47	9 21 9 6	+10 5 13		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Colli mation	Level	Pen Equa tion Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Correction	Deduced Value of Deviation Correction s	Adopted Value of Deviation Correction
		1890							h m s	s	s	s	s	s	h m s	m s	d	d
				W	λ Ursæ Minoris	L	3	+1 140	7 32 11 7	−1 86	+1 51	+1 68		13 03	7 32 40 1	+ 0 27 07		
		Feb 4	I P W	"	Groom 1119	U	3	−1 119	7 47 0 1	+1 85	−1 63	+1 68	+0 01	2 01	7 47 38 9	+ 0 36 89	− 4 3	
				,	Piazzi IX 37	U	7	−0 133	9 20 56 2	+0 24	−0 26	−1 68		54 50	9 21 27 5	+ 0 33 00		− 3 3
					Groom 3548	L	3	+0 352	9 20 39 7	−0 56	+0 41	−1 68	0 00	37 87	9 21 9 8	+ 0 31 93	− 2 2	
				W	λ Ursæ Minoris	L	3	+1 140	7 33 8 8	−1 86	+0 73	+1 65		9 32	7 32 40 5	− 0 28 82		
		" 5	I P W	,	Groom 1119	U	3	−1 119	7 46 2 7	+1 85	−0 79	+1 65	+0 01	5 42	7 47 38 7	+ 1 33 28	− 54 1	
					Piazzi IX 37	U	5	−0 133	9 20 47 7	+0 24	−0 13	−1 65		46 16	9 21 27 5	+ 0 41 34		− 53 4
				"	Groom 3548	L	3	+0 352	9 20 55 9	−0 56	+0 20	−1 65	0 00	53 89	9 21 9 7	+ 0 15 81	− 52 6	
				W	λ Ursæ Minoris	L	3	+1 140	7 31 59 8	+3 84	+1 51	+1 69		66 84	7 32 40 9	+ 0 34 06		
		" 6	I P E	"	Groom 1119	U	3	−1 119	7 47 5 9	−3 83	−1 63	+1 69	+0 01	2 14	7 47 38 4	+ 0 36 26	− 1 0	
				,	Piazzi IX 37	U	5	−0 133	9 20 53 9	−0 49	−0 26	−1 68		51 46	9 21 27 5	+ 0 36 04		− 0 5
				,	Groom 3548	L	4	+0 352	9 20 33 7	+1 16	+0 41	−1 68	0 00	33 58	9 21 9 6	+ 0 36 02	0 0	
				W	λ Ursæ Minoris	L	4	+1 140	7 31 59 2	+3 84	−0 15	+1 68		64 57	7 32 41 4	+ 0 36 83		
		" 7	I P E	,	Groom 1119	U	3	−1 119	7 47 3 5	−3 83	+0 16	+1 68	+0 01	1 52	7 47 38 0	+ 0 36 48	+ 0 2	
					Piazzi IX 37	U	6	−0 133	9 20 52 6	−0 49	+0 03	−1 68		50 46	9 21 27 6	+ 0 37 14		+ 1 7
				"	Groom 3548	L	3	+0 352	9 20 31 4	+1 16	−0 04	−1 68	0 00	30 84	9 21 9 6	+ 0 38 76	+ 3 3	
				W	λ Ursæ Minoris	L	4	+1 140	7 31 50 9	+3 84	−0 39	+1 70		56 05	7 32 41 9	+ 0 45 85		
		" 8	I P E	"	Groom 1119	U	3	−1 119	7 47 9 9	−3 83	+0 42	+1 70	+0 01	8 20	7 47 37 5	+ 0 29 10	+ 7 3	
				"	Piazzi IX 37	U	5	−0 133	9 20 52 6	−0 49	+0 07	−1 70		50 48	9 21 27 6	+ 0 37 12		+ 7 8
				,	Groom 3548	L	4	+0 352	9 20 29 1	+1 16	−0 11	−1 70	0 00	28 45	9 21 9 6	+ 0 41 15	+ 8 3	
				W	λ Ursæ Minoris	L	4	+1 140	7 32 6 8	−1 86	+0 29	+1 68		6 91	7 32 42 5	+ 0 35 59		
		" 9	I P W	"	Groom 1119	U	4	−1 119	7 46 55 1	+1 85	−0 32	+1 68	+0 01	58 32	7 47 37 0	+ 0 38 68	− 1 4	
				,	Piazzi IX 37	U	5	−0 133	9 20 49 8	+0 24	−0 05	−1 68		48 31	9 21 27 6	+ 0 39 29		− 1 1
				"	Groom 3548	L	4	+0 352	9 20 32 8	−0 56	+0 08	−1 68	0 00	30 64	9 21 9 6	+ 0 38 96	− 0 7	
		1890		E	Bradley 2935	L	3	+0 155	10 2 10 9	+0 72	+0 13	+1 61		13 36	10 2 1 2	− 0 22 16		
				"	Groom 3709	L	3	+0 155	10 2 17 7	+0 72	+0 13	+1 61		20 16	10 2 8 2	− 0 11 96	− 18 2	
		Mar 24	I P E	"	Bradley 1899	U	3	−0 202	10 13 51 4	−1 07	−0 30	+1 61	−0 06	51 58	10 13 45 9	− 0 5 68	− 17 6	
				,	" 3147	L	2	+0 347	11 27 40 7	+1 67	+0 37	+1 61		44 35	11 27 27 7	− 0 16 65		− 17 8
				"	Groom 1845	U	4	−0 118	11 54 53 4	−0 65	−0 20	−1 61	−0 15	50 79	11 54 42 3	− 0 8 49	− 17 5	
				E	Bradley 1899	U	3	−0 202	10 14 16 5	+0 67	−0 45	0 00		16 72	10 13 45 9	− 0 30 82		
		" 27	I P W	"	" 3028	L	3	+0 160	10 48 22 9	−0 47	+0 21	+1 61	−0 19	24 06	10 47 44 7	− 0 39 36	− 23 6	
				"	" 3147	L	2	+0 347	11 28 11 4	−1 05	+0 55	+1 61		12 51	11 27 28 0	− 0 44 51		− 25 2
				"	Groom. 1845	U	3	−0 118	11 55 16 0	+0 41	−0 29	−1 61	−0 15	14 36	11 54 42 3	− 0 32 06	− 26 8	

JUBBULPORE (E) AND KALIANPUR (W)   KALIANPUR (Latitude 24 7)

MOOLTAN (E) AND QUETTA (W)   MOOLTAN (Latitude 30° 11′)

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Correction	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
		1890							h m s	s	s	s	s	s	h m s	m s	d	d
				E	Bradley 2935	L	3	+0 155	10 2 46 8	−0 45	+0 17	+1 61		48 13	10 2 1 6	−0 46 53		
				„	Groom 3709	L	3	+0 155	10 2 53 1	−0 45	+0 17	+1 61		54 43	10 2 8 6	−0 45 83	−23 5	
		Mar 28	I P W	„	Bradley 1399	U	3	−0 202	10 14 22 2	+0 67	−0 39	+1 61	−0 06	24 03	10 13 45 9	−0 38 13	−21 6	−25 4
				„	„ 3147	L	3	+0 347	11 28 22 0	−1 05	+0 48	+1 61		23 04	11 27 28 1	−0 54 94	−31 1	
				„	Groom 1845	U	4	−0 118	11 55 24 4	+0 41	−0 26	−1 61	−0 15	22 79	11 54 42 3	−0 40 49		
				E	Bradley 2935	L	4	+0 155	10 3 1 1	+0 72	+0 19	+1 61		5 62	10 2 1 8	−1 3 82		
				„	Groom 3709	L	4	+0 155	10 3 9 6	+0 72	+0 19	+1 61		12 12	10 2 8 9	−1 3 22	−30 4	
		„ 30	I P E	„	Bradley 1399	U	2	−0 202	10 14 38 8	−1 07	−0 43	+1 61	−0 06	38 85	10 13 45 9	−0 52 95	−28 8	−29 1
				„	„ 3147	L	2	+0 347	11 28 33 7	+1 67	+0 53	+1 61		37 51	11 27 28 3	−1 9 21	−28 2	
				„	Groom 1845	U	3	−0 118	11 55 41 0	−0 65	−0 29	−1 61	−0 15	38 30	11 54 42 2	−0 56 10		
				E	Bradley 2935	L	3	+0 155	10 3 11 8	+0 72	+0 20	+1 61		14 33	10 2 1 9	−1 12 43		
				„	Groom 3709	L	3	+0 155	10 3 18 0	+0 72	+0 20	+1 61		20 53	10 2 8 9	−1 11 63	−37 0	
		„ 31	I P E	„	Bradley 1399	U	2	−0 202	10 14 45 1	−1 07	−0 45	+1 61	−0 06	45 13	10 13 45 9	−0 59 23	−34 7	−34 0
				„	„ 3147	L	2	+0 347	11 28 43 2	+1 67	+0 55	+1 61		47 03	11 27 28 3	−1 18 73	−30 2	
				„	Groom 1845	U	2	−0 118	11 55 49 6	−0 65	−0 29	−1 61	−0 15	46 90	11 54 42 2	−1 4 70		
		1890																
				E	Bradley 2935	L	4	+0 155	10 20 2 9	−1 04	−0 38	+1 77		3 25	10 2 1 2	−18 2 05		
					Groom 3709	L	4	+0 155	10 20 9 4	−1 04	−0 38	+1 77		9 75	10 2 8 2	−18 1 55	−55 3	
		Mar 24	I P E		Bradley 1399	U	1	−0 202	10 31 24 1	+1 54	+0 86	+1 77	−0 06	28 21	10 13 45 9	−17 42 31	−53 9	−53 6
				,	, 3147	L	5	+0 347	11 45 45 1	−2 41	−1 06	−1 77		39 86	11 27 27 7	−18 12 16	−51 5	
				,	Groom 1845	U	6	−0 118	12 12 30 9	+0 94	+0 57	−1 71	−0 15	30 49	11 54 42 3	−17 48 19		
				W	Bradley 3147	L	6	+0 347	11 27 51 4	−2 41	−0 71	−1 78		46 44	11 27 28 0	−0 18 44		
		„ 27	I P E	,	Groom 2006	U	3	−0 618	13 6 26 7	+4 52	+1 70	−1 78	−0 48	30 66	13 6 44 6	+0 13 94	−33 6	−33 8
				„	Polaris	L	3	+0 879	13 18 16 7	−6 22	−2 14	−1 78	−0 54	6 02	13 17 29 2	−0 36 82	−33 9	
				E	Bradley 2935	L	5	+0 155	10 20 30 6	+1 31	+0 17	+1 74		33 82	10 2 1 6	−18 32 22		
				„	Groom 3709	L	5	+0 155	10 20 37 1	+1 31	+0 17	+1 74		40 32	10 2 8 6	−18 31 72	−36 3	
		„ 28	I P W	„	Bradley 1399	U	5	−0 202	10 32 5 8	−1 93	−0 39	+1 74	−0 06	5 16	10 13 45 9	−18 19 26	−34 9	−34 8
				„	„ 3147	L	5	+0 347	11 46 5 4	+3 03	+0 48	−1 74		7 17	11 27 28 1	−18 39 07	−33 1	
				,	Groom 1845	U	6	−0 118	12 13 9 3	−1 18	−0 26	−1 74	−0 15	5 97	11 54 42 3	−18 23 67		

MOOLTAN (E) AND QUETTA (W)

MOOLTAN (Latitude 30° 11′)

QUETTA (Latitude 30° 11′)

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for				Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Correction	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
										Collimation	Level	Pen Equation Q	Approximate Clock Rate					
									h m s	*s*	*s*	*s*	*s*	*s*	*h m s*	*m s*	*d*	*d*
MOOLTAN (E) AND QUETTA (W) — QUETTA (Latitude 30 12)		1890																
				E	Bradley 2935	L	5	+0 155	10 20 45 5	+1 31	+0 27	+1 91		48 99	10 2 1 8	-18 47 19		
				,	Groom. 3709	L	5	+0 155	10 20 52 2	+1 31	+0 27	+1 91		55 69	10 2 8 9	-18 46 79	-29 0	
		Mar 30	I P W	,	Bradley 1899	U	4	-0 202	10 32 23 4	-1 9	-0 60	+1 91	-0 06	22 72	10 13 45 9	-18 36 83	-27 9	
				,	„ 3147	L	5	+0 347	11 46 19 6	+3 03	+0 74	-1 91		21 46	11 27 28 3	-18 53 16		
				,,	Groom 1845	U	6	-0 118	12 13 26 3	-1 18	-0 40	-1 91	-0 15	22 66	11 54 42 2	-18 40 46	-27 3	-28 1
				E	Bradley 2935	L	c	+0 155	10 20 52 4	+1 31	+0 29	0 00		54 00	10 2 1 9	-18 52 10		
				,	Groom 3709	L	5	+0 155	10 20 58 9	+1 31	+0 29	0 00		60 50	10 2 8 9	-18 51 60	-23 9	
		„ 31	I P W		Bradley 1899	U	3	-0 202	10 32 32 1	-1 93	-0 65	0 00	-0 06	29 46	10 13 45 9	-18 43 56	-22 5	
				,	, 3147	L	5	+0 347	11 46 26 0	+3 03	+0 79	0 00		29 82	11 27 28 3	-19 1 52		
				,,	Groom 1845	U	6	-0 118	12 13 34 9	-1 18	-0 43	0 00	-0 15	33 14	11 54 42 2	-18 50 94	-22 8	-23 1
KARACHI (E) AND QUETTA (W) — KARACHI (Latitude 24 51)		1890																
				W	Bradley 3194	L	2	+0 307	11 55 56 6	+0 36	-0 0c	+1 85		58 76	11 54 0 5	-1 58 26	-107 0	
					1672	U	2	-0 677	12 15 17 5	-0 83	+0 13	-1 85	-0 09	14 86	12 15 1 9	-0 12 96		-108 5
		Apr 7	I P E	E	48	L	3	+0 152	12 31 17 1	+0 17	-0 02	-1 85		15 40	12 31 19 9	+0 4 50	-110 0	
					Groom 1923	U	3	-0 192	12 37 12 8	-0 25	+0 05	-1 85	+0 02	10 77	12 37 53 1	+0 42 33		
		„ 8	I P W															*-108 5
				W	Bradley 3194	L	2	+0 307	11 56 7 6	+0 16	+0 04	+1 80		9 60	11 54 0 5	-2 9 10	-103 0	
					1672	U	1	-0 677	12 15 31 5	-0 38	-0 10	-1 80	-0 09	29 13	12 15 1 4	-0 27 73		
		„ 9	I P W	E	, 48	L	3	+0 152	12 31 7 0	+0 08	+0 01	-1 80		5 29	12 31 20 0	+0 14 71	-109 3	-106 5
					Groom 1923	U	3	-0 192	12 37 2 6	-0 11	-0 03	-1 80	+0 02	0 68	12 37 53 0	+0 52 32		
				W	Bradley 3194	L	2	+0 307	11 56 16 5	+0 36	-0 34	+1 84		18 36	11 54 0 5	-2 17 86	-106 7	
					1672	U	1	-0 6,,	12 15 35 8	-0 83	+0 98	-1 84	-0 09	34 02	12 15 1 2	-0 32 82		
		„ 10	I P E	E	, 48	L	3	+0 152	12 31 2 8	+0 17	-0 13	-1 84		1 00	12 31 20 1	+0 19 10	-109 4	-108 0
					Groom 1923	U	3	-0 192	12 36 58 0	-0 25	+0 33	-1 84	+0 02	56 26	12 37 53 0	+0 56 74		
				W	Bradley 3194	L	2	+0 307	11 56 22 0	+0 36	-0 44	+1 85		23 ,7	11 54 0 5	-2 23 37	-105 5	
				,	, 1672	U	1	-0 677	12 15 43 9	-0 83	+1 28	-1 85	-0 09	42 41	12 15 1 0	-0 41 41		
		„ 11	I P E	E	, 48	L	3	+0 152	12 30 c8 4	+0 17	-0 17	-1 85		56 55	12 31 20 1	+0 23 55	-111 3	-107 4
					Groom 1923	U	2	-0 192	12 36 52 7	-0 25	+0 43	-1 85	+0 02	51 05	12 37 52 9	+1 1 85		
				W	Bradley 3194	L	2	+0 307	11 56 29 7	+0 16	+0 05	+1 88		31 79	11 54 0 5	-2 31 29	-107 2	
				,	„ 1672	U	1	-0 677	12 15 49 1	-0 38	-0 13	-1 88	-0 09	46 62	12 15 0 8	-0 45 82		
		„ 12	I P W	E	, 48	L	3	+0 1,2	12 30 53 6	+0 68	+0 02	-1 88		51 82	12 31 20 2	+0 28 38		-109 1
				,,	Groom 1923	U	2	-0 192	12 36 48 4	-0 11	-0 0c	-1 88	+0 02	46 38	12 37 52 9	+1 6 52	-110 9	

* No star observations were taken for the determination of the deviation correction: it had therefore to be deduced from the readings of two collimators, which were found on April 9th to have remained immovable since April 7th.

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction s	Adopted Value of Deviation Correction
									h m s	s	s	s	s	s	h m s	m s	d	d
KARACHI (E) AND QUETTA (W)	QUETTA (Latitude 30 11′)	1800 Apr 7	I P E	E	Bradley 3194	I	3	+0 295	11 53 44 8	-1 78	-0 69	+1 90		44 23	11 54 0 5	+0 16 27		
				L	„ 48	L	6	+0 147	12 31 4 6	-0 86	-0 28	-1 90	+0 13	1 69	12 31 19 9	+0 18 21	-10 8 -9 8	-10 3
				,	Groom 1923	U	6	-0 181	12 37 31 6	+1 21	+0 62	-1 90	+0 15	31 68	12 37 53 1	+0 21 42		
		„ 8	I P E	W	Bradley 3194	L	2	+0 295	11 55 39 2	-1 78	-0 69	+1 93		38 66	11 54 0 5	-1 38 16		
				U	„ 1672	U	2	-0 642	12 16 24 9	+4 08	+1 88	-1 93	-0 10	28 83	12 15 1 7	-1 27 13	-11 8	
				E	„ 48	L	5	+0 147	12 30 60 2	-0 86	-0 28	-1 93		57 13	12 31 19 9	+0 22 77		-12 2
				,	Groom 1923	U	4	-0 181	12 37 26 3	+1 21	+0 62	-1 93	+0 02	26 22	12 37 53 1	+0 26 88	-12 5	
		„ 9	I P W	W	Bradley 3194	L	4	+0 295	11 55 50 2	+2 30	+0 92	+1 93		55 35	11 54 0 5	-1 54 85		
				,	„ 1672	U	2	-0 642	12 16 19 7	-5 29	-2 51	-1 93	-0 10	9 87	12 15 1 4	-1 8 4	-49 5	
				E	„ 48	I	8	+0 147	12 30 59 3	+1 11	+0 38	-1 93		58 86	12 31 20 0	+0 21 14		-53 3
				,	Groom 1923	U	3	-0 181	12 37 17 4	-1 57	-0 83	-1 93	+0 02	13 09	12 37 53 0	+0 39 91	-57 2	
		„ 10	I P W	W	Bradley 3194	L	3	+0 295	11 55 56 8	+2 30	+0 89	+1 92		61 91	11 54 0 5	-2 1 41		
				U	„ 1672	U	2	-0 642	12 16 28 1	-5 29	-2 43	-1 92	-0 10	18 36	12 15 1 2	-1 17 16	-47 2	
				E	„ 48	L	7	+0 147	12 30 54 2	+1 11	+0 37	-1 92		53 76	12 31 20 1	+0 26 34		-50 3
				,	Groom 1923	U	5	-0 181	12 37 13 4	-1 57	-0 80	-1 92	+0 02	9 13	12 37 53 0	+0 43 87	-53 4	
		„ 11	I P E	W	Bradley 3194	L	4	+0 295	11 56 7 9	-1 78	-0 72	+1 92		7 32	11 54 0 5	-2 6 82		
				„	„ 1672	U	2	-0 642	12 16 25 3	+4 08	+1 96	-1 92	-0 10	29 32	12 15 1 0	-1 28 32	-41 1	
				E	„ 48	L	7	+0 147	12 30 51 3	-0 86	-0 29	-1 92		48 23	12 31 20 1	+0 31 87		-43 5
				,	Groom 1923	U	4	-0 181	12 37 6 0	+1 21	+0 64	-1 92	+0 02	5 95	12 37 52 9	+0 46 95	-46 0	
		„ 12	I P E	W	Bradley 3194	L	3	+0 295	11 56 4 6	-1 78	-0 03	+1 93		4 72	11 54 0 5	-2 4 22		
				„	„ 1672	U	2	-0 642	12 16 52 3	+4 08	+0 08	-1 93	-0 10	54 43	12 15 0 8	-1 53 63	-11 3	
				E	„ 48	L	6	+0 147	12 30 41 6	-0 86	-0 01	-1 93		38 80	12 31 20 2	+0 41 40		-13 3
				,	Groom 1923	U	4	-0 181	12 37 7 8	+1 21	+0 03	-1 93	+0 02	7 13	12 37 52 9	+0 45 77	-13 3	

TABLE III. ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION 297

Between Captain Burrard and Lieutenant Lenox-Conyngham

	Observed with Telescope No 2.								
	At DEHRA DÚN (Latitude 30 19′)								
By Stars of	**October 16, 1889**			**October 17 1889**			**October 18 1889**		
	Star	Declination	Equation B − C	Star	Declination	Equation B − C	Star	Declination	Equation B − C
North Aspect	7948	+ 43 57	− 0 17	7879	+ 39 3	− 0 14	7721	+ 32 38	− 0 28
	7994	+ 41 1	− 15	7931	+ 38 53	− 28	7731	+ 32 38	− 31
	8023	+ 41 44	− 22	7948	+ 43 57	− 22	7753	+ 34 4	− 24
	8076	+ 42 57	− 20	7984	+ 39 47	− 24	7777	+ 37 12	− 22
	8110	+ 44 34	− 19	7994	+ 41 1	− 17	7820	+ 48 55	− 16
	8171	+ 42 18	− 14	8023	+ 41 44	− 20	7879	+ 39 3	− 28
	8195	+ 38 38	− 17	8037	+ 40 41	− 32	7948	+ 43 57	− 25
	8237	+ 43 43	− 23	8058	+ 45 48	− 17	7972	+ 42 41	− 26
	8261	+ 45 48	− 26	8076	+ 42 57	− 32	7984	+ 39 4	− 27
				8115	+ 44 53	− 25	8023	+ 41 44	− 22
				8136	+ 37 35	− 21	8076	+ 42 57	− 29
				8171	+ 42 18	− 25	8118	+ 41 10	− 32
				8195	+ 38 38	− 25	8195	+ 38 38	− 27
				8206	+ 30 43	− 36	8237	+ 43 43	− 27
				8223	+ 43 49	− 19	8261	+ 45 48	− 49
				8237	+ 43 43	− 35			
				8261	+ 45 48	− 28			
	Mean (B_N − C_N)		− 0 192			− 0 247			− 0 275
South Aspect	7958	+ 24 1	− 0 25	7833	+ 8 34	− 0 27	7798	+ 27 47	− 0 23
	7975	+ 16 14	− 21	7856	+ 19 40	− 25	7807	+ 20 18	− 20
	7988	+ 8 14	− 26	7893	+ 18 57	− 18	7856	+ 19 40	− 23
	8008	+ 11 9	− 13	7914	+ 28 44	− 29	7908	+ 10 15	− 36
	8052	+ 24 53	− 23	7975	+ 16 14	− 17	7923	+ 29 38	− 28
	8091	+ 27 28	− 17	8008	+ 11 9	− 23	7937	+ 18 47	− 16
	8131	+ 23 8	− 22	8091	+ 27 28	− 33	7958	+ 24 1	− 27
	8146	+ 20 14	− 18	8247	+ 18 3	− 12	8008	+ 11 9	− 28
	8160	+ 22 48	− 20	8296	+ 21 3	− 16	8032	+ 27 29	− 29
	8203	+ 21 54	− 25	8324	+ 24 32	− 25	8052	+ 24 53	− 29
	8222	+ 16 13	− 08	8337	+ 26 18	− 13	8091	+ 27 28	− 17
	8247	+ 18 3	− 05				8131	+ 23 8	− 27
	8272	+ 7 38	− 16				8147	+ 19 57	− 25
	8296	+ 21 3	− 30				8203	+ 21 54	− 32
	8324	+ 24 32	− 25				8222	+ 16 13	− 37
	8337	+ 26 18	− 20						
	8350	+ 26 30	− 02						
	Mean (B_S − C_S)		− 0 186			− 0 216			− 0 265

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Captain Burrard and Lieutenant Lenox-Conyngham.

OBSERVED WITH TELESCOPE N⁰ 1

At AGRA (Latitude 27° 10′)

BY STARS OF	December 18, 1889			December 19 1889			December 20, 1889			December 21 1889		
	Star	Declination	Equation B − C	Star	Declination	Equation B − C	Star	Declination	Equation B − C	Star	Declination	Equation B − C
NORTH ASPECT	821	+ 39 44	− 0 22	821	+ 39 44	− 0 35	821	+ 39 44	− 0 20	821	+ 39 44	− 0 28
	829	+ 43 50	− 25	861	+ 28 48	− 17	861	+ 28 48	− 08	829	+ 43 50	− 34
	861	+ 28 48	− 12	871	+ 37 52	− 20	871	+ 37 52	− 29	861	+ 28 48	− 16
	871	+ 37 52	− 22	888	+ 37 53	− 23	888	+ 37 53	− 21	871	+ 37 52	− 22
	888	+ 37 53	− 20	912	+ 39 13	− 28	912	+ 39 13	− 21	888	+ 37 53	− 25
	912	+ 39 13	− 18	932	+ 35 41	− 21	932	+ 35 41	− 32	912	+ 39 13	− 35
	932	+ 35 41	− 26	953	+ 38 25	− 23	953	+ 38 25	− 34	932	+ 35 41	− 21
	953	+ 38 25	− 23	963	+ 40 32	− 27	1008	+ 38 53	− 27	953	+ 38 25	− 21
	1008	+ 38 53	− 18	974	+ 28 40	− 21	1089	+ 47 35	− 20	1008	+ 38 53	− 19
	1089	+ 47 35	− 21	1008	+ 38 53	− 29	1097	+ 31 39	− 30	1089	+ 47 35	− 36
	1097	+ 31 39	− 26	1089	+ 47 35	− 28	1105	+ 42 13	− 21	1097	+ 31 39	− 28
	1105	+ 42 13	− 20	1097	+ 31 39	− 31	1123	+ 37 14	− 33	1123	+ 37 14	− 36
	1123	+ 37 14	− 28	1123	+ 37 14	− 30						
	Mean (B_N − C_N)		− 0 216			− 0 256			− 0 247			− 0 268
SOUTH ASPECT	800	+ 7 15	− 0 20	810	+ 10 10	− 0 28	782	+ 18 24	− 0 20	800	+ 7 15	− 0 27
	810	+ 10 10	− 35	842	+ 14 51	− 22	789	+ 7 0	− 19	810	+ 10 10	− 27
	898	+ 17 17	− 32	898	+ 17 17	− 23	810	+ 10 10	− 32	898	+ 17 17	− 25
	945	+ 26 11	− 25	945	+ 26 11	− 33	842	+ 14 51	− 25	1028	+ 26 41	− 36
	1028	+ 26 41	− 27	1028	+ 26 41	− 27	898	+ 17 17	− 35	1034	+ 20 45	− 21
	1045	+ 20 21	− 08	1034	+ 20 45	− 33	945	+ 26 11	− 26	1057	+ 8 39	− 21
	1057	+ 8 39	− 30	1045	+ 20 21	− 27	1028	+ 26 41	− 28	1068	+ 9 21	− 18
	1068	+ 9 21	− 20	1057	+ 8 39	− 31	1045	+ 20 21	− 21	1079	+ 16 23	− 31
	1079	+ 16 23	− 28	1068	+ 9 21	− 19	1057	+ 8 39	− 23	1114	+ 15 4	− 25
	1135	+ 19 21	− 26	1079	+ 16 23	− 36	1068	+ 9 21	− 18	1135	+ 19 21	− 23
	1148	+ 20 35	− 32	1114	+ 15 4	− 25	1079	+ 16 23	− 22	1148	+ 20 35	− 30
				1135	+ 19 21	− 16	1135	+ 19 21	− 25			
				1148	+ 20 35	− 25	1148	+ 20 35	− 33			
	Mean (B_S − C_S)		− 0 257			− 0 265			− 0 252			− 0 258

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION   233

Between Captain Burrard and Lieutenant Lenox-Conyngham

BY STARS OF	OBSERVED WITH TELESCOPE No 1											
	At MOOLTAN (Latitude 30° 11)						At KARACHI (Latitude 24° 51')					
	March 16 1890			March 17 1890			April 16 1890			April 17 1890		
	Star	Declination	Equation B − C	Star	Declination	Equation B − C	Star	Declination	Equation B − C	Star	Declination	Equation B − C
NORTH ASPECT	2793	+ 41 33	− 0 17	2999	+ 32 53	− 0 26	8842	+ 23 42	− 0 27	8842	+ 23 42	− 0 19
	2860	+ 36 49	− 18	3016	+ 31 0	− 18	3852	+ 33 42	− 14	3852	+ 33 42	− 25
	2871	+ 36 48	− 27	3033	+ 33 20	− 21	3913	+ 43 47	− 28	3913	+ 43 47	− 23
	2902	+ 31 6	− 23	3068	+ 32 41	− 28	3952	+ 44 14	− 21	3952	+ 44 14	− 16
	2084	+ 33 42	− 29	3097	+ 38 54	− 23	3965	+ 34 50	− 23	3965	+ 34 50	− 24
	2999	+ 32 53	− 16	3109	+ 30 6	− 28	3973	+ 42 20	− 20	3973	+ 42 20	− 15
	3016	+ 31 0	− 20	3144	+ 35 5	− 27	3981	+ 48 23	− 24	3981	+ 48 23	− 27
	3033	+ 33 20	− 17	3162	+ 37 16	− 22	3998	+ 35 33	− 13	3998	+ 35 33	− 22
	3068	+ 32 41	− 15	3241	+ 35 35	− 24	4010	+ 38 34	− 29	4010	+ 38 34	− 35
	3097	+ 38 54	− 14	3268	+ 36 19	− 26	4018	+ 41 32	− 29	4018	+ 41 32	− 18
	3144	+ 35 5	− 16	3297	+ 35 50	− 25	4057	+ 43 39	− 37	4057	+ 43 39	− 40
	3162	+ 37 16	− 25				4100	+ 27 54	− 39	4100	+ 27 54	− 29
	3241	+ 3 35	− 23									
	3268	+ 36 19	− 27									
	3297	+ 35 50	− 15									
	Mean (B_N − C_N)		− 0 201			− 0 244			− 0 233			− 0 244
SOUTH ASPECT	2786	+ 27 35	− 0 30	2901	+ 6 5	− 0 23	3824	+ 15 0	− 0 37	3831	+ 20 44	− 0 35
	2815	+ 28 16	− 20	2917	+ 20 24	− 21	3831	+ 20 44	− 21	3862	+ 6 38	− 22
	2836	+ 14 34	− 20	2931	+ 20 16	− 24	3862	+ 6 38	− 28	3871	+ 7 11	− 27
	2889	+ 7 0	− 18	2942	+ 13 5	− 28	3871	+ 7 11	− 26	3886	+ 17 4	− 18
	2901	+ 6 5	− 24	2960	+ 29 10	− 24	3886	+ 17 4	− 34	3900	+ 3 28	− 30
	2917	+ 20 24	− 23	3063	+ 9 49	− 22	3900	+ 3 28	− 12	3919	+ 14 49	− 27
	2931	+ 20 16	− 23	3079	+ 24 53	− 25	3932	+ 17 24	− 13	3932	+ 17 24	− 16
	2942	+ 13 5	− 16	3123	+ 22 27	− 27	3940	+ 6 43	− 34	3940	+ 6 43	− 37
	3079	+ 24 53	− 19	3132	+ 15 26	− 27	4031	+ 16 16	− 21	4031	+ 16 16	− 23
	3109	+ 30 6	− 24	3201	+ 26 24	− 30	4049	+ 4 16	− 23	4049	+ 4 16	− 21
	3123	+ 22 27	− 17	3209	+ 17 4	− 29	4066	+ 22 4	− 16	4066	+ 22 4	− 23
	3132	+ 15 26	− 31	3227	+ 9 32	− 29	4114	+ 10 53	− 23	4114	+ 10 53	− 29
	3255	+ 28 51	− 16	3278	+ 16 56	− 24						
	3278	+ 16 56	− 23	3309	+ 26 25	− 29						
	3309	+ 26 25	− 32									
	Mean (B_S − C_S)		− 0 224			− 0 259			− 0 240			− 0 257

TABLE IV DEDUCTION OF THE FINAL VALUES OF THE RELATIVE PERSONAL EQUATION

Between Captain Burrard and Lieutenant Lenox-Conyngham

Station	Telescope in use	Astronomical Date	Instrumental Position	By Stars of North Aspect		By Stars of South Aspect	
				Mean Value of Equation $(B_N - C_N)$	General Mean $(B_N - C_N)$	Mean Value of Equation $(B_S - C_S)$	General Mean $(B_S - C_S)$
DEHRA DUN	No 2	1889 October 16	I P W	-0.192		-0.186	
		" 17	"	-247	-0.238	-216	-0.222
		" 18	"	-275		-265	
AGRA	No 1	1889 December 18	I P W	-0.216		-0.257	
		" 19	,	-236	-0.247	-265	-0.258
		, 20	I P E	-247		-252	
		" 21	,	-268		-258	
MOOLTAN	No 1	1890 March 16	I P E	-0.201	-0.223	-0.224	-0.242
		" 17	,	-244		-259	
KARACHI	No 1	1890 April 16	I P W	-0.253	-0.249	-0.240	-0.249
		" 17	,	-244		-257	
			Final Means		-0.239		-0.243

Final Values of the Equation Adopted

The difference between the final means of $(B_N - C_N)$ and $(B_S - C_S)$ is so small that a mean of the two has been adopted as applicable to all stars of all arcs

$$\text{Final adopted value } B - C = -0.241$$

The symbol $B - C$ signifies a quantity which must be *added* to times observed by Lieutenant Lenox Conyngham before they are compared with those observed by Captain Burrard

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

235

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

AGRA (E) *Lat* 27° 10′, *Long* 5ʰ 12ᵐ 14ˢ: AND MOOLTAN (W) *Lat* 30° 11′, *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Correction for Persl Equations $B_N − C_N = −0^s\ 241$ $B_S − C_S = −0\ 241$	ΔL − ρ
	B A C Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group t			
1839 Nov 15	698	+ 33 20	N	I P E	ʰ ᵐ ˢ 2 10 25 56	ˢ + 1 41	ˢ 26 97	N	I P W	ʰ ᵐ ˢ 2 36 46 03	ˢ − 0 08*	ˢ 45 95	ᵐ ˢ 26 18 98			0 241	26 19 027
	714	+ 46 48	N	c − 3 8 d	13 13 45	+ 1 37	14 82	N	c − 2 4 d	39 31 34	+ 1 70	34 04	19 22	26 19 095	0 173		
	727	+ 40 54	N	b − 6 2 a − 1 1 0	15 38 18	+ 1 39	39 97	N	b − 1 4 a − 11 4	41 57 55	+ 1 66	59 21	19 24		+	−	
	772	+ 35 40	N	Q + 1 67 s	23 2 30	+ 1 40	3 70	N	Q + 1 71 s	51 21 01	+ 1 63	22 64	18 94				
	707	+ 19 24	S		2 11 39 29	+ 1 43	40 72	S		2 37 58 20	+ 1 47	59 77	26 19 05			0 241	26 18 982
	745	+ 10 7	S		18 34 04	+ 1 43	35 47	S		44 52 99	+ 1 54	54 53	19 06	26 19 050	0 173		
	755	+ 10 4	S		20 50 40	+ 1 44	31 84	S		46 49 36	+ 1 54	50 90	19 06		+	−	
	760	+ 7 58	S		21 57 36	+ 1 44	58 80	S		48 16 30	+ 1 53	17 83	19 03				
	821	+ 39 44	N	Q − 1 67 s	2 34 60 69	− 1 95	58 74	N	Q − 1 71 s°	3 1 19 13	− 1 77	17 56	26 18 82			0 241	26 18 935
	829	+ 43 50	N		36 37 65	− 1 96	35 69	N		2 56 59	− 1 74	54 85	19 16	26 19 003	0 1 3		
	861	+ 28 47	N		41 3 68	− 1 93	1 75	N		7 22 60	− 1 82	20 78	19 03		+	−	
	798	+ 11 58	S		2 30 20 09	− 1 91	18 18	S		2 56 39 09	− 1 87	37 22	26 19 04			0 241	26 18 965
	808	+ 21 29	S		32 16 31	− 1 91	14 40	S		58 35 24	− 1 84	33 40	19 00	26 19 033	0 1 3		
	813	+ 26 35	S		33 57 46	− 1 93	55 53	S		3 0 16 30	− 1 83	14 47	18 94		+	−	
	844	+ 11 59	S		38 39 99	− 1 91	38 08	S		4 59 10	− 1 87	57 23	19 15				
Nov 16	698	+ 33 20	N	I P W	2 10 15 78	+ 1 52	17 30	N	I P W	2 36 34 98	+ 1 62	36 60	26 19 30			0 241	26 19 102
	714	+ 46 48	N	c + 2 2 d	13 3 83	+ 1 40	5 23	N	c − 2 4 d	39 22 77	+ 1 68	24 45	19 22	26 19 170	0 173		
	727	+ 40 54	N	b − 3 3 a + 15 7	15 28 93	+ 1 47	30 40	N	b − 2 0 a − 12 1	41 47 95	+ 1 60	49 60	19 20		+	−	
	772	+ 35 40	N	Q + 1 60 s	24 52 67	+ 1 51	54 18	N	Q + 1 71 s	51 11 53	+ 1 61	13 14	18 96				
	707	+ 19 24	S		2 11 29 49	+ 1 62	31 11	S		2 37 48 67	+ 1 55	50 22	26 19 11			0 241	26 18 995
	740	+ 10 7	S		18 24 27	+ 1 69	25 96	S		44 43 46	+ 1 53	44 99	19 03	26 19 067	0 173		
	760	+ 7 58	S		21 47 69	+ 1 70	49 39	S		48 6 92	+ 1 52	8 44	19 05		+	−	

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in this case Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

AGRA (E) *Lat* 27° 10′, *Long* 5ʰ 12ᵐ 14ˢ AND MOOLTAN (W) *Lat* 30° 11, *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR		Star s Aspect	TRANSITS OBSERVED AT E *By Burrard, with Telescope No 1*				Star s Aspect	TRANSITS OBSERVED AT W *By Lenox Conyngham with Telescope No 2*				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn. for Penal Equations $B_M − C_M = − 0.241$ $B_S − C_S = − 0.241$	ΔL − ρ
	BAC Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889		°			h m s	s	s			h m s	s	s	m s				
Nov 16	829	+ 43 50	N	I P W	2 36 27 86	− 1 77	26 09	N	I P W	3 2 47 02	− 1 75	45 27	26 19 18	26 19 170	0 173	0 241	26 19 102
	861	+ 28 47	N	c + 2 2 b − 3 3 a + 15 7 Q − 1 60	40 53 17	− 1 63	52 14	N	c − 2 4 b − 2 0 a − 12 1 Q − 1 71	7 13 13	− 1 83	11 30	19 16		+	−	
	798	+ 11 58	S		2 30 10 14	− 1 53	8 61	S		2 56 29 6c	− 1 89	27 ,6	26 19 15	26 19 163	0 1,3	0 241	26 19 09b
	808	+ 21 29	S		32 6 38	− 1 59	4 79	S		58 25 88	− 1 86	24 02	19 23		+	−	
	813	+ 26 35	S		33 47 55	− 1 62	45 93	S		3 0 6 96	− 1 84	5 12	19 19				
	844	+ 11 59	S		38 30 11	− 1 53	28 58	S		4 49 55	− 1 89	47 66	19 08				
Nov 17	698	+ 33 20	N	I P W	2 10 6 39	+ 1 46	7 85	N	I P L	2 36 25 22	+ 1 81	2, 03	6 19 18	26 19 185	0 171	0 241	26 19 115
	714	+ 46 48	N	c + 2 2 b − 5 9 a + 14 0 Q + 1 60	12 54 43	+ 1 34	55 77	N	c + 0 8 b + 3 4 a + 1 7 Q + 1 70	39 13 21	+ 1 82	1, 03	19 26		+	−	
	727	+ 40 54	N		15 19 52	+ 1 40	20 92	N		41 38 32	+ 1 81	40 13	19 21				
	772	+ 35 40	N		24 43 23	+ 1 44	44 67	N		51 1 95	+ 1 81	3 76	19 09				
	707	+ 19 24	S		2 11 20 05	+ 1 55	21 60	S		2 3, 38 98	+ 1 81	40 79	26 19 19	26 19 153	0 171	0 241	26 19 083
	745	+ 10 7	S		18 14 86	+ 1 61	16 4,	S		44 33 81	+ 1 80	3, 61	19 14		+	−	
	755	+ 10 4	S		20 11 20	+ 1 61	12 81	S		46, 30 14	+ 1 80	31 94	19 13				
	760	+ 7 58	S		21 38 19	+ 1 62	39 81	S		47 57 16	+ 1 80	58 96	19 15				
	821	+ 39 44	N	Q − 1 60	2 34 41 41	− 1 80	39 61	N	Q − 1 70	3 0 60 35	− 1 59	58 ,6	26 19 15	26 19 163	0 171	0 241	26 19 093
	829	+ 43 50	N		36 18 48	− 1 83	16 6,	N		2 3, 38	− 1 59	35 79	19 14		+	−	
	861	+ 28 47	N		40 44 38	− 1 70	42 68	N		7 3 47	− 1 59	1 88	19 20				
	798	+ 11 58	S		2 29 60 64	− 1 60	59 04	S		2 56 19 88	− 1 60	18 28	26 19 24	26 19 248	0 171	0 241	26 19 178
	808	+ 21 29	S		31 ,6 92	− 1 66	55 26	S		58 16 09	− 1 59	14 50	19 24		+	−	
	813	+ 26 35	S		33 38 13	− 1 69	36 44	S		59 57 30	− 1 59	55 71	19 27				
	844	+ 11 59	S		38 20 50	− 1 60	18 90	S		3 4 39 ,4	− 1 60	38 14	19 24				

TABLE V   OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL —ᵃρ

AGRA (E) *Lat* 27° 10′ *Long* 5ʰ 12ᵐ 14ˢ AND MOOLTAN (W) *Lat* 30° 11′, *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $B_m - C_n = -0\ 241$, $B_s - C_n = -0\ 241$	ΔL − ᵃρ
					ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
1889 Nov 18	698	+ 33 20	N	I P E	2 9 56 80	+1 70	58 50	N	I P E	2 36 17 40	+0 10*	17 50	26 19 00	26 19 098	+0 171	− 0 241	26 19 028
	714	+ 46 48	N	c − 3 8 (d)	12 44 19	+2 28	46 47	N	c + 0 8 (d)	39 5 53	+0 16*	5 69	19 22				
	727	+ 40 54	N	b − 0 2	15 9 61	+2 00	11 61	N	b + 2 6	41 30 62	+0 13*	30 75	19 14				
	772	+ 35 40	N	a −71 9 ; Q + 1 60	24 33 55	+1 79	35 34	N	a − 4 9 ; Q + 1 70	50 52 57	+1 80	54 37	19 03				
	707	+ 19 24	S		2 11 11 01	+1 27	12 28	S		2 37 31 28	+0 06*	31 34	26 19 06	26 19 010	+0 1,1	− 0 241	26 18 960
	745	+ 10 7	S		18 6 13	+1 01	7 14	S		44 24 41	+1 74	26 15	19 01				
	755	+ 10 4	S		20 2 54	+1 01	3 55	S		46 20 86	+1 74	22 60	19 05				
	760	+ 7 58	S		21 29 55	+0 96	30 51	S		47 47 18	+1 73	49 51	19 00				
	786	+ 34 13	N	Q − 1 60	2 28 19 67	−1 47	18 20	N	Q − 1 70	2 54 38 1	−1 60	37 11	26 18 91	26 18 9,3	+0 1,1	− 0 241	26 18 903
	821	+ 39 44	N		34 31 54	−1 25	30 29	N		3 0 50 92	−1 59	49 33	19 04				
	861	+ 28 41	N		40 35 04	−1 66	33 38	N		6 51 96	−1 61	52 35	18 97				
	808	+ 21 29	S		2 31 47 81	−1 87	45 94	S		2 58 6 67	−1 64	5 03	26 19 09	26 19 073	+0 171	− 0 241	26 19 003
	813	+ 26 35	S		33 28 84	−1 13	27 11	S		59 47 88	−1 62	46 26	19 15				
	844	+ 11 59	S		38 11 86	−2 13	9 73	S		3 4 40 37	−1 66	28 71	18 98				
Nov 19	698	+ 33 20	N	I P E	2 9 47 72	+1 39	49 11	N	I P E	2 36 6 22	+1 81	8 03	26 18 92	26 18 983	+0 1,2	− 0 241	26 18 914
	714	+ 46 48	N	c − 3 8 (d)	12 35 76	+1 36	37 12	N	c + 0 8 (d)	38 54 16	+1 91	56 07	18 95				
	727	+ 40 54	N	b − 4 4	15 0 89	+1 37	2 26	N	b + 3 3	41 19 34	+1 86	21 20	18 94				
	772	+ 35 40	N	a − 1 9 ; Q + 1 60	24 24 43	+1 39	25 82	N	a − 10 5 ; Q + 1 68	50 43 12	+1 82	44 94	19 12				
	707	+ 19 24	S		2 11 1 51	+1 39	2 90	S		2 37 20 11	+1 73	21 84	26 18 94	26 18 995	+0 172	− 0 241	26 18 926
	745	+ 10 7	S		17 36 32	+1 40	57 72	S		44 15 01	+1 69	16 0	18 98				
	755	+ 10 4	S		19 52 70	+1 40	54 10	S		46 11 50	+1 69	13 19	19 09				
	760	+ 7 58	S		21 19 71	+1 41	21 12	S		47 38 41	+1 68	40 09	18 97				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

AGRA (E) *Lat* 27° 10′, *Long* 5ʰ 12ᵐ 14ˢ AND MOOLTAN (W) *Lat* 30° 11′, *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham, with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl Equations $B_N - C_b = -0''\,241$ $B_S - C_S = -0\,241$	ΔL − ρ
	B A C Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889 Nov 19	786	+ 34 13	N	I P E	h m s 2 28 10 58	s − 1 81	s 8 7₁	N	I P E	h m s 2 54 29 21	s − 1 55	s 27 66	m s 26 18 89				
	821	+ 39 44	N	d c − 3 8	34 22 71	− 1 82	20 89	N	d c + 0 8	3 0 41 25	− 1 52	39 73	18 84	s 26 18 885	s + 0 172	− 0 241	s 26 18 816
	829	+ 43 50	N	b − 4 4 a − 1 9	35 59 76	− 1 83	57 93	N	b + 3 3 a − 10 5	2 18 38	− 1 48	16 90	18 97				
	861	+ 28 47	N	s Q − 1 60	40 25 79	− 1 81	23 98	N	s Q − 1 68	6 44 41	− 1 59	42 82	18 84				
	798	+ 11 58	S		2 29 42 18	− 1 80	40 38	S		2 55 61 11	− 1 67	59 44	26 19 06				
	808	+ 21 29	S		31 19 39	− 1 80	36 58	S		57 57 19	− 1 62	55 57	18 99	s 26 18 992	s + 0 152	− 0 241	s 26 18 926
	813	+ 26 35	S		33 19 58	− 1 81	17 77	S		59 38 27	− 1 60	36 67	18 90				
	844	+ 11 59	S		38 2 04	− 1 80	0 24	S		3 4 20 94	− 1 67	19 27	19 03				
Nov 20	698	+ 33 20	N	I P E	2 9 38 27	+ 1 38	39 65	N	I P E	2 35 56 95	+ 1 69	58 64	26 18 99				
	714	+ 46 48	N	d c − 3 8	12 26 33	+ 1 24	27 57	N	d c − 2 4	38 44 ₁6	+ 1 49	46 5₇	18 98	s 26 18 968	s + 0 171	− 0 241	s 26 18 898
	727	+ 40 54	N	b − 3 5 a + 12 3	14 51 46	+ 1 31	52 ₁7	N	b + 3 0 a − 14 0	41 9 97	+ 1 75	11 72	18 95				
	772	+ 35 40	N	s Q + 1 61	24 15 07	+ 1 36	16 43	N	s Q + 1 65	50 33 68	+ 1 70	35 38	18 95				
	707	+ 19 24	S		2 10 52 02	+ 1 49	5 50	S		2 37 10 86	+ 1 60	12 46	26 18 96				
	740	+ 10 7	S		17 46 ₁6	+ 1 52	48 28	S		44 5 66	+ 1 55	7 21	18 93	s 26 18 953	s + 0 152	− 0 241	s 26 18 883
	755	+ 10 4	S		19 43 12	+ 1 52	44 64	S		46 2 08	+ 1 55	3 63	18 99				
	760	+ 7 58	S		21 10 12	+ 1 54	11 66	S		47 29 05	+ 1 54	30 59	18 93				
	786	+ 34 13	N	Q − 1 61	2 27 61 21	− 1 84	59 37	N	Q − 1 65	2 54 19 86	− 1 61	18 25	26 18 88				
	821	+ 39 44	N		34 13 26	− 1 90	11 36	N		3 0 31 84	− 1 56	30 28	18 92	s 26 18 933	s + 0 171	− 0 241	s 26 18 863
	829	+ 43 50	N		35 50 39	− 1 94	48 4₅	N		2 8 97	− 1 53	7 44	18 99				
	861	+ 28 47	N		40 16 31	− 1 81	14 50	N		6 35 08	− 1 64	33 44	18 94				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 239

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

AGRA (E) *Lat* 27° 10' *Long* 5ʰ 12ᵐ 14ˢ: AND MOOLTAN (W) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56ˢ

Astronomical Date	BAC Number	Declination	Star Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $B_N - C_W = 0^s 241$, $B_S - C_S = 1^s 0\ 241$	ΔL − ρ
		° '			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	'	ᵐ ˢ					
1889 Nov 20	798	+11 58	S	I P E	2 29 32 80	−1 71	31 09	S	I P W	2 55 51 62	−1 73	49 89	26 18 80				
	808	+21 29	S	c − 3 8	31 29 02	−1 75	27 27	S	c − 2 4	57 47 81	−1 69	46 14	18 87	26 18 993	0 1,1	0 241	26 18 833
	813	+26 3₅	S	b − 3 5 / a +12 3	33 10 11	−1 80	8 31	S	b + 3 0 / a −14 0	59 28 92	−1 65	27 27	18 96	+	+	−	
	844	+11 59	S	Q − 1 6₁	37 52 64	−1 ₁1	50 93	S	Q − 1 65	3 4 11 64	−1 73	9 91	18 98				
Nov 22	698	+3 20	N	I P W	2 9 19 2₈	+1 ₂6	20 84	N	I P E	2 35 3₈ 36	+1 80	40 16	26 19 32				
	714	+46 48	N	c + 2	12 7 17	+1 60	8 7	N	c ₁ 0 8	38 26 19	+1 80	27 99	19 22	26 19 243	0 1,0	0 241	26 19 172
	727	+40 54	N	b − 1 3 / a − 5 6	14 32 40	+1 58	33 ₁8	N	b + ₈ 3 / a + 1 8	40 5₁ 40	+1 80	53 20	19 22	+	−		
	772	+35 40	N	Q + 1 5₁	23 ₂6 07	+1 5₃	57 62	N	Q + 1 69	50 15 03	+1 80	16 83	19 21				
	707	+19 24	S		2 10 33 10	+1 5₁	34 61	S		2 36 5₂ 05	+1 80	53 85	26 19 24				
	74₃	+10	S		1 2₁ ₂90	+1 49	29 39	S		43 46 85	+1 79	48 64	19 25	26 19 45	0 170	0 241	26 19 174
	7₅5	+10 4	S		19 24 8	+1 49	25 7₁	S		45 43 21	+1 79	45 00	19 23	+	−		
	760	+ ₁58	S		20 51 28	+1 49	52 77	S		47 10 23	+1 80	12 03	19 26				
	786	+34 13	N	Q − 1 5₁	2 27 42 04	−1 46	40 58	N	Q − 1 69	2 53 61 23	−1 58	59 6₃	26 19 07				
	821	+39 44	N		33 54 05	−1 4₅	52 60	N		3 0 13 26	−1 59	11 67	19 0₇	26 19 0,5	0 1 0	0 241	26 19 004
	829	+43 50	N		35 31 11	−1 43	29 68	N		1 50 34	−1 58	48 76	19 08	+	−		
	861	+28 47	N		39 57 26	−1 48	55 78	N		6 16 45	−1 ₅9	14 86	19 08				
	798	+11 58	S		2 29 13 67	−1 5₂	12 1₅	S		2 55 3₂ 80	−1 59	31 21	26 19 06				
	808	+21 29	S		31 9 86	−1 50	8 36	S		57 29 01	−1 58	27 43	19 07	26 19 073	0 1,0	0 241	26 19 002
	813	+26 3₅	S		32 50 99	−1 48	49 5₁	S		59 10 24	−1 59	8 6₅	19 14	+	−		
	844	+11 59	S		37 33 67	−1 5₂	32 15	S		3 3 5₂ ₁6	−1 59	₁1 17	19 02				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) *Lat* 27° 10′ *Long* 5h 12m 14 AND MOOLTAN (W) *Lat* 30° 11′, *Long* 4h 45m 56′

Astronomical Date	STAR BAC Number	Dech nation	Star's Aspect	TRANSITS OBSERVED AT E — By Burrard, with Telescope No 1 — In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	TRANSITS OBSERVED AT W — By Lenox Conyngham with Telescope No 2 — In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Pernl Equations $B_N - C_N - 0.241$ $B_S - C_S - 0.241$	$\Delta L + \rho$
1889 Nov 15	1101	+ 31 19	N	I P E	h m s 3 2 14 33	s + 1 41	s 15 74	N	I P W	h m s 3 28 33 71	s + 1 62	s 35 33	m s 26 19 59	m s 26 19 505	0 139	0 241	m s 26 19 125
	1132	+ 33 37	N	d c − 3 8 b − 6 2 a − 1 0 s Q + 1 67	8 51 31	+ 1 40	52 ,1	N	d c − 2 4 b − 1 4 a − 11 4 s Q + 1 71	35 10 50	+ 1 63	12 13	19 42		−	−	
	1068	+ 9 21	8		2 54 39 32	+ 1 44	40 76	8		3 20 58 76	+ 1 54	60 30	26 19 54	26 19 463	0 139	0 241	26 19 083
	1079	+ 16 23	8		56 56 98	+ 1 44	58 42	8		23 16 31	+ 1 56	17 8,	19 45				
	1087	+ 12 33	8		58 15 00	+ 1 43	16 43	8		24 34 28	+ 1 5o	3o 83	19 40		−	−	
	1092	+ 9 0	8		3 0 5 80	+ 1 44	7 24	8		26 25 16	+ 1 54	26 70	19 46				
	1138	+ 31 56	N	s Q − 1 67	3 10 55 60	− 1 93	53 67	N	s Q − 1 71	3 37 13 10	− 0 09*	13 01	26 19 34	26 19 410	0 139	0 241	26 19 030
	1219	+ 39 41	N		23 58 8,	− 1 95	56 92	N		50 18 18	− 1 ,7	16 41	19 49				
	1228	+ 35 28	N		25 20 11	− 1 94	18 17	N		51 39 36	− 1 79	3 57	19 40		−	−	
	1151	+ 24 7	8		3 12 9 91	− 1 91	8 00	8		3 38 27 49	− 0 12*	27 37	26 19 37	26 19 410	0 139	0 241	26 19 030
	1192	+ 25 15	8		17 12 43	− 1 90	10 53	8		43 31 80	− 1 82	29 98	19 45		−	−	
Nov 16	1101	+ 31 19	N	I P W	3 2 21 72	+ 1 54	23 26	N	I P W	3 28 41 40	+ 1 61	43 01	26 19 75	26 19 693	0 137	0 241	26 19 315
	1105	+ 42 13	N	d c + 2 2 b − 3 3 a + 15 7	4 8 43	+ 1 45	9 88	N	d c − 2 4 b − 2 0 a − 12 1	30 28 04	+ 1 66	29 70	19 82				
	1123	+ 37 14	N		7 32 ,6	+ 1 49	34 25	N		33 52 27	+ 1 62	53 89	19 64		−	−	
	1132	+ 33 3,	N	s Q + 1 60	8 58 82	+ 1 52	60 34	N	s Q + 1 71	35 18 28	+ 1 62	19 90	19 56				
	1068	+ 9 21	8		2 54 46 66	+ 1 69	48 35	8		3 21 6 53	+ 1 52	8 05	26 19 70	26 19 05	0 137	0 241	26 19 337
	1079	+ 16 23	8		57 4 28	+ 1 64	5 92	8		23 24 08	+ 1 53	25 61	19 69				
	1087	+ 12 33	9		58 22 19	+ 1 67	23 86	8		24 42 07	+ 1 54	43 61	19 75		−	−	
	1092	+ 9 0	8		3 0 13 10	+ 1 69	14 79	8		26 32 93	+ 1 52	34 47	19 68				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

241

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

AGRA (E) *Lat 27° 10′, Long 5ʰ 12ᵐ 14ˢ* AND MOOLTAN (W) *Lat 30° 11′ Long 4ʰ 45ᵐ 56ˢ*

Astronomical Date	STAR			Transits Observed at E — By Burrard with Telescope No 1					Transits Observed at W — By Lenox Conyngham, with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Persl Equations $B_N - C_N = -0ˢ 241$ $B_S - C_S = -0ˢ 241$	ΔL + ρ
	B A C Number	Declination	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1889 Nov 16	1175	+ 32 45	N	I P W d c + 2 2 b − 3 3 a + 15 7 s Q − 1 60	h m s 3 16 1, 18	s −1 67	s 11 51	N	I P W d c − 2 4 b − 2 0 a − 12 1 s Q − 1 71	h m s 3 42 33 17	s −1 81	s 31 36	m s 26 19 85	s 26 19 810	0 137	0 241	s 26 19 432
	1219	+ 39 41	N		24 6 11	−1 73	4 38	N		50 25 97	−1 78	24 19	19 81				
	1228	+ 35 28	N		25 27 44	−1 69	25 75	N		51 47 32	−1 80	45 52	19 77				
	1166	+ 23 46	S		3 14 34 32	−1 61	32 71	S		3 40 54 33	−1 85	52 48	26 19 77	26 19 725	0 134	0 241	26 19 347
	1192	+ 25 15	S		17 19 73	−1 61	18 12	S		43 39 65	−1 85	3, 80	19 68				
Nov 17	1101	+ 30 19	N	I P W d c + 2 2 b − 5 9 a + 14 0 s Q + 1 60	3 2 29 24	+1 48	30 72	N	I P E d c + 0 8 b + 3 4 a + 14 0 s Q + 1 70	3 28 48 62	+1 81	50 43	26 19 71	26 19 630	0 136	0 241	26 19 253
	1105	+ 42 13	N		4 16 12	+1 38	17 50	N		30 35 29	+1 81	37 10	19 60				
	1123	+ 37 14	N		7 40 37	+1 43	41 80	N		33 59 52	+1 80	61 32	19 52				
	1132	+ 33 37	N		9 6 17	+1 46	, 63	N		35 25 51	+1 81	27 32	19 69				
	1068	+ 9 21	S		2 54 54 21	+1 62	55 83	S		3 21 13 67	+1 80	15 47	26 19 64	26 19 69,	0 136	0 241	26 19 318
	1079	+ 16 23	S		5, 11 81	+1 57	13 38	S		23 31 30	+1 81	33 11	19 73				
	1087	+ 12 33	S		58 29 77	+1 60	31 37	S		24 49 23	+1 80	51 03	19 66				
	1092	+ 9 0	S		3 0 20 59	+1 62	22 21	S		26 40 16	+1 80	41 96	19 75				
	1138	+ 31 56	N	Q − 1 60	3 11 10 38	−1 73	8 65	N	Q − 1 70	3 37 29 89	−1 59	28 30	26 19 65	26 19 647	0 136	0 241	26 19 270
	1175	+ 32 45	N		16 20 69	−1 74	18 95	N		42 40 17	−1 59	38 58	19 63				
	1228	+ 35 28	N		25 34 99	−1 76	33 23	N		51 54 48	−1 59	52 89	19 66				
	1151	+ 24 7	S		3 12 24 68	−1 67	23 01	S		3 38 44 27	−1 60	42 67	26 19 66	26 19 690	0 136	0 241	26 19 318
	1154	+ 24 1	S		13 1 95	−1 67	0 28	S		39 21 53	−1 60	19 93	19 65				
	1166	+ 23 46	S		14 41 ,8	−1 67	40 11	S		40 61 41	−1 60	59 83	19 ,2				
	1192	+ 25 15	S		17 27 24	−1 67	25 57	S		43 46 92	−1 60	45 32	19 75				

			AGRA (E) *Lat* 27° 10′ *Long* 5ʰ 12ᵐ 14ˢ ; AND MOOLTAN (W) *Lat* 30° 11′ *Long* 4ʰ 45ᵐ 56ˢ													
Astronomical Date	STAR		Transits Observed at E *By Burrard, with Telescope No 1*				Transits Observed at W *By Lenox Conyngham with Telescope No 2*					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrⁿ for Persl Equations $B_E - C_E = -\sigma$ 241 $B_S - C_S = -\sigma$ 241	$\Delta L + \rho$
	B A C Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1860		°			h m s	s	s			h m s	s	s	m s		s	s	s
Nov 19	1101	+ 31 19	N	I P A	3 2 44 58	+ 1 39	45 97	N	I P E	3 29 3 55	+ 1 80	5 35	26 19 38		0 136	0 241	
	1105	+ 42 13	N	d c − 3 8	4 31 25	+ 1 38	32 63	N	d o + 0 8	30 50 21	+ 1 8,	52 08	19 45	26 19 398			26 19 021
	1123	+ 37 14	N	b − 4 4 a − 1 9	7 55 54	+ 1 38	56 92	N	b + 3 3 a − 10 5	34 14 46	+ 1 83	16 29	19 37		−	−	
	1132	+ 33 37	N	s Q + 1 60	9 21 57	+ 1 39	22 96	N	s Q + 1 68	35 40 54	+ 1 81	42 35	19 39				
	1068	+ 9 21	S		2 55 9 66	+ 1 40	11 06	S		3 21 28 ,9	+ 1 68	30 47	26 19 41		0 136	0 241	
	1087	+ 12 33	S		58 45 26	+ 1 40	46 66	S		25 4 42	+ 1 70	6 12	19 46	26 19 453			26 19 076
	1092	+ 9 0	S		3 0 36 04	+ 1 40	37 44	S		26 55 25	+ 1 68	56 93	19 49		−	−	
	1138	+ 31 56	N	Q − 1 60	3 11 25 ,2	− 1 82	23 90	N	Q − 1 68	3 37 44 86	− 1 56	43 30	26 19 40		0 136	0 241	
	1175	+ 32 45	N		16 35 95	− 1 82	34 13	N		42 55 08	− 1 56	53 52	19 39	26 19 413			26 19 036
	1219	+ 39 41	N		24 28 93	− 1 82	27 11	N		50 48 00	− 1 52	46 48	19 37		−	−	
	1228	+ 35 28	N		25 50 15	− 1 81	48 34	N		52 9 37	− 1 54	7 83	19 49				
	1151	+ 24 7	S		3 12 39 99	− 1 80	38 19	S		3 38 59 20	− 1 61	57 59	26 19 40		0 136	0 241	
	1154	+ 24 1	S		13 17 34	− 1 80	15 54	S		39 36 50	− 1 61	34 89	19 35	26 19 373			26 18 996
	1166	+ 23 46	S		14 5, 27	− 1 80	55 47	S		41 16 41	− 1 61	14 80	19 33		−	−	
	1192	+ 25 15	S		17 42 60	− 1 79	40 81	S		44 1 82	− 1 60	0 22	19 41				
Nov. 20	1101	+ 31 19	N	I P E	3 2 51 86	+ 1 40	53 26	N	I P W	3 29 11 16	+ 1 68	12 84	26 19 58		0 133	0 241	
	1105	+ 42 13	N	d c − 3 8	4 38 69	+ 1 30	39 99	N	d c − 2 4	30 57 71	+ 1 76	59 47	19 48	26 19 428			26 19 054
	1123	+ 37 14	N	b − 3 5 a + 12 3	8 2 99	+ 1 34	4 33	N	b + 3 0 a − 14 0	34 21 93	+ 1 71	23 64	19 31		−	−	
	1132	+ 33 37	N	s Q + 1 61	9 28 89	+ 1 38	30 27	N	s Q + 1 65	35 47 92	+ 1 69	49 61	19 34				
	1068	+ 9 21	S		2 55 16 87	+ 1 52	18 39	S		3 21 36 34	+ 1 55	37 89	26 19 50		0 133	0 241	
	1079	+ 16 23	S		57 34 47	+ 1 49	35 96	S		23 53 88	+ 1 58	55 46	19 50	26 19 435			26 19 061
	1087	+ 12 33	S		58 52 44	+ 1 51	53 95	S		25 11 75	+ 1 57	13 32	19 37		−	−	
	1092	+ 9 0	S		3 0 43 32	+ 1 53	44 85	S		27 2 67	+ 1 55	4 22	19 37				

AGRA (E) Lat 27° 10′ Long 5ʰ 12ᵐ 14 : AND MOOLTAN (W) Lat. 30° 11 , Long. 4ʰ 45ᵐ 56′

Astronomical Date	STAR		Star s Aspect	TRANSITS OBSERVED AT E				Star s Aspect	TRANSITS OBSERVED AT W				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. for Pertl Equations $B_F - C_S = 0^s 241$ $B_R - C_S = 0 241$	$\Delta L + \rho$
				By Burrard with Telescope No 1					By Lenox Conyngham, with Telescope No 2								
	B A C Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889 Nov 20	1175	+ 32 45	N	I P E	h m s 3 16 43 42	s − 1 83	s 41 59	N	I P W	h m s 3 43 2 50	s − 1 61	s 0 89	m s 26 19 30	s 26 19 293	s 0 133	s 0 241	s 26 18 919
	1219	+ 39 41	N	c − 3 8 d	24 36 46	− 1 90	34 56	N	c − 2 4 d	50 55 36	− 1 56	53 80	19 24				
	1228	+ 35 28	N	b − 3 5 a + 12 3	25 57 66	− 1 86	55 80	N	b + 3 0 a − 14 0	52 16 74	− 1 60	15 14	19 34				
				Q − 1 61 s					Q − 1 65 s								
	1192	+ 25 15	S		3 11 49 93	− 1 77	48 16	S		3 44 9 21	− 1 67	7 54	26 19 38	26 19 380	0 133	0 241	26 19 006
Nov 21	1101	+ 31 19	N	I P W	3 2 58 89	+ 1 57	60 46	N	I P W	3 29 18 71	+ 1 66	20 37	26 19 91	26 19 867	0 134	0 241	26 19 492
	1105	+ 42 13	N	c + 2 2 d	4 45 50	+ 1 59	47 09	N	c − 2 4 d	31 5 39	+ 1 66	7 05	19 96				
	1132	+ 33 31	N	b − 1 4 a − 3 0	9 35 87	+ 1 57	37 44	N	b + 2 8 a − 0 7	35 53 50	+ 1 67	57 17	19 73				
				Q + 1 54 s					Q + 1 65 s								
	1008	+ 9 21	S		2 55 24 02	+ 1 54	25 56	S		3 21 43 62	+ 1 65	45 27	26 19 71	26 19 740	0 134	0 241	26 19 365
	1079	+ 16 23	S		57 41 66	+ 1 55	43 21	S		24 1 26	+ 1 65	2 91	19 70				
	1087	+ 12 33	S		58 59 51	+ 1 54	61 05	S		25 19 15	+ 1 66	20 81	19 76				
	1092	+ 9 0	S		3 0 50 44	+ 1 54	51 98	S		27 10 12	+ 1 65	11 77	19 79				
	1186	+ 31 56	N	Q − 1 54 s	3 11 39 99	− 1 51	38 48	N	Q − 1 65 s	3 37 59 75	− 1 64	58 11	26 19 63	26 19 648	0 134	0 241	26 19 273
	1175	+ 32 45	N		16 50 23	− 1 51	48 72	N		43 9 97	− 1 64	8 33	19 61				
	1219	+ 39 41	N		24 43 16	− 1 50	41 66	N		51 3 01	− 1 64	1 37	19 71				
	1228	+ 35 28	N		26 4 50	− 1 51	2 99	N		52 21 62	+ 0 01*	22 63	19 64				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and con sequently in this case Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) *Lat 27° 10', Long 5h 13m 14s* AND MOOLTAN (W) *Lat 30° 11', Long 4h 45m 56s*

Astronomical Date	STAR BAC Number	Decli nation	Star's Aspect	TRANSITS OBSERVED AT E (By Burrard, with Telescope No 1) Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	TRANSITS OBSERVED AT W (By Lenox Conyngham with Telescope No 2) Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference of Corrected times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations Bw = Cw = − 0·241 Bs = Cs = − 0·241	ΔL + ρ
1889 Nov 21	1151	+ 24 7	S	I P W	3 12 54 36	− 1 52	52 84	S	I P W	3 39 14 32	− 1 64	12 68	26 19 84	26 19·93	0 134	0 241	26 19 418
	1154	+ 24 1	S	c + 2 2	13 31 62	− 1 52	30 10	S	c − 2 4	39 51 48	− 1 64	49 84	19 74				
	1192	+ 25 15	S	b − 1 4 / a − 3 0	17 56 90	− 1 52	55 38	S	b + 2 8 / a − 0 7	44 16 82	− 1 64	15 18	19 80				
				Q − 1 54					Q − 1 65								
Nov 22	1101	+ 31 19	N	I P W	3 3 6 51	+ 1 55	8 06	\	I P F	3 29 25 78	+ 1 80	27 38	26 19 52	26 19·593	0 136	0 241	26 19 216
	1105	+ 42 13	N	c + 2 2	4 53 11	+ 1 58	54 69	N	c + 0 8	31 12 59	+ 1 80	14 39	19 70				
	1123	+ 3, 14	N	b − 1 3 / a − 5 6	8 17 42	+ 1 56	18 98	N	b + 3 3 / a + 1 8	34 36 17	+ 1 79	38 56	19 58				
	1182	+ 33 37	N	Q + 1 51	9 43 45	+ 1 56	45 01	N	Q + 1 69	36 2 78	+ 1 80	4 38	19 57				
	1068	+ 9 21	S		2 55 31 12	+ 1 49	33 21	S		3 21 50 87	+ 1 79	52 68	26 19 47	26 19·568	0 136	0 241	26 19 191
	1079	+ 16 23	S		5 49 20	+ 1 51	50 71	S		24 8 55	+ 1 79	10 34	19 63				
	1087	+ 12 33	S		59 7 21	+ 1 50	8 71	S		25 26 52	+ 1 79	28 31	19 60				
	1092	+ 9 0	S		3 0 58 06	+ 1 49	59 55	S		27 1 33	+ 1 79	19 12	19 57				
	1138	+ 31 56	N	Q − 1 51	3 11 47 41	− 1 47	45 94	N	Q − 1 69	3 38 7 05	− 1 58	5 47	26 19 53	26 19·583	0 136	0 241	26 19 208
	1175	+ 32 45	N		16 57 64	− 1 47	56 17	N		43 17 40	− 1 58	15 82	19 65				
	1219	+ 39 41	N		24 50 6,	− 1 45	49 22	N		51 10 43	− 1 59	8 84	19 62				
	1228	+ 35 28	N		26 11 94	− 1 47	10 47	N		52 31 59	− 1 58	30 01	19 54				
	1151	+ 24 7	S		3 13 1 78	− 1 50	0 28	S		3 39 21 56	− 1 59	19 97	26 19 69	26 19·645	0 136	0 241	26 19 268
	1154	+ 24 1	S		13 39 05	− 1 50	37 55	S		39 58 78	− 1 59	57 19	19 64				
	1166	+ 23 46	S		15 18 98	− 1 50	17 48	S		41 38 64	− 1 59	37 05	19 57				
	1192	+ 25 15	S		18 4 36	− 1 49	2 87	S		44 24 14	− 1 59	22 55	19 68				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

245

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

AGRA (E) *Lat* 27° 10′ *Long* 5ʰ 12ᵐ 14ˢ AND KARACHI (W) *Lat* 24° 51′ *Long* 4ʰ 28ᵐ 18ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrn. for Persl. Equations $B_N - C_N = -0.241$ $B_S - C_S = -0.241$	$\Delta L - \rho$
				TRANSITS OBSERVED AT E By Burrard with Telescope No 1					**TRANSITS OBSERVED AT W** By Lenox Conyngham with Telescope No 2				**Difference of Corrected Times (W − E)**				
1889 Dec 1	916	+ 40 36	N	$I\ P\ E$ $c - 2\ 7$ $b - 4\ 5$ $a - 25\ 2$ $Q + 1\ 48$	ʰ ᵐ ˢ 2 52 54 86	ˢ + 1 44	ˢ 56 30	N	$I\ P\ W$ $c - 1\ 4$ $b - 1\ 3$ $a - 99\ 5$ $Q + 1\ 60$	ʰ ᵐ ˢ 3 36 54 76	ˢ + 2 32	ˢ 57 08	ᵐ ˢ 44 0 78	ˢ 0 780 ᵐ 44	0 211 +	0 241 −	ˢ 0 759 44
	905	+ 7 57	S		2 50 42 36	+ 1 13	43 49	S		3 34 43 39	+ 0 88	44 27	0 88	0 800	0 211	0 241	0 779
	929	+ 8 28	S		54 10 74	+ 1 14	11 88	S		38 11 80	+ 0 90	12 70	0 82	ᵐ 44	+	−	44
	981	+ 39 12	N	$Q - 1\ 48$	3 4 35 60	− 1 54	34 06	N	$Q - 1\ 60$	3 48 34 81	− 0 96	34 85	44 0 79	0 73	0 211	0 241	0 743
	1006	+ 43 37	N		10 47 55	− 1 47	46 08	N		54 47 53	− 0 69	46 84	0 76	0 73	0 211	0 241	
	1017	+ 33 49	N		12 15 27	− 1 59	13 68	N		56 15 73	− 1 25	14 48	0 80	ᵐ 44	+	−	44
	1025	+ 28 39	N		14 5 28	− 1 64	3 64	N		58 5 88	− 1 50	4 38	0 74				
	950	+ 3 55	S		2 56 61 43	− 1 85	59 58	S		3 41 2 77	− 2 48	0 29	44 0 71	0 800	0 211	0 241	0 715
	957	+ 24 50	S		59 23 89	− 1 69	22 0	S		43 24 75	− 1 66	23 09	0 89	0 800	0 211	0 241	
	986	+ 19 19	S		3 5 44 69	− 1 73	42 96	S		49 45 62	− 1 89	43 73	0 77	ᵐ 44	+	−	44
	991	+ 6 15	S		6 60 57	− 1 83	58 74	S		50 61 97	− 2 38	59 59	0 85				
Dec 2	861	+ 28 48	N	$I\ P\ W$ $c + 1\ 1$ $b - 3\ 1$ $a - 73\ 0$ $Q + 1\ 49$	2 41 35 76	+ 1 49	37 25	N	$I\ P\ W$ $c - 1\ 4$ $b - 1\ 3$ $a - 4\ 4$ $Q + 1\ 59$	3 25 36 79	+ 1 53	38 32	44 1 07	1 010	0 210	0 241	0 99
	877	+ 34 36	N		44 58 29	+ 1 0	59 99	N		28 59 40	+ 1 54	60 94	0 95	1 010	0 210	0 241	
	888	+ 37 53	N		46 59 99	+ 1 82	61 81	N		31 1 28	+ 1 54	2 82	1 01	ᵐ 44	+	−	44
	916	+ 40 36	N		52 47 28	+ 1 93	49 21	N		36 48 67	+ 1 55	50 22	1 01				
	852	+ 4 15	S		2 39 49 80	+ 0 81	50 61	S		3 23 50 12	+ 1 50	51 62	44 1 01	1 020	0 210	0 241	0 989
	867	+ 17 50	S		42 36 53	+ 1 17	37 70	S		26 37 20	+ 1 52	38 72	1 02	1 020	0 210	0 241	
	905	+ 7 56	S		50 35 51	+ 0 90	36 41	S		34 35 99	+ 1 50	37 49	1 08	ᵐ 44	+	−	44
	929	+ 8 28	S		54 3 94	+ 0 91	4 85	S		38 4 32	+ 1 50	5 82	0 97				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

AGRA (E) *Lat* 27° 10′, *Long* 5ʰ 12ᵐ 14ᵉ AND KARACHI (W) *Lat* 24° 51′, *Long* 4ʰ 28ᵐ 18ᵉ

Astronomical Date	STAR BAC Number	STAR Dech nation	Star's Aspect	TRANSITS OBSERVED AT E By Burrard, with Telescope No 1 — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2 — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $B_N - C_N = -0^s 241$ $B_S - C_S = 0^s 241$	$\Delta L - \rho$
1889 Dec 2	981	+ 39 12	N	I P W d c + 1 1 b − 3 1 a −73 0 e Q −1 49	h m s 3 4 28 15	−1 11	27 04	N	I P W d c − 1 4 b − 1 3 a − 4 4 e Q −1 59	h m s 3 48 29 71	−1 64	28 07	m s 44 1 03	s 44 1 075	s 0 210	s 0 241	s 44 1 044
	1006	+ 43 37	N		10 39 90	−0 91	38 99	N		54 41 79	−1 63	40 16	1 17	+	−	
	1017	+ 33 49	N		12 7 95	−1 31	6 64	N		56 9 35	−1 64	7 71	1 07			
	1025	+ 28 39	N		13 58 10	−1 49	56 61	N		57 59 29	−1 65	57 64	1 03			
	960	+ 3 55	S		2 56 54 70	−2 18	52 52	S		3 40 55 29	−1 69	53 60	44 1 08	44 1 065	0 210	0 241	44 1 014
	957	+ 24 50	S		59 16 77	−1 61	15 16	S		43 1 92	−1 65	16 27	1 11	+	−	
	986	+ 19 19	S		3 5 37 74	−1 76	35 98	S		49 38 64	−1 66	36 98	1 00			
	991	+ 6 15	S		6 53 89	−2 12	51 77	S		50 54 52	−1 68	52 84	1 07			
Dec 3	861	+ 28 48	N	I P W d c + 1 1 b − 3 2 a −67 1 e Q +1 50	2 41 28 96	+1 50	30 46	N	I P E d c − 0 2 b − 0 0 a − 0 6 e Q +1 61	3 25 29 78	+1 60	31 38	44 0 92	s 44 0 888	s 0 207	s 0 241	s 44 0 854
	877	+ 34 36	N		44 51 44	+1 67	53 11	N		28 52 46	+1 60	54 06	0 95	+	−	
	888	+ 37 53	N		46 53 26	+1 80	55 06	N		30 54 39	+1 60	55 99	0 93			
	916	+ 40 36	N		52 40 68	+1 90	42 58	N		36 41 73	+1 60	43 33	0 75			
	852	+ 4 15	S		2 39 42 81	+0 86	43 67	S		3 23 43 05	+1 61	44 66	44 0 99	s 44 0 945	s 0 207	s 0 241	s 44 0 911
	867	+ 17 50	S		42 29 70	+1 21	30 91	S		26 30 29	+1 61	31 90	0 99	+	−	
	905	+ 7 56	S		50 28 71	+0 95	29 66	S		34 28 97	+1 61	30 58	0 92			
	929	+ 8 28	S		53 5. 13	+0 96	58 09	S		37 57 36	+1 61	58 97	0 88			
	981	+ 39 12	N	Q − 1 50	3 4 21 49	−1 16	20 33	N	Q −1 61	3 48 22 84	−1 62	21 22	44 0 89	s 44 0 985	s 0 207	s 0 241	s 44 0 951
	1006	+ 43 37	N		10 33 26	−0 98	32 28	N		54 34 92	−1 61	33 31	1 03	+	−	
	1017	+ 33 49	N		11 61 25	−1 35	59 90	N		56 2 51	−1 62	0 89	0 99			
	1025	+ 28 39	N		13 51 28	−1 50	49 78	N		57 52 43	−1 62	50 81	1 03			
	960	+ 3 55	S		2 56 47 81	−2 15	45 66	S		3 40 48 32	−1 61	46 71	44 1 05	s 44 1 053	s 0 207	s 0 241	s 44 1 019
	957	+ 24 50	S		59 9 99	−1 62	8 37	S		43 11 03	−1 61	9 42	1 05	+	−	
	986	+ 19 19	S		3 5 30 95	−1 76	29 19	S		49 31 78	−1 61	30 17	0 98			
	991	+ 6 15	S		6 47 00	−2 09	44 91	S		50 47 65	−1 61	46 04	1 13			

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

247

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

AGRA (E) *Lat* 27° 10 *Long* 5h 12m 14s; AND KARACHI (W) *Lat* 24° 51, *Long* 4h 28m 13s

Astronomical Date	STAR		TRANSITS OBSERVED AT E — By Burrard with Telescope No 1					TRANSITS OBSERVED AT W — By Lenox Conyngham with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Pers. Equations $B_E − C_W = −0.241$ $B_S − C_S = −0.241$	ΔL − ρ
	BAC Number	Decl nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1889 Dec 4	861	+28 48	N	I P L; c −2,1; b −3 0; a −38 9; Q +1 55	h m s 2 41 22 44	s +1 43	s 23 87	N	I P E; c −0 2; b −2 4; a −17 5; Q +1 60	h m s 3 25 24 63	s −0 04*	s 24 59	m s 44 0 72				
	877	+34 36	N		44 45 05	+1 54	46 59	N		28 45 68	+1 61	47 29	0 70				
	888	+37 53	N		46 46 85	+1 60	48 45	N		30 47 58	+1 63	49 21	0 76				
	916	+40 36	N		52 34 23	+1 64*	35 87	N		36 34 92	+1 66	36 58	0 71	s 44 0·723	0·206	0·241	44 0·688
	802	+4 15	S		2 39 36 04	+1 09	37 13	S		3 23 38 11	−0 19*	37 92	44 0 9				
	867	+17 50	S		42 23 02	+1 27	24 29	S		26 25 20	−0 11*	25 09	0 80				
	905	+7 56	S		50 21 92	+1 14	23 06	S		34 22 36	+1 43	23 19	0 73				
	929	+8 28	S		53 50 33	+1 15	51 48	S		37 50 77	+1 44	52 21	0 73	s 44 1·63	0·206	0·241	44 0·728
	981	+39 12	N	Q −1 55	3 4 15 19	−1 48	13 71	N	Q −1 60	3 48 15 99	−1 5,	14 44	44 0 73				
	1006	+43 37	N		10 27 10	−1 38	25 72			54 27 98	−1 51	26 47	0 75				
	1017	+33 49	N		11 54 91	−1 58	53 33			55 55 70	−1 60	54 10	0 77				
	1025	+28 39	N		13 44 92	−1 67	43 25			57 45 58	−1 64	43 94	0 69	s 44 1·35	0·206	0·241	44 0·790
	950	+3 55	S		2 56 41 15	−2 02	39 13	S		3 40 41 68	−1 ,9	39 89	44 0 6				
	957	+24 50	S		59 3 57	−1 73	1 84	S		43 4 26	−1 66	2 60	0 6				
	986	+19 19	S		3 5 24 39	−1 80	22 59	S		49 25 01	−1 70	23 31	0 72				
	991	+6 15	S		6 40 32	−1 98	38 34	S		50 40 98	−1 78	39 20	0 86	s 44 1·15	0·206	0·241	44 0·740
Dec 5	861	+28 48	N	I P E; c −2 7; b −3 0; a −34 9; Q +1 49	2 41 15 92	+1 36	17 28	N	I P E; c −2 7; b −4 2; a −15 6; Q +1 59	3 25 16 49	+1 50	17 99	44 0 71				
	877	+34 36	N		44 38 47	+1 46	39 93	N		28 38 99	+1 54	40 53	0 60				
	888	+37 53	N		46 40 33	+1 51	41 84	N		30 41 00	+1 56	42 56	0 72				
	916	+40 36	N		52 27 56	+1 56	29 12	N		36 28 22	+1 58	29 80	0 68	s 44 0·6,8	0·209	0·241	44 0·646
	852	+4 15	S		2 39 29 39	+1 06	30 45	S		3 23 29 80	+1 38	31 18	44 0 73				
	867	+17 50	S−		42 16 41	+1 23	17 64	S		26 16 88	+1 44	18 32	0 68				
	905	+7 56	S		50 15 22	+1 11	16 33	S		34 15 74	+1 40	17 14	0 81				
	929	+8 28	S		53 43 56	+1 12	44 68	S		37 44 04	+1 40	45 44	0 76	s 44 0·745	0·209	0·241	44 0·713

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0·00

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	STAR		TRANSITS OBSERVED AT E By Burrard with Telescope No 1				TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Pers¹ Equations $B_E - C_E = - 0 \cdot 241$ $B_S - C_S = - 0 \cdot 241$	$\Delta L - \rho$
Astronomical Date	B A C Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889					h m s	s	s			h m s	s	s	m s				m s
Dec 5	981	+ 39 12	N	*I P E*	3 4 8 37	− 1 44	6 93	N	*I P E*	3 48 9 29	− 1 61	7 68	44 0 75				44 0 718
	1006	+ 43 37	N	c − 2 7	10 20 28	− 1 36	18 92	N	c − 0 2	54 21 28	− 1 57	19 71	0 79	s 0 750	s 0 209	s 0 241	
	1017	+ 33 49	N	b − 3 0	11 48 12	− 1 53	46 59	N	b − 4 2	55 48 99	− 1 64	47 35	0 76	m 44	+	−	
	1025	+ 28 39	N	a − 34 9	13 38 12	− 1 62	36 50	N	a − 15 6	57 38 88	− 1 68	37 20	0 70				
				Q − 1 49					Q − 1 59								
	950	+ 3 55	S		2 56 34 31	− 1 92	32 39	S		3 40 35 05	− 1 81	33 24	44 0 85				44 0 756
	957	+ 24 50	S		58 56 79	− 1 66	55 13	S		42 57 52	− 1 69	55 83	0 ,0	s 0 758	s 0 209	s 0 241	
	986	+ 19 19	S		3 5 17 53	− 1 73	15 80	S		49 18 30	− 1 73	16 57	0 77	m 44	+	−	
	991	+ 6 15	S		6 33 53	− 1 89	31 64	S		50 34 14	− 1 79	32 35	0 71				
Dec 6	861	+ 28 48	N	*I P W*	2 41 8 61	+ 1 49	10 10	N	*I P W*	3 25 9 71	+ 1 51	11 22	44 1 12				44 1 044
	877	+ 34 36	N	c + 1 1	44 31 19	+ 1 60	32 79	N	c + 1 4	28 32 32	+ 1 53	33 85	1 06	s 1 073	s 0 212	s 0 241	
	888	+ 37 53	N	b − 2 2	46 33 02	+ 1 67	34 69	N	b − 2 5	30 34 15	+ 1 56	35 71	1 02	m 44	+	−	
	916	+ 40 36	N	a − 40 2	52 20 29	+ 1 73	22 02	N	a − 11 9	36 21 53	+ 1 58	23 11	1 09				
				Q + 1 49					Q + 1 59								
	852	+ 4 15	S		2 39 22 18	+ 1 11	23 29	S		3 23 23 00	+ 1 42	24 42	44 1 13				44 1 081
	867	+ 17 50	S		42 9 22	+ 1 32	10 54	S		26 10 11	+ 1 47	11 58	1 04	s 1 110	s 0 212	s 0 241	
	905	+ 7 56	S		50 8 03	+ 1 16	9 19	S		34 8 87	+ 1 43	10 30	1 11	m 44	+	−	
	929	+ 8 28	S		53 36 40	+ 1 17	37 57	S		37 37 30	+ 1 43	38 73	1 16				
	981	+ 39 12	N	Q − 1 49	3 3 61 14	− 1 28	59 86	N	Q − 1 59	3 48 2 52	− 1 61	0 91	44 1 05				44 1 006
	1006	+ 43 37	N		10 11 18	+ 0 31*	11 89	N		54 14 54	− 1 38	12 96	1 07	s 1 015	s 0 212	s 0 241	
	1017	+ 33 49	N		11 39 43	+ 0 09*	39 52	N		55 42 11	− 1 65	40 46	0 94	m 44	+	−	
	1025	+ 28 39	N		13 29 52	0 00*	29 52	N		57 32 27	− 1 67	30 60	1 08				
	950	+ 3 55	S		2 56 27 07	− 1 88	25 19	S		3 40 28 13	− 1 77	26 36	44 1 17				44 1 114
	957	+ 24 50	S		58 49 55	− 1 55	48 00	S		42 50 69	− 1 68	49 01	1 01	s 1 143	s 0 212	s 0 241	
	986	+ 19 19	S		3 5 10 33	− 1 64	8 69	S		49 11 49	− 1 71	9 78	1 09	m 44	+	−	
	991	+ 6 15	S		6 26 26	− 1 84	24 42	S		50 27 48	− 1 76	25 72	1 30				

AGRA (E) *Lat* 27° 10′, *Long* 5ʰ 12ᵐ 14ˢ AND KARACHI (W) *Lat* 24° 51 *Long* 4ʰ 28ᵐ 18

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 ∞

AGRA (E) Lat 27° 10′ Long 5ʰ 12ᵐ 14 AND KARACHI (W) Lat 24° 51′, Long 4ʰ 28ᵐ 18ˢ

Astronomical Date	STAR		Star s Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star s Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham, with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. for Persl Equations $B_E − C_E = −0.241$ $B_A − C_A = −0.241$	$\Delta L + \rho$
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Posit on and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889 Dec 1	1320	+ 41 33	N	*I P E*	*h m s* 3 2, 38 ,6	*s* + 1 46	*s* 40 22	N	*I P W*	*h m s* 4 11 39 16	*s* + 2 38	*s* 41 54	*m s* 44 1 32	*m s*	*s* 1 270	*s* + 0 027	*s* 0·241	*s* 44 1 056
	1826	+ 27 5	N	*d* c − 2 7	28 35 62	+ 1 30	36 92	N	*d* c − 1 4	12 36 52	+ 1 63	38 15	1 23	44		+	−	44
	1339	+ 42 10	N	b − 4 5 a − 25 2	30 56 59	+ 1 47	58 06	N	b − 1 3 a − 99 5	14 56 92	+ 2 42	59 34	1 28					
	1364	+ 31 12	N	*s* Q + 1 48	34 6 42	+ 1 34	7 76	N	*s* Q + 1 60	18 7 19	+ 1 82	9 01	1 25					
	1298	+ 8 59	S		3 22 57 84	+ 1 14	58 98	S		4 6 59 31	+ 0 92	60 23	44 1 25		1 305	+ 0 027	0 241	44 1 091
	1304	+ 8 37	S		24 34 04	+ 1 14	35 18	S		8 35 60	+ 0 91	36 51	1 33	44		+	−	44
	1311	+ 20 19	S		25 49 1,	+ 1 24	50 41	S		9 50 38	+ 1 35	51 73	1 32					
	1350	+ 16 31	S		32 6 66	+ 1 21	7 87	S		16 7 99	+ 1 20	9 19	1 32					
	1414	+ 41 2	N	*s* Q − 1 48	3 44 7 16	− 1 51	5 65	N	*s* Q − 1 60	4 28 7 85	− 0 85	7 00	44 1 35		1 315	+ 0 027	0 241	44 1 101
	1445	+ 43 9	N		50 9 15	− 1 48	7 67	N		34 9 73	− 0 72	9 01	1 34	44		+	−	44
	1452	+ 32 40	N		51 44 ,7	− 1 60	43 17	N		35 45 77	− 1 31	44 46	1 29					
	1462	+ 28 28	N		53 59 68	− 1 64	,8 04	N		37 60 83	− 1 51	59 32	1 28					
	1376	+ 18 56	S		3 37 14 80	− 1 74	13 06	S		4 21 16 38	− 1 90	14 48	44 1 42		1 410	+ 0 027	0 241	44 1 196
	1388	+ 19 36	S		38 54 02	− 1 ,3	52 29	S		22 55 53	− 1 88	53 65	1 36	44		+	−	44
	1402	+ 15 37	S		40 38 00	− 1 76	36 24	S		24 ,9 74	− 2 03	37 71	1 47					
	1406	+ 16 6	S		42 23 ,1	− 1 75	21 96	S		26 25 36	− 2 01	23 35	1 39					
Dec 2	1320	+ 41 33	N	*I P W*	3 27 37 24	+ 1 97	39 21	N	*I P W*	4 11 39 16	+ 1 55	40 71	44 1 50		1 480	+ 0 030	0 241	44 1 269
	1826	+ 27 5	N	*d* c + 1 1	28 34 48	+ 1 44	35 92	N	*d* c − 1 4	12 35 83	+ 1 52	37 35	1 43	44		+	−	44
	1339	+ 42 10	N	b − 3 1 a − 73 0	30 55 11	+ 2 00	57 11	N	b − 1 3 a − 4 4	14 57 06	+ 1 55	58 61	1 50					
	1364	+ 31 12	N	*s* Q + 1 49	34 5 15	+ 1 57	6 72	N	*s* Q + 1 59	18 6 68	+ 1 53	8 21	1 49					
	1298	+ 8 59	S		3 22 57 04	+ 0 92	57 96	S		4 6 57 96	+ 1 50	59 46	44 1 50		1 470	+ 0 030	0 241	44 1 259
	1304	+ 8 37	S		24 33 37	+ 0 91	34 28	S		8 34 26	+ 1 50	35 76	1 48	44		+	−	44
	1311	+ 20 19	S		25 48 23	+ 1 25	49 48	S		9 49 41	+ 1 52	50 93	1 45					
	1350	+ 16 31	S		32 5 79	+ 1 14	6 93	S		16 6 86	+ 1 52	8 38	1 45					

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) *Lat 27° 10' Long 5ʰ 12ᵐ 14ˢ*; AND KARACHI (W) *Lat 24° 51 Long 4ʰ 28ᵐ 18ˢ*

Astronomical Date	STAR — BAC Number	Declination	Star's Aspect	TRANSITS OBSERVED AT E (By Burrard with Telescope No 1) — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	TRANSITS OBSERVED AT W (By Lenox Conyngham with Telescope No 2) — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference of Corrected Times (W − E) — By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Perel Equations $B_N - C_N - 0ˢ·241$; $B_S - C_S - 0·241$	$\Delta L + \rho$
1889 Dec 2	1414	+ 41 2	N	I P W / d / c + 1 1 / b − 3 1 / a − 73 0 / Q − 1 49	3 44 5 89	− 1 03	4 86	N	I P W / d / c − 1 4 / b − 1 3 / a − 4 4 / Q − 1 59	4 28 7 80	− 1 63	6 17	44 1 31				
	1445	+ 43 9	N		50 7 64	− 0 94	6 70	N		34 9 79	− 1 63	8 16	1 46	44 1 408	0 030 +	0 241 −	44 1 197
	1452	+ 32 40	N		51 43 58	− 1 35	42 23	N		35 45 29	− 1 64	43 65	1 42				
	1462	+ 28 28	N		53 58 56	− 1 50	57 06	N		37 60 15	− 1 65	58 50	1 44				
	1376	+ 18 56	S		3 37 13 91	− 1 78	12 13	S		4 21 15 31	− 1 66	13 65	44 1 52				
	1388	+ 19 36	S		38 53 00	− 1 76	51 24	S		22 54 52	− 1 66	52 86	1 62	44 1 53	0 030 +	0 241 −	44 1 342
	1402	+ 15 37	S		40 37 12	− 1 87	35 25	S		24 38 41	− 1 67	36 74	1 49				
	1406	+ 16 6	S		42 22 78	− 1 86	20 92	S		26 24 17	− 1 67	22 50	1 58				
Dec 3	1320	+ 41 33	N	I P W / d / c + 1 1 / b − 3 2 / a − 67 1 / Q + 1 50	3 27 36 22	+ 1 94	38 16	N	I P E / d / c − 0 2 / b − 0 0 / a − 0 6 / Q + 1 61	4 11 37 97	+ 1 61	39 58	44 1 42				
	1326	+ 27 5	N		28 33 43	+ 1 45	34 88	N		12 34 55	+ 1 60	36 15	1 27	44 1 35	0 027 +	0 241 −	44 1 161
	1339	+ 42 10	N		30 54 04	+ 1 96	56 00	N		14 55 79	+ 1 61	57 40	1 40				
	1364	+ 31 12	N		34 4 04	+ 1 57	5 61	N		18 5 42	+ 1 60	7 02	1 41				
	1298	+ 8 59	S		3 22 56 00	+ 0 97	56 97	S		4 6 56 74	+ 1 61	58 35	44 1 38				
	1304	+ 8 37	S		24 32 31	+ 0 97	33 28	S		8 33 00	+ 1 61	34 61	1 33	44 1 333	0 027 +	0 241 −	44 1 119
	1311	+ 20 19	S		25 47 23	+ 1 26	48 49	S		9 48 13	+ 1 61	49 74	1 25				
	1350	+ 16 31	S		32 4 73	+ 1 17	5 90	S		16 5 66	+ 1 61	7 27	1 37				
	1414	+ 41 2	N	Q − 1 50	3 44 4 84	− 1 08	3 76	N	Q − 1 61	4 28 6 72	− 1 62	5 10	44 1 34				
	1445	+ 43 9	N		50 6 69	− 1 00	5 69	N		34 8 73	− 1 61	7 12	1 43	44 1 418	0 027 +	0 241 −	44 1 204
	1452	+ 32 40	N		51 42 53	− 1 38	41 15	N		35 44 19	− 1 62	42 57	1 42				
	1462	+ 28 28	N		53 57 47	− 1 51	55 96	N		37 59 06	− 1 62	57 44	1 48				
	1376	+ 18 56	S		3 37 12 93	− 1 78	11 15	S		4 21 14 13	− 1 61	12 52	44 1 37				
	1388	+ 19 36	S		38 52 01	− 1 76	50 25	S		22 53 31	− 1 61	51 70	1 45	44 1 408	0 027 +	0 241 −	44 1 194
	1402	+ 15 37	S		40 36 11	− 1 86	34 25	S		24 37 29	− 1 61	35 68	1 43				
	1406	+ 16 6	S		42 21 78	− 1 84	19 94	S		26 22 93	− 1 61	21 32	1 38				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

251

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

			AGRA (E) *Lat 27° 10′ Long 5ʰ 12ᵐ 14ˢ :* AND KARACHI (W) *Lat 24° 51′, Long 4ʰ 28ᵐ 15ˢ*													

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E				Star's Aspect	TRANSITS OBSERVED AT W				Difference of Corrected Times		Correction for Rate of W Clock	Corrn for Persl. Equations	$\Delta L + \rho$
				By Burrard with Telescope No 1					By Lenox Conyngham with Telescope No 9				(W − E)				
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group		$B_K - C_K - 0.241$ $B_S - C_S - 1.241$	
1889 Dec 4	1326	+ 27 5	N	*I P E* d $c - 2\ 7$ $b - 3\ 0$ $a - 38\ 9$ s $Q + 1\ 43$	3 28 32 97	+ 1 28	34 25	N	*I P E* d $c - 0\ 2$ $b - 2\ 4$ $a - 17\ 5$ s $Q + 1\ 60$	4 12 33 86	+ 1 55	35 41	44 1 16	$m\ s$ 44 1 27	0 027	0 241	44 1 013
	1339	+ 42 10	N		30 53 83	+ 1 56	55 39	N		14 55 02	+ 1 68	56 70	1 31		+	−	
	1364	+ 31 12	N		34 3 70	+ 1 35	5 05	N		18 4 68	+ 1 58	6 26	1 21				
	1298	+ 8 59	S		3 22 55 32	+ 1 03	56 35	S		4 6 56 17	+ 1 44	57 61	44 1 26	44 1 260	0 027	0 241	44 1 046
	1304	+ 8 37	S		24 31 52	+ 1 03	32 55	S		8 32 42	+ 1 44	33 86	1 31		+	−	
	1311	+ 20 19	S		25 46 57	+ 1 19	47 76	S		9 47 51	+ 1 51	49 02	1 26				
	1350	+ 16 31	S		32 4 15	+ 1 13	5 28	S		16 5 01	+ 1 48	6 49	1 21				
	1414	+ 41 2	N	s $Q - 1\ 43$	3 44 4 41	− 1 32	3 09	N	s $Q - 1\ 60$	4 28 5 85	− 1 53	4 32	44 1 23	44 1 148	0 027	0 241	44 0 934
	1445	+ 43 9	N		50 6 36	− 1 27	5 09	N		34 7 79	− 1 51	6 28	1 19		+	−	
	1452	+ 32 40	N		51 42 10	− 1 48	40 62	N		35 43 30	− 1 61	41 69	1 07				
	1462	+ 28 28	N		53 57 10	− 1 56	55 54	N		37 58 28	− 1 64	56 64	1 10				
	1376	+ 18 56	S		3 37 12 29	− 1 69	10 60	S		4 21 13 38	− 1 70	11 68	44 1 08	44 1 160	0 027	0 241	44 0 946
	1388	+ 19 36	S		38 51 43	− 1 68	49 75	S		22 52 64	− 1 70	50 94	1 19		+	−	
	1402	+ 15 37	S		40 35 45	− 1 74	33 71	S		24 36 63	− 1 72	34 91	1 20				
	1406	+ 16 6	S		42 21 17	− 1 74	19 43	S		26 22 32	− 1 72	20 60	1 17				
Dec 5	1820	+ 41 33	N	*I P E* d $c - 2\ 7$ $b - 3\ 0$ $a - 34\ 9$ s $Q + 1\ 49$	3 27 35 00	+ 1 58	36 58	N	*I P E* d $c - 0\ 2$ $b - 4\ 2$ $a - 15\ 6$ s $Q + 1\ 59$	4 11 35 97	+ 1 59	37 56	44 0 98	44 1 098	0 039	0 241	44 0 896
	1326	+ 27 5	N		28 31 84	+ 1 34	33 18	N		12 32 81	+ 1 49	34 30	1 12		+	−	
	1339	+ 42 10	N		30 52 74	+ 1 59	54 33	N		14 53 95	+ 1 60	55 55	1 22				
	1364	+ 31 12	N		34 2 67	+ 1 40	4 07	N		18 3 62	+ 1 52	5 14	1 07				
	1298	+ 8 59	S		3 22 54 12	+ 1 12	55 24	S		4 6 55 04	+ 1 40	56 44	44 1 20	44 1 163	0 039	0 241	44 0 961
	1304	+ 8 37	S		24 30 45	+ 1 12	31 57	S		8 31 30	+ 1 40	32 70	1 13		+	−	
	1311	+ 20 19	S		25 45 49	+ 1 26	46 75	S		9 46 40	+ 1 46	47 86	1 11				
	1350	+ 16 31	S		32 2 94	+ 1 21	4 15	S		16 3 92	+ 1 44	5 36	1 21				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) Lat 27° 10′, Long 5ʰ 12ᵐ 14ᵖ AND KARACHI (W) Lat 24° 51′ Long 4ʰ 28ᵐ 13ᵖ

Astronomical Date	STAR BAC Number	Decli nation	Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1 In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2 In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrns. for Persl Equations $B_N − C_N = − 0^s 241$ $B_S − C_S = − 0^s 241$	$\Delta L + \rho$
1889 Dec 5	1414	+ 41 2	N	I P E	3 44 3 43	− 1 41	2 02	N	I P E	4 28 4 78	− 1 59	3 19	44 1 17				44 0 941
	1445	+ 43 9	N	d c − 2 7	50 5 36	− 1 37	3 99	N	d c − 0 2	34 6 74	− 1 57	5 17	1 18	1 143	0 039	0 241	
	1452	+ 32 40	N	b − 3 0 a − 34 9	51 41 09	− 1 55	39 54	N	b + 4 2 a − 15 6	35 42 22	− 1 65	40 57	1 03	44	+	−	
	1462	+ 28 28	N	s Q − 1 49	53 55 99	− 1 62	54 37	N	s Q − 1 59	37 57 25	− 1 69	55 56	1 19				
	1376	+ 18 56	S		3 37 11 12	− 1 74	9 38	S		4 21 12 35	− 1 73	10 62	44 1 24				44 1 078
	1388	+ 19 36	S		38 50 29	− 1 73	48 56	S		22 51 60	− 1 72	49 88	1 32	1 280	0 039	0 241	
	1402	+ 15 37	S		40 34 27	− 1 78	32 49	S		24 35 54	− 1 75	33 79	1 30	44	+	−	
	1406	+ 16 6	S		42 20 03	− 1 78	18 25	S		26 21 25	− 1 74	19 51	1 26				
Dec 6	1320	+ 41 33	N	I P W	3 27 33 13	+ 1 76	34 89	N	I P W	4 11 34 80	+ 1 58	36 38	44 1 49				44 1 216
	1326	+ 27 5	N	d c + 1 1	28 30 08	+ 1 46	31 54	N	d o − 1 4	12 31 51	+ 1 50	33 01	1 47	1 433	0 044	0 241	
	1339	+ 42 10	N	b − 2 2 a − 40 2	30 11 05	+ 1 77	52 82	N	b + 4 2 a − 11 9	14 52 62	+ 1 59	54 21	1 39	44	+	−	
	1364	+ 31 12	N	s Q + 1 49	34 0 90	+ 1 53	2 43	N	s Q + 1 59	18 2 29	+ 1 52	3 81	1 38				
	1298	+ 8 59	S		3 22 52 56	+ 1 17	53 73	S		4 6 53 69	+ 1 44	55 13	44 1 40				44 1 223
	1304	+ 8 37	S		24 28 79	+ 1 17	29 96	S		8 29 96	+ 1 44	31 40	1 44	1 420	0 044	0 241	
	1311	+ 20 19	S		25 43 84	+ 1 36	45 20	S		9 45 08	+ 1 48	46 56	1 36	44	+	−	
	1300	+ 16 31	S		32 1 21	+ 1 30	2 51	S		16 2 53	+ 1 46	3 99	1 48				
	1414	+ 41 2	N	Q − 1 49	3 44 1 74	− 1 23	0 51	N	Q − 1 59	4 28 3 46	− 1 60	1 86	44 1 35				44 1 170
	1445	+ 43 9	N		50 3 66	− 1 18	2 48	N		34 5 45	− 1 59	3 86	1 38	1 367	0 044	0 241	
	1452	+ 32 40	N		51 39 33	− 1 42	37 91	N		35 40 94	− 1 66	39 28	1 37	44	+	−	
	1376	+ 18 56	S		3 37 9 52	− 1 65	7 87	S		4 21 11 01	− 1 71	9 30	44 1 43				44 1 233
	1388	+ 19 36	S		38 48 69	− 1 63	47 06	S		22 50 18	− 1 71	48 47	1 41	1 430	0 044	0 241	
	1402	+ 15 37	S		40 32 70	− 1 70	31 00	S		24 34 12	− 1 72	32 40	1 40	44	+	−	
	1406	+ 16 6	S		42 18 36	− 1 69	16 67	S		26 19 87	− 1 72	18 15	1 48				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

253

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

AGRA (E) *Lat 27° 10′ Long 5ʰ 12ᵐ 14ˢ* AND KALIANPUR (W) *Lat 24° 7′ Long 5ʰ 10ᵐ 47ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrʳⁿ for Persl Equations Bₙ − Cₙ = − 0·241 Bₛ − Cₛ = − 0·241	ΔL − ρ
	B A C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889 Dec 28	1709	+ 29 6	N	*I P E*	5 22 37 69	+ 1 40	39 09	N	*I P W*	5 24 4 66	+ 1 83	6 49	1 27 40				
	1723	+ 32 7	N	d 0 − 3 1	25 30 48	+ 1 43	31 91	N	d c + 1 9	26 57 46	+ 1 84	59 30	27 39	27·405	0·000	0·241	27 164
	1746	+ 27 36	N	b − 3 7 a − 27 6	28 57 64	+ 1 39	59 03	N	b + 2 2 a − 4 1	30 24 63	+ 1 83	26 46	27 43	1		−	1
	1772	+ 29 9	N	s Q + 1 55	32 15 03	+ 1 40	16 43	N	s Q + 1 71	33 42 00	+ 1 83	43 83	27 40				
	1695	+ 21 51	S		5 20 58 11	+ 1 33	59 44	S		5 22 25 00	+ 1 81	26 81	1 27 37				
	1714	+ 22 23	S		24 1 35	+ 1 32	2 67	S		25 29 98	+ 0 10*	30 08	27 41	27·405	0·000	0·241	27 164
	1733	+ 20 24	S		27 2 87	+ 1 33	4 18	S		28 29 8	+ 1 80	31 58	27 40	1		−	1
	1764	+ 16 58	S		30 3 09	+ 1 28	38 37	S		32 5 13	+ 0 08*	5 81	27 44				
	1824	+ 39 30	N	s Q − 1 55	5 41 12 28	− 1 58	10 70	N	s Q − 1 71	5 42 39 68	− 1 56	38 12	1 27 42				
	1837	+ 24 32	N		42 15 53	− 1 75	13 78	N		43 42 73	− 1 61	41 12	27 34	27·348	0·000	0·241	27 107
	1845	+ 39 7	N		43 51 53	− 1 57	49 96	N		45 18 81	− 1 57	17 24	27 28	2		−	1
	1857	+ 33 53	N		45 22 79	− 1 64	21 15	N		46 50 08	− 1 58	48 50	27 35				
	1792	+ 16 29	N		5 34 55 82	− 1 83	53 99	S	•	5 36 21 35	+ 0 08*	21 43	1 27 44				
	1801	+ 23 9	S		36 38 26	− 1 77	36 49	S		38 5 48	− 1 61	3 87	27 38	27·413	0·000	0·241	27 172
	1808	+ 15 1	S		38 13 09	− 1 84	11 25	S		39 40 78	− 1 64	39 14	27 39	1		−	1
	1816	+ 3 58	S		39 13 16	− 1 95	11 21	S		40 40 30	− 1 65	38 65	27 44				
Dec 29	1709	+ 29 6	N	*I P W* d c + 1 5	5 22 37 05	+ 1 53	38 58	N	*I P W* d c + 1 9	5 24 4 51	+ 1 71	6 22	1 27 64				
	1723	+ 32 7	N		25 29 91	+ 1 57	31 48	N		26 57 28	+ 1 73	59 01	27 53	27·55	0·000	0·241	27 334
	1746	+ 27 36	N	b − 1 7 a − 26 7	28 57 14	+ 1 52	58 66	N	b + 3 3 a − 1 6	30 24 49	+ 1 71	26 20	27 54	1		−	1
	1772	+ 29 9	N	s Q + 1 51	32 14 42	+ 1 53	15 95	N	s Q + 1 58	33 41 83	+ 1 71	43 54	27 59				
	1695	+ 21 51	S		5 20 57 38	+ 1 45	58 83	S		5 22 24 86	+ 1 71	26 57	1 27 74				
	1714	+ 22 23	S		24 0 76	+ 1 46	2 22	S		25 28 12	+ 1 71	29 83	27 61	27·668	0·000	0·241	2 437
	1733	+ 20 24	S		27 2 29	+ 1 44	3 73	S		28 29 73	+ 1 71	31 44	27′ 71	1		−	1
	1764	+ 16 58	S		30 36 56	+ 1 40	37 96	S		32 3 87	+ 1 70	5 57	27 61				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 ∞.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

AGRA (E) *Dat 27° 10' Long 5ʰ 12ᵐ 14* ; AND KALIANPUR (W) *Lat 24° 7', Long 5ʰ 10ᵐ 47*

Astronomical Date	BAC Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl. Equations $B_N - C_N = - 0$ 241 $B_S - C_S = - 0$ 241	$\Delta L - \rho$
1889 Dec 29	1824	+ 39 30	N	I P W	5 41 11 45	− 1 35	10 10	N	I P W	5 42 39 30	− 1 42	37 88	1 27 78				
	1837	+ 24 32	N	d c + 1 5	42 14 76	− 1 54	13 22	N	d c + 1 9	43 42 31	− 1 45	40 86	27 64	1 27 690	0 000	0 241	27 449
	1857	+ 33 53	N	b − 1 7 a − 26 7	45 21 99	− 1 43	20 56	N	b + 3 3 a − 1 6	46 49 64	− 1 43	48 21	27 65	= 1		−	= 1
				Q − 1 51					Q − 1 58								
	1792	+ 16 29	S		5 34 55 18	− 1 62	53 56	S		5 36 22 65	− 1 46	21 19	1 27 63				
	1801	+ 23 9	S		36 37 48	− 1 56	35 92	S		38 5 09	− 1 45	3 64	27 7	1 27 638	0 000	0 241	27 307
	1808	+ 15 1	S		38 12 96	− 1 6₂	11 31	S		39 40 36	− 1 47	38 89	27 58	= 1		−	= 1
	1816	+ 3 58	S		39 12 55	− 1 76	10 79	S		40 39 89	− 1 48	38 41	27 62				
Dec 30	1709	+ 29 6	N	I P W	5 22 36 81	+ 1 42	38 23	N	I P E	5 24 4 42	+ 1 50	5 92	1 27 69				
	1723	+ 32 7	N	d c + 1 5	25 29 01	+ 1 42	31 03	N	d c − 3 7	26 57 10	+ 1 58	58 68	27 65	1 27 638	0 000	0 241	27 417
	1746	+ 27 36	N	b − 4 5 a − 1 8	28 56 80	+ 1 43	58 23	N	b + 3 0 a − 50 3	30 24 41	+ 1 47	25 88	2, 65	= 1		−	= 1
	1772	+ 29 9	N	s Q + 1 50	32 14 16	+ 1 42	15 58	N	s Q + 1 56	33 41 71	+ 1 51	43 22	27 64				
	1695	+ 21 51	S		5 20 57 1	+ 1 43	58 56	S		5 22 24 87	+ 1 36	26 23	1 27 67				
	1714	+ 22 23	S		24 0 39	+ 1 43	1 82	S		25 28 09	+ 1 37	29 46	27 64	1 27 6 3	0 000	0 241	27 412
	1733	+ 20 24	S		27 1 96	+ 1 42	3 38	S		28 29 71	+ 1 33	31 04	27 66	= 1		−	= 1
	1764	+ 16 58	S	⸭	30 36 17	+ 1 43	37 60	S		32 3 98	+ 1 26	5 24	27 64				
	1824	+ 39 30	N	s Q − 1 50	5 41 11 43	− 1 58	9 85	N	s Q − 1 56	5 42 38 94	− 1 35	37 59	1 27 74				
	1837	+ 24 32	N		42 14 48	− 1 57	12 91	N		43 42 26	− 1 71	40 55	27 64	2, 6 8	0 000	0 241	27 417
	1845	+ 39 7	N		43 50 65	− 1 58	49 07	N		45 18 04	− 1 36	16 68	27 61	= 1		−	= 1
	1857	+ 33 53	N		45 21 81	− 1 57	20 24	N		46 49 38	− 1 50	47 88	27 64				
	1801	+ 23 9	S		5 36 37 27	− 1 57	35 ,0	S,		5 38 5 03	− 1 74	3 29	1 27 59				
	1808	+ 15 1	S		38 12 49	− 1 58	10 91	S		39 40 42	− 1 90	38 52	27 61	1 27 603	0 000	0 241	27 363
	1816	+ 3 58	S		39 12 09	− 1 58	10 51	S		40 40 21	− 2 09	38 12	27 61	= 1		−	= 1

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

AGRA (E) *Lat* 27° 10′ *Long* 5ʰ 12ᵐ 14ˢ AND KALIANPUR (W) *Lat* 24° 7′ *Long* 5ʰ 10ᵐ 47ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham, with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrⁿ for Persᵗ Equations $B_w - C_v = -0.241$ $B_s - C_s = -0.241$	ΔL − ρ
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889 Dec 31	1709	+ 29 6	N	*I P W*	ʰ ᵐ ˢ 5 22 36 40	ˢ +1 55	ˢ 37 95	N	*I P E*	ʰ ᵐ ˢ 5 24 4 11	ˢ +1 50	ˢ 5 61	ᵐ ˢ 1 27 66				ˢ 27 407
	1728	+ 32 7	N	*d* c + 1 5	25 29 24	+1 55	30 79	N	*d* c − 3 5	26 56 85	+1 56	58 41	2, 61	ˢ 27 648	0.000	0.241	
	1746	+ 27 36	N	b + 0 3 a − 6 5	28 56 41	+1 54	57 95	N	b − 3 2 a −44 2	30 24 16	+1 47	25 63	27 68			−	
	1772	+ 29 9	N	*s* Q + 1 49	32 13 79	+1 55	15 34	N	*s* Q + 1 57	33 41 47	+1 50	42 97	27 63				
	1695	+ 21 51	S		5 20 56 76	+1 53	58 29	S		5 22 24 59	+1 37	25 96	1 27 67				27 409
	1714	+ 22 23	S		24 0 00	+1 53	1 53	S		25 27 81	+1 38	29 19	27 66	2, 650	0.000	0.241	
	1730	+ 20 24	S		27 1 60	+1 52	3 12	S		28 29 38	+1 34	30 72	27 60			−	
	1764	+ 16 58	S		30 30 78	+1 51	37 29	S		32 3 67	+1 29	4 96	27 67				
	1824	+ 39 30	N	*e* Q − 1 49	5 41 10 91	−1 40	9 51	N	*s* Q − 1 57	5 42 38 59	−1 42	37 17	1 27 66				27 37
	1837	+ 24 32	N		42 14 01	−1 45	12 56	N		43 41 90	−1 73	40 17	2, 61	ˢ 27 618	0.000	0.241	
	1845	+ 39 ,	N		43 50 11	−1 40	48 71	N		45 17 73	−1 43	16 30	27 59			−	
	1857	+ 33 53	N		45 21 34	−1 42	19 92	N		46 49 08	−1 55	47 53	27 61				
	1792	+ 16 29	S		5 34 54 27	−1 47	52 80	S		5 6 22 35	−1 86	20 49	1 27 69				27 439
	1801	+ 23 9	S		36 36 73	−1 45	35 28	S		38 4 73	−1 76	2 97	27 69	ˢ 27 680	0.000	0.241	
	1808	+ 15 1	S		38 12 04	−1 48	10 56	S		39 40 10	−1 88	38 22	27 66			−	
	1816	+ 3 58	S		39 11 59	−1 51	18 08	S		40 39 82	−2 06	3, 76	27 68				
1890 Jan 1	1709	+ 29 6	N	*I P E*	5 22 36 60	+1 33	37 93	N	*I P E*	5 24 3 76	+1 51	5 27	1 27 34				27 134
	1728	+ 32 7	N	*d* c − 3 1	25 29 30	+1 35	30 65	N	*d* c − 3 5	26 56 52	+1 57	58 09	27 44	2, 475	0.000	0.241	
	1746	+ 27 36	N	b − 3 4 a −19 0	28 56 58	+1 31	57 89	N	b − 3 1 a −40 9	30 23 75	+1 48	25 23	27 34			−	
	1772	+ 29 9	N	*s* Q + 1 48	32 13 86	+1 33	15 19	N	*s* Q + 1 59	33 41 06	+1 51	42 57	27 38				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	STAR			TRANSITS OBSERVED AT E				TRANSITS OBSERVED AT W				Difference of Corrected Times (W − E)				
Astronomical Date				By Burrard with Telescope No 1				By Lenox Conyngham with Telescope No 2						Correction for Rate of E Clock	Corrn. for Persl Equations $B_N - C_N = -0^s \cdot 241$ $B_S - C_S = -0 \cdot 241$	$\Delta L - \rho$
	BAC Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1800		°			h m s	s	s			h m s	s	s	m s				
Jan 1	1695	+ 21 51	S	I P E	5 20 56 90	+ 1 29	58 19	S	I P E	5 22 24 22	+ 1 40	2, 62	1 27 43		0 000	0 241	27 132
	1714	+ 22 23	S	d c − 3 1	24 0 16	+ 1 28	1 44	S	d c − 3 5	25 27 44	+ 1 40	28 84	27 40	s 1 27 373	0 000	− 0 241	27 134
	1783	+ 20 24	S	b − 3 4 a − 19 0	27 1 74	+ 1 28	3 02	S	b − 3 1 a − 40 9	28 29 00	+ 1 37	30 37	27 35				
	1764	+ 16 58	S	s Q + 1 48	30 36 04	+ 1 25	37 29	S	s Q + 1 69	32 3 28	+ 1 32	4 60	27 31				
	1824	+ 39 30	N	s Q − 1 48	5 41 10 99	− 1 55	9 44	N	s Q − 1 59	5 42 38 31	− 1 47	36 84	1 27 40		0 000	0 241	27 134
	1837	+ 24 32	N		42 14 14	− 1 66	12 48	N		43 41 52	− 1 75	39 77	27 29	s 2, 315	0 000	− 0 241	27 136
	1845	+ 39 1	N		43 50 19	− 1 56	48 63	N		45 17 46	− 1 47	15 99	27 36				
	1857	+ 33 53	N		45 21 38	− 1 59	19 79	N		46 48 81	− 1 57	47 24	27 45				
	1792	+ 16 29	S		5 34 54 47	− 1 71	52 76	S		5 36 21 97	− 1 87	20 10	1 27 34		0 000	0 241	27 129
	1801	+ 23 9	S		36 36 91	− 1 67	35 24	S		38 4 37	− 1 78	2 59	27 35	s 2, 370	0 000	− 0 241	2, 129
	1808	+ 15 1	S		38 12 21	− 1 72	10 49	S		39 39 71	− 1 89	37 82	27 33				
	1816	+ 3 58	S		39 11 77	− 1 79	9 98	S		40 39 49	− 2 05	37 44	27 46				
Jan 2	1857	+ 33 53	N	I P E	5 45 18 16	+ 1 31	19 47	N	I P W	5 46 48 12	− 1 37	46 75	1 27 28		0 000	0 241	27 019
				d c − 3 1 b − 3 9 a − 7 3					d c + 1 9 b + 1 8 a − 29 0					s 2, 280	0 000	− 0 241	27 021
				s Q + 1 47					s Q − 1 60								
	1801	+ 23 9	S		5 36 33 57	+ 1 28	34 85	S		5 38 3 76	− 1 52	2 24	1 27 39	s 27 390 s 1	0 000	0 241 −	27 149 2, 149

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION   257

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ.

colspan across: AGRA (E) Lat 27° 10′, Long 5ʰ 12ᵐ 14ˢ AND KALIANPUR (W) Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ															
Astronomical Date	STAR		Transits Observed at E — By Burrard, with Telescope No 1				Transits Observed at W — By Lenox Conyngham, with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrⁿ for Pend. Equations Bₙ − Cₙ = − 0ˢ 241 Bₛ − Cₛ = − 0ˢ 241	ΔL + ρ
	B A C Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889 Dec 28	1935	+ 37 58	N	*I P E*	5 55 37 73	+1 51	39 24	N	*I P W*	5 57 6 52	+0 14*	6 66	1 27 42				
	1942	+ 38 30	N	c − 3 1 ᵈ	57 7 98	+1 51	9 49	N	c + 1 9 ᵈ	58 36 78	+0 14*	36 92	27 43	27 438	0 001	0 241	27 198
	1947	+ 38 6	N	b − 3 7 a −27 6	58 6 07	+1 51	7 58	N	b + 2 2 a − 4 1	59 33 17	+1 85	35 02	27 44		+	−	
	2021	+ 35 15	N	Q + 1 55 ˢ	6 9 39 98	+1 48	41 46	N	Q + 1 71 ˢ	6 11 7 08	+1 84	8 92	27 46				
	1958	+ 14 47	S		5 59 25 39	+1 26	26 65	S		6 0 52 26	+1 78	54 04	1 27 39				
	1971	+ 23 8	S		6 1 11 05	+1 33	12 38	S		2 38 11	+1 81	39 92	27 54	27 468	0 001	0 241	27 228
	1975	+ 23 1	S		1 57 38	+1 33	58 71	S		3 24 34	+1 81	26 15	27 44		+	−	
	2029	+ 23 19	S		10 49 11	+1 34	50 45	S		12 16 14	+1 81	17 95	27 50				
	2058	+ 25 6	N	Q − 1 55 ˢ	6 16 8 13	− 1 74	6 39	N	Q − 1 71 ˢ	6 17 35 57	− 1 61	33 96	1 27 57				
	2082	+ 30 34	N		19 40 83	− 1 69	39 14	N		21 8 26	− 1 59	6 67	27 53	27 548	0 001	0 241	27 338
	2097	+ 28 17	N		21 36 42	− 1 71	34 71	N		23 3 88	− 1 59	2 29	27 58		+	−	
	2110	+ 32 32	N		23 37 31	− 1 66	25 65	N		24 54 86	− 1 58	53 28	27 63				
	2047	+ 22 34	S		6 14 29 31	− 1 77	27 54	S		6 15 56 65	− 1 61	55 04	1 27 50				
	2067	+ 21 42	S		17 17 54	− 1 77	15 77	S		18 44 92	− 1 61	43 31	27 54	1 27 563	0 001	0 241	27 313
	2126	+ 7 25	S		25 8 35	− 1 91	6 44	S		26 35 69	− 1 65	34 04	27 60		+	−	
	2140	+ 16 18	S		26 44 11	− 1 82	42 29	S		28 11 53	− 1 63	9 90	27 61				
Dec 29	1935	+ 37 58	N	*I P W*	5 55 36 50	+1 64	38 14	N	*I P W*	5 57 4 11	+1 73	5 84	1 27 70				
	1942	+ 38 30	N	c + 1 5 ᵈ	57 6 72	+1 65	8 37	N	c + 1 9 ᵈ	58 34 33	+1 73	36 06	27 69	27 703	0 001	0 241	27 463
	1947	+ 38 6	N	b − 1 7 a −26 7	58 4 84	+1 64	6 48	N	b + 3 3 a − 1 6	59 32 47	+1 73	34 20	27 72		+	−	
	2021	+ 35 15	N	Q + 1 51 ˢ	6 9 38 85	+1 60	40 45	N	Q + 1 58 ˢ	6 11 6 42	+1 73	8 15	27 70				
	1958	+ 14 47	S		5 59 24 27	+1 37	25 64	S		6 0 51 65	+1 69	53 34	1 27 70				
	1971	+ 23 8	S		6 1 9 87	+1 46	11 33	S		2 37 36	+1 71	39 07	27 74	27 718	0 001	0 241	27 478
	1975	+ 23 1	S		1 56 20	+1 46	57 66	S		3 23 73	+1 71	25 44	27 78		+	−	
	2029	+ 23 19	S		10 48 04	+1 47	49 51	S		12 15 45	+1 71	17 16	27 65				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and con sequently in these cases Q = 0 00.

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

AGRA (E) *Lat 27° 10′, Long 5ʰ 19ᵐ 14ˢ*: AND KALIANPUR (W) *Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E *By Burrard, with Telescope No 1*				Star's Aspect	TRANSITS OBSERVED AT W *By Lenox-Conyngham with Telescope No 2*				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrⁿˢ for Persl. Equations $B_N - C_N - 0^s 241$ $B_S - C_S - 0^s 241$	$\Delta L + \rho$
	BAC Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1889		° ′			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ		ˢ	ˢ	ˢ
Dec 29	2058	+ 25 6	N	*I P W* d c + 1 5 b − 1 7 a − 26 7 ˢ Q − 1 51	6 16 6 89	− 1 53	5 36	N	*I P W* d c + 1 9 b + 3 3 a − 1 6 ˢ Q − 1 58	6 17 34 60	− 1 45	33 15	1 27 79	27 743	0 001	0 241	27 503
	2082	+ 30 34	N		19 39 53	− 1 47	38 06	N		21 7 25	− 1 44	5 81	27 75	=	+	−	=
	2097	+ 28 17	N		21 35 26	− 1 50	33 76	N		23 2 93	− 1 45	1 48	27 ,2				
	2110	+ 32 32	N		23 20 17	− 1 44	24 73	N		24 53 87	− 1 43	52 44	27 71				
	2047	+ 22 34	S		6 14 28 04	− 1 56	26 48	S		6 15 55 67	− 1 45	54 22	1 27 74	27 728	0 001	0 241	27 488
	2067	+ 21 42	S		17 16 31	− 1 57	14 74	S		18 43 95	− 1 45	42 50	27 76	=	+	−	=
	2126	+ 7 25	S		25 7 29	− 1 72	5 57	S		26 34 67	− 1 48	33 19	27 62				
	2140	+ 16 18	S		26 42 96	− 1 64	41 32	S		28 10 58	− 1 47	9 11	27 79				
Dec 30	2021	+ 35 15	N	*I P W* d c + 1 5 b − 4 5 a − 1 8 ˢ Q + 1 50	6 9 37 91	+ 1 43	39 34	N	*I P E* d c − 3 5 b − 3 0 a − 50 3 ˢ Q + 1 56	6 11 5 41	+ 1 65	7 06	1 27 72	27 720	0 001	0 241	27 480
	1968	+ 14 47	S		5 59 23 09	+ 1 42	24 51	S		6 0 51 03	+ 1 22	52 25	1 27 74	27 758	0 001	0 241	27 518
	1971	+ 23 8	S		6 1 8 78	+ 1 43	10 21	S		2 36 63	+ 1 38	38 01	27 80	=	+	−	=
	1975	+ 23 1	S		1 55 15	+ 1 43	56 58	S		3 22 94	+ 1 37	24 31	27 73				
	2029	+ 23 19	S		10 46 94	+ 1 43	48 37	S		12 14 75	+ 1 38	16 13	27 76				
	2058	+ 25 6	N	Q − 1 50	6 16 5 86	− 1 57	4 29	N	Q − 1 56	6 17 33 71	− 1 70	32 01	1 27 72	27 770	0 001	0 241	27 530
	2082	+ 30 34	N		19 38 56	− 1 58	36 98	N		21 6 35	− 1 58	4 77	27 79	=	+	−	=
	2097	+ 28 17	N		21 34 18	− 1 57	32 61	N		23 2 02	− 1 63	0 39	27 78				
	2110	+ 32 32	N		23 25 16	− 1 58	23 58	N		24 52 90	− 1 53	51 37	27 79				
	2047	+ 22 34	S		6 14 26 99	− 1 57	25 42	S		6 15 54 86	− 1 76	53 10	1 27 68	27 747	0 001	0 241	27 507
	2067	+ 21 42	S		17 15 15	− 1 57	13 58	S		18 43 17	− 1 76	41 41	27 83	=	+	−	=
	2126	+ 7 25	S		25 5 98	− 1 58	4 40	S		26 34 17	− 2 04	32 13	27 73				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION 259

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

	STAR			TRANSITS OBSERVED AT E *By Burrard, with Telescope No 1*					TRANSITS OBSERVED AT W *By Lenox Conyngham, with Telescope No 2*				Difference of Corrected Times (W − E)				
Astronomical Date	BAC Number	Declination	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn. for Persl. Equations $B_B - C_H = 0^s\,241$ $B_B - C_R = 0^s\,241$	$\Delta L + \rho$
1889 Dec 31	1930	+ 37 58	N	*I P W*	h m s 5 55 34 37	+ 1 57	s 35 94	N	*I P E*	h m s 5 57 2 01	+ 1 68	s 3 69	m s 1 27 75				
	1942	+ 38 30	N	d c + 1 5	57 4 64	+ 1 58	6 22	N	d c − 3 5	58 32 24	+ 1 69	33 93	27 71	s. 1 27 735	0 001	0 241	1 27 495
	1947	+ 38 6	N	b + 0 3 a − 6 5	58 2 75	+ 1 58	4 33	N	b − 3 2 ω − 44 3	59 30 41	+ 1 68	32 09	27 76		+	−	
	2021	+ 35 15	N	s Q + 1 49	6 9 36 71	+ 1 57	38 28	N	s Q + 1 57	6 11 4 39	+ 1 61	6 00	27 72				
	1958	+ 14 47	S		5 59 21 92	+ 1 50	23 42	S		6 0 49 91	+ 1 25	51 16	1 27 74				
	1971	+ 23 8	S		6 1 7 59	+ 1 53	9 12	S		2 35 51	+ 1 38	36·89	27 77	s. 1 27 748	0 001	0 241	1 27 508
	1975	+ 23 1	S		1 53 95	+ 1 53	55 48	S		3 21 84	+ 1 38	23 22	27 74		+	−	
	2029	+ 23 19	S		10 45 75	+ 1 53	47 28	S		12 13 63	+ 1 39	15 02	27 74				
	2058	+ 25 6	N	Q − 1 49	6 16 4 59	− 1 45	3 14	N	Q − 1 57	6 17 32 66	− 1 72	30 94	1 27 80				
	2082	+ 30 34	N		19 37 31	− 1 43	35 88	N		21 5 24	− 1 61	3 63	27 75	s. 1 27 785	0 001	0 241	1 27 545
	2097	+ 28 17	N		21 32 96	− 1 44	31 52	N		22 50 96	− 1 66	59 30	27 78		+	−	
	2110	+ 31 32	N		23 23 88	− 1 42	22 46	N		24 51 84	− 1 57	50 27	27 81				
	2047	+ 22 34	S		6 14 25 71	− 1 45	24 26	S		6 15 53 79	− 1 77	52 02	1 27 76				
	2067	+ 21 42	S		17 13 97	− 1 45	12 52	S		18 42 06	− 1 77	40 29	27 77	s. 1 27 758	0 001	0 241	1 27 518
	2126	+ 7 25	S		25 4 74	− 1 50	3 24	S		26 33 00	− 2 01	30 99	27 75		+	−	
	2140	+ 16 18	S		26 40 57	− 1 48	39 09	S		28 8 70	− 1 86	6 84	27 75				
1890 Jan. 1	1935	+ 37 58	N	*I P E*	5 55 33 71	+ 1 40	35 11	N	*I P E*	5 57 2 48	+ 0 09*	2 57	1 27 46				
	1942	+ 38 30	N	d c − 3 1	57 3 92	+ 1 40	5 32	N	d c − 3 5	58 32 64	+ 0 10*	32 74	27 42	s. 1 27 465	0 001	0 241	1 27 225
	1947	+ 38 6	N	b − 3 4 a − 19 0	58 2 01	+ 1 39	3 40	N	b − 3 1 a − 40 9	59 30 79	+ 0 09*	30 88	27 48		+	−	
	2021	+ 35 15	N	s Q + 1 48	6 9 35 96	+ 1 38	37 34	N	s Q + 1 59	6 11 3 21	+ 1 63	4 84	27 50				
	1958	+ 14 47	S		5 59 21 20	+ 1 23	22 43	S		6 0 50 30	− 0 31*	49 99	1 27 56				
	1971	+ 23 8	S		6 1 6 94	+ 1 29	8 23	S		2 35 95	− 0 19*	35 76	27 53	s. 1 27 515	0 001	0 241	1 27 275
	1975	+ 23 1	S		1 53 26	+ 1 29	54 55	S		3 22 29	− 0 19*	22 10	27 55		+	−	
	2029	+ 23 19	S		10 45 14	+ 1 29	46 43	S		12 12 44	+ 1 41	13 85	27 42				

*Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

AGRA (E) Lat 27° 10′, Long 5ʰ 12ᵐ 14ˢ; AND KALIANPUR (W) Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ

Astronomical Date	STAR BAC Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $B_E - C_W = -0''.241$, $B_W - C_E = 0''.241$	ΔL + ρ
1890 Jan 1	2058	+25 6	N	I P E	6 16 3 90	−1 66	2 24	N	I P E	6 17 31 50	−1 74	29 76	1 27 52				
	2082	+30 34	N	d 0 − 3 1	19 36 57	−1 62	34 95	N	d 0 − 3 5	21 4 04	−1 64	2 40	27 45	1 27 445	0 001 +	0 241 −	1 27 205
	2097	+28 17	N	b − 3 4 a − 19 0	21 32 26	−1 64	30 62	N	b − 3 4 a − 40 9	22 59 73	−1 68	58 05	27 43				
	2110	+32 32	N	Q − 1 48	23 23 25	−1 60	21 65	N	Q − 1 59	24 50 63	−1 60	49 03	27 38				
	2047	+22 34	S		6 14 25 01	−1 68	23 33	S		6 15 52 64	−1 79	50 85	1 27 52				
	2067	+21 42	S		17 13 28	−1 67	11 61	S		18 40 89	−1 78	39 11	2 50	1 27 493	0 001 +	0 241 −	1 27 253
	2126	+7 25	S		25 4 13	−1 76	2 37	S		26 31 79	−2 01	29 78	27 41				
	2140	+16 18	S		26 39 92	−1 71	38 21	S		28 7 62	−1 87	5 75	27 54				
Jan 2	1985	+37 58	N	I P E	5 55 31 97	+1 31	33 28	N	I P W	5 56 58 96	+1 91	60 87	1 27 59				
	1942	+38 30	N	d 0 − 3 1	57 2 28	+1 31	3 59	N	d 0 + 1 9	58 29 15	+1 91	31 06	27 47	1 27 470	0 002 +	0 241 −	1 27 331
	1947	+38 6	N	b − 3 9 a − 7 3	58 0 37	+1 31	1 68	N	b + 1 8 a − 29 0	59 27 32	+1 90	29 22	27 54				
	2021	+35 15	N	Q + 1 47	6 9 34 44	+1 31	35 75	N	Q + 1 60	6 11 1 18	+1 85	3 03	27 28				
	1958	+14 47	S		5 59 19 54	+1 27	20 81	S		6 0 46 69	+1 57	48 26	1 27 45				
	1971	+23 8	S		6 1 5 21	+1 28	6 49	S		2 32 34	+1 68	34 02	27 53	1 27 470	0 002 +	0 241 −	1 27 331
	1975	+23 1	S		1 51 61	+1 29	52 90	S		3 18 70	+1 68	20 38	27 48				
	2029	+23 19	S		10 43 43	+1 28	44 71	S		12 10 45	+1 68	12 13	27 42				
	2058	+25 6	N	Q − 1 47	6 16 2 22	−1 66	0 56	N	Q − 1 60	6 17 29 51	−1 50	28 01	1 27 45				
	2082	+30 34	N		19 34 96	−1 64	33 32	N		21 2 17	−1 42	0 75	27 43	1 27 483	0 002 +	0 241 −	1 27 244
	2097	+28 17	N		21 30 53	−1 65	28 88	N		22 57 90	−1 44	56 46	27 58				
	2110	+32 32	N		23 21 52	−1 63	19 89	N		24 48 75	−1 39	47 36	27 47				
	2047	+22 34	S		6 14 23 3,	−1 65	21 72	S		6 15 50 69	−1 53	49 16	1 27 44				
	2067	+21 42	S		17 11 62	−1 65	9 97	S		18 38 99	−1 54	37 45	27 48	1 27 463	0 003 +	0 241 −	1 27 234
	2126	+7 25	S		25 2 40	−1 68	0 72	S		26 29 87	−1 71	28 16	27 44				
	2140	+16 18	S		26 38 21	−1 66	36 55	S		28 5 65	−1 61	4 04	27 49				

KALIANPUR (E) *Lat* 24° 7′, *Long* 5ʰ 10ᵐ 47ˢ; AND BOMBAY (W) *Lat* 18° 54′, *Long* 4ʰ 51ᵐ 24ˢ

| Astronomical Date | STAR | | Star's Aspect | TRANSITS OBSERVED AT E By Lenox Conyngham, with Telescope No 2 | | | | Star's Aspect | TRANSITS OBSERVED AT W By Burrard, with Telescope No 1 | | | | Difference of Corrected Times (W − E) | | Correction for Rate of E Clock | Corrn. for Focal Equations $C_2 - B_2 = +0°$ 241 $C_2 - B_2 = +0°$ 241 | $\Delta L - \rho$ |
	B A C Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
Jan 15	2237	+ 34 6	N	I P W	6 45 39 40	+1 70	41 10	N	I P E	7 5 2 09	+0 06	2 15	19 21 05				
	2278	+ 26 4	N	c − 1 8 ᵈ	52 47 59	+1 58	49 17	N	0 + 0 1 ᵈ	12 10 14	+0 04	10 18	21 01	ˢ 19 21 038	0 010	+ 0 241	19 21 284
	2287	+ 29 22	N	b − 0 6 a − 35 2	54 21 8₃	+1 61	23 44	N	b + 1 3 a − 4 8	13 44 48	+0 05	44 53	21 09		+	+	
	2299	+ 24 22	N	Q + 1 60 ˢ	55 49 8₂	+1 55	51 37	N	Q 0 00 ˢ	15 12 33	+0 04	12 37	21 00				
	2216	+ 8 9	S		6 41 28 82	+1 33	30 15	S		7 0 51 26	+0 01	51 27	19 21 12				
	2228	+ 16 20	S		43 37 23	+1 44	38 67	S		2 59 68	+0 03	59 71	21 04	ˢ 19 21 040	0 010	+ 0 241	19 21 291
	2306	+ 11 7	S		57 39 75	+1 37	41 12	S		17 2 05	+0 02	2 07	20 95		+	+	
	2322	+ 9 21	S		59 44 95	+1 3₅	46 30	S		19 7 34	+0 01	7 35	21 05				
	2331	+ 30 19	N	Q − 1 60 ˢ	7 2 29 06	−1 57	27 49	N	Q 0̇ 0̇0 ˢ	7 21 48 41	+0 05	48 46	19 20 97				
	2340	+ 30 26	N		4 18 57	−1 57	17 00	N		23 38 05	+0 05	38 10	21 10	ˢ 19 21 053	0 010	+ 0 241	19 21 304
	2350	+ 24 19	N		5 55 76	−1 6₅	54 11	N		25 15 13	+0 04	15 17	21 06		+	+	
	2383	+ 26 5₃	N		10 24 84	−1 6₃	23 21	N		29 44 24	+0 05	44 29	21 08				
	2362	+ 16 21	S		7 7 13 78	−1 76	12 02	S		7 26 32 98	+0 03	33 01	19 20 99				
	2373	+ 3 18	S		8 44 97	−1 9₃	43 04	S		28 3 98	0 00	3 98	20 94	ˢ 19 20 975	0 0̇9̇0	+ 0 241	19 21 226
	2398	+ 16 44	S		11 56 79	−1 76	55 03	S		31 16 00	+0 03	16 03	21 00		+	+	
	2410	+ 22 11	S		13 43 67	−1 68	41 99	S		33 2 92	+0 04	2 96	20 97				
Jan 17	2237	+ 34 6	N	I P W	6 45 37 82	+1 75	39 57	N	L P W	7 4 59 24	+1 44	60 68	19 21 11				
	2278	+ 26 4	N	c − 1 8 ᵈ	52 45 94	+1 64	47 58	N	c − 1 7 ᵈ	12 7 39	+1 42	8 81	21 23	ˢ 19 21 180	0 008	+ 0 241	19 21 429
	2287	+ 29 22	N	b − 1 5 a − 28 9	54 20 25	+1 68	21 93	N	b + 1 3 a − 8 7	13 41 70	+1 43	43 13	21 20		+	+	
	2299	+ 24 22	N	Q + 1 70 ˢ	55 48 21	+1 62	49 83	N	Q + 1 40 ˢ	15 9 60	+1 41	11 01	21 18				
	2216	+ 8 9	S		6 41 27 25	+1 45	28 70	S		7 0 48 35	+1 35	49 70	19 21 00				
	2228	+ 16 20	S		43 35 59	+1 54	37 13	S		2 56 80	+1 38	58 18	21 05	ˢ 19 21 075	0 008	+ 0 241	19 21 324
	2306	+ 11 7	S		57 38 09	+1 48	39 57	S		16 59 30	+1 36	60 66	21 09		+	+	
	2322	+ 9 21	S		59 43 3₁	+1 46	44 77	S		19 4 57	+1 36	5 93	21 16				

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

KALIANPUR (E) *Lat 24° 7', Long 5ʰ 10ᵐ 47ˢ:* AND BOMBAY (W) *Lat 18° 54, Long 4ʰ 51ᵐ 25'*

Astronomical Date	STAR — BAC Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Diff. (W−E) By each Star	Mean of Group	Correction for Rate of E Clock	Corrn for Persl. Equations $C_E − B_E = +0°.241$; $C_S − B_S = +0.241$	ΔL − ρ
1890 Jan 17	2831	+ 30 19	N	I P W d; c − 1 8; b − 1 5; a − 28 9; Q − 1 70	7 2 27 69	− 1 71	25 98	N	I P W d; c − 1 7; b + 1 3; a − 8 7; Q − 1 40	7 21 48 52	− 1 37	47 15	19 21 17	19 21 103	0 008	0 241	19 21 352
	2840	+ 30 26	N		4 17 32	− 1 71	15 61	N		23 38 06	− 1 36	36 70	21 09		+	+	
	2850	+ 24 19	N		5 54 42	− 1 78	52 64	N		25 15 08	− 1 39	13 69	21 05				
	2862	+ 16 21	S		7 12 41	− 1 86	10 55	S		7 26 33 03	− 1 42	31 61	19 21 06	19 21 065	0 008	0 241	19 21 314
	2872	+ 3 18	S		8 43 54	− 2 00	41 54	S		28 4 06	− 1 46	2 60	21 06		+	+	
	2396	+ 16 44	S		11 55 38	− 1 86	53 52	S		31 15 98	− 1 42	14 56	21 04				
	2410	+ 22 11	S		13 42 27	− 1 80	40 47	S		33 2 97	− 1 40	1 57	21 10				
Jan 18	2237	+ 34 6	N	I P E d; c + 0 2; b + 0 2; a + 58 2; Q + 1 70	6 45 37 59	+ 1 45	39 04	N	I P W d; c − 1 7; b + 1 2; a − 14 6; Q + 1 40	7 4 58 69	+ 1 48	60 17	19 21 13	19 21 188	0 008	0 241	19 21 437
	2278	+ 26 4	N		52 45 46	+ 1 65	47 11	N		12 6 89	+ 1 44	8 33	21 22		+	+	
	2287	+ 29 23	N		54 19 85	+ 1 58	21 43	N		13 41 15	+ 1 46	42 61	21 18				
	2299	+ 24 22	N		55 47 59	+ 1 69	49 28	N		15 9 08	+ 1 42	10 50	21 22				
	2216	+ 8 9	S		6 41 26 06	+ 2 06	28 12	S		7 0 47 96	+ 1 33	49 29	19 21 17	19 21 165	0 008	0 241	19 21 414
	2228	+ 16 20	S		43 34 71	+ 1 88	36 59	S		2 56 34	+ 1 38	57 72	21 13		+	+	
	2306	+ 11 7	S		57 37 10	+ 2 00	39 10	S		16 58 92	+ 1 34	60 26	21 16				
	2322	+ 9 21	S		59 42 22	+ 2 04	44 26	S		19 4 13	+ 1 33	5 46	21 20				
	2831	+ 30 19	N	Q − 1 70	7 3 27 25	− 1 84	25 41	N	Q − 1 40	7 21 47 94	− 1 34	46 60	19 21 19	19 21 130	0 008	0 241	19 21 399
	2840	+ 30 26	N		4 16 90	− 1 84	15 06	N		23 37 51	− 1 33	36 18	21 12		+	+	
	2850	+ 24 19	N		5 53 78	− 1 71	52 07	N		25 14 62	− 1 38	13 24	21 17				
	2383	+ 26 53	N		10 22 98	− 1 75	21 23	N		29 43 71	− 1 36	42 35	21 12				
	2362	+ 16 21	S		7 7 11 53	− 1 52	10 01	S		7 26 32 53	− 1 42	31 11	19 21 10	19 21 113	0 008	0 241	19 21 362
	2373	+ 3 18	S		8 42 25	− 1 23	41 02	S		28 3 63	− 1 50	2 13	21 11		+	+	
	2396	+ 16 44	S		11 54 56	− 1 53	53 03	S		31 15 53	− 1 42	14 11	21 08				
	2410	+ 22 11	S		13 41 59	− 1 65	39 94	S		33 2 49	− 1 39	1 10	21 16				

Transits Observed at E — By Lenox Conyngham, with Telescope No 2. Transits Observed at W — By Burrard, with Telescope No 1.

KALIANPUR (E) Lat 24° 7', Long 5h 10m 47s: AND BOMBAY (W) Lat 18° 54', Long 4h 51m 25s

Astronomical Date	STAR BAC Number	Decli- nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc- tion	Seconds of Correct- ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc- tion	Seconds of Correct- ed Time	By each Star	Mean of Group	Correction for Rate of B Clock	Corrn. for Persl. Equations $C_E - B_E = + 0^s 241$, $C_S - B_S = + 0\ 241$	ΔL − ρ
		°			h m s	s	s			h m s	s	s	m s	m s	s	s	m s
1890 Jan 19	2237	+ 34 6	N	I P E	6 45 36 70	+1 70	38 40	N	I P E	7 4 58 19	+1 39	59 58	19 21 18				
	2278	+ 26 4	N	c + 0 2	52 44 74	+1 71	46 45	N	c + 0 1	12 6 25	+1 39	7 64	21 19	19 21 180	0 008	0 241	19 21 439
	2287	+ 29 22	N	b + 0 5	54 19 07	+1 71	20 78	N	b − 2 0	13 40 51	+1 39	41 90	21 12		+	+	+
	2299	+ 24 22	N	a + 4 6 / Q + 1 70	55 46 92	+1 71	48 63	N	a 0 0 / Q + 1 44	13 8 47	+1 39	9 86	21 23				
	2228	+ 16 20	S		6 43 34 18	+1 72	35 90	S		7 2 55 69	+1 39	57 08	19 21 18				
	2306	+ 11 7	S		57 36 68	+1 73	38 41	S		16 58 15	+1 39	59 54	21 13	19 21 153	0 008	0 241	19 21 402
	2322	+ 9 21	S		59 41 89	+1 74	43 63	S		19 3 38	+1 40	4 78	21 15		+	+	+
	2331	+ 30 19	N	Q − 1 70	7 2 26 55	−1 69	24 86	N	Q − 1 44	7 21 47 38	−1 49	45 89	19 21 03				
	2340	+ 30 26	N		4 16 13	−1 69	14 44			23 37 05	−1 49	35 56	21 12	19 21 113	0 008	0 241	19 21 362
	2350	+ 24 19	N		5 53 12	−1 69	51 43			25 14 08	−1 49	12 59	21 16		+	+	+
	2383	+ 26 53	N		10 22 30	−1 69	20 61			29 43 24	−1 49	41 75	21 14				
	2362	+ 16 21	S		7 7 11 08	−1 68	9 40	S		7 26 31 95	−1 49	30 46	19 21 06				
	2373	+ 3 18	S		8 42 05	−1 65	40 40	S		28 2 97	−1 48	1 49	21 09	19 21 070	0 008	0 245	19 21 359
	2398	+ 16 44	S		11 54 13	−1 68	52 45	S		31 14 98	−1 49	13 49	21 04		+	+	+
	2410	+ 22 11	S		13 41 05	−1 69	39 36	S		33 1 94	−1 49	0 45	21 09				
Jan.20	2237	+ 34 6	N	I P E / c + 0 2 / b + 1 1 / a + 8 0 / Q + 1 74	6 45 36 07	+1 74	37 81	N	I P E / c + 0 2 / b − 1 5 / a − 5 7 / Q + 1 41	7 4 57 55	+1 41	58 96	19 21 15				
	2278	+ 26 4	N		52 44 20	+1 76	45 96	N		12 5 60	+1 39	6 99	21 03	19 21 095	0 008	0 241	19 21 344
	2287	+ 29 22	N		54 18 47	+1 76	20 23	N		13 39 93	+1 40	41 33	21 10		+	+	+
	2299	+ 24 22	N		55 46 36	+1 77	48 13	N		13 7 85	+1 38	9 23	21 10				
	2216	+ 8 9	S		6 41 25 14	+1 81	26 95	S		7 0 46 68	+1 36	48 04	19 21 09				
	2228	+ 16 20	B		43 33 63	+1 79	35 42	S		2 55 08	+1 37	56 45	21 03	19 21 058	0 008	0 241	19 21 397
	2306	+ 11 7	S		57 36 04	+1 80	37 84	S		16 57 56	+1 36	58 92	21 08		+	+	+
	2322	+ 9 21	S		59 41 30	+1 81	43 11	S		19 2 78	+1 36	4 14	21 08				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

KALIANPUR (E) Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ; AND BOMBAY (W) Lat 18° 54′, Long 4ʰ 51ᵐ 25ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $C_N - B_N = +0^s.241$ $C_S - B_S = +0^s.241$	ΔL − ρ
		°			h m s	s	s			h m s	s	s	m s				
1890 Jan 20	2331	+ 30 19	N	I P E	7 2 25 96	− 1 72	24 24	N	I P E	7 21 46 75	− 1 42	45 33	19 21 09				19 21 367
	2340	+ 30 26	N	c + 0 2	4 15 56	− 1 72	13 84	N	c + 0 1	23 36 39	− 1 42	34 97	21 13	s 19 21 118	+ 0 008	+ 0 241	
	2350	+ 24 19	N	b + 1 1 a + 8 0	5 52 54	− 1 71	50 83	N	b − 1 5 a − 5 7	25 13 40	− 1 44	11 96	21 13		+	+	
	2383	+ 26 53	N	Q − 1 74	10 21 73	− 1 71	20 02	N	Q − 1 41	29 42 57	− 1 43	41 14	21 12				
	2362	+ 16 21	S		ρ 7 10 48	− 1 69	8 79	S		7 26 31 39	− 1 45	29 94	19 21 15				19 21 369
	2378	+ 3 18	S		8 41 44	− 1 66	39 78	S		28 2 36	− 1 47	0 89	21 11	s 19 21 120	+ 0 008	+ 0 241	
	2398	+ 16 44	S		11 53 47	− 1 69	51 78	S		31 14 30	− 1 46	12 84	21 06		+	+	
	2410	+ 22 11	S		13 40 39	− 1 70	38 69	S		32 61 29	− 1 44	59 85	21 16				
Jan 21	2237	+ 34 6	N	I P W	6 45 35 84	+ 1 38	37 22	N	I P W	7 4 56 97	+ 1 46	58 43	19 21 21				19 21 423
	2278	+ 26 4	N	c − 1 8	52 43 76	+ 1 57	45 33	N	c − 1 8	12 5 08	+ 1 43	6 51	21 18	s 19 21 175	+ 0 007	+ 0 241	
	2287	+ 29 22	N	b − 2 0 a + 47 3	54 18 18	+ 1 49	19 67	N	b + 1 1 a − 9 5	13 39 36	+ 1 44	40 80	21 13		+	+	
	2299	+ 24 22	N	Q + 1 70	55 45 88	+ 1 61	47 49	N	Q + 1 41	15 7 25	+ 1 42	8 67	21 18				
	2216	+ 8 9	S		6 41 24 42	+ 1 91	26 33	S		7 0 46 09	+ 1 35	47 44	19 21 11				19 21 341
	2228	+ 16 20	S		43 33 08	+ 1 76	34 84	S		2 54 54	+ 1 39	55 93	21 09	s 19 21 093	+ 0 007	+ 0 241	
	2306	+ 11 7	S		57 35 39	+ 1 86	37 25	S		16 56 99	+ 1 36	58 35	21 10		+	+	
	2322	+ 9 21	S		59 40 60	+ 1 89	42 49	S		19 2 21	+ 1 35	3 56	21 07				
	2340	+ 30 26	N	Q − 1 70	7 4 15 22	− 1 93	13 29	N	Q − 1 41	7 23 35 80	− 1 37	34 43	19 21 14				19 21 421
	2350	+ 24 19	N		5 52 04	− 1 79	50 25	N		25 12 87	− 1 40	11 47	21 22	s 19 21 173	+ 0 007	+ 0 241	
	2383	+ 26 53	N		10 21 31	− 1 86	19 45	N		29 42 00	− 1 39	40 61	21 16		+	+	
	2362	+ 16 21	S		7 7 9 87	− 1 64	8 23	S		7 26 30 80	− 1 43	29 37	19 21 14				19 21 396
	2378	+ 3 18	S		8 40 60	− 1 40	39 20	S		28 1 89	− 1 49	0 40	21 20	s 19 21 148	+ 0 007	+ 0 241	
	2398	+ 16 44	S		11 52 89	− 1 65	51 24	S		31 13 80	− 1 43	12 37	21 13		+	+	
	2410	+ 22 11	S		13 39 93	− 1 75	38 18	S		32 60 71	− 1 41	59 30	21 12				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

265

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$.

KALIANPUR (E) *Lat* 24° 7′, *Long* 6ʰ 10ᵐ 67ˢ: AND BOMBAY (W) *Lat* 18° 56′, *Long* 4ʰ 51ᵐ 25ˢ

Astronomical Date	BAC Number	Decli nation	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn. for Persl. Equations $C_w - B_w = +0°.241$ $C_s - B_s = +0°.241$	$\Delta L + \rho$
		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
1890																	
Jan 15	2663	+ 25 24	N	I P W	7 35 46 65	+1 57	48 22	N	I P E	7 55 9 49	+0 04	9 53	19 21 31	19 21 31.5	0 021	+ 0 241	19 21 535
	2672	+ 28 6	N	c − 1 8	37 26 64	+1 59	28 23	N	c + 0 1	56 49 50	+0 05	49 55	21 32				
	2703	+ 22 46	N	b − 0 6	40 45 75	+1 53	47 28	N	b + 1 3	8 0 8 57	+0 04	8 61	21 33				
	2714	+ 21 54	N	a − 35 2	41 58 44	+1 52	59 96	N	a − 4 8	1 21 22	+0 04	21 26	21 30				
				Q + 1 60					Q 0 00								
	2639	+ 16 5	S		7 31 25 82	+1 43	27 25	S		7 50 48 48	+0 02	48 50	19 21 25	19 21 24.8	0 021	+ 0 241	19 21 468
	2649	+ 16 49	S		32 56 06	+1 44	5, 50	S		52 18 73	+0 03	18 76	21 26				
	2654	+ 13 33	S		34 74	+1 40	9 14	S		53 30 35	+0 02	30 37	21 23				
	2690	+ 13 26	S		39 37 96	+1 40	39 36	S		59 0 59	+0 02	0 61	21 25				
	2727	+ 26 10	N	Q − 1 60	7 44 18 43	−1 62	16 81	N	Q 0 00	8 3 37 90	+0 04	37 94	19 21 13	19 21 20.8	0 021	+ 0 241	19 21 438
	2747	+ 29 59	N		47 3 98	−1 58	2 40	N		6 23 50	+0 05	23 55	21 15				
	2786	+ 2 35	N		54 7 18	−1 62	5 56	N		13 26 77	+0 05	26 82	21 26				
	2789	+ 24 22	N		54 43 95	−1 65	42 30	N		14 3 55	+0 04	3 59	21 29				
	2737	+ 14 57	S		7 45 32 45	−1 78	30 6,	S		8 4 51 77	+0 02	51 79	19 21 12	19 21 15.8	0 021	+ 0 241	19 21 378
	2759	+ 18 0	S		48 37 62	−1 74	35 88	S		7 57 10	+0 03	57 13	21 25				
	2778	+ 9 32	S		51 17 46	−1 85	15 61	S		10 36 73	+0 01	36 74	21 13				
	2782	+ 9 12	S		52 18 73	−1 85	16 88	S		11 38 00	+0 01	38 01	21 13				
Jan 17	2663	+ 25 24	N	I P W	7 35 49 69	+1 63	51 32	N	I P W	7 55 11 22	+1 41	12 63	19 21 31	19 21 39.5	0 023	+ 0 241	19 21 613
	2672	+ 28 6	N	c − 1 8	37 29 68	+1 66	31 34	N	c − 1 7	56 51 31	+1 43	52 74	21 40				
	2703	+ 22 46	N	b − 1 5	40 48 83	+1 60	50 43	N	b + 1 5	8 0 10 41	+1 40	11 81	21 38				
	2714	+ 21 54	N	a − 28 9	42 1 41	+1 59	3 00	N	a − 8 7	1 23 09	+1 40	24 49	21 49				
				Q + 1 70					Q + 1 40								
	2639	+ 16 5	S		7 31 28 78	+1 53	30 31	S		7 50 50 27	+1 38	51 65	19 21 34	19 21 33.5	0 023	+ 0 241	19 21 553
	2649	+ 16 49	S		32 59 05	+1 54	60 59	S		52 20 49	+1 38	21 87	21 38				
	2654	+ 13 33	S		34 10 69	+1 51	12 20	S		53 32 17	+1 37	33 54	21 34				
	2690	+ 13 26	S		39 40 96	+1 51	42 47	S		59 2 48	+1 37	3 85	21 38				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

			KALIANPUR (E) *Lat* 24° 7', *Long* 5ʰ 10ᵐ 47ˢ; AND BOMBAY (W) *Lat* 18° 54', *Long* 4ʰ 51ᵐ 25ˢ															
			Transits Observed at E *By Lenox Conyngham with Telescope No 2*					**Transits Observed at W** *By Burrard with Telescope No 1*					Difference of Corrected Times (W − E)				
Astronomical Date	**Star**														Correction for Rate of W Clock	Corrn. for Persl Equations $C_N - B_N = +0 \cdot 241$ $C_S - B_S = +0 \cdot 241$	$\Delta L + \rho$
	B A C Number	Decli nation	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
		° ′			h m s	s	s			h m s	s	s		m s			
1800 Jan 17	2727	+ 26 10	N	I P W	7 44 21 69	− 1 75	19 94	N	I P W	8 3 42 65	− 1 38	41 27	19 21 33				
	2747	+ 29 59	N	d c − 1 8	47 7 19	− 1 71	5 48	N	d c − 1 7	6 28 23	− 1 37	26 86	21 38		0 023	+ 0 241	19 21 541
	2786	+ 27 35	N	b − 1 5 a − 28 9	54 10 36	− 1 75	8 61	N	b + 1 3 a − 8 7	13 31 38	− 1 38	30 00	21 39	m s 19 21 333			
	2789	+ 24 22	N	Q − 1 70	54 47 18	− 1 78	45 40	N	Q − 1 40	14 7 98	− 1 39	6 59	21 19				
	2737	+ 14 57	S		7 45 35 68	− 1 88	33 80	S		8 4 56 52	− 1 42	55 10	19 21 30				
	2759	+ 18 0	S		48 40 88	− 1 85	39 03	S		8 1 80	− 1 41	0 39	21 36	m s 19 21 328	0 023	+ 0 241	19 21 546
	2778	+ 9 32	S		51 20 62	− 1 93	18 69	S		10 41 44	− 1 44	40 00	21 31				
	2782	+ 9 12	S		52 21 90	− 1 94	19 96	S		11 42 74	− 1 44	41 30	21 34				
Jan 18	2663	+ 25 24	N	I P E	7 35 51 43	+ 1 67	53 10	N	I P W	7 55 12 98	+ 1 43	14 41	19 21 31				
	2672	+ 28 6	N	d c + 0 2	37 31 51	+ 1 62	33 13	N	d c − 1 7	56 53 07	+ 1 45	54 52	21 39	m s 19 21 355	0 025	+ 0 241	19 21 5 1
	2703	+ 22 46	N	b + 0 2 a + 58 2	40 50 49	+ 1 3	52 22	N	b + 1 2 a − 14 6	8 0 12 15	+ 1 41	13 56	21 34				
	2714	+ 21 54	N	s Q + 1 70	42 3 09	+ 1 75	4 84	N	s Qˢ + 1 40	1 24 81	+ 1 41	26 22	21 38				
	2639	+ 16 5	S		7 31 30 25	+ 1 89	32 14	S		7 50 52 08	+ 1 37	53 45	19 21 31				
	2649	+ 16 49	S		33 0 46	+ 1 87	2 33	S		52 22 33	+ 1 38	23 71	21 38	m s 19 21 333	0 025	+ 0 241	19 21 549
	2654	+ 13 33	S		34 12 04	+ 1 94	13 98	S		53 31 95	+ 1 36	35 31	21 33				
	2690	+ 13 26	S		39 42 30	+ 1 95	44 25	S		59 4 20	+ 1 36	5 56	21 31				
	2727	+ 26 10	N	s Q − 1 50	7 44 23 46	− 1 75	21 71	N	s Q − 1 40	8 3 44 41	− 1 36	43 05	19 21 34				
	2747	+ 29 59	N		47 9 18	− 1 83	7 35	N		6 30 00	− 1 34	28 66	21 31	m s 19 21 305	0 025	+ 0 241	19 21 521
	2786	+ 27 35	N		54 12 24	− 1 77	10 47	N		13 33 13	− 1 35	31 78	21 31				
	°789	+ 24 22	N		54 48 92	− 1 71	47 21	N		14 9 85	− 1 38	8 47	21 26				
	2737	+ 14 57	S		7 45 37 09	− 1 48	35 61	S		8 4 58 09	− 1 43	56 90	19 21 29				
	2759	+ 18 0	S		48 42 42	− 1 55	40 87	S		8 3 58	− 1 42	2 16	21 29	m s 19 21 338	0 025	+ 0 241	19 21 554
	2778	+ 9 32	S		51 21 84	− 1 37	20 47	S		10 43 30	− 1 46	41 84	21 37				
	2782	+ 9 12	S		52 23 12	− 1 36	21 76	S		11 44 63	− 1 47	43 16	21 40				

KALIANPUR (E) *Lat* 24° 7′ *Long* 5ʰ 10ᵐ 47ˢ: AND BOMBAY (W) *Lat* 18° 54′, *Long* 4ʰ 51ᵐ 25ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Lenox Conyngham with Telescope No 2				Star's Aspect	TRANSITS OBSERVED AT W By Burrard, with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. for Persl. Equations $C_N - B_N = +0.241$ $C_S - B_S = +0.241$	ΔL + ρ
	B A C Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1890		°			h m s	s	s			h m s	s	s	m s				
Jan 19	2668	+ 25 24	N	I P E	7 35 53 23	+ 1 71	54 94	N	I P E	7 55 14 93	+ 1 39	16 32	19 21 38		0 026	0 241	19 21 630
	2672	+ 28 6	N	c + 0 2 d	37 33 31	+ 1 1	35 02	N	c + 0 1 d	56 55 00	+ 1 39	56 39	21 37	19 21 415		+ 0 241	
	2703	+ 22 46	N	b + 0 5 a + 4 6	40 52 31	+ 1 71	54 02	N	b − 2 0 a 0 0	8 0 14 10	+ 1 39	15 49	21 47		−	+	
	2714	+ 21 54	N	s Q + 1 70	42 4 95	+ 1 71	6 66	N	s Q + 1 44	1 26 71	+ 1 39	28 10	21 44				
	2639	+ 16 5	S		7 31 32 28	+ 1 73	34 01	S		7 50 54 00	+ 1 39	55 39	19 21 38		0 026	0 241	19 21 585
	2640	+ 16 49	S		33 2 53	+ 1 72	4 25	S		52 24 22	+ 1 39	25 61	21 36	19 21 370		+ 0 241	
	2654	+ 13 33	S		34 14 17	+ 1 73	15 90	S		53 35 88	+ 1 39	37 27	21 37		−	+	
	2690	+ 13 26	S		39 44 35	+ 1 73	46 08	S		59 6 06	+ 1 39	7 45	21 37				
	2727	+ 26 10	N	Q − 1 70 s	7 44 25 25	− 1 69	23 56	N	Q − 1 44 s	8 3 46 36	− 1 49	44 87	19 21 31		0 026	0 241	19 21 535
	2747	+ 29 59	N		47 10 82	− 1 69	9 13	N		6 31 95	− 1 49	30 46	21 33	19 21 520		+ 0 241	
	2786	+ 21 35	N		54 13 94	− 1 69	12 25	N		13 35 11	− 1 49	33 62	21 37		−	+	
	2789	+ 24 22	N		54 50 75	− 1 69	49 06	N		14 11 82	− 1 49	10 33	21 27				
	2737	+ 14 57	S		7 45 39 06	− 1 67	37 39	S		8 4 60 21	− 1 49	58 72	19 21 33		0 026	0 241	19 21 485
	2759	+ 18 0	S		48 44 38	− 1 68	42 70	S		8 5 40	− 1 49	3 91	21 21	19 21 2,0		+ 0 241	
	2778	+ 9 32	S		51 24 03	− 1 66	22 37	S		10 43 12	− 1 48	41 64	21 27		−	+	
	2782	+ 9 12	S		52 25 28	− 1 66	23 62	S		11 46 37	− 1 48	44 89	21 27				
	,																
Jan 20	2668	+ 25 24	N	I P E	7 35 55 15	+ 1 77	56 92	N	I P E	7 55 16 88	+ 1 39	18 27	19 21 35		0 027	0 241	19 21 567
	2672	+ 28 6	N	c + 0 2 d	37 35 21	+ 1 17	36 98	N	c + 0 1 d	56 56 96	+ 1 39	58 35	21 37	19 21 313		+ 0 241	
	2703	+ 22 46	N	b + 1 1 a + 8 0	40 54 22	+ 1 77	55 99	N	b − 1 5 a − 5 7	8 0 15 90	+ 1 38	17 28	21 29		−	+	
	2714	+ 21 54	N	s Q + 1 74	42 6 85	+ 1 78	8 63	N	s Q + 1 41	1 28 65	+ 1 38	30 03	21 40				
	2639	+ 16 5	S		7 31 34 17	+ 1 80	35 97	S		7 50 55 84	+ 1 37	57 21	19 21 24		0 027	0 241	19 21 537
	2649	+ 16 49	S		33 4 40	+ 1 79	6 19	S		52 26 15	+ 1 37	27 52	21 33	19 21 343		+ 0 241	
	2654	+ 13 33	S		34 16 03	+ 1 79	17 82	S		53 37 79	+ 1 37	39 16	21 34		−	+	
	2690	+ 13 26	S		39 46 24	+ 1 79	48 03	S		59 8 04	+ 1 37	9 41	21 38			+	

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ.

KALIANPUR (E) Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ: AND BOMBAY (W) Lat 18° 54′ Long 4ʰ 51ᵐ 25ˢ

Astronomical Date	BAC Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl. Equations $C_W - B_W = + 0^s \cdot 241$ $C_B - B_B = + 0 \cdot 241$	ΔL + ρ
1890 Jan 20	2727	+ 26 10	N	I P E d $c + 0 \cdot 2$ $b + 1 \cdot 1$ $a + 8 \cdot 0$ c $Q - 1 \cdot 74$	h m s 7 44 27 16	s −1·72	s 25 44	N	I P E d $c + 0 \cdot 1$ $b - 1 \cdot 5$ $a - 5 \cdot 7$ c $Q - 1 \cdot 41$	h m s 8 3 48 28	s −1 43	s 46 85	m s 19 21 41				
	2747	+ 29 59	N		47 12 79	−1 ·2	11 07			6 33 77	−1 42	32 35	21 28	s 19 21 36·5	0 027	+ 0 241	s 19 1 479
	2786	+ 27 35	N		54 15 87	−1 71	14 16			13 37 00	−1 43	35 57	21 41		−	+	
	2789	+ 24 22	N		54 52 65	−1 71	50 94	N		14 13 74	−1 44	12 30	21 36				
	2737	+ 14 57	S		7 45 41 00	−1 68	39 32	S		8 5 2 15	−1 45	0 70	19 21 38				
	2778	+ 9 32	S		51 25 89	−1 67	24 22	S		10 46 98	−1 46	45 52	21 30	s 19 21 33·0	0 027	+ 0 241	19 21 544
	2782	+ 9 12	S		52 27 19	−1 67	25 52	S		11 48 29	−1 46	46 83	21 31		−	+	
Jan 21	2663	+ 25 24	N	I P W d $c - 1 \cdot 8$ $b - 2 \cdot 0$ $a + 47 \cdot 3$ c $Q + 1 \cdot 70$	7 35 57 45	+1 59	59 04	N	I P W d $c - 1 \cdot 7$ $b + 1 \cdot 1$ $a - 9 \cdot 5$ c $Q + 1 \cdot 41$	7 55 18 97	+1 43	20 40	19 21 36				
	2672	+ 28 6	N		37 37 56	+1 51	39 07	N		56 59 04	+1 44	60 48	21 41	s 19 21 38·0	0 029	+ 0 241	19 21 592
	2703	+ 22 46	N		40 56 48	+1 64	58 12	N		8 0 18 05	+1 42	19 47	21 35		−	+	
	2714	+ 21 54	N		42 9 14	+1 65	10 79	N		1 30 ,8	+1 41	32 19	21 40				
	2639	+ 16 5	S		7 31 36 24	+1 77	38 01	S		7 50 58 03	+1 39	59 42	19 21 41				
	2649	+ 16 49	S		33 6 49	+1 75	8 24	S		52 28 31	+1 39	29 70	21 46	s 19 21 38·8	0 029	+ 0 241	19 21 600
	2654	+ 13 33	S		34 18 08	+1 81	19 89	S		53 39 80	+1 38	41 18	21 29		−	+	
	2690	+ 13 26	S		39 48 36	+1 81	50 17	S		59 10 18	+1 38	11 56	21 39				
	2727	+ 26 10	N	c $Q - 1 ,0$	7 44 29 51	−1 83	27 68	N	c $Q - 1 \cdot 41$	8 3 50 31	−1 39	48 92	19 21 24				
	2747	+ 29 59	N		47 15 17	−1·92	13 25	N		6 36 00	−1 37	34 63	21 38	s 19 21 28·8	0 029	+ 0 241	19 21 500
	2786	+ 27 35	N		54 18 23	−1 87	16 36	N		13 39 07	−1 38	3, 69	21 33		−	+	
	2789	+ 24 22	N		54 54 98	−1 79	53 19	N		14 15 79	−1 40	14 39	21 20				
	2737	+ 14 57	S		7 45 43 14	−1 61	41 53	S		8 5 4 20	−1 44	2 76	19 21 23				
	2759	+ 18 0	S		48 48 41	−1 67	46 74	S		8 9 44	−1 42	8 02	21 28	s 19 21 25·8	0 029	+ 0 241	19 21 470
	2778	+ 9 32	S		51 28 03	−1 31	26 52	S		10 49 18	−1 47	47 71	21 19		−	+	
	2782	+ 9 12	S		52 29 19	−1 31	27 68	S		11 50 48	−1 47	49 01	21 33				

JUBBULPORE (E) *Lat 23° 10′ Long 5ʰ 19ᵐ 55ˢ* AND KALIANPUR (W) *Lat 24° 7′, Long 5ʰ 19ᵐ 47ˢ*

Astronomical Date	STAR		Transits Observed at E By Burrard with Telescope No 1				Transits Observed at W By Lenox Conyngham with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	$B_N = C_N = -0ˢ 241$ $B_S = C_S = 0ˢ 241$ Corrns. for Persl Equations	$\Delta L - \rho$
	B A C Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890 Feb 4	2841	+ 26 34	N	L P E	ʰ ᵐ ˢ 8 22 44 65	ˢ +1 80	ˢ 46 45	N	I P W	ʰ ᵐ ˢ 8 31 55 34	ˢ +1 64	ˢ 56 98	9 10 53	ᵐ ˢ	ˢ 10 488 = 9	ˢ 0 007 +	0 241 −	ˢ 10 254 9
	2850	+ 24 27	N	c − 4 4	24 31 71	+1 81	33 52	N	c + 1 5	33 42 36	+1 64	44 00	10 48					
	2871	+ 36 48	N	b + 5 1 a + 10 5	27 11 51	+1 75	13 26	N	b − 5 1 a − 3 3	36 21 99	+1 66	23 65	10 39					
	2912	+ 32 20	N	ˢ Q + 1 80	33 0 63	+1 77	2 40	N	ˢ Q + 1 68	42 11 30	+1 65	12 95	10 55					
	2862	+ 20 49	S		8 25 52 22	+1 82	54 04	S		8 35 2 97	+1 65	4 62	9 10 58		ˢ 10 610 = 9	ˢ 0 007 +	0 241 −	ˢ 10 376 9
	2888	+ 15 42	S		29 28 89	+1 85	30 74	S		38 39 75	+1 63	41 38	10 64					
	2965	+ 29 10	N	ˢ Q − 1 80	8 39 37 57	−1 81	35 76	N	ˢ Q − 1 68	8 48 47 97	−1 71	46 26	9 10 50		ˢ 10 500 = 9	ˢ 0 007 +	0 241 −	ˢ 10 266 9
	3000	+ 28 40	N		45 26 88	−1 81	25 0,	N		54 37 25	−1 ,1	35 54	10 47					
	3002	+ 28 45	N		45 37 78	−1 81	35 97	N		54 48 21	−1 71	46 50	10 53					
	2937	+ 21 52	S		8 36 30 25	−1 ,8	28 47	S		8 45 40 67	−1 71	38 96	9 10 49		ˢ 10 488 = 9	ˢ 0 007 +	0 241 −	ˢ 10 254 9
	2970	+ 12 31	S		40 29 23	−1 ,5	27 48	S		49 39 72	−1 ,4	37 98	10 50					
	2978	+ 6 15	S		42 11 40	−1 72	9 68	S		51 21 89	−1 ,4	20 15	10 47					
	2987	− 3 2	S		43 25 07	−1 70	23 37	S		52 35 60	−1 74	33 86	10 49					
Feb 5	2841	+ 26 34	N	I P W	8 22 43 51	+1 91	45 42	N	I P W	8 31 54 25	+1 71	55 96	9 10 54		ˢ 10 445 = 9	ˢ 0 007 +	0 241 −	ˢ 10 211 9
	2850	+ 24 27	N	c + 2 8	24 30 64	+1 92	32 56	N	c + 1 5	33 41 34	+1 66	43 00	10 44					
	2871	+ 36 48	N	b + 3 1 a + 10 1	27 10 30	+1 87	12 17	N	b − 1 5 a − 53 4	36 20 63	+1 98	22 61	10 44					
	2912	+ 32 20	N	ˢ Q + 1 78	32 59 59	+1 89	61 48	N	ˢ Q + 1 65	42 9 99	+1 85	11 84	10 36					
	2862	+ 20 49	S		8 25 51 17	+1 93	53 10	S		8 35 2 00	+1 58	3 58	9 10 48		ˢ 10 420 = 9	ˢ 0 007 +	0 241 −	ˢ 10 186 9
	2880	+ 19 38	S		28 30 41	+1 93	32 34	S		37 41 22	+1 56	42 78	10 44					
	2888	+ 15 42	S		29 28 00	+1 95	29 95	S		38 38 85	+1 47	40 32	10 37					
	2899	+ 19 39	S		30 58 85	+1 94	60 79	S		40 9 63	+1 55	11 18	10 39					

TABLE V. OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

			JUBBULPORE (E) Lat 23° 10′, Long 5ʰ 19ᵐ 58ˢ : AND KALIANPUR (W) Lat 24° 7′ Long 5ʰ 10ᵐ 47ˢ														

Astronomical Date	STAR			TRANSITS OBSERVED AT E *By Burrard with Telescope No 1*				TRANSITS OBSERVED AT W *By Lenox Conyngham with Telescope No 2*					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for l eral Equations $B_N − C_N = − 0ˢ 241$ $B_S − C_S = − 0 \ 241$	$\Delta L − \rho$
	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890		°			h m s	s	s			h m s	s	s	m s		s	s	s
Feb 5	2902	+ 31 6	N	I P W	8 38 10 50	− 1 67	8 83	N	I P W	8 47 20 83	− 1 48	19 35	9 10 52				
	2965	+ 29 10	N	$\begin{array}{c} d \\ c + 2\ 8 \\ b + 3\ 1 \\ a + 10\ 1 \end{array}$	39 36 30	− 1 66	34 64	N	$\begin{array}{c} d \\ c + 1\ 5 \\ b − 1\ 5 \\ a − 53\ 4 \end{array}$	48 46 76	− 1 53	45 23	10 59	10 575	0 007	0 241	10 341
	3000	+ 28 40	N		45 25 56	− 1 65	23 91	N		54 36 02	− 1 54	34 48	10 57	N 9	+	−	9
	3002	+ 28 45	N	$\begin{array}{c} s \\ Q − 1\ 78 \end{array}$	45 36 52	− 1 66	34 86	N	$\begin{array}{c} s \\ Q − 1\ 65 \end{array}$	54 47 02	− 1 54	45 48	10 62				
	2970	+ 12 31	S		8 40 28 00	− 1 61	26 39	S		8 49 ,8 81	− 1 90	36 91	9 10 52	10 540	0 007	0 241	10 306
	29,8	+ 6 15	S		42 10 21	− 1 58	8 63	S		51 21 16	− 2 02	19 14	10 51	N 9	+	−	9
	2987	− 3 2	S		43 23 ,8	− 1 56	22 22	S		52 35 00	− 2 19	32 81	10 59				
Feb 6	2841	+ 26 34	N	I P W	8 22 42 37	+ 1 90	44 27	N	I P E	8 31 53 21	+ 1 53	54 ,4	9 10 47	10 445	0 008	0 241	10 212
	2850	+ 24 27	N	$\begin{array}{c} d \\ c + 2\ 8 \\ b + 1\ 9 \\ a + 6\ 7 \end{array}$	24 29 40	+ 1 91	31 31	N	$\begin{array}{c} d \\ c − 3\ 1 \\ b − 3\ 1 \\ a − 0\ 5 \end{array}$	33 40 27	+ 1 53	41 80	10 49	N 9	+	−	9
	2871	+ 36 48	N		2, 9 18	+ 1 88	11 06	N		36 19 88	+ 1 52	21 40	10 34				
	2912	+ 32 20	N	$\begin{array}{c} s \\ Q + 1\ ,9 \end{array}$	32 58 33	+ 1 88	60 21	N	$\begin{array}{c} s \\ Q + 1\ 69 \end{array}$	42 9 16	+ 1 53	10 69	10 48				
	2862	+ 20 49	S		8 25 50 02	+ 1 92	51 94	S		8 35 0 82	+ 1 55	2 37	9 10 43	10 410	0 008	0 241	10 1,7
	2888	+ 15 42	S		29 26 80	+ 1 92	28 ,2	S		38 37 57	+ 1 55	39 12	10 40	N 9	+	−	9
	2899	+ 19 39	S		30 57 66	+ 1 92	59 58	S		40 8 43	+ 1 55	9 98	10 40				
	2952	+ 31 6	N	$\begin{array}{c} s \\ Q − 1\ 79 \end{array}$	8 38 9 24	− 1 69	, 55	N	$\begin{array}{c} s \\ Q − 1\ 69 \end{array}$	8 47 19 96	− 1 85	18 11	9 10 56	10 575	0 008	0 241	10 342
	2965	+ 29 10	N		39 35 21	− 1 69	33 52	N		48 45 84	− 1 85	43 99	10 47	N 9	+	−	9
	3000	+ 28 40	N		45 24 40	− 1 69	22 ,1	N		54 35 18	− 1 85	33 33	10 62				
	3002	+ 28 45	N		45 35 33	− 1 69	33 64	N		54 46 14	− 1 85	44 29	10 65				
	2937	+ 21 52	S		8 36 2, 95	− 1 67	26 28	S		8 45 38 54	− 1 83	36 71	9 10 43	10 553	0 008	0 241	10 320
	2970	+ 12 31	S		40 26 93	− 1 66	25 27	S		49 37 59	− 1 83	35 76	10 49	N 9	+	−	9
	2978	+ 6 15	S		42 8 93	− 1 65	, 28	S		51 19 73	− 1 83	17 90	10 62				
	2987	− 3 2	S		43 22 61	− 1 62	20 99	S		52 33 49	− 1 83	31 66	10 67				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 271

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	JUBBULPORE (E) Lat 23° 10 Long 5ʰ 19ᵐ 59ˢ; AND KALIANPUR (W) Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ															
Astronomical Date	STAR		Transits Observed at E *By Burrard with Telescope No 1*					Transits Observed at W *By Lenox Conyngham with Telescope No 2*					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl. Equations $B_N − C_N = 0^s$ 241 $B_S − C_S = 0$ 241	$\Delta L − \rho$
	BAC Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890 Feb 7	2841	+ 26 34	N	I P E	h m s 8 22 41 33	s + 1 64	s 42 97	N	I P E	h m s 8 31 51 78	s + 1 61	s 53 39	m s 9 10 42				
	2850	+ 24 7	N	d c − 4 4	24 28 34	+ 1 67	30 01	⟍	d c − 1	33 38 81	+ 1 61	40 42	10 41	s 10 433	0 008	0 241	s 10 190
	2871	+ 36 48	N	b + 1 6 a + 2 3 4	27 8 14	+ 1 52	9 66	⟍	b + 0 3 a + 1 7	36 18 46	+ 1 59	20 05	10 39	g 9	+	−	g 9
	2912	+ 3 20	N	s Q + 1 15	32 5 29	+ 1 57	58 86	N	s Q + 1 68	42 7 13	+ 1 60	9 33	10 41				
	2862	+ 20 49	S		8 25 48 83	+ 1 70	50 53	S		8 34 59 35	+ 1 61	60 97	9 10 44				
	2880	+ 19 58	S		28 28 09	+ 1 72	29 81	S		37 38 57	+ 1 62	40 19	10 38	s 10 438	0 008	0 241	s 10 205
	2888	+ 15 42	S		29 5 62	+ 1 76	27 38	S		38 36 14	+ 1 63	37 77	10 39	g 9	+	−	g 9
	2899	+ 19 39	S		30 56 35	+ 1 73	58 08	S		40 7 00	+ 1 62	8 62	10 54				
	2952	+ 31 6	N	s Q − 1 7	8 38 8 25	− 1 90	6 37	N	s Q − 1 68	8 47 18 50	− 1 6	16 74	9 10 37				
	2965	+ 29 10	N		39 34 01	− 1 88	32 13	N		48 44 39	− 1 75	42 64	10 51	s 10 448	0 008	0 241	s 10 215
	3000	+ 28 40	N		45 23 45	− 1 89	21 57	N		54 33 71	− 1 75	31 96	10 39	g 9	+	−	g 9
	3002	+ 28 45	⟍		45 34 27	− 1 88	32 39	N		54 44 66	− 1 75	42 91	10 53				
	2970	+ 12 31	S		8 40 25 5	− 1 71	23 84	S		8 49 36 12	− 1 73	34 39	9 10 55				
	2978	+ 6 15	⟍		42 5 68	− 1 67	6 01	S		51 18 28	− 1 73	16 55	10 54	s 10 547	0 008	0 241	s 10 314
	2987	− 3 2	S		43 21 30	− 1 59	19 71	S		52 31 98	− 1 72	30 26	10 55	g 9	+	−	g 9
Feb 8	2841	+ 26 34	N	I P E	8 22 40 12	+ 1 71	41 83	N	I P E	8 31 50 51	+ 1 63	52 34	9 10 51				
	2850	+ 24 27	N	d c − 4 4	24 25 18	+ 1 74	28 92	N	d c − 3 1	33 37 80	+ 1 64	39 44	10 52	s 10 508	0 007	0 241	s 10 274
	2871	+ 36 48	N	b + 5 3 a + 35 1	27 7 00	+ 1 53	8 53	N	b + 0 8 a + 7 8	36 1 44	+ 1 58	19 02	10 49	g 9	+	−	g 9
	2912	+ 32 20	N	s Q + 1 74	32 56 17	+ 1 61	57 78	N	s Q + 1 70	42 6 68	+ 1 61	8 29	10 51				
	2862	+ 20 49	S		8 25 47 71	+ 1 80	49 51	S		8 34 58 35	+ 1 66	60 01	9 10 50				
	2880	+ 19 58	S		28 26 93	+ 1 82	28 75	S		37 37 54	+ 1 66	39 20	10 45	s 10 508	0 007	0 241	s 10 274
	2888	+ 15 42	S		29 24 35	+ 1 87	26 22	S		38 35 11	+ 1 68	36 79	10 57	g 9	+	−	g 9
	2899	+ 19 39	S		30 55 33	+ 1 82	57 15	S		40 6 00	+ 1 66	7 66	10 51				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$.

JUBBULPORE (E) *Lat* 23° 10′ *Long* 5ʰ 19ᵐ 58ˢ; AND KALIANPUR (W) *Lat* 24° 7′, *Long* 5ʰ 10ᵐ 47ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard, with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl Equations $B_W - C_W = -0^s \cdot 241$ $B_E - C_E = -0 \cdot 241$	$\Delta L - \rho$
	BAC Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890					h m s	s	s			h m s	s	s	m s				
Feb 8	2952	+ 31 6	N	I P E	8 38 7 07	− 1 84	5 23	N	I P E	8 47 17 47	− 1 ,8	15 69	9 10 46				
	2965	+ 29 10	N	d c − 4 4	39 32 92	− 1 80	31 12	N	d c − 3 1	48 43 28	− 1 78	41 50	10 38	s 10 470	s 0 007	s 0 241	s 10 216
	3000	+ 28 40	N	b + 5 3 a + 35 1	45 22 22	− 1 80	20 42	N	b + 0 8 a + 7 8	54 32 68	− 1 78	30 90	10 48		+	−	
	3002	+ 28 45	N	s Q − 1 74	45 33 12	− 1 81	31 31	N	s Q − 1 ,0	54 43 65	− 1 78	41 87	10 56	g 9			9
	2937	+ 21 52	S		8 36 25 55	− 1 ,0	23 85	S		8 45 36 06	− 1 74	34 32	9 10 47				
	2970	+ 12 31	S	'	40 24 45	− 1 57	22 88	S		49 35 05	− 1 71	33 34	10 46	s 10 480	s 0 007	s 0 241	s 10 246
	2978	+ 6 15	S		42 6 53	− 1 50	5 03	S		51 17 22	− 1 70	15 52	10 49		+	−	
	2987	− 3 2	S		43 20 15	− 1 38	18 77	S		52 30 94	− 1 67	29 27	10 50	g 9			9
Feb 9	2841	+ 26 34	N	I P W	8 22 38 99	+ 1 73	40 72	N	I P W	8 31 49 57	+ 1 70	51 27	9 10 55				
	2850	+ 24 27	N	d c + 2 8	24 25 96	+ 1 78	27 74	N	d c + 2 5	33 36 63	+ 1 71	38 34	10 60	s 10 580	s 0 007	s 0 241	s 10 346
	2871	+ 36 48	N	b − 1 0 a + 42 6	27 5 88	+ 1 52	7 40	N	b − 0 6 a − 1 1	36 16 2,	+ 1 71	1, 98	10 58		+	−	
	2912	+ 32 20	N	s Q + 1 75	32 55 02	+ 1 61	56 63	N	s Q + 1 68	42 5 52	+ 1 ,0	7 22	10 59	g 9			9
	2862	+ 20 49	S		8 25 46 50	+ 1 84	48 34	S		8 34 57 19	+ 1 ,1	58 90	9 10 56				
	2880	+ 19 58	S		28 25 64	+ 1 86	27 50	S		37 36 36	+ 1 71	38 07	10 57	s 10 573	s 0 00,	s 0 241	s 10 319
	2888	+ 15 42	S		29 23 15	+ 1 93	25 08	S		38 33 93	+ 1 70	35 63	10 55		+	−	
	2899	+ 19 39	S		30 54 03	+ 1 86	55 89	S		40 4 79	+ 1 ,1	6 50	10 61	g 9			9
	2952	+ 31 6	N	s Q − 1 75	8 38 5 86	− 1 86	4 00	N	s Q − 1 68	8 47 16 31	− 1 66	14 65	9 10 65				
	2965	+ 29 10	N		39 31 82	− 1 83	29 99	N		48 42 16	− 1 66	40 50	10 51	s 10 563	s 0 007	s 0 241	s 10 331
	3000	+ 28 40	N		45 21 17	− 1 81	19 36	N		54 31 53	− 1 66	29 87	10 51		+	−	
	3002	+ 28 45	N		45 32 07	− 1 82	30 25	N		54 42 50	− 1 66	40 84	10 59	g 9			9
	2937	+ 21 52	S		8 36 24 35	− 1 67	22 68	S		8 45 34 95	− 1 65	33 30	9 10 62				
	2970	+ 12 31	S		40 23 19	− 1 53	21 66	S		49 33 96	− 1 67	32 29	10 63	s 10 633	s 0 007	s 0 241	s 10 389
	2978	+ 6 15	S		42 5 26	− 1 43	3 83	S		51 16 14	− 1 67	14 4,	10 64		+	−	
	2987	− 3 2	S		43 18 86	− 1 29	17 57	S		52 29 84	− 1 67	28 1,	10 60	g 9			9

JUBBULPORE (E) *Lat 23° 10′, Long* 5ʰ 19ᵐ 55ˢ AND KALIANPUR (W) *Lat 24° 7′, Long* 5ʰ 10ᵐ 47ˢ·⁵

Astronomical Date	Star		Star's Aspect	Transits Observed at E By Burrard, with Telescope No 1				Star's Aspect	Transits Observed at W By Lenox Conyngham, with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corr⁰. for Persl. Equation	$\Delta L + \rho$
	B A.C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct- ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group		$B_N - C_N = 0^s \cdot 241$ $B_S - C_S = 0 \cdot 241$	
		° ′			h m s	s	s			h m s	s	s	m s				
1890 Feb 4	3112	+ 34 20	N	I P E d 0 − 4 4 b + 5 1 a + 10 5 Q + 1 80	8 52 21 14	+ 1 76	22 90	N	I P W d 0 + 1 5 b − 3 1 a − 3 1 Q + 1 68	9 1 31 65	+ 1 66	33 31	9 10 41				
	3117	+ 22 29	N		53 17 03	+ 1 81	18 84	N		2 27 61	+ 1 64	29 25	10 41				
	3123	+ 22 27	N		54 16 58	+ 1 81	18 39	N		3 27 33	+ 1 64	28 97	10 58	9 10·470	0 013	0 241	10 241
	3144	+ 35 5	N		58 44 10	+ 1 76	45 86	N		7 54 68	+ 1 66	56 34	10 48		+	−	9
	3104	+ 15 43	S		8 50 30 20	+ 1 85	32 05	S		8 59 40 91	+ 1 63	42·54	9 10 49				
	3129	+ 18 30	S		56 1 03	+ 1 84	2 87	S		9 5 11 83	+ 1 64	13 47	10 60	9 10 577	0 013	0 241	10 348
	3138	+ 21 44	S		57 35 10	+ 1 82	36 92	S		6 45 91	+ 1 65	47 56	10 64		+	−	9
	3162	+ 37 16	N	Q − 1 80	9 2 18 45	− 1 85	16 60	N	Q − 1 68	9 11 28 99	− 1 71	27 28	9 10 68				
	3204	+ 26 39	N		8 33 29	− 1 80	31 49	N		17 43 83	− 1 72	42 11	10 62	9 10 603	0 013	0 241	10 374
	3261	+ 36 53	N		17 47 66	− 1 85	45 81	N		26 58 03	− 1 70	56 33	10 52		+	−	9
	3268	+ 36 19	N		19 22 21	− 1 85	20 36	N		28 32 65	− 1 70	30 95	10 59				
	3176	+ 10 15	S		9 3 53 94	− 1 74	52 20	S		9 13 4 66	− 1 74	2 92	9 10 72				
	3183	+ 25 38	S		5 5 13	− 1 79	3 34	S		14 15 69	− 1 72	13 97	10 63	9 10 648	0 013	0 241	10 419
	3194	+ 25 39	S		7 28 20	− 1 79	26 41	S		16 38 84	− 1 72	37 12	10 71		+	−	9
	3250	+ 11 47	S		16 19 35	− 1 74	17 61	S		25 29 88	− 1 74	28 14	10 53				
Feb 5	3112	+ 34 20	N	I P W d 0 + 2 8 b + 3 1 a + 10 1 Q + 1 78	8 52 19 12	+ 1 89	21 01	N	I P W d 0 + 1 5 b − 3 1 a − 53 4 Q + 1 65	9 1 29 63	+ 1 91	31 54	9 10 53				
	3117	+ 22 29	N		53 14 91	+ 1 93	16 84	N		2 25 85	+ 1 61	27 46	10 62	9 10 603	0 011	0 241	10 371
	3123	+ 22 27	N		54 14 50	+ 1 93	16 43	N		3 25 48	+ 1 61	27 09	10 66		+	−	9
	3104	+ 15 43	S		8 50 28 22	+ 1 95	30 17	S		8 59 39 21	+ 1 47	40 68	9 10 51				
	3129	+ 18 30	S		55 59 03	+ 1 94	60 97	S		9 5 10 07	+ 1 53	11 60	10 63	9 10 647	0 011	0 241	10 417
	3138	+ 21 44	S		57 33 01	+ 1 93	34 94	S		6 44 14	+ 1 60	45 74	10 80		+	−	9

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

				Transits Observed at E *By Burrard, with Telescope No 1*					Transits Observed at W *By Lenox Conyngham, with Telescope No 2*				Difference of Corrected Times (W – E)				
Astronomical Date	\multicolumn{2}{}{Star}														Correction fo Rate of W Clock	Corrns. for Persl. Equations $B_N - C_N = - 0^s 241$ $B_S - C_S = + 0 241$	$\Delta L + \rho$

JUBBULPORE (E) *Lat 23° 10', Long 5ʰ 19ᵐ 59ˢ;* AND **KALIANPUR (W)** *Lat 24° 7', Long 5ʰ 10ᵐ 47ˢ*

Astronomical Date	BAC Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star	Mean of Group	Correction fo Rate of W Clock	Corrns. for Persl. Equations	$\Delta L + \rho$
1890 Feb 5	3162	+37 16	N	I P W d $o + 2\,8$ $b + 3\,1$ $a + 10\,1$ $Q - 1\,78$	9 2 16 41	−1 69	14 72	N	I P W d $o + 1\,5$ $b - 1\,5$ $a - 53\,4$ $Q - 1\,65$	9 11 26 75	−1 31	25 44	9 10 72	} 9 10 580	0 011 +	0 241 −	9 10 350
	3204	+26 39	N		8 31 44	−1 65	29 79	N		17 41 89	−1 59	40 30	10 51				
	3261	+36 53	N		17 45 67	−1 69	43 98	N		26 55 78	−1 32	54 46	10 48				
	3268	+36 19	N		19 20 17	−1 68	18 49	N		28 30 43	−1 33	29 10	10 61				
	3183	+25 38	S		9 5 3 16	−1 64	1 52	S		9 14 13 75	−1 62	12 13	9 10 61	} 9 10 550	0 011 +	0 241 −	9 10 320
	3194	+25 39	S		7 26 32	−1 64	24 68	S		16 36 84	−1 61	35 23	10 55				
	3250	+11 47	S		16 17 42	−1 60	15 82	S		25 28 22	−1 91	26 31	10 49				
Feb 6	3112	+14 20	N	I P W d $o + 2\,8$ $b + 1\,9$ $a + 6\,7$ $Q + 1\,79$	8 52 17 37	+1 88	19 25	N	I P E d $o - 3\,1$ $b - 3\,1$ $a - 0\,5$ $Q + 1\,69$	9 1 28 31	+1 53	29 84	9 10 59	} 9 10 590	0 009 +	0 241 −	9 10 358
	3117	+22 29	N		53 13 33	+1 91	15 24	N		2 24 27	+1 53	25 80	10 56				
	3123	+22 27	N		54 12 88	+1 91	14 79	N		3 23 87	+1 53	25 40	10 61				
	3144	+35 5	N		58 40 39	+1 88	42 27	N		7 51 14	+1 53	52 87	10 60				
	3104	+15 43	S		8 50 26 44	+1 92	28 36	S		8 59 37 43	+1 55	38 98	9 10 62	} 9 10 648	0 009 +	0 241 −	9 10 416
	3107	+15 40	S		50 50 65	+1 92	52 57	S		9 0 1 60	+1 55	3 15	10 58				
	3129	+18 30	S		55 57 27	+1 91	59 18	S		5 8 34	+1 55	9 89	10 71				
	3138	+21 44	S		57 31 44	+1 91	33 35	S		6 42 48	+1 55	44 03	10 68				
	3162	+37 16	N	$Q - 1\,79$	9 2 14 74	−1 71	13 03	N	$Q - 1\,69$	9 11 25 57	−1 87	23 70	} 9 10 67	} 9 10 675	0 009 +	0 241 −	9 10 443
	3204	+26 39	N		8 29 62	−1 68	27 94	N		17 40 40	−1 85	38 55	10 61				
	3261	+36 53	N		17 43 73	−1 70	42 03	N		26 54 65	−1 86	52 79	10 76				
	3268	+36 19	N		19 18 45	−1 70	16 75	N		28 29 27	−1 86	27 41	10 66				
	3250	+11 47	S		9 16 15 54	−1 66	13 88	S		9 25 26 46	−1 83	24 63	9 10 75	} 9 10 750	0 009 +	0 241 −	9 10 518

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

278

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

JUBBULPORE (E) *Lat* 23° 10′ *Long* 5h 19m 55s : AND KALIANPUR (W) *Lat* 24° 7′ *Long* 5h 10m 47s

Astronomical Date	Star BAC Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants (W)	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns. for Perml. Equations $B_E - C_W = -0''.241$ $B_N - C_N = -0''.241$	ΔL + ρ
1890 Feb 7	3112	+ 34 20	N	I P E	h m s 8 52 16 63	s +1 55	s 18 18	N	I P E	h m s 9 1 27 09	s +1 60	s 28 69	m s 9 10 51				
	3117	+ 22 29	N	d c − 4 4	53 12 30	+1 69	13 99	N	d c − 3 1	2 23 01	+1 61	24 62	10 63	10 5,8	+ 0 007	0 241 −	10 344
	3123	+ 22 27	N	b + 1 6 a + 23 4	54 11 99	+1 69	13 68	N	b + 0 3 a + 1 7	3 22 60	+1 61	24 21	10 53	9			9
	3144	+ 35 5	N	Q + 1 75	58 39 53	+1 54	41 07	N	Q + 1 68	7 50 11	+1 60	51 71	10 64				
	3104	+ 15 43	S		8 50 25 58	+1 76	27 34	S		8 59 36 20	+1 63	37 83	9 10 49	10 310	+ 0 007	0 241 −	10 276
	3129	+ 18 30	S		55 56 50	+1 73	58 23	S		9 5 7 11	+1 62	8 73	10 50	9	+		9
	3138	+ 21 44	S		57 30 62	+1 69	32 31	S		6 41 23	+1 62	42 85	10 54				
	3162	+ 37 16	N	Q − 1 75	9 2 13 98	−1 99	11 99	N	Q − 1 68	9 11 24 29	−1 77	22 52	9 10 53	10 488	+ 0 007	0 241 −	10 354
	3204	+ 26 39	N		8 28 80	−1 86	26 94	N		17 39 14	−1 75	37 39	10 45	9	+		9
	3261	+ 36 53	N		17 43 13	−1 98	41 15	N		26 53 41	−1 77	51 64	10 49				
	3268	+ 36 19	N		19 17 78	−1 98	15 80	N		28 28 05	−1 77	26 28	10 48				
	3176	+ 10 15	S		9 3 49 32	−1 69	47 63	S		9 12 59 88	−1 73	58 15	9 10 52	10 517	+ 0 007	0 241 −	10 283
	3194	+ 25 39	S		7 23 73	−1 85	21 88	S		16 34 20	−1 75	32 45	10 57	9	+		9
	3250	+ 11 47	S		16 14 75	−1 70	13 05	S		25 25 24	−1 73	23 51	10 46				
Feb 8	3112	+ 34 20	N	I P E	8 52 15 60	+1 57	17 17	N	I P E	9 1 26 11	+1 60	27 71	9 10 54				
	3117	+ 22 29	N	d c − 4 4	53 11 35	+1 77	13 12	N	d c − 3 1	2 22 06	+1 65	23 71	10 59	10 565	+ 0 006	0 241 −	10 330
	3123	+ 22 27	N	b + 5 3 a + 35 1	54 10 97	+1 77	12 74	N	b + 0 8 a + 7 8	3 21 66	+1 65	23 31	10 57	9	+		9
	3144	+ 35 5	N	Q + 1 74	58 38 61	+1 56	40 17	N	Q + 1 70	7 49 13	+1 60	50 73	10 56				
	3104	+ 15 43	S		8 50 24 46	+1 87	26 33	S		8 59 35 22	+1 68	36 90	9 10 57	10 600	0 006	0 241 −	10 365
	3129	+ 18 30	S		55 55 34	+1 83	57 17	S		9 5 6 14	+1 67	7 81	10 64	9	+		9
	3138	+ 21 44	S		57 29 53	+1 78	31 31	S		6 40 24	+1 66	41 90	10 59				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

	STAR													Difference of Corrected Times (W - E)		Correction for Rate of W Clock	Corru for Peral. Equations $B_N - C_N = -0^s\ 241$ $B_S - C_S = -0\ 241$	$\Delta L + \rho$
Astronomical Date				Transits Observed at E *By Burrard, with Telescope No 1*					Transits Observed at W *By Lenox-Conyngham with Telescope No 2*									
	BAC Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1890		° ′			h m s	s	s			h m s	s	s	m s				
Feb 8	3162	+ 37 16	N	*I P E*	9 2 13 08	− 1 95	11 13	N	*I P E*	9 11 23 39	− 1 82	21 57	9 10 44		s 10 488 9	+ 0 06	− 0 241	s 9 10 253
	8204	+ 26 39	N	c − 4 M	8 2, 72	− 1 77	25 95	N	c − 3 1	17 38 23	− 1 77	36 46	10 51					
	3261	+ 36 53	N	b + 5 3 a + 35 1	17 42 14	− 1 95	40 19	N	b + ρ 8 a + 7 8	26 52 47	− 1 82	50 65	10 46					
	3268	+ 36 19	N	s Q − 1 74	19 16 72	− 1 94	14 78	N	s Q − 1 70	28 27 14	− 1 82	25 32	10 54					
	3176	+ 10 15	S		9 3 48 23	− 1 54	46 69	S		9 12 58 90	− 1 71	57 19	9 10 50		s 10 553 9	+ 0 06	− 0 241	s 9 10 318
	3183	+ 25 38	S		4 59 57	− 1 76	57 81	S		14 10 11	− 1 76	8 35	10 54					
	3194	+ 25 39	S		7 32 62	− 1 76	20 86	S		16 13 26	− 1 77	31 49	10 63					
	3250	+ 11 47	S		16 13 54	− 1 56	11 98	S		25 24 23	− 1 71	22 52	10 54					
Feb 9	3112	+ 34 20	N	*I P W*	8 52 14 53	+ 1 53	16 06	N	*I P W*	9 1 25 00	+ 1 71	26 71	9 10 65		s 10 680 9	+ 0 07	− 0 241	s 9 10 446
	3117	+ 22 29	N	c + 2 8	53 10 19	+ 1 77	11 96	N	c + 1 5	2 20 98	+ 1 71	22 69	10 73					
	3123	+ 22 27	N	b − 1 0 a + 42 6	54 9 87	+ 1 77	11 64	N	b − 0 6 a − 1 1	3 20 62	+ 1 71	22 33	10 69					
	3144	+ 35 5	N	s Q + 1 71	58 37 59	+ 1 52	39 11	N	s Q + 1 68	7 48 05	+ 1 71	49 76	10 65					
	3104	+ 15 43	S		8 50 23 36	+ 1 89	25 25	S		8 59 34 15	+ 1 70	35 85	9 10 60		s 10 683 9	+ 0 07	− 0 241	s 9 10 449
	3107	+ 15 40	S		50 47 47	+ 1 89	49 36	S		59 58 27	+ 1 70	59 97	10 61					
	3129	+ 18 30	S		55 54 24	+ 1 84	56 08	S		9 5 5 11	+ 1 71	6 82	10 74					
	3188	+ 21 44	S		57 28 39	+ 1 79	30 18	S		6 39 25	+ 1 71	40 96	10 78					
	3162	+ 37 16	N	Q − 1 71	9 2 11 90	− 1 95	9 95	N	Q − 1 68	9 11 22 25	− 1 65	20 60	9 10 65		s 10 648 9	+ 0 07	− 0 241	s 9 10 414
	3204	+ 26 39	N		8 26 57	− 1 73	24 84	N		17 37 17	− 1 66	35 51	10 67					
	3261	+ 36 53	N		17 41 01	− 1 94	39 07	N		26 51 33	− 1 65	49 68	10 61					
	3268	+ 36 19	N		19 15 63	− 1 93	13 70	N		28 26 01	− 1 65	24 36	10 66					
	3176	+ 10 15	S		9 3 46 97	− 1 45	45 52	S		9 12 57 81	− 1 67	56 14	9 10 62		s 10 673 9	+ 0 07	− 0 241	s 9 10 439
	3183	+ 25 38	S		4 58 36	− 1 71	56 65	S		14 9 01	− 1 65	7 36	10 71					
	3194	+ 25 39	S		7 31 49	− 1 71	19 78	S		16 32 13	− 1 65	30 48	10 70					
	3250	+ 11 47	S		16 12 42	− 1 48	10 94	S		25 23 27	− 1 67	21 60	10 66					

JUBBULPORE (E) Lat 23° 10′, Long 5ʰ 19ᵐ 58ˢ; AND KALIANPUR (W) Lat 24° 7′, Long 5ʰ 10ᵐ 47ˢ

MOOLTAN (E) *Lat* 30° 11 *Long* 4ʰ 45ᵐ 56ˢ: AND QUETTA (W) *Lat* 30° 12′ *Long* 4ʰ 28ᵐ 12ˢ

Astronomical Date	BAC Number	Declination	Star Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W−E)	Mean of Group	Correction for Rate of K Clock	Corrn. for Persl Equations $B_W - C_W = -0^s 241$ $B_E - C_E = -0\,241$	ΔL − ρ
					ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ		ˢ	ˢ	
1890 Mar 24	3607	+41 0	N	I P E	10 26 59 10	+1 52	60 62	N	I P E	10 44 41 81	+2 43	44 24	17 43 62	17 43 .53	0 105	0 241	17 43 407
	3625	+36 54	N	c − 4 3	30 12 78	+1 49	14 27	N	c + 6 2	47 55 84	+2 29	58 13	43 86		−	−	
	3633	+34 39	N	b − 2 1 / a − 17 8	31 48 05	+1 47	49 52	N	b + 6 0 / a − 53 6	49 31 09	+2 21	31 30	43 78				
				Q + 1 61					Q + 1 77								
	3621	+ 7 31	S		10 29 13 81	+1 32	15 13	S		10 46 57 30	+1 57	58 87	17 43 74	17 43 .740	0 105	0 241	17 43 394
	4010	+38 34	N	Q − 1 61	11 46 52 46	−1 72	50 74	N	Q − 1 77	12 4 35 71	−1 19	34 52	17 43 78	17 43 .80	0 105	0 241	17 43 434
	4018	+41 32	N		49 21 86	−1 69	20 17	N		6 4 98	−1 08	3 90	43 73		−	−	
	4057	+43 39	N		56 45 82	−1 67	44 15	N		14 28 99	−1 01	27 98	43 83				
	4027	+ 9 3	S		11 49 38 47	−1 90	36 51	S		12 7 22 26	−1 94	20 32	17 43 75	17 43 .48	0 105	0 241	17 43 402
	4052	+ 7 14	S		55 28 10	−1 91	26 19	S		13 11 91	−1 98	9 93	43 74		−	−	
	4066	+22 4	S		58 52 69	−1 82	50 87	S		16 36 28	−1 66	34 62	43 75				
	4072	+ 9 21	S		59 50 39	−1 89	48 50	S		17 34 18	−1 93	32 25	43 75				
Mar 27	3607	+41 0	N	I P W	10 27 23 77	+1 74	25 51	N	I P E	10 45 7 08	+2 28	9 36	17 43 85	17 43 .850	0 104	0 241	17 43 595
	3625	+36 54		c + 2 7 / b − 3 1 / a − 25 2	30 37 66	+1 68	39 34		c + 6 2 / b + 4 4 / a − 13 8	48 21 02	+2 18	23 20	43 86		−	−	
	3633	+34 39	N	Q + 1 61	32 12 83	+1 65	14 48	N	Q + 1 78	49 56 18	+2 14	58 32	43 84				
	3579	+14 54	S		10 23 30 62	+1 45	32 07	S		10 41 14 07	+1 81	15 88	17 43 81	17 43 .843	0 104	0 241	17 43 498
	3592	+ 2 4	S		24 38 51	+1 34	39 85	S		42 22 04	+1 65	23 69	43 84		−	−	
	3621	+ 7 31	S		29 38 68	+1 39	40 07	S		47 22 22	+1 72	23 94	43 87				
	3643	+16 42	S		30 35 53	+1 46	36 99	S		51 19 00	+1 84	20 84	43 85				

TABLE V OBSERVATIONS OF TRANSITS WITH B CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

MOOLTAN (E) *Lat 30° 11 , Long 4ʰ 45ᵐ 56ˢ* AND QUETTA (W) *Lat 30° 12ʹ Long 4ʰ 28ᵐ 12ˢ*

Astronomical Date	STAR		Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of B Clock	Corrns for Persl Equations $B_N - C_N = \sigma'\ 0\ 241$ $B_S - C_S = 0\ 241$	ΔL — ρ
	B A C Number	Decli nation											Transits Observed at E — By Burrard, with Telescope No 1 ⟶ Transits Observed at W — By Lenox Conyngham with Telescope No 2 ⟶ Difference of Corrected Times (W — E)				
1890		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ	ˢ	ˢ	ˢ	ˢ
Mar 27	4066	+ 23 4	S	I P W	11 59 17 61	— 1 70	15 91	S	I P E	12 16 61 21	— 1 63	59 58	17 43 67	17 43 6,0	0 104	0 241	17 43 705
	4072	+ 9 21	S	c + 2 7 b — 3 1 a —25 3 Q — 1 61	12 0 15 36	— 1 82	13 54	S	c + 6 2 b — 4 a —33 8 Q — 1 78	17 58 99	— 1 82	57 17	43 63		—	—	
Mar 28	3643	+ 16 42	S	I P W	10 33 43 53	+ 1 47	45 00	S	I P W	10 51 27 64	+ 1 31	28 95	17 43 95	17 43 9,0	0 103	0 241	17 43 606
				c + 2 7 b — 2 7 a —25 4 Q + 1 61					c — 7 8 b — 2 7 a —34 8 Q + 1 74						—	—	
	4010	+ 38 34	N	Q — 1 61	11 47 25 33	— 1 50	23 83	N	Q — 1 74	12 5 9 62	— 1 89	7 73	17 43 90	17 43 8,3	0 103	0 241	17 43 539
	4018	+ 41 32	N		48 54 77	— 1 46	53 31	N		6 38 96	— 1 84	37 12	43 81				
	4057	+ 43 39	N		57 18 72	— 1 43	17 29	N		15 3 01	— 1 81	1 20	43 91		—	—	
	4059	+ 43 43	N		57 41 30	— 1 42	39 88	N		15 25 56	— 1 81	23 75	43 87				
	4027	+ 9 3	S		11 50 11 46	— 1 82	9 64	S		12 7 55 73	— 2 27	53 46	17 43 82	17 43 ,88	0 103	0 241	17 43 444
	4052	+ 7 14	S		55 61 26	— 1 81	59 43	S		13 45 42	— 2 29	43 13	43 70				
	4066	+ 22 4	S		59 25 65	— 1 69	23 96	S		17 9 92	— 2 11	7 81	43 85		—	—	
	4072	+ 9 21	S		12 0 23 41	— 1 82	21 59	S		18 7 63	— 2 26	5 37	43 78				
Mar 30	3572	+ 37 16	N	I P E	10 22 30 95	+ 1 51	32 46	N	I P W	10 40 14 52	+ 1 67	16 19	17 43 73	17 43 73,3	0 103	0 241	17 43 389
	3607	+ 41 0	N	c — 4 3 b — 3 0 a —29 1	27 48 51	+ 1 55	50 06	N	c — 7 8 b — 4 2 a —28 1	45 32 02	+ 1 72	33 74	43 68				
	3625	+ 36 54	N		31 2 33	+ 1 51	3 84	N		48 45 95	+ 1 66	47 61	43 77		—	—	
	3633	+ 34 39	N	Q + 1 61	32 37 60	+ 1 47	39 07	N	Q + 1 91	50 21 17	+ 1 65	22 82	43 75				
	3579	+ 14 54	S		10 23 55 32	+ 1 26	56 58	S		10 41 38 83	+ 1 47	40 30	17 43 72	17 43 70,5	0 103	0 241	17 43 361
	3592	+ 2 4	S		25 3 22	+ 1 14	4 36	S		42 46 79	+ 1 36	48 15	43 79				
	3621	+ 7 31	S		30 3 49	+ 1 20	4 69	S		47 46 91	+ 1 40	48 31	43 62		—	—	
	3643	+ 16 42	S		34 0 21	+ 1 28	1 53	S		51 43 74	+ 1 48	45 22	43 69				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

279

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

MOOLTAN (E) *Lat* 30° 11′ *Long* 4ʰ 45ᵐ 56ˢ: AND QUETTA (W) *Lat* 30° 12′ *Long* 4ʰ 28ᵐ 19ˢ

Astronomical Date	STAR		Transits Observed at E By Burrard, with Telescope No 1					Transits Observed at W By Lenox Conyngham with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn. for Persl Equations $B_E - C_E = -0^s 241$ $B_S - C_S = -0^s 241$	ΔL − ρ
	B A C Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890 Mar 30	4010	+ 38 34	N	I P E	h m s 11 47 41 92	s − 1 10	s 40 22	N	I P W	h m s 12 5 26 13	s − 2 13	s 24 00	m s 17 43 78		s 0 103	s 0 241	s 17 43 489
	4018	+ 41 32	N	d c − 4 3	49 11 30	− 1 66	9 64	N	d c − 7 8	6 35 51	− 2 09	53 42	43 78	s 17 43 833			
	4057	+ 43 39	N	b − 3 0 a − 29 1	57 35 22	− 1 62	33 60	N	b − 4 2 a − 28 1	15 19 53	− 2 08	17 45	43 85	−	−	
	4059	+ 43 43	N	s Q − 1 61	57 57 77	− 1 62	56 15	N	s Q − 1 91	15 42 14	− 2 07	40 07	43 92				
	4027	+ 9 3	S		11 50 28 08	2 01	26 07	S		12 8 12 22	− 2 41	9 81	17 43 74		0 103	0 241	17 43 406
	4052	+ 7 14	S		56 17 79	− 2 03	15 76	S		13 61 96	− 2 43	59 53	43 77	s 17 43 750			
	4066	+ 22 4	S		59 42 20	− 1 89	40 32	S		17 26 39	− 2 30	24 09	43 77	−	−	
	4072	+ 9 21	S		12 0 40 00	− 2 01	37 99	S		18 24 12	− 2 41	21 71	43 72				
Mar 31	3572	+ 31 16	N	I P E	10 22 38 93	+ 1 52	40 45	N	I P W	10 40 24 47	− 0 27	24 20	17 43 75		0 103	0 241	17 43 400
	3607	+ 41 0	N	d c − 4 3	27 56 48	+ 1 58	58 06	N	d c − 7 8	45 42 04	− 0 23	41 81	43 75	s 17 43 743			
	3625	+ 36 54	N	b − 3 1 a − 34 0	31 10 39	+ 1 51	11 90	N	b − 4 5 a − 23 1	48 55 92	− 0 27	55 65	43 15	−	−	
	3633	+ 34 39	N	s Q + 1 61	32 46 63	+ 1 48	47 11	N	s Q 0 00	50 31 11	− 0 28	30 83	43 72				
	3579	+ 14 54	S		10 24 3 40	+ 1 23	4 63	S		10 41 48 80	− 0 42	48 38	17 43 75		0 103	0 241	17 43 402
	3592	+ 2 4	S		25 11 28	+ 1 09	12 37	S		42 56 70	− 0 50	56 20	43 83	s 17 43 45			
	3621	+ 7 31	S		30 11 53	+ 1 15	12 68	S		47 56 87	− 0 47	56 40	43 72	−	−	
	3643	+ 16 42	S		34 8 37	+ 1 25	9 62	S		51 53 71	− 0 41	53 30	43 68				
	4010	+ 38 34	N	Q − 1 61	11 47 49 96	− 1 68	48 28	N	Q 0 00	12 5 32 31	− 0 25	32 06	17 43 78		0 103	0 241	17 43 467
	4018	+ 41 32	N		49 19 34	− 1 63	17 71	N		7 1 68	− 0 22	1 46	43 75	s 17 43 810			
	4057	+ 43 39	N		57 43 30	− 1 59	41 71	N		15 25 71	− 0 21	25 50	41 79	−	−	
	4059	+ 43 43	N		58 5 69	− 1 58	4 11	N		15 48 24	− 0 21	48 03	43 92				
	4027	+ 9 3	S		11 50 36 16	− 2 06	34 10	S		12 8 18 28	− 0 47	17 81	17 43 71		0 103	0 241	17 43 383
	4052	+ 7 14	S		56 25 82	− 2 07	23 75	S		14 7 96	− 0 47	7 49	43 74	s 17 43 28			
	4066	+ 22 4	S		59 50 31	− 1 90	48 41	S		17 32 50	− 0 38	32 12	43 71	−	−	
	4072	+ 9 21	S		12 0 48 06	− 2 06	46 00	S		18 30 22	− 0 47	29 75	43 15				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

MOOLTÀN (E) *Lat* 30° 11′ *Long* 4ʰ 45ᵐ 56′ ; AND QUEITA (W) *Lat* 30° 12′, *Long* 4ʰ 28ᵐ 12ˢ

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W — E)		Correction for Rate of W Clock	Corrn. for Persl Equations $B_N - C_N - \sigma\ 241$ $B_S - C_S - \sigma\ 241$	$\Delta L + \rho$
	B A C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
		° ′			h m s	s	s			h m s	s	s	m s		s	s	s
1890 Mar 24	3765	+ 39 48	N	I P E	10 36 42 30	+ 1 51	43 81	N	I P E	10 54 25 43	+ 2 38	27 81	17 44 00				
	3784	+ 38 50	N	c − 4 3	40 26 06	+ 1 51	27 51	N	c + 6 2	58 9 23	+ 2 35	11 58	44 01				
	3797	+ 26 8	N	b − 2 1 a − 17 8	43 11 99	+ 1 42	13 41	N	b + 6 0 a − 53 6	11 0 55 21	+ 1 97	57 18	43 77	17 43 9·28	0 091	0 241	17 43 606
	3811	+ 36 54	N	Q + 1 61	45 17 97	+ 1 49	19 46	N	Q + 1 77	3 1 14	+ 2 29	3 43	43 97				
	3776	+ 20 46	S		10 38 29 05	+ 1 39	30 44	S		10 56 12 68	+ 1 85	14 53	17 44 09				
	3788	+ 7 56	S		41 22 24	+ 1 32	23 56	S		59 5 99	+ 1 58	7 57	44 01				
	3824	+ 15 0	S		47 59 43	+ 1 35	60 78	S		11 5 42 98	+ 1 71	44 69	43 91	17 43 9·8	0 091	0 241	17 43 646
	3834	+ 21 8	S		50 17 32	+ 1 39	18 71	S		8 0 75	+ 1 86	2 61	43 90				
	3851	+ 32 9	N	Q − 1 61	10 54 24 12	− 1 76	22 36	N	Q − 1 77	11 12 7 52	− 1 40	6 12	17 43 76				
	3868	+ 44 5	N		58 52 67	− 1 67	51 00	N		16 35 86	− 1 00	34 86	43 86				
u	3905	+ 39 56	N		11 5 13 97	− 1 71	12 26	N		22 57 30	− 1 16	56 14	43 88	17 43 8·43	0 091	0 241	17 43 511
	3913	+ 43 47	N		6 39 32	− 1 67	37 65	N		24 22 53	− 1 01	21 52	43 87				
	3845	+ 13 27	S		10 52 18 04	− 1 88	16 16	S		11 10 1 96	− 1 85	0 11	17 43 95				
	3862	+ 6 38	S		57 32 98	− 1 91	31 07	S		15 16 9	− 1 99	14 96	43 89				
	3877	+ 11 8	S		11 0 16 59	− 1 89	14 70	S		17 60 41	− 1 90	58 51	43 81	17 43 8·63	0 091	0 241	17 43 531
	3886	+ 17 4	S		1 57 43	− 1 85	55 60	S		19 41 16	− 1 76	39 40	43 80				
Mar 27	3765	+ 39 48	N	I P W	10 37 3 71	+ 1 72	5 43	N	I P E	10 54 47 12	+ 2 26	49 38	17 43 95				
	3784	+ 38 50	N	c + 2 7	40 47 51	+ 1 71	49 22	N	c + 6 2	58 30 88	+ 2 24	33 12	43 90				
	3797	+ 26 8	N	b − 3 1 a − 25 2	43 33 32	+ 1 55	34 87	N	b + 4 4 a − 33 8	11 1 16 84	+ 1 98	18 82	43 95	17 43 9·13	0 088	0 241	17 43 604
	3811	+ 36 54	N	Q + 1 61	45 39 36	+ 1 68	41 04	N	Q + 1 78	3 22 79	+ 2 18	24 97	43 93				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

MOOLTAN (E) Lat 30° 11 Long 4ʰ 45ᵐ 56ˢ; AND QUETTA (W) Lat 30° 12′ Long 4ʰ 26ᵐ 13ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect	In strumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns. for Persl Equations $B_E - C_N = -0·241$, $B_S - C_S = -0·241$	ΔL + ρ
1890 Mar 27	3776	+20 46	S	I P W / o +2 7 / b −3 1 / a −25 2 / Q +1 61	10 38 50 61	+1 50	52 11	S	I P E / o +6 2 / b +4 4 / a −33 8 / Q +1 78	10 56 34 12	+1 90	36 02	17 43 91	17 43 908	0 088	0 241	17 43 579
	3788	+7 56	S		41 43 78	+1 39	45 17	S		59 27 39	+1 72	29 11	43 94				
	3824	+15 0	S		48 20 91	+1 45	22 36	S		11 6 4 38	+1 81	6 19	43 83				
	3834	+21 8	S		50 38 76	+1 50	40 26	S		8 22 31	+1 90	24 1	43 95				
	3851	+32 9	N	Q −1 61	10 54 45 42	−1 60	43 82	N	Q −1 78	11 12 29 12	−1 47	27 65	17 43 83	17 43 863	0 088	0 241	17 43 534
	3868	+44 5	N		59 13 99	−1 43	12 56	N		16 57 62	−1 21	56 41	43 85				
	3905	+39 56	N		11 5 35 35	−1 50	33 85	N		23 18 97	−1 30	17 67	43 82				
	3913	+43 47	N		6 60 59	−1 44	59 15	N		24 44 31	−1 21	43 10	43 95				
	3845	+13 27	S		10 52 39 60	−1 79	37 81	S		11 10 23 39	−1 76	21 63	17 43 82	17 43 810	0 088	0 241	17 43 481
	3862	+6 38	S		57 54 50	−1 84	52 66	S		15 38 27	−1 85	36 42	43 76				
	3877	+11 8	S		11 0 38 03	−1 81	36 22	S		18 21 87	−1 80	20 07	43 85				
	3886	+17 4	S		2 18 88	−1 75	17 13	S		20 2 65	−1 71	0 94	43 81				
Mar 28	3765	+39 48	N	I P W / o +2 7 / b −2 7 / a −25 4 / Q +1 61	10 37 10 44	+1 73	12 17	N	I P W / o −7 8 / b −2 7 / a −34 8 / Q +1 74	10 54 54 47	+1 60	56 07	17 43 90	17 43 887	0 087	0 241	17 43 555
	3784	+38 50	N		40 54 19	+1 72	55 91	N		58 38 26	+1 59	39 85	43 94				
	3797	+26 8	N		43 40 10	+1 56	41 66	N		11 1 24 10	+1 42	25 52	43 86				
	3811	+36 54	N		45 46 11	+1 69	47 80	N		3 30 08	+1 55	31 63	43 83				
	3776	+20 46	S		10 38 57 35	+1 51	58 86	S		10 56 41 48	+1 35	42 83	17 43 97	17 43 908	0 087	0 241	17 43 680
	3788	+7 56	S		41 50 56	+1 39	51 95	S		59 34 59	+1 20	35 79	43 84				
	3824	+15 0	S		48 27 68	+1 46	29 14	S		11 6 11 68	+1 29	12 97	43 83				
	3834	+21 8	S		50 45 42	+1 51	46 93	S		8 29 56	+1 36	30 92	43 99				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

	STAR			TRANSITS OBSERVED AT E By Burrard, with Telescope No 1				TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Persl Equations $B_K − C_K = − 0\ 241$ $B_B − C_B = − 0\ 241$	$\Delta L + \rho$
Astronomical Date	BAC Number	Declination	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890 Mar 28	3851	+ 32 9	N	I P W d c + 2 7 b − 2 7 a − 25 4 s Q − 1 61	h m s 10 54 52 21	− 1 59	s 50 62	N	I P W d c − 7 8 b − 2 7 a − 34 8 s Q − 1 74	h m s 11 12 36 37	s − 1 99	s 34 38	m s 17 43 76	m s 17 43 883	s 0 087	s 0 241	s 17 43 855
	3868	+ 44 5	N		59 20 71	− 1 42	19 29	N		17 4 99	− 1 80	3 19	43 90				
	3905	+ 39 56	N		11 5 41 97	− 1 49	40 48	N		23 26 33	− 1 88	24 45	43 97		−	−	
	3913	+ 43 47	N		7 7 31	− 1 42	5 89	N		24 51 60	− 1 81	49 79	43 90				
	3845	+ 13 27	S		10 54 46 24	− 1 78	44 46	S		11 10 30 56	− 2 21	28 35	17 43 89	17 43 843	0 087	0 241	17 43 515
	3862	+ 6 38	S		57 61 19	− 1 84	59 35	S		15 45 48	− 2 29	43 19	43 84				
	3877	+ 11 8	S		11 0 44 81	− 1 80	43 01	S		18 29 06	− 2 24	26 82	43 81		−	−	
	3886	+ 17 4	S		2 25 58	− 1 74	23 84	S		20 9 83	− 2 16	7 67	43 83				
Mar 30	3765	+ 39 48	N	I P E d c − 4 3 b − 3 0 a − 29 1 s Q + 1 61	10 37 24 53	+ 1 53	26 06	N	I P W d c − 7 8 b − 4 2 a − 28 1 s Q + 1 91	10 55 8 29	+ 1 70	9 99	17 43 93	17 43 850	0 089	0 241	17 43 520
	3784	+ 38 50	N		41 8 30	+ 1 53	9 83	N		58 52 02	+ 1 69	53 71	43 88				
	3797	+ 26 8	N		43 54 18	+ 1 38	55 56	N		11 1 37 ,8	+ 1 57	39 35	43 79		−	−	
	3811	+ 36 54	N		46 0 17	+ 1 51	1 68	N		3 43 82	+ 1 66	45 48	43 80				
	3776	+ 20 46	S		10 39 11 49	+ 1 33	12 82	S		10 56 55 13	+ 1 51	56 64	17 43 82	17 43 855	0 089	0 241	17 43 525
	3788	+ 7 56	S		42 4 65	+ 1 20	5 85	S		59 48 31	+ 1 40	49 71	43 86				
	3824	+ 15 0	S		48 41 ,5	+ 1 26	43 01	S		11 6 25 42	+ 1 47	26 89	43 88		−	−	
	3834	+ 21 8	S		50 59 62	+ 1 33	60 95	S		8 43 30	+ 1 51	44 81	43 86				
	3851	+ 32 9	N	Q − 1 61	10 55 6 39	− 1 77	4 62	N	Q − 1 91	11 12 50 55	− 2 20	48 35	17 43 73	17 43 835	0 089	0 241	17 43 595
	3868	+ 44 5	N		59 34 91	− 1 61	33 30	N		17 19 14	− 2 07	17 07	43 77				
	3905	+ 39 56	N		11 5 56 14	− 1 69	54 45	N		23 40 50	− 2 12	38 38	43 93		−	−	
	3913	+ 43 47	N		7 21 44	− 1 62	19 82	N		25 5 80	− 2 07	3 73	43 91				

MOOLTAN (E) *Lat* 30° 11′, *Long* 4h 45m 56s; AND QUETTA (W) *Lat* 30° 12′, *Long* 4h 28m 12s

	STAR		TRANSITS OBSERVED AT E (By Burrard with Telescope No 1)					TRANSITS OBSERVED AT W (By Lenox Conyngham, with Telescope No 2)					Difference of Corrected times (W − E)		Correction for Rate of W Clock	Corrn for Persl Equations $B_M - C_M = -0\ 241$ $B_S - C_S = -0\ 241$	$\Delta L + \rho$
Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890 Mar 30	3845	+ 13 27	S	I P E	10 52 60 37	− 1 97	58 40	S	I P W	11 10 44 64	− 2 37	42 27	17 43 87	17 43 814	0 89	0 241	17 43 484
	3862	+ 6 38	S	c − 4 3 (d)	58 15 34	− 2 03	13 31	S	c −, 8 (d)	15 59 60	− 2 43	57 17	43 86				
	3877	+ 11 8	S	b − 3 0 / a − 29 1	11 0 58 95	− 1 99	56 96	S	b − 4 2 / a − 28 1	18 43 06	− 2 39	40 67	43 71				
				Q − 1 61					Q − 1 91								
Mar 31	3784	+ 38 50	N	I P E	10 41 15 41	+ 1 55	16 96	N	I P W	10 59 1 09	− 0 25	0 84	17 43 88	17 43 807	0 90	0 241	17 43 566
	3797	+ 26 8	N	c − 4 3 (d)	44 1 34	+ 1 36	2 ,0	N	c − 7 8 (d)	11 1 46 91	− 0 34	46 57	43 87				
	3811	+ 36 54	N	b − 3 1 / a − 34 0	46 7 24	+ 1 51	8 75	N	b − 4 5 / a − 23 1	3 52 96	− 0 27	52 69	43 94				
				Q + 1 61					Q 0 00								
	3776	+ 20 46	S		10 39 18 59	+ 1 31	19 90	S		10 57 4 17	− 0 39	3 78	17 43 88	17 43 911	0 90	0 241	17 43 582
	3788	+ 7 56	S		42 11 74	+ 1 16	12 90	S		59 57 31	− 0 47	56 84	43 94				
	3824	+ 15 0	S		48 48 ,9	+ 1 23	50 02	S		11 6 34 40	− 0 42	33 98	43 96				
	3834	+ 21 8	S		51 6 71	+ 1 31	8 02	S		8 52 28	− 0 39	51 89	43 87				
	3851	+ 32 9	N	Q − 1 61	10 55 13 51	− 1 77	11 74	N	Q 0 00	11 12 55 75	− 0 31	55 44	17 43 70	17 43 848	0 90	0 241	17 43 417
	3868	+ 44 5	N		59 41 85	− 1 57	40 28	N		17 24 35	− 0 21	24 14	43 86				
	3905	+ 39 56	N		11 6 3 29	− 1 66	1 63	N		23 45 68	− 0 25	45 43	43 80				
	3913	+ 43 47	N		7 28 37	− 1 58	26 79	N		25 11 03	− 0 21	10 82	44 03				
	3845	+ 13 27	S		10 53 7 58	− 2 00	5 58	S		11 10 49 84	− 0 43	49 41	17 43 83	17 43 784	0 90	0 241	17 43 453
	3862	+ 6 38	S		58 22 56	− 2 08	20 48	S		16 4 64	− 0 48	4 16	43 68				
	3877	+ 11 8	S		11 1 5 98	− 2 04	3 94	S		18 48 23	− 0 45	47 78	43 84				

MOOLTAN (E) Lat 30° 11 Long 4ʰ 45ᵐ 56ˢ AND QUETTA (W) Lat 30° 12′, Long 4ʰ 28ᵐ 12ˢ

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

KARACHI (E) *Lat 24° 51', Long 4ʰ 28ᵐ 18ˢ ;* AND QUETTA (W) *Lat 30° 12', Long 4ʰ 28ᵐ 12ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E *By Burrard with Telescope No 1*				Star's Aspect	TRANSITS OBSERVED AT W *By Lenox Conyngham, with Telescope No 2*				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl Equations $B_M - C_N = -0^s 241$ $B_S - C_S = 0 - 0 241$	ΔL − ρ
	BAC Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1800 Apr 7	3952	+ 44 14	N	I P E d c − 11 b + 0 4 a − 108 5 s Q + 1 85	h m s 11 32 7 12	+ 2 96	s 10 08	N	I P E d c + 5 4 b + 4 7 a − 10 3 s Q + 1 90	h m s 11 32 9 52	s + 2 29	s 11 81	m s 0 1 73	s 0 1 710	s 0 002	s 0 241	s 1 471
	3965	+ 34 50	N		34 54 22	+ 2 35	56 57	N		34 55 99	+ 2 20	58 19	1 62				
	3973	+ 42 20	N		37 26 14	+ 2 82	28 96	N		37 28 43	+ 2 27	30 70	1 74	g 0	+	−	0
	3981	+ 48 23	N		39 52 54	+ 3 28	55 82	N		39 55 23	+ 2 34	57 57	1 75				
	3919	+ 14 59	S		11 25 43 59	+ 1 40	44 99	S		11 25 44 70	+ 2 08	46 78	0 1 79	s 1 730	0 002	0 241	1 491
	3932	+ 17 24	S		28 38 30	+ 1 50	39 80	S		28 39 41	+ 2 09	41 50	1 70				
	3940	+ 6 43	S		30 34 64	+ 1 08	35 72	S		30 35 39	+ 2 03	37 42	1 70	g 0	+	−	0
	3940	+ 12 54	S		36 2 30	+ 1 31	3 61	S		36 3 29	+ 2 05	5 34	1 73				
	4235	+ 41 57	N	Q − 1 85	12 28 13 13	− 0 92	12 21	N	Q − 1 90	12 28 15 43	− 1 54	13 89	0 1 68	s 1 700	0 002	0 241	1 461
	4258	+ 41 29	N		33 10 65	− 0 94	9 71	N		33 12 96	− 1 54	11 42	1 71				
	4282	+ 44 42	N		38 57 40	− 0 71	56 69	N		38 59 96	− 1 51	58 45	1 76	g 0	+	−	0
	4297	+ 46 2	N		39 39 52	− 0 61	38 91	N		39 42 05	− 1 49	40 56	1 65				
	4228	+ 10 54	S		12 27 11 95	− 2 47	9 48	S		12 27 12 86	− 1 76	11 10	0 1 62	s 1 625	0 002	0 241	1 386
	4292	+ 12 34	S		41 24 41	− 2 40	22 01	S		41 25 39	− 1 75	23 64	1 63	g 0	+	−	0
Apr 8	3952	+ 44 14	N	I P W d c − 0 5 b − 1 3 a − 108 5 s Q + 1 81	11 32 2 09	+ 2 88	4 97	N	I P E d c + 5 4 b + 4 7 a − 12 2 s Q + 1 93	11 32 4 39	+ 2 33	6 72	0 1 75	s 1 790	0 003	0 241	1 551
	3965	+ 34 50	N		34 49 04	+ 2 29	51 33	N		34 50 88	+ 2 24	53 12	1 79				
	3973	+ 42 20	N		37 21 04	+ 2 74	23 78	N		37 23 31	+ 2 31	25 62	1 84	g 0	+	−	0
	3981	+ 48 23	N		39 47 47	+ 3 21	50 68	N		39 50 07	+ 2 39	52 46	1 78				
	3970	+ 12 54	S		11 35 57 21	+ 1 25	58 46	S		11 35 58 25	+ 2 07	60 32	0 1 86	s 1 860	0 003	0 241	1 621
													g 0	+	−	0

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION 285

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

			KARACHI (E) *Lat 24° 51′ Long 4ʰ 28ᵐ 15ˢ* AND QUETTA (W) *Lat 30° 12′ Long 4ʰ 28ᵐ 12ˢ*														
Astronomical Date	STAR		TRANSITS OBSERVED AT E *By Burrard with Telescope No 1*					TRANSITS OBSERVED AT W *By Lenox Conyngham, with Telescope No 2*					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn. for Persl Equations $B_N - C_N - 0^s 241$ $B_S - C_S - 0 \cdot 241$	$\Delta L - \rho$
	BAC Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890					ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ		ˢ	ˢ	ˢ
Apr 8	4235	+ 41 57	N	I P W	12 28 7 87	− 0 92	6 95	N	I P E	12 28 10 49	− 1 56	8 93	0 1 98		‧940	0 002	0 241	1 701
	4258	+ 41 29	N	c − 0 5	33 5 49	− 0 93	4 56	N	c + 5 4	33 8 02	− 1 56	6 46	1 90		8 0	+	‒	0
				b − 1 3					b + 4 7									
				a − 108 5					a − 12 2									
				Q − 1 81					Q − 1 93									
	4228	+ 10 54	S		12 27 6 78	− 2 45	4 33	S		12 27 7 93	− 1 80	6 13	‧₀ 1 80		‧810	0 002	0 241	1 581
	4292	+ 12 34	S		41 19 29	− 2 38	16 91	S		41 20 54	− 1 79	18 75	1 84		8 0	+	‒	0
Apr 9	3952	+ 44 14	N	I P W	11 31 57 02	+ 2 87	59 89	N	I P W	11 31 59 87	+ 1 91	61 80	0 1 91		‧8₅8	0 002	0 241	1 639
	3965	+ 34 50	N	c − 0 5	34 44 10	+ 2 29	46 39	N	c − 7 0	34 46 54	+ 1 69	48 23	1 84		8 0	+	‒	0
	3973	+ 42 20	N	b − 0 3	37 16 08	+ 2 74	18 82	N	b − 6 3	37 18 85	+ 1 87	20 72	1 90					
	3981	+ 48 23	N	a − 106 2	39 42 49	+ 3 20	45 69	N	a − 53 3	39 45 50	+ 2 05	47 55	1 86					
				Q + 1 80					Q + 1 93									
	3919	+ 14 59	S		11 25 35 53	+ 1 36	4 89	S		11 25 35 36	+ 1 30	36 66	0 1 77		‧8₁5	0 002	0 241	1 576
	3932	+ 17 24	S		28 28 26	+ 1 46	29 72	S		28 30 16	+ 1 35	31 51	1 79		8 0	+	‒	0
	3940	+ 6 43	S		30 24 57	+ 1 04	25 61	S		30 26 32	+ 1 16	27 48	1 87					
	3970	+ 12 54	S		35 52 25	+ 1 27	53 52	S		35 54 08	+ 1 27	55 35	1 83					
	4230	‡ 41 57	N	Q − 1 80	12 28 3 00	− 0 90	2 10	N	Q − 1 93	12 28 6 03	− 2 00	4 03	0 1 93		‧8₉8	0 002	0 241	1 649
	4258	+ 41 29	N		32 60 61	− 0 91	59 70	N		33 3 53	− 2 01	1 52	1 82		8 0	+	‒	0
	4282	+ 44 42	N		38 47 28	− 0 69	46 59	N		38 50 44	− 1 92	48 52	1 93					
	4287	+ 46 2	N		39 29 34	− 0 59	28 75	N		39 32 55	− 1 89	30 66	1 91					
	4209	+ 24 43	S		12 23 29 39	− 1 82	27 57	S		12 23 31 84	− 2 38	29 46	0 1 89		‧798	0 002	0 241	1 559
	4218	+ 10 20	S		24 31 52	− 2 43	29 09	S		24 33 49	− 2 64	30 85	1 76		8 0	+	‒	0
	4228	+ 10 54	S		26 61 81	− 2 40	59 41	S		27 3 83	− 2 63	1 20	1 79					
	4292	+ 12 34	S		41 14 39	− 2 34	12 05	S		41 16 40	− 2 60	13 80	1 75					

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

KARACHI (E) Lat 24° 51′ Long 4ʰ 28ᵐ 18ˢ; AND QUETTA (W) Lat 30° 12′ Long 4ʰ 28ᵐ 12ˢ

Astronomical Date	STAR BAC Number	Decli nation	Star's Aspect	TRANSITS OBSERVED AT E By Burrard, with Telescope No 1 Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2 Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $B_E - C_N = -0'\,241$ $B_S - C_S = -0\,241$	$\Delta L - \rho$
					h m s	s	s			h m s	s	s	m s				
1890 Apr 10	3952	+ 44 14	N	I P E	11 31 52 42	+ 3 02	55 44	N	I P W	11 31 55 16	+ 1 90	57 06	0 1 62				
	3965	+ 34 50	N	d c − 11	34 39 51	+ 2 41	41 92	N	d c − 7 0	34 41 82	+ 1 6,	43 49	1 57	1 618	0 002	0 241	1 379
	3973	+ 42 20	N	b + 2 9 a −108 0	37 11 46	+ 2 87	14 33	N	b + 6 1 a −50 3	37 14 16	+ 1 85	16 01	1 68	g 0		+ −	0
	3981	+ 48 23	N	s Q + 1 84	39 37 89	+ 3 35	41 24	N	s Q + 1 92	39 40 83	+ 2 01	42 84	1 60				
	3932	+ 17 24	S		11 28 23 61	+ 1 36	25 17	S		11 28 25 44	+ 1 36	26 80	0 1 63				
	3940	+ 6 43	S		30 19 89	+ 1 12	21 01	S		30 21 56	+ 1 18	22 ,4	1 73	1 71a	0 002	0 241	1 471
	3970	+ 12 54	S		35 47 57	+ 1 36	48 93	S		35 49 41	+ 1 29	50 70	1 77	g 0		+ −	0
	4235	+ 41 57	N	s Q − 1 84	12 27 58 58	− 0 84	57 74	N	s Q − 1 92	12 27 61 29	− 2 00	59 29	0 1 55				
	4258	+ 41 29	N		32 56 10	− 0 86	55 24	N		32 58 88	− 2 01	56 87	1 63	1 563	0 002	0 241	1 324
	4282	+ 44 42	N		38 42 92	− 0 62	43 30	N		38 45 79	− 1 93	43 86	1 56	g 0		+ −	0
	4287	+ 46 2	N		39 24 99	− 0 52	24 47	N		39 27 88	− 1 90	25 98	1 51				
	4209	+ 24 43	S		12 23 24 92	− 1 80	23 12	S		12 23 27 18	− 2 36	24 82	0 1 70				
	4218	+ 10 20	S		24 27 04	− 2 43	24 61	S		24 28 87	− 2 60	26 27	1 66	1 665	0 002	0 241	1 426
	4228	+ 10 54	S		26 57 31	− 2 40	54 91	S		26 59 1,	− 2 59	56 58	1 67	g 0		+ −	0
	4232	+ 12 34	S		41 9 85	− 2 34	7 51	S		41 11 ,0	− 2 56	9 14	1 63				
Apr 11	3952	+ 44 14	N	I P E	11 31 47 80	+ 3 05	50 85	N	I P E	11 31 49 99	+ 2 57	52 56	0 1 71				
	3965	+ 34 50	N	d c − 11	34 34 8,	+ 2 44	37 31	N	d c + 5 4	34 36 59	+ 2 30	38 89	1 58	1 648	0 002	0 241	1 409
	3973	+ 42 20	N	b + 3 8 a −107 4	37 6 80	+ 2 91	9 71	N	b + 4 9 a −43 5	37 8 96	+ 2 51	11 47	1 76	g 0		+ −	0
	3981	+ 48 23	N	s Q + 1 85	39 33 27	+ 3 38	36 65	N	s Q + 1 92	39 35 47	+ 2 72	38 19	1 54				
	3919	+ 14 59	S		11 25 24 24	+ 1 48	25 72	S		11 25 25 51	+ 1 89	27 40	0 1 68				
	3932	+ 17 24	S		28 19 01	+ 1 59	20 60	S		28 20 30	+ 1 93	22 23	1 63	1 670	0 002	0 241	1 431
	3940	+ 6 43	S		30 15 30	+ 1 16	16 46	S		30 16 41	+ 1 75	18 16	1 70	g 0		+ −	0
	3970	+ 12 54	S		35 43 00	+ 1 39	44 39	S		35 44 21	+ 1 85	46 06	1 67				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

287

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

KARACHI (E) Lat 24° 51 Long 4h 28m 13s AND QUETTA (W) Lat 30° 12' Long 4h 26m 12s

Astronomical Date	STAR		Transits Observed at E (By Burrard, with Telescope No 1)					Transits Observed at W (By Lenox Conyngham with Telescope No 2)					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl Equations $B_W - C_H = 0'\cdot241$ $B_S - C_S = 0'\cdot241$	$\Delta L - \rho$
	B A C Number	Declination	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1890 Apr 11	4235	+41 57	N	I P E	h m s 12 2I 53 88	−0 82	53 06	N	I P E	h m s 12 27 56 09	−1 35	54 14	m s 0 1 68				s 1 39I
	4258	+41 29	N	c − 1 1 (d)	32 51 50	−0 85	50 65	N	c + 5 4 (d)	32 53 67	−1 36	52 31	1 66	s 1 630	0 002	0 241 + −	0
	4282	+44 42	N	b + 3 8 / a −107 4	38 38 22	−0 62	37 60	N	b + 4 9 / a −43 5	38 40 52	−1 16	39 26	1 66	g 0			
	4287	+46 2	N	Q − 1 85	39 20 38	−0 52	19 86	N	Q − 1 92	39 22 60	−1 12	2I 38	1 52				
	4209	+24 43	S		12 23 20 31	−1 79	18 52	S		12 23 21 94	−1 77	20 47	0 1 65				I 444
	4228	+10 54	S		26 52 66	−2 39	50 2I	S		26 53 99	−2 02	5I 97	1 70	s 1 683	0 002	0 241 + −	0
	4292	+12 34	S		41 5 24	−2 3I	2 92	S		41 6 61	−1 99	4 62	1 70	g 0			
Apr 12	3952	+44 14	N	I P W	11 3I 43 09	+2 98	46 07	N	I P E	11 3I 45 75	+2 20	47 95	0 1 88				1 609
	3965	+34 50	N	c − 0 5 (d)	34 30 17	+2 38	32 55	N	c + 5 4 (d)	34 32 3I	+2 12	34 43	1 88	s 1 848	0 002	0 24I + −	0
	3973	+42 20	N	b − 0 4 / a −109 I	37 2 14	+2 84	4 98	N	b + 0 2 / a −12 3	3I 4 70	+2 18	6 88	1 90	g 0			
	3981	+48 23	N	Q + 1 88	39 28 56	+3 32	3I 88	N	Q + 1 93	39 3I 36	+2 25	33 6I	1 73				
	3919	+14 59	S		11 25 19 54	+1 42	20 96	S		11 25 29 92	+1 98	22 90	0 1 94				I 09
	3932	+17 24	S		28 14 28	+1 53	15 81	S		28 15 73	+2 00	17 73	1 92	s 1 948	0 002	0 241 + −	0
	3940	+6 43	S		30 10 65	+1 10	11 75	S		30 11 74	+1 94	13 68	1 93	g 0			
	3970	+12 54	S		35 38 20	+1 34	39 54	S		35 39 57	+1 97	4I 54	2 00				
	4235	+41 57	N	Q − 1 88	12 27 49 30	−0 95	48 35	N	Q − 1 93	12 27 51 92	−1 68	50 24	0 1 89				I 716
	4258	+41 29	N		32 46 78	−0 96	43 82	N		32 49 44	−1 69	47 75	1 93	s 1 915	0 002	0 241 + −	0
	4282	+44 42	N		38 33 55	−0 74	32 8I	N		38 36 44	−1 65	34 79	1 98	g 0			
	4287	+46 2	N		39 15 50	−0 63	14 87	N		39 18 53	−1 64	16 89	2 02				
	4209	+24 43	S		12 23 15 53	−1 90	13 63	S		12 23 17 44	−1 83	15 61	0 1 98				I 749
	4218	+10 20	S		24 17 65	−2 12	15 13	S		24 19 04	−1 91	17 13	2 00	s 1 988	0 002	0 241 + −	0
	4228	+10 54	S		26 47 98	−2 50	45 48	S		26 49 34	−1 90	47 44	1 96	g 0			
	4292	+12 34	S		40 60 45	−2 43	58 02	S		41 1 92	−1 89	0 03	2 0I				

TABLE V   OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

KARACHI (E) Lat 24 51′ Long 4ʰ 26ᵐ 18ˢ; AND QUETTA (W) Lat 30° 12′, Long 4ʰ 28ᵐ 12ˢ

Astronomical Date	B A C Number	Declination	Star's Aspect	Instrumental Position and Correction Constants (E, by Burrard with Telescope No 1)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect	Instrumental Position and Correction Constants (W, by Lenox Conyngham with Telescope No 2)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W − E)	Mean of Group	Correction for Rate of W Clock	Corrns. for Persl Equations $B_m - C_m$, $B_s - C_s$	$\Delta L + \rho$
		′			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
1890 Apr 7	3998	+ 35 33	N	I P E	11 45 20 17	+ 2 38	22 55	N	I P E	11 45 22 28	+ 2 21	24 49	0 1 94	1 933	0 003	0 241	1 689
	4010	+ 38 34	N	c − d / 1 1	47 59 61	+ 2 57	62 18	N	c + d / 5 4	48 1 93	+ 2 22	4 15	1 97				
	4018	+ 41 32	N	b + o 4 / a − 108 5	49 28 89	+ 2 76	31 65	N	b + 4 7 / a − 10 3	49 31 32	+ 2 26	33 58	1 93				
	4057	+ 43 39	N	Q + 1 85	57 52 76	+ 2 92	55 68	N	Q + 1 90	57 55 29	+ 2 28	57 57	1 89				
	4081	+ 16 16	S		11 51 23 22	+ 1 45	24 67	S		11 51 24 46	+ 2 08	26 54	0 1 87	1 850	0 003	0 241	1 606
	4052	+ 7 14	S		56 36 62	+ 1 10	37 72	S		56 37 63	+ 2 03	39 66	1 94				
	4066	+ 22 4	S		12 0 0 68	+ 1 0	2 38	S		12 0 2 07	+ 2 10	4 17	1 79				
	4072	+ 9 21	S		0 58 81	+ 1 18	59 99	S		0 59 75	+ 2 04	61 79	1 80				
Apr 8	3998	+ 35 33	N	I P W	11 45 27 15	+ 2 31	29 46	N	I P E	11 45 29 22	+ 2 24	31 46	0 2 00	1 93	0 003	0 241	1 09
	4010	+ 38 34	N	c − d / o 5	48 6 70	+ 2 50	9 20	N	c + d / 5 4	48 8 86	+ 2 26	11 12	1 92				
	4057	+ 43 39	N	b − 1 3 / a − 108 5	57 59 78	+ 2 84	62 62	＼	b + 4 7 / a − 12 2	58 2 23	+ 2 33	4 56	1 94				
				Q + 1 81					Q + 1 93								
	4081	+ 16 16	S		11 51 30 20	+ 1 39	31 59	S		11 51 31 44	+ 2 10	33 54	0 1 95	1 9,0	0 003	0 241	1 726
	4052	+ 7 14	S		56 43 62	+ 1 03	44 65	S		56 44 53	+ 2 04	46 57	1 92				
	4066	+ 22 4	S		12 0 7 57	+ 1 64	9 21	S		12 0 9 11	+ 2 13	11 24	2 03				
	4072	+ 9 21	S		1 5 76	+ 1 11	6 87	S		1 6 80	+ 2 05	8 85	1 98				
	4126	+ 41 16	N	Q − 1 81	12 12 8 76	− 0 95	7 81	N	Q − 1 93	12 12 31 37	− 1 56	9 81	0 2 00	2 020	0 003 5	0 241	1 76
	4177	+ 43 9	N		19 54 26	− 0 83	53 43	N		19 57 02	− 1 54	55 48	2 05				
	4188	+ 39 38	N		21 57 90	− 1 06	56 84	N		21 60 43	− 1 58	58 85	2 01				
	4110	+ 21 9	S		12 8 6 30	− 2 01	4 29	S		12 8 8 04	− 1 74	6 30	0 2 01	1 985	0 003	0 241	1 741
	4114	+ 10 53	S		9 22 92	− 2 45	20 47	S		9 24 23	− 1 80	22 43	1 96				
	4156	+ 18 24	S		16 42 36	− 2 13	40 23	S		16 43 93	− 1 75	42 18	1 95				
	4168	+ 5 55	S		18 29 73	− 2 64	27 09	S		18 30 93	− 1 81	29 11	2 02				

KARACHI (E) *Lat* 24° 51 *Long* 4ʰ 28ᵐ 13   AND QUETTA (W) *Lat* 30° 12' *Long* 4ʰ 28ᵐ 13

Astronomical Date	STAR B A C Number	Decli nation	Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1 — Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 9 — Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrxn for Persl Equation $B_E - O_E = -0'$ 241 $B_S - O_S = -0$ 241	$\Delta L + \rho$
1890 Apr 9	3998	+ 35 33	N	I P W	11 45 34 09	+ 2 32	36 41	N	I P W	11 45 36 74	+ 1 71	38 45	0 2 04				
	4010	+ 38 34	N	c − 0 5	48 13 08	+ 2 50	16 08	N	c − 7 0	48 16 36	+ 1 77	18 13	2 05		2 038	0 003	0 241	1 794
	4018	+ 41 32	N	b − 0 3 a − 106 2	49 42 83	+ 2 69	45 52	N	b − 6 3 a − 53 3	49 45 68	+ 1 85	47 53	2 01		± 0	1	1	0
	4057	+ 43 39	N	Q + 1 80	58 6 68	+ 2 83	9 51	N	Q + 1 93	58 9 66	+ 1 90	11 56	2 05					
	4031	+ 16 16	S		11 51 37 23	+ 1 41	38 64	S		11 51 39 20	+ 1 34	40 54	0 1 90				
	4052	+ 7 14	S		56 50 57	+ 1 06	51 63	S		56 52 45	+ 1 1,	53 62	1 99		1 963	0 003	0 241	1 719
	4066	+ 22 4	S		12 0 14 60	+ 1 65	16 25	S		12 0 16 81	+ 1 43	18 24	1 99		± 0	1	1	0
	4072	+ 9 21	S		1 12 ,3	+ 1 13	13 86	S		1 14 62	+ 1 21	15 83	1 97					
	4126	+ 41 16	N	Q − 1 80	12 12 15 ,1	− 0 93	14 78	N	Q − 1 93	12 12 18 81	− 2 02	16 79	0 2 01				
	4148	+ 49 36	N		16 2 08	− 0 29	1 79	N		16 5 69	− 1 ,7	3 92	2 13		2 043	0 003	0 241	1 799
	4177	+ 43 9	N		20 1 19	− 0 81	0 38	N		20 4 35	− 1 96	2 39	2 01		± 0	1	1	0
	4188	+ 39 38	N		22 4 83	− 1 03	3 80	N		22 7 87	− 2 05	5 82	2 02					
	4110	+ 21 9	S		12 8 13 25	− 1 98	11 27	S		12 8 15 68	− 2 45	13 23	0 1 96				
	4114	+ 10 53	S		9 29 93	− 2 40	27 53	S		9 32 06	− 2 63	29 43	1 90		1 928	0 003	0 241	1 684
	4156	+ 18 24	S		16 49 31	− 2 10	47 21	S		16 51 66	− 2 51	49 15	1 94		± 0	1	1	0
	4168	+ 5 55	S		18 36 65	− 2 60	34 05	S		18 38 67	− 2 71	35 96	1 91					
Apr 10	3998	+ 35 33	N	I P E	11 45 41 21	+ 2 44	43 65	N	I P W	11 45 43 ,7	+ 1 69	45 46	0 1 81				
	4010	+ 38 34	N	c − 1 1	48 20 71	+ 2 62	23 33	N	c − 7 0	48 23 38	+ 1 76	25 14	1 81		1 93	0 003	0 241	1 549
	4018	+ 41 32	N	b + 2 9 a − 108 0	49 49 90	+ 2 82	52 72	N	b − 6 1 a − 50 3	49 52 ,2	+ 1 83	54 55	1 83		± 0	1	1	0
	4057	+ 43 39	N	Q + 1 84	58 13 82	+ 2 97	16 79	N	Q + 1 92	58 16 63	+ 1 88	18 51	1 72					
	4031	+ 16 16	S		11 51 44 23	+ 1 50	45 73	S		11 51 46 26	+ 1 34	47 60	0 1 87				
	4052	+ 7 14	S	•	56 57 62	+ 1 15	58 77	S		56 59 38	+ 1 19	60 57	1 80		1 815	0 003	0 241	1 571
	4066	+ 22 4	S		12 0 21 6,	+ 1 75	23 42	S		12 0 23 78	+ 1 43	25 21	1 79		± 0	1	1	0
	4072	+ 9 21	S		1 19 74	+ 1 22	20 96	S		1 21 54	+ 1 22	22 76	1 80					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

KARACHI (E) *Lat 24° 51' Long 4h 28m 18s*; AND QUETTA (W) *Lat 30° 12' Long 4h 28m 12s*

Astronomical Date	STAR BAC Number	Decli nation	Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1 — Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2 — Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $B_N - C_N = -0.241$ $B_S - C_S = -0.241$	$\Delta L + \rho$
1890					h m s	s	s			h m s	s	s	m s		s	s	s
Apr 10	4126	+ 41 16	N	I P E	12 12 22 95	− 0 88	22 07	N	I P W	12 12 25 84	− 2 02	23 82	0 1 75				
	4148	+ 49 36	N	c − d 11	16 9 37	− 0 22	9 15	N	c − d 7 0	16 12 64	− 1 78	10 86	1 71	s 1 753	0 003	0 241	s 1 509
	4177	+ 43 9	N	b + 29 / a −108 0	20 8 38	− 0 75	7 63	N	b − 6 1 / a − 50 3	20 11 41	− 1 96	9 45	1 82	= 0	−	−	0
	4188	+ 39 38	N	Q − 1 84	22 12 03	− 0 99	11 04	N	Q − 1 92	22 14 83	− 2 06	12 77	1 73				
	4110	+ 21 9	S		12 8 20 45	− 1 96	18 49	S		12 8 22 69	− 2 42	20 27	0 1 78				
	4114	+ 10 53	S		9 37 00	− 2 40	34 60	S		9 39 04	− 2 59	36 45	1 85	s 1 820	0 003	0 241	s 76
	4168	+ 5 55	S		18 43 81	− 2 59	41 22	S		18 45 72	− 2 67	43 05	1 83	= 0	−	−	0
Apr 11	3998	+ 35 33	N	I P E	11 45 48 15	+ 2 47	50 62	N	I P h	11 45 50 02	+ 2 31	52 33	0 1 71				
	4010	+ 38 34	\	c − d 11	48 27 61	+ 2 66	30 27	N	c + d 54	48 29 69	+ 2 39	32 08	1 81	s 1 760	0 003	0 241	s 1 516
	4018	+ 41 32	N	b + 38 / a −107 4	49 56 82	+ 2 86	59 68	N	b + 49 / a −43 5	49 58 98	+ 2 48	61 46	1 78	= 0	−	−	0
	4067	+ 43 39	N	Q + 1 85	58 20 72	+ 3 00	23 72	N	Q + 1 92	58 22 91	+ 2 55	25 46	1 74				
	4031	+ 16 16	S		11 51 51 12	+ 1 53	52 65	S		11 51 52 60	+ 1 92	54 52	0 1 87				
	4052	+ 7 14	S		57 4 55	+ 1 18	5 73	S		57 5 81	+ 1 76	7 57	1 84	s 1 85	0 003	0 241	s 1 611
	4060	+ 22 4	S		12 0 28 59	+ 1 78	30 37	S		12 0 30 16	+ 2 02	32 18	1 81	= 0	−	−	0
	4072	+ 9 21	S		1 26 65	+ 1 25	2, 90	S		1 28 01	+ 1 79	29 80	1 90				
	4126	+ 41 16	N	Q − 1 85	12 12 29 79	− 0 8,	28 92	N	Q − 1 92	12 12 32 16	− 1 37	30 79	0 1 87				
	4148	+ 49 36	N		16 16 29	− 0 21	16 08	N		16 18 97	− 1 07	17 90	1 82	s 1 870	0 003	0 241	1 626
	4188	+ 39 38	N		22 18 91	− 0 98	17 93	N		22 21 26	− 1 41	19 85	1 92	= 0	−	−	0

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

291

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

	STAR			TRANSITS OBSERVED AT E				TRANSITS OBSERVED AT W				Difference of Corrected Times				
Astronomical Date				By Burrard with Telescope No 1				By Lenox Conyngham with Telescope No 2				(W − E)		Correction for Rate of W Clock	Corrn. for Persl Equations $B_N - C_N = - 0^s 241$ $B_S - C_S = - 0^s 241$	$\Delta L + \rho$
	B A C Number	Decli nation	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			

KARACHI (E) Lat 24° 51′ Long 4ʰ 28ᵐ 17ᵖ AND QUEITA (W) Lat 30° 13′, Long 4ʰ 25ᵐ 17ᵖ

Astron. Date	BAC	Decl	Asp	Instr Pos E	Mean Obs Time E (h m s)	Total Corr E (s)	Sec Corr E (s)	Asp	Instr Pos W	Mean Obs Time W (h m s)	Total Corr W (s)	Sec Corr W (s)	By each Star (m s)	Mean of Group	Corr Rate	Corr Persl	ΔL+ρ
1890 Apr 11	4110	+ 21 9	S	I P E	12 8 27 34	− 1 95	25 9	S	I P E	12 8 29 10	− 1 84	27 26	0 1 87		0 003	0 241	1 599
	4114	+ 10 53	S	c − 1 1	9 43 94	− 2 39	41 55	S	c + 5 4	9 45 41	− 2 02	43 39	1 84	1 843			
	41.6	+ 18 24	S	b + 3 8 a − 107 4	17 3 41	− 2 0,	1 40	S	b + 4 9 a − 41 5	17 5 09	− 1 89	3 20	1 80	s 0			0
	4168	+ 5 55	S	s Q − 1 85	18 50 77	− 2 57	48 20	S	s Q − 1 92	18 52 16	− 2 10	50 06	1 86				
Apr 12	3998	+ 35 33	N	I P W	11 45 54 60	+ 2 42	57 02	N	I P E	11 45 56 94	+ 2 12	59 06	0 2 04		0 002	0 241	1 85
	4010	+ 38 34	N	c − 0 5	48 34 07	+ 6o	36 67	N	c + 5 4	48 36 58	+ 2 14	38 72	2 05	2 028			
	4018	+ 41 32	N	b − 0 2 a − 109 1	50 3 28	+ 2 8o	6 08	N	b + 0 2 a − 12°3	50 5 91	+ 2 1,	8 08	2 00	s 0			0
	40.7	+ 43 39	N	s Q + 1 88	58 2, 18	+ 2 94	30 12	N	s Q + 1 93	58 29 94	+ 3 20	32 14	2 02				
	4031	+ 16 16	S		11 51 57 53	+ 1 48	59 01	S		11 51 59 18	+ 1 99	61 17	0 2 16		0 002	0 241	1 882
	40.2	+ 7 14	S		5, 11 03	+ 1 12	12 1,	S		,7 12 30	+ 1 94	14 24	2 09	2 125			
	4066	+ 22 4	S		12 0 35 03	+ 1 73	36 76	S		12 0 36 83	+ 2 02	38 85	2 09	s 0			0
	4072	+ 9 21	S		1 33 16	+ 1 19	34 35	S		1 34 56	+ 1 95	36 51	2 16				
	4126	+ 41 16	N	s Q − 1 88	12 12 36 35	− o 98	35 37	N	s Q − 1 93	12 12 39 16	− 1 69	3, 47	0 2 10		0 002	0 241	1 887
	4148	+ 49 36	N		16 22 77	− 0 33	2# 44	N		16 26 13	− 1 59	24 54	2 10	2 130			
	4177	+ 43 9	N		20 21 77	− 0 86	20 91	N		20 24 74	− 1 67	23 07	2 16	s 0			0
	4188	+ 30 38	N		22 25 41	− 1 09	24 32	N		22 28 18	− 1 70	26 48	2 16				
	4110	+ 21 9	S		12 8 33 81	− 2 06	31 75	S		12 8 35 ,8	− 1 85	33 93	0 2 18		0 002	0 241	1 952
	4114	+ 10 53	S		9 50 33	− 2 50	47 83	S		9 51 95	− 1 90	50 05	2 22	2 195			
	4156	+ 18 24	S		17 9 89	− 2 18	7 71	S		17 11 70	− 1 86	9 84	2 13	s 0			0
	4168	+ 5 55	S		18 57 16	− 2 70	54 46	S		18 58 63	− 1 92	56 71	2 25				

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	Rate Corrections for both Clocks Deduced from Transits Observed at both Stations, viz : α, Corrections for the Intervals between Nights of Observations and β, Hourly Corrections for Nights of Observations, Interpolated by means of the Quantities α.								
			α at E Station for		α at W Station for		Astronomical Dates of Observations	β for		Correction to Observed Difference of Times of Transit for	
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Agra (E) and Mooltan (W)	26° 19	1889 November 15 to 16	s + 9 567	s − 7 539	s + 9 486	s − 7 582	1889 November 15	s + 0 397	s − 0 319	s + 0 173	s − 0 139
		„ 16 17	+ 9 512	− 7 463	+ 9 462	− 7 413	„ 16	+ 396	− 315	+ 173	− 137
		„ 17 18	+ 9 303	− 7 613	+ 9 435	− 7 486	17	+ 393	− 312	+ 171	− 136
		„ 18 19	+ 9 406	− 7 613	+ 9 494	− 7 486	, 18	+ 392	− 315	+ 171	− 137
		, 19 20	+ 9 432	− 7 313	+ 9 458	− 7 338	19	+ 394	− 311	+ 172	− 136
		, 20 21	+ 9 413	− 7 160	+ 9 303	− 7 516	20	+ 393	− 306	+ 171	− 133
		, 21 22	+ 9 413	− 7 534	+ 9 303	− 7 383	21	+ 390	− 308	+ 170	− 134
							22	+ 390	− 311	+ 170	− 136
Agra (E) and Karachi (W)	44° 1	December 1 to 2	+ 7 036	+ 0 968	+ 6 773	+ 0 815	December 1	+ 0 288	+ 0 037	+ 0 211	+ 0 027
		2 3	+ 6 786	+ 1 035	+ 6 861	+ 1 129	, 2	+ 286	+ 041	+ 210	+ 030
		, 3 4	+ 6 582	+ 0 588	+ 6 801	+ 0 772	, 3	+ 282	+ 037	+ 207	+ 027
		„ 4 5	+ 6 718	+ 1 105	+ 6 734	+ 1 118	, 4	+ 280	+ 037	+ 206	+ 027
		, 5 6	+ 7 118	+ 1 569	+ 6 761	+ 1 322	5	+ 28,	+ 053	+ 209	+ 039
							„ 6	+ 289	+ 060	+ 212	+ 044
Agra (E) and Kalanpur (W)	1° 27	1889 90 December 28 to 29	+ 0 488	+ 1 018	+ 0 249	+ 0 807	1889 90 December 28	+ 0 015	+ 0 038	0 000	+ 0 001
		29 30	+ 0 340	+ 1 118	+ 0 333	+ 1 084	29	+ 015	+ 042	000	+ 001
		„ 30 31	+ 0 316	+ 1 106	+ 0 315	+ 1 109	30	+ 014	+ 046	000	+ 001
		31 Jan 1	+ 0 079	+ 0 899	+ 0 355	+ 1 176	31	+ 011	+ 045	000	+ 001
		January 1 2	+ 0 355	+ 1 686	+ 0 420	+ 1 694	January 1	+ 013	+ 057	000	+ 001
							2	+ 016	+ 070	000	+ 002
Kalanpur (E) and Bombay (W)	19° 21	1890 January 15 to 16	+ 0 754	− 1 547	+ 0 712	− 1 611	1890 January 15	+ 0 031	− 0 066	+ 0 010	− 0 021
		16 17	+ 0 714	− 1 547	+ 0 712	− 1 611	16	+ 031	− 066	+ 010	− 021
		, 17 18	+ 0 528	− 1 804	+ 0 478	− 1 792	17	+ 026	− 0,0	+ 008	− 023
		„ 18 19	+ 0 626	− 1 845	+ 0 654	− 1 856	, 18	+ 024	− 076	+ 008	− 025
		, 19 20	+ 0 579	− 1 929	+ 0 608	− 1 923	19	+ 026	− 079	+ 008	− 026
		, 20 21	+ 0 581	− 2 156	+ 0 534	− 2 144	20	+ 024	− 085	+ 008	− 027
							, 21	+ 023	− 090	+ 007	− 029

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	Rate Corrections for both Clocks Deduced from Transits Observed at both Stations, viz.: a, Corrections for the Intervals between Nights of Observations, and β, Hourly Corrections for Nights of Observations, Interpolated by means of the Quantities a.								
			a at E Station for		a at W Station for		Astronomical Dates of Observations	β for		Correction to Observed Difference of Times of Transit for	
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Jubbulpore (E), and Kalianpur (W)	9ʰ 11	1890 February 4 to 5	+ 1·056	+ 1 864	+ 1 043	+ 1 840	1890 February 4	+ 0 044	+ 0 077	+ 0 007	+ 0 012
		„ 5 „ 6	+ 1 207	+ 1 760	+ 1 196	+ 1 700	„ 5	+ 047	+ 075	+ 007	+ 011
		„ 6 „ 7	+ 1 324	+ 1 028	+ 1 367	+ 1 159	„ 6	+ 053	+ 059	+ 008	+ 009
		„ 7 „ 8	+ 1 058	+ 0 975	+ 1 023	+ 0 951	„ 7	+ 050	+ 043	+ 008	+ 007
		„ 8 „ 9	+ 1 166	+ 1 111	+ 1 073	+ 0 984	„ 8	+ 045	+ 042	+ 007	+ 006
							„ 9	+ 047	+ 044	+ 007	+ 007
Moolian (E) and Quetta (W)	17ʰ 44	March 24 to 25	− 8 327	− 7 190	− 8 342	− 7 181	March 24	− 0 347	− 0 300	− 0 105	− 0 091
		„ *25 „ 26	− 8 327	− 7 190	− 8 342	− 7 181	„ 25	− 347	− 300	− 105	− 091
		„ *26 „ 27	− 8 327	− 7 190	− 8 342	− 7 181	„ 26	− 347	− 300	− 105	− 091
		„ 27 „ 28	− 8 037	− 6 731	− 8 180	− 6 732	„ 27	− 343	− 290	− 104	− 088
		„ 28 „ 29	− 8 186	− 6 971	− 8 155	− 6 949	„ 28	− 339	− 285	− 103	− 087
		„ *29 „ 30	− 8 186	− 6 971	− 8 155	− 6 949	„ 29	− 341	− 290	− 104	− 088
		„ 30 „ 31	− 8 034	− 7 081	− 8 036	− 7 110	„ 30	− 338	− 293	− 103	− 089
							„ 31	− 335	− 296	− 102	− 090
Karachi (E) and Quetta (W)	6ʰ 1	April 7 to 8	+ 5 164	− 6 919	+ 5 017	− 6 996	April 7	+ 0 212	− 0 290	+ 0 002	− 0 003
		„ 8 „ 9	+ 4 933	− 6 974	+ 4 923	− 6 974	„ 8	+ 209	− 290	+ 002	− 003
		„ 9 „ 10	+ 4 464	− 7 205	+ 4 682	− 7 002	„ 9	+ 198	− 293	+ 002	− 003
		„ 10 „ 11	+ 4 606	− 6 934	+ 4 584	− 6 974	„ 10	+ 191	− 293	+ 002	− 003
		„ 11 „ 12	+ 4 803	− 6 375	+ 4 529	− 6 663	„ 11	+ 193	− 282	+ 002	− 003
							„ 12	+ 194	− 272	+ 002	− 002

* There were no observations on these dates but the rates were obtained by interpolation for the number of days missing

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

			AGRA (E), AND MOOLTAN (W)					
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1889 November 15	I P E	I.P W	m s 26 19 027	m s 26 18 982	m s { 26 18 977	m s 26 19 125	m s 26 19 083	m s { 26 19 067
" "	"	"	18 935	18 965		19 030	19 030	
" 16	I.P W	"	19 102	18 995	{ 19 074	19 315	19 327	{ 19 355
" "	"	"	19 102	19 095		19 432	19 347	
" 17	"	I P E	19 115	19 083	{ 19 117	19 253	19 318	{ 19 290
" "	"	"	19 093	19 178		19 270	19 318	
" 18	I P E	"	19 028	18 960	{ 18 974			
" "	"	"	18 903	19 003				
" 19	"	"	18 914	18 926	{ 18 895	19 021	19 076	{ 19 032
" "	"	"	18 816	18 926		19 036	18 996	
" 20	"	I P W	18 898	18 883	{ 18 869	19 054	19 061	{ 19 010
" "	"	"	18 863	18 833		18 919	19 006	
" 21	I P W	"				19 492	19 365	{ 19 387
" "	"	"				19 273	19 418	
" 22	"	I P E	19 172	19 174	{ 19 088	19 216	19 191	{ 19 221
" "	"	"	19 004	19 002		19 208	19 268	
Means {	I P E	I P W	26 18 931	26 18 916	26 18 923	26 19 032	26 19 045	26 19 039
	I P W	,	19 102	19 045	19 074	19 378	19 364	19 371
	,,	I P E	19 096	19 109	19 103	19 237	19 274	19 255
	I P E	,	18 915	18 954	18 935	19 029	19 036	19 033
General Means			26 19 011	26 19 006	26 19 009	26 19 169	26 19 180	26 19 175

Whence $\Delta L = \tfrac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 26^m + \tfrac{1}{2}(19^s\,009 + 19^s\,175) = 26^m\,19^s\,092,$

$\rho = \tfrac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \tfrac{1}{2}(19^s\,175 - 19^s\,009) = +\,0^s\,083$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ.

			AGRA (E), AND KARACHI (W)					
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
			^{m} ^{s}	^{m} ^{s}	^{m} ^{s}	^{m} ^{s}	^{m} ^{s}	^{m} ^{s}
1889 December 1	I P E	I P W	44 0·750	44 0·770	} 44 0·760	44 1·056	44 1·091	} 44 1·111
„ „	„	„	0·743	0·775		1·101	1·196	
„ 2	I P W	„	0·979	0·989	} 1·012	1·269	1·259	} 1·267
„ „	„	„	1·044	1·034		1·197	1·342	
„ 3	„	L P E	0·854	0·911	} 0·934	1·161	1·119	} 1·170
„ „	„	„	0·951	1·019		1·204	1·194	
„ 4	I P E	„	0·688	0·728	} 0·714	1·013	1·046	} 0·985
„ „	„	„	0·700	0·740		0·934	0·946	
„ 5	„	„	0·646	0·713	} 0·701	0·896	0·961	} 0·969
„ „	„	„	0·718	0·726		0·941	1·078	
„ 6	I P W	I P W	1·044	1·081	} 1·061	1·236	1·223	} 1·216
„ „	„	„	1·006	1·114		1·170	1·233	
Means {	I P E	I P W	44 0·747	44 0·773	44 0·760	44 1·078	44 1·144	44 1·111
	I P W	„	1·018	1·055	1·036	1·218	1·264	1·241
	„	I P E	0·903	0·965	0·934	1·183	1·157	1·170
	I P E	„	0·688	0·727	0·707	0·946	1·008	0·977
General Means			44 0·839	44 0·880	44 0·859	44 1·106	44 1·143	44 1·125

Whence

$$\Delta L = \tfrac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 44^m + \tfrac{1}{2}(0^s\,859 + 1^s\,125) = 44^m\,0^s\,992,$$

$$\rho = \tfrac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \tfrac{1}{2}(1^s\,125 - 0^s\,859) = +\,0^s\,133$$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

			AGRA (E), AND KALIANPUR (W)					
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1889 90			m s	m s	m s	m s	m s	m s
December 28	I P E	I P W	1 27 164	1 27 164	} 1 27 152	1 27 198	1 27 228	} 1 27 272
,, ,,	,,	,,	27 107	27 172		27 338	27 323	
,, 29	I P W	,,	27 334	27 427	} 27 402	27 463	27 478	} 27 483
,, ,,	,,	,,	27 449	27 397		27 503	27 488	
,, 80	,,	I P E	27 417	27 413	} 27 402	27 480	27 518	} 27 509
,, ,	,,	,,	27 417	27 362		27 530	27 507	
,, 81	,,	,,	27 407	27 409	} 27 408	27 495	27 508	} 27 517
,, ,,	,,	,,	27 377	27 439		27 545	27 518	
January 1	I P E	,,	27 134	27 132	} 27 132	27 225	27 275	} 27 240
,, ,,	,,	,,	27 134	27 129		27 205	27 253	
,, 2	,,	I P W	27 039	27 149	} 27 094	27 231	27 231	} 27 233
,, ,,	,	,,				27 244	27 224	
Means ,, {	I P E	I P W	1 27 087	1 27 158	1 27 123	1 27 253	1 27 252	1 27 253
	I P W	,,	27 392	27 412	27 402	27 482	27 483	27 483
	,,	I P E	27 405	27 405	27 405	27 512	27 513	27 513
	I P E	,,	27 134	27 130	27 132	27 215	27 264	27 240
General Means			1 27 255	1 27 276	1 27 266	1 27 366	1 27 378	1 27 372

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 1^m + \frac{1}{2}(27^s 266 + 27^s 372) = 1^m 27^s 319,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(27^s 372 - 27^s 266) = + 0^s 053$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 497

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ.

KALIANPUR (E) AND BOMBAY (W)								
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = $\Delta L - \rho$			W Clock = $\Delta L + \rho$		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1890 January 15	*I P W*	*I P E*	19 21 289	19 21 291	} 19 21 278	19 21 535	19 21 468	} 19 21 452
„ „	„	„	21 304	21 226		21 428	21 378	
„ 17	„	*I P W*	21 429	21 324	} 21 355	21 613	21 553	} 21 563
„ „	„	„	21 352	21 314		21 541	21 546	
„ 18	*I P E*	„	21 437	21 414	} 21 403	21 571	21 549	} 21 549
„ „	„	,	21 399	21 362		21 521	21 554	
„ 19	„	*I P E*	21 429	21 402	} 21 378	21 630	21 585	} 21 559
„ „	„	„	21 362	21 319		21 535	21 485	
„ 20	„	„	21 344	21 307	} 21 347	21 567	21 537	} 21 557
„ „	„	„	21 367	21 369		21 579	21 544	
„ 21	*I P W*	*I P W*	21 423	21 341	} 21 395	21 592	21 600	} 21 541
,	„	,	21 421	21 396		21 500	21 470	
Means	*I P W*	*I P E*	19 21 297	19 21 2.9	19 21 278	19 21 482	19 21 423	19 21 452
	„	*I P W*	21 406	21 344	21 375	21 562	21 542	21 552
	I P E	,	21 418	21 388	21 403	21 546	21 552	21 549
	„	*I P E*	21 376	21 349	21 362	21 578	21 537	21 557
General Means			19 21 374	19 21 335	19 21 355	19 21 542	19 21 514	19 21 528

Whence $$\Delta L = \tfrac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 19^m + \tfrac{1}{2}(21^s 355 + 21^s 528) = 19^m 21^s 441,$$

$$\rho = \tfrac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \tfrac{1}{2}(21^s 528 - 21^s 355) = + 0^s 086$$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date	Instrumental Position at E	Instrumental Position at W	E Clock $= \Delta L - \rho$ By N Stars	E Clock $= \Delta L - \rho$ By S Stars	E Clock $= \Delta L - \rho$ Means	W Clock $= \Delta L + \rho$ By N Stars	W Clock $= \Delta L + \rho$ By S Stars	W Clock $= \Delta L + \rho$ Means
			^{m} ^{s}	^{m} ^{s}	^{m} ^{s}	^{m} ^{s}	^{m} ^{s}	^{m} ^{s}
1890 February 4	I P E	I P W	9 10 254	9 10 376	9 10 288	9 10 241	9 10 348	9 10 346
,, ,,	,,	,	10 266	10 254		10 374	10 419	
, 5	I P W	,,	10 211	10 186	10 261	10 373	10 417	10 368
,, ,,	,,	,,	10 341	10 306		10 350	10 320	
, 6	,,	I P E	10 212	10 177	10 263	10 358	10 416	10 434
,	,,	,,	10 342	10 320		10 443	10 518	
, 7	I P E		10 190	10 205	10 231	10 344	10 276	10 289
,, ,	,,	,,	10 215	10 314		10 254	10 283	
8	,	,,	10 2,4	10 274	10 258	10 330	10 365	10 316
,	,,		10 236	10 246		10 253	10 318	
, 9	I P W	I P W	10 346	10 339	10 351	10 446	10 449	10 437
, ,	,,	,,	10 331	10 389		10 414	10 439	
Means	I P E	I P W	9 10 260	9 10 315	9 10 288	9 10 308	9 10 384	9 10 346
	I P W	,	10 307	10 305	10 306	10 396	10 406	10 401
	,	I P E	10 277	10 249	10 263	10 401	10 467	10 434
	I P E	,,	10 229	10 260	10 245	10 295	10 311	10 303
General Means			9 10 268	9 10 282	9 10 2,5	9 10 350	9 10 392	9 10 371

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 9^m + \frac{1}{2}(10^s\ 275 + 10^s\ 371) = 9^m\ 10^s\ 323,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(10^s\ 371 - 10^s\ 275) = + 0^s\ 048$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS   299

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1890			m s	m s	m s	m s	m s	m s
March 24	I P E	I P E	17 43 407	17 43 394	} 17 43 409	17 43 606	17 43 646	} 17 43 574
,, ,,	,	,	43 434	43 402		43 511	43 531	
27	I P W	,	43 505	43 498	} 43 453	43 604	43 579	} 43 550
, ,,	,	,		43 305		43 534	43 481	
28	,	I P W		43 606	} 43 527	43 555	43 580	} 43 551
, ,	,	,,	43 529	43 444		43 555	43 515	
, 30	I P E	,	43 389	43 361	} 43 411	43 520	43 525	} 43 509
,, ,	,	,	43 489	43 406		43 505	43 484	
31	,		43 400	43 402	} 41 414	43 566	43 582	} 43 530
			43 467	43 385		43 517	43 453	
Means {	I P E	I P E	17 43 421	17 43 398	17 43 409	17 43 559	17 43 588	17 43 574
	I P W		43 505	43 402	* 43 453	43 569	43 530	43 550
		I P W	43 529	43 525	43 527	43 555	43 548	43 551
	I P E	,	43 436	43 389	43 412	43 527	43 511	43 519
General Means			17 43 473	17 43 428	17 43 450	17 43 553	17 43 544	17 43 548

Whence $\Delta L = \frac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 17^m + \frac{1}{2}(43^s\,450 + 43^s\,548) = 17^m\,43^s\,499,$

$\rho = \frac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \frac{1}{2}(43^s\,548 - 43^s\,450) = +\,0^s\,049$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = $\Delta L - \rho$			W Clock = $\Delta L + \rho$		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1890			m s	m s	m s	m s	m s	m s
April 7	I P E	I P E	0 1 471	0 1 491	} 0 1 452	0 1 689	0 1 606	} 0 1 648
„ „	„	„	1 461	1 386		1 709	1 726	
„ 8	I P W	„	1 551	1 621	} 1 614	1 776	1 741	} 1 738
„ „	„	„	1 701	1 581				
, 9	„	I P W	1 639	1 576	} 1 608	1 794	1 719	} 1 749
„ „	„	„	1 659	1 559		1 799	1 684	
„ 10	I P E	„	1 379	1 471	} 1 400	1 549	1 571	} 1 551
„ „	,	,	1 324	1 426		1 509	1 576	
„ 11	„	I P E	1 409	1 431	} 1 419	1 516	1 611	} 1 588
„ ,	,	„	1 391	1 444		1 626	1 599	
„ 12	I P W	„	1 609	1 709	} 1 696	1 785	1 882	} 1 877
„ ,	„	,	1 716	1 749		1 887	1 952	
Means	I P E	I P E	0 1 433	0 1 438	0 1 436	0 1 630	0 1 606	0 1 618
	I P W	„	1 644	1 665	1 655	1 789	1 825	1 807
	„	I P W	1 649	1 568	1 608	1 797	1 701	1 749
	I P E	,	1 352	1 448	1 400	1 529	1 573	1 551
General Means			0 1 520	0 1 530	0 1 525	0 1 686	0 1 676	0 1 681

Whence $\Delta L = \tfrac{1}{2}\left\{(\Delta L - \rho) + (\Delta L + \rho)\right\} = 0^m + \tfrac{1}{2}\left(1^s\,525 + 1^s\,681\right) = 0^m\,1^s\,603,$

$\rho = \tfrac{1}{2}\left\{(\Delta L + \rho) - (\Delta L - \rho)\right\} = \tfrac{1}{2}\left(1^s\,681 - 1^s\,525\right) = +\,0^s\,078$

ELECTRO-TELEGRAPHIC LONGITUDES

1891-92.

INDIAN ARCS.

ABSTRACT OF THE OBSERVATIONS

AND

REDUCTION OF THE RESULTS.

NOTE

The Explanation of *Table 1*, given on page 2 applies equally to the observations of 1891 92, in which the same Telescopes were used with the same Micrometers and the same wire systems

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_5	o_1	c	M	b				C_0	C_5	o_1	o	M	b	
1891 Dec 6		I P E	2071 0	2070 0	+3 3	+2 5	2068 1	+5 6			I P E	1485 8	1485 0	−4 2	−5 1	1496 4	−15 6	
			83 1				67 5					83 1				96 4		
							67 4											
" 7		I P W	2075 5	2070 0	−3 3	−4 1	2073 6	0 0			I P E	1480 2	1485 0	−4 2	−5 1	1488 0	−8 9	
			74 2				72 9					83 9				91 0		
							73 3									90 1		
" 8	CALCUTTA (Telescope No 2)	I P W	2073 9	2070 0	−3 3	−4 1	2072 7	−1 0	Mean C_0 I P E = 2072 0 I P W = 2074 6 General Mean = 2073 3	WALTAIR (Telescope No 1)	I P W	1478 1	1485 0	+4 2	+3 3	1483 6	+2 9	Mean C_0 I P E = 1483 5 I P W = 1478 1 General Mean = 1480 8
							72 2					78 5				83 7		
							71 9											
" 10		I P E	2072 0	2070 0	+3 3	+2 5	2071 8	+1 1			I P W	1478 0	1480 0	−0 8	−1 7	1481 8	+0 5	
			73 8				72 9					77 6				81 0		
							72 0									81 0		
" 11		I P W	2073 8	2070 0	−3 3	−4 1	2069 0	−2 1			I P E	1484 0	1485 0	−4 2	−5 1	1485 2	−4 8	
			74 4				73 7					83 5				86 0		
							71 0											
" 12		I P W	2074 1	2070 0	−3 3	−4 1	2068 2	−4 1			I P W	1478 1	1480 0	−0 8	−1 7	1473 4	−8 2	
			76 8				69 4					78 4				72 3		
							70 1									72 0		
Dec 18		I P W	1476 6	1475 0	−5 6	−6 5	1477 8	−3 0			I P E	2076 0	2070 0	+8 0	+7 2	2070 7	+6 2	
			73 6				78 1									72 9		
							77 0											
" 19		I P E	1484 4	1485 0	−4 4	−5 3	1481 6	−1 3			I P E	2077 9	2070 0	+8 0	+7 2	2069 3	+7 7	
			84 1				82 3					•				70 5		
							81 9									71 1		
" 20	WALTAIR (Telescope No 1)	I P E	1484 8	1485 0	−4 4	−5 3	1482 2	−1 9	Mean C_0 I P E = 1484 5 I P W = 1476 6 General Mean = 1480 6	JUBBULPORE (Telescope No 2)	I P W	2078 7	2070 0	−8 0	−8 8	2071 7	−7 3	Mean C_0 I P E = 2077 3 I P W = 2078 7 General Mean = 2078 0
			84 5				82 3					78 9				70 1		
							83 0									70 2		
" 21		I P W	1476 9	1480 0	−0 6	−1 5	1475 0	−5 6			I P W	2076 7	2070 0	−8 0	−8 8	2068 8	−8 4	
			77 8				75 0					77 2				69 2		
			•													70 9		
" 23		I P W	1477 1	1480 0	−0 6	−1 5	1474 3	−6 9			I P W	2080 5	2070 0	−8 0	−8 8	2069 7	−8 6	
			78 4				74 0					80 0				69 8		
							72 7									68 7		
" 24		I P W	1474 9	1480 0	−0 6	−1 5	1473 7	−7 1			I P E	2077 9	2070 0	+8 0	+7 2	2078 2	−0 6	
			77 1				73 3									78 3		
																79 3		

Astron Date	Station	Instrumental Position	Collimation C_0	C_s	c_1	o	Level M	b	Remarks	Station	Instrumental Position	Collimation C_0	C_s	c_1	o	Level M	b	Remarks
1892 Jan 6	WALTAIR (Telescope No 1)	I P W	1475 0 77 6	1475 0	−4 5	−5 4	1475 2 75 5	−4 1		MADRAS (Telescope No 2)	I P E	2076 5 78 5	2070 0	+8 4	+7 5	2076 0 77 6 77 5	+1 4	
, 7		I P E	1481 7 81 9	1475 0	+4 5	+3 6	1471 2 72 3 72 3	+7 6	Mean C_0 I P E = 1481 6 I P W = 1477 3 General Mean = 1479 5		I P E	2076 9 76 0	2075 0	+3 4	+2 5	2078 9 78 6 78 0	−0 1	Mean C_0 I P E = 2077 0 I P W = 2079 7 General Mean = 2078 4
, 10		I P E	1481 0 81 7	1480 0	−0 5	−1 4	1472 6 74 1 73 7	+6 0			I P W	2078 1 80 5	2075 0	−3 4	−4 3	2072 2 72 3 71 3	−6 5	
11		I P W	1478 0 78 3	1480 0	+0 5	−0 4	1484 6 83 9	+4 8			I P W	2078 2 81 7	2075 0	−3 4	−4 3	2073 6 72 3 72 1	−5 7	
Jan 18	WALTAIR (Telescope No 1)	I P W	1478 3 79 1	1480 0	+2 0	+1 1	14,6 4 75 4	−2 1		BOLARUM (Telescope No 2)	I P E	2070 2 70 3	2070 0	+1 9	+1 0	2074 7 ,6 0 75 0	−3 3	
„ 19		I P E	1478 9 78 1	1480 0	−2 0	−2 9	1480 0 82 4	−3 2			I P E	2071 0 72 0	2070 0	+1 9	+1 0	2073 8 74 9 76 5	−3 2	
20		I P E	1478 9 78 4	1480 0	−2 0	−2 9	1481 1 81 6	−3 4	Mean C_0 I P E = 1479 1 I P W = 1476 9 General Mean = 1478 0		I P W	2071 8 20,0 0	2070 0	−1 9	−2 8	2067 3 67 8 6 9	−4 2	Mean C_0 I P E = 2071 2 I P W = 20,2 5 General Mean = 2071 9
, 21		I P W	1476 4 74 8	1480 0	+2 0	+1 1	1475 9 75 3	−2 4			I P W	2072 9 73 2	2070 0	−1 9	−2 8	2068 1 66 8 66 6	−4 7	
, 22		I P W	1477 2 75 6	1480 0	+2 0	+1 1	1474 7 73 9	−3 7			I P E	2071 4 71 3	2070 0	+1 9	+1 0	2072 0 72 8 73 4	−0 8	
„ 23		I P E	1481 2 78 7	1480 0	−2 0	−2 9	1482 6 83 2	−4 9			I P E	2071 0 72 1	2070 0	+1 9	+1 0	2071 6 71 9 72 1	0 0	

Astronl Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_2	c_1	c	M	b				C_0	C_2	c_1	c	M	b	
1892 Feb 9	BOLARUM (Telescope No 2)	I P E	2071 3 71 0	2070 0	+1 8	+0 9	2065 7 65 6 65 9	+6 1		BOMBAY (Telescope No 1)	I P E	1505 4 7 7	1505 0	−0 2	−1 1	1508 8 8 9 9 9	−4 4	
10		I P W	2072 3 72 1	2070 0	−1 8	−2 7	2070 4 6 1 69 5	−2 1			I P E	1507 6 8 2	1505 0	−0 2	−1 1	1506 1 6 0 5 7	−1 1	
11		I P W	2072 2 72 2	2070 0	−1 8	−2 4	2070 1 69 6 69 9	−1 9	Mean C_0 I P E = 2071 1 I P W = 2072 4 General Mean = 2071 8		I P W	1503 2 1 3	1505 0	+0 2	−0 4	1501 7 2 5 2 4	−2 6	Mean C_0 I P E = 1507 6 I P W = 1502 0 General Mean = 1504 8
12		I P E	2071 4 70 2	2070 0	+1 8	+0 9	2071 5 72 4 71 5	0 0			I P W	1501 1 2 3	1505 0	+0 2	−0 7	1502 5 2 6 2 3	−2 3	
13		I P E	2072 1 70 6	2070 0	+1 8	+0 9	2071 4 72 0 73 0	−0 3			I P E	507 9 8 7	1505 0	−0 2	−1 1	1509 1 9 1 8 1	−4 2	
14		I P W	2072 9 72 7 / 2072 2 2070 0	2072 2	+0 4 −1 8	−0 5 −2 7	2072 2 73 1	+0 9			I P F	1507 5 7 1	1505 0	−0 2	−1 1	1508 8 9 2 7 7	−3 8	
Mar 15	FYZABAD (Telescope No 2)	I P E	20,3 6 75 9 75 7	2070 0	+4 7	+3 9	071 2 71 3 70 7	+3 6		DEHRA DÚN (Telescope No 1)	I I W	1519 0 19 3	1 18 0	+1 7	+0 9	1516 6 16 6 16 4	+0 2	
16		I P W	2074 5 5 0	2070 0	−4 7	−5 5	20,6 1 76 1 76 8	+1 8			I I W	1520 1 19 5	1520 0	+3 7	+2 9	1517 4 16 1 15	−0 1	
17		I P W	2073 4 74 1	20,0 0	−4 7	−5 5	20,5 4 70 7 76 1	+1 2	Mean C_0 I P E = 2074 9 I P W = 2074 4 General Mean = 2074 7		I I F	1513 4 12 1 / 1,28 5	1515 0 −12 2	+1 3 −12 2	+0 −12 0	1515 5 16 5 16 4	+0 2	Mean C_0 I P E = 1514 1 I P W = 1518 4 General Mean = 1516 3
18		I P E	20,4 9 75 3	20,0 0	+4 7	+3 9	207 1 72 4 71 7	+2 6			I P I	1515 1 13 9	1516 0	+1 3	+0 5	1516 1 18 0	−0 8	
19		I P E	2074 6 74 2	2070 0	+4 7	+3 9	2072 1 72 1 71 2	+2 9			I P L	1515 5 14 6	1515 0	+1 3	+0 5	151f 0 17 1 1, 9	−0 9	
20		I P W	2074 6 74 6	2070 0	−4 7	−5 5	2077 3 77 5 78 5	+3 1			I P W	1515 7 16 1	1515 0	−1 3	−2 1	1515 7 14 6 14 1	−1 5	

* C_2 = 2072 2 for 1st 2 groups and 2070 0 for 2nd 2 groups
† C_2 = 1515 0 for 1st 3 groups, and 1528 5 for last group.

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction s	Adopted Value of Deviation Correction
								A	h m s	s	s	s	s	m s	h m s	m s	d	d
CALCUTTA (E) AND WALTAIR (W)	CALCUTTA (Latitude 22 33?)	1891		E	Radcliffe 1311	U	5	−0 274	4 53 45 3	+0 8	+0 8	−1 9		45 0	4 53 42 1	−0 2 9		
		Dec 6	I P E	"	ε Ursæ Minoris	L	5	+0 160	4 57 1 0	−0 4	−0 2	−1 9	0 0	56 58 5	4 56 55 5	−0 3 0	−0 2	
				W	Groom 1004	U	5	−0 357	5 44 6 4	+1 0	+1 0	−1 9		6 5	6 4 43 ?	+20 37 2		+0 3
				"	δ Ursæ Minoris	L	5	+0 358	5 46 18 4	−0 9	−0 7	−1 9	0 0	14 9	6 6 52 6	+20 37 7	+0 7	
		" 7	I P W	E	Radcliffe 1311	U	5	−0 274	4 53 39 3	−1 3	0 0	0 0		38 0	4 53 42 1	+0 4 1		
				"	ε Ursæ Minoris	L	4	+0 160	4 57 8 4	+0 7	0 0	0 0	0 0	9 1	4 56 55 5	−0 13 6	−47 8	
					Groom 1004	U	2	−0 357	6 4 36 5	−1 6	0 0	0 0		34 9	6 4 43 7	+0 8 8		−48 2
				"	δ Ursæ Minoris	L	2	+0 358	6 7 16 9	+1 6	0 0	0 0	0 0	18 5	6 6 52 6	−0 25 9	−48 5	
		" 8	I P W	E	Radcliffe 1311	U	5	−0 2,4	4 53 43 8	−1 3	−0 1	0 0		42 4	4 53 42 1	−0 0 3		
				"	ε Ursæ Minoris	L	5	+0 160	4 57 12 4	+0 7	0 0	0 0	0 0	13 1	4 56 55 5	−0 17 6	−39 9	
					Groom 1004	U	3	−0 357	6 44 2 5	−1 6	−0 2	0 0		40 7	6 4 43 7	+0 3 0		−41 2
				,	δ Ursæ Minoris	L	3	+0 358	6 7 18 2	+1 6	+0 1	0 0		19 9	6 6 52 6	−0 27 3	−42 4	
		" 10	I P E	E	Radcliffe 1311	U	4	−0 274	4 53 48 1	+0 8	+0 2	0 0		49 1	4 53 42 1	−0 7 0		
				"	ε Ursæ Minoris	L	5	+0 160	4 57 22 5	−0 4	0 0	0 0	0 0	22 1	4 56 55 5	−0 26 6	−45 2	
					Groom 1004	U	3	−0 357	6 ,44 7	+1 0	+0 2	0 0		45 9	6 4 43 7	−0 2 2		−47 0
					δ Ursæ Minoris	L	3	+0 358	6 7 30 7	−0 9	−0 1	0 0	0 0	29 7	6 6 52 6	−0 37 1	−48 8	
		" 11	I P W	E	Groom 1004	U	3	−0 357	6 2 15 7	+158 4	−0 4	−1 7		4 52 0	6 4 43 7	−0 8 3		
					δ Ursæ Minoris	L	3	+0 358	6 10 3 0	−156 5	+0 3	−1 7	0 0	7 25 1	6 6 52 6	−0 32 5	−33 9	−36 7
					51 Cephei	U	2	−0 417	6 50 8 8	−1 9	−0 4	−1 7	−0 1	4 7	6 50 2 8	−0 1 9	−39 5	
		" 12	I P W	E	Radcliffe 1311	U	4	−0 274	4 54 1 1	−1 3	−0 6	−1 ,		53 57 5	4 53 42 1	−0 15 4		
				,	ε Ursæ Minoris	L	5	+0 160	4 57 28 2	+0 7	+0 2	−1 7	0 0	27 4	4 56 55 5	−0 31 9	−38 0	
					Groom 1004	U	2	−0 357	6 4 55 6	−1 6	−0 7	+1 7		55 0	6 4 43 7	−0 11 3		−39 4
				"	δ Ursæ Minoris	L	4	+0 358	6 7 29 2	+1 6	+0 5	+1 7	0 0	33 0	6 6 52 6	−0 40 4	−40 7	
	WALTAIR (Latitude 17 43?)	1891		W	Radcliffe 1311	U	2	−0 285	4 54 49 0	−1 6	−1 8	0 0		45 6	4 53 42 1	−1 3 5	+235 9	
		Dec 6	I P E	,	ε Ursæ Minoris	L	2	+0 163	4 56 12 0	+0 8	+0 5	0 0	0 0	13 3	4 56 55 5	+0 42 2		
				"	Groom 1004	U	2	−0 370	6 6 12 1	−2 0	−2 2	0 0		7 9	6 4 43 7	−1 24 2		+237 6
					δ Ursæ Minoris	L	2	+0 367	6 5 17 0	+1 9	+1 5	0 0	0 0	20 4	6 6 52 6	+1 32 2	+239 3	
		" 7	I P E	W	Lalan (F) 2774	U	3	−0 285	3 57 19 7	+1 5	+0 6	0 0		21 8	3 58 49 7	+1 27 9		
				"	Radcliffe 1311	U	1	−0 285	4 54 57 5	−1 6	−1 0	0 0		54 9	4 53 42 1	−1 12 8	+281 9	+278 5
				,	ε Ursæ Minoris	L	2	+0 163	4 56 4 0	+0 8	+0 3	0 0	0 0	5 1	4 56 55 5	+0 50 4	+275 0	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Devia tion Constant Δ	Observed Time of Transit	Colli mation	Level	Pen Equa tion Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
									h m s	*s*	*s*	*s*	*s*	*s*	*h m s*	*m s*	*d*	*d*
		1891 Dec 8	I P W														+240 4	+240 4
				W	Lalan (F) 2774	L	2	+0 285	3 57 18 5	+0 5	0 0	0 0	0 0	19 0	3 58 49 7	+1 30 7		
		„ 10	I P W		Radcliffe 1311	U	1	−0 285	4 54 52 0	−0 5	+0 1	0 0		51 6	4 53 42 1	−1 9 5	+281 1	
					ε Ursæ Minoris	L	2	+0 163	4 55 59 5	+0 3	0 0	0 0	0 0	59 8	4 56 55 5	+0 55 7	+279 7	+280 4
				W	Lalan (F) 2774	L	2	+0 285	3 58 29 0	+1 5	+0 3	0 0	0 0	30 8	3 58 49 7	+0 18 9		
		„ 11	I P E		Groom 1004	U	2	−0 3,0	6 4 41 5	−2 0	−0 7	0 0		38 8	6 45 1 3	+0 12 5	+9 8	+9 1
					δ Ursæ Minoris	L	2	+0 367	6 6 31 6	+1 9	+0 5	0 0	0 0	34 0	6 6 52 6	+0 18 6	+8 3	
				W	Lalan (F) 2774	L	2	+0 285	3 58 43 5	+0 5	+0 5	0 0	0 0	44 5	3 58 49 7	+0 5 2		
		„ 12	I P W		Radcliffe 1311	U	1	−0 285	4 53 19 2	−0 5	−0 9	0 0		17 8	4 53 42 1	+0 24 3	−33 5	−36 1
					ε Ursæ Minoris	L	2	+0 163	4 56 48 0	+0 3	0 2	0 0	0 0	48 5	4 56 55 5	+0 7 0	−38 6	
		1891 Dec 18	I P W														+12 0	+12 0
				E	Lalan (Γ) 2774	L	2	+0 285	3 58 13 5	+1 3	+0 1	0 0	0 0	15 1	3 58 50 6	+0 35 5		
		„ 19	I P E		Radcliffe 1311	U	1	−0 285	4 53 31 5	−1 6	−0 1	0 0		29 8	4 53 42 3	+0 12 5	+40 4	+40 4
					Groom 1004	U	2	−0 370	6 4 39 0	−2 1	−0 2	0 0		36 7	6 4 45 6	+0 8 9	+40 3	
					δ Ursæ Minoris	L	1	+0 367	6 6 10 0	+2 0	+0 2	0 0	0 0	12 2	6 6 51 0	+0 38 8	+40 6	
				E	Radcliffe 1311	U	2	−0 285	4 53 30 0	−1 6	−0 2	0 0		28 2	4 53 42 3	+0 14 1		
		„ 20	I P E		Groom 1004	U	2	−0 370	6 4 36 5	−2 1	−0 3	0 0		34 1	6 4 45 6	+0 11 5	+40 9	+40 4
					δ Ursæ Minoris	L	2	+0 367	6 6 8 0	+2 0	+0 2	0 0	0 0	10 2	6 6 51 0	+0 40 8	+39 8	
				E	51 Cephei	U	2	−0 432	6 50 2 3	−0 7	−0 9	0 0		0 7	6 50 6 0	+0 5 3		
		„ 21	I P W		Radcliffe 4208	L	2	+0 363	6 49 7 0	+0 6	+0 5	0 0	0 0	8 1	6 49 56 8	+0 48 7	+54 6	+54 6
				E	Radcliffe 1311	U	1	−0 285	4 53 40 0	−0 5	−0 8	0 0		38 7	4 53 42 3	+0 3 6		
				„	ε Ursæ Minoris	L	1	+0 163	4 56 6 0	+0 2	−0 2	0 0	0 0	6 4	4 56 55 5	+0 49 1	+101 6	
		„ 23	I P W	„	Groom 1004	U	2	−0 370	6 4 52 0	−0 6	−1 0	0 0		50 4	6 4 45 6	−0 4 8		
				„	δ Ursæ Minoris	L	3	+0 367	6 5 38 3	+0 6	+0 6	0 0	0 0	39 5	6 6 51 0	+1 11 5	+103 5	+103 8
				„	51 Cephei	U	2	−0 432	6 50 21 8	−0 7	−1 1	0 0		20 0	6 50 6 0	−0 14 0		
					Radcliffe 4208	L	2	+0 363	6 48 45 0	+0 6	+0 6	0 0	0 0	46 2	6 49 56 8	+1 10 6	+106 4	
				E	Radcliffe 1311	U	1	−0 285	4 53 44 0	−0 5	−0 8	0 0		42 7	4 53 42 3	−0 0 4	+119 3	
		„ 24	I P W		Groom 1004	U	2	−0 370	6 4 58 3	−0 6	−1 0	0 0		56 7	6 4 45 6	−0 11 1	+120 1	+119 7
				„	δ Ursæ Minoris	L	2	+0 367	6 5 32 3	+0 6	+0 7	0 0	0 0	33 6	6 6 51 0	+1 17 4		

Arc (first section): CALCUTTA (E) AND WAITAIR (W) — *Station:* WAITAIR (Latitude 17° 45')

Arc (second section): WAITAIR (E) AND JUBBULPORE (W) — *Station:* WAITAIR (Latitude 17° 43')

* No star observations were taken for the determination of the deviation correction: it had therefore to be deduced from the readings of two collimators which were found to have remained immovable

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
		1891							h m s	s	s	s	s	s	h m s	m s	d	d
WALTAIR (E) AND JUBBULPORE (W)	JUBBULPORE (Latitude 23° 10')		I P E	W	Groom 1004	U	3	-0 355	6 41 4 5	+2 9	+1 1	0 0		18 5	6 44 5 6	+0 27 1	-13 1	
		Dec 18			δ Ursæ Minoris	L	6	+0 357	6 63 6 7	-2 7	-0 8	0 0	0 0	33 2	6 65 1 0	+0 17 8		-12 8
					51 Cephei	U	3	-0 415	6 49 33 1	+3 3	+1 3	0 0		37 7	6 50 6 0	+0 28 1	-12 5	
					Radcliffe 4208	L	3	+0 352	6 49 41 6	-2 7	-0 8	0 0	0 0	38 1	6 49 56 8	+0 18 7		
				E	Radcliffe 1311	U	4	-0 273	5 65 2 4	+2 2	+1 1	0 0		55 7	4 53 42 3	-13 13 4	-13 4	
		, 19	I P E	,	ε Ursæ Minoris	L	8	+0 159	5 10 16 2	-1 2	-0 3	0 0	0 0	14 7	4 56 55 5	-13 19 2		-15 5
				W	Groom 1004	U	3	-0 355	6 41 3 5	+2 9	+1 4	0 0		17 8	6 44 5 6	+0 27 8	-17 6	
				,,	δ Ursæ Minoris	L	3	+0 357	6 63 9 4	-2 7	-1 0	0 0	0 0	35 7	6 65 1 0	+0 15 3		
				E	Radcliffe 1311	U	4	-0 273	5 66 0 7	-2 7	-1 0	+1 7		58 7	4 53 42 3	-13 16 4	-20 6	
		, 20	I P W	,	ε Ursæ Minoris	L	6	+0 159	5 10 17 3	+1 6	+0 3	+1 7	0 0	20 8	4 56 55 5	-13 25 3		-19 8
				W	Groom 1004	U	4	-0 355	6 42 2 3	-3 5	-1 3	+1 7		19 2	6 44 5 6	+0 27 4	-19 0	
					δ Ursæ Minoris	L	4	+0 357	6 63 1 2	+3 3	+0 9	+1 7	0 0	37 1	6 65 1 0	+0 13 9		
				E	Radcliffe 1311	U	3	-0 273	5 7 4 6	-2 7	-1 2	+1 7		2 4	4 53 42 3	-13 20 1	-19 0	
		, 21	I P W	,	ε Ursæ Minoris	L	4	+0 159	5 10 20 2	+1 5	+0 4	+1 7	0 0	23 8	4 56 55 5	-13 28 3		-17 2
				W	Groom 1004	U	4	-0 355	6 42 4 1	-3 5	-1 5	+1 7		20 8	6 44 5 6	+0 24 8	-15 3	
					δ Ursæ Minoris	L	3	+0 357	6 63 1 0	+3 3	+1 1	+1 7	0 0	37 1	6 65 1 0	+0 13 9		
				E	Radcliffe 1311	U	4	-0 273	4 58 48 1	-2 7	-1 2	+1 7		45 9	4 53 42 3	-5 3 6	-16 9	
		, 23	I P W	,	ε Ursæ Minoris	L	4	+0 159	5 2 2 8	+1 5	+0 4	+1 7	0 0	6 4	4 56 55 ,	-5 10 9		-17 7
				W	Groom 1004	U	3	-0 355	6 42 4 2	-3 5	-1 5	+1 7		20 9	6 44 5 6	+0 24 7	-18 4	
					δ Ursæ Minoris	L	1	+0 357	6 63 3 3	+3 3	+1 1	+1 7	0 0	39 4	6 65 1 0	+0 11 6		
				W	Radcliffe 1311	U	4	-0 273	4 53 16 3	+2 2	-0 1	+1 7		20 1	4 53 42 3	+0 22 2	-17 6	
		, 24	I P E		ε Ursæ Minoris	L	4	+0 159	4 56 40 4	-1 2	0 0	+1 7	0 0	40 9	4 56 55 5	+0 14 6		-18 0
					Groom 1004	U	5	-0 355	6 41 6 3	+2 9	-0 1	+1 7		20 8	6 44 5 6	+0 24 8	-18 4	
					δ Ursæ Minoris	I	3	+0 35,	6 64 0 2	-2 ,	+0 1	+1 ,	0 0	39 3	6 65 1 0	+0 11 7		
WALTAIR (E) AND MADRAS (W)	WALTAIR (Latitude 17° 43')	1892		E	Groom 1004	U	2	-0 371	6 4 57 0	-2 1	-0 6	0 0		54 3	6 44 6 5	-0 7 8	+162 9	
		Jan 6	I P W		δ Ursæ Minoris	L	2	+0 367	6 4 56 0	+2 0	+0 4	0 0	0 0	58 4	6 65 0 8	+1 52 4		+162 0
				,	51 Cephei	U	2	-0 432	6 50 28 3	-2 5	-0 7	0 0		25 1	6 50 8 2	-0 16 9	+161 1	
				,,	Radcliffe 4208	L	2	+0 363	6 48 1 6	+2 0	+0 4	0 0	0 0	4 0	6 49 55 2	+1 51 2		
				E	Groom 1004	U	2	-0 371	6 4 56 5	+1 4	+1 1	0 0		59 0	6 44 6 5	-0 12 5	+179 4	
		, 7	I P E	,	δ Ursæ Minoris	L	2	+0 367	6 4 53 0	-1 4	-0 7	0 0	0 0	50 9	6 65 0 8	+1 59 9		+180 2
				,	51 Cephei	U	2	-0 432	6 50 28 0	+1 7	+1 2	0 0		30 9	6 50 8 2	-0 22 7	+181 0	
				,,	Radcliffe 4208	L	1	+0 363	6 47 56 0	-1 3	-0 7	0 0	0 0	54 0	6 49 55 2	+2 1 2		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for				Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
										Colli mation	Level	Pen Equation Q	Approximate Clock Rate					
									h m s	s	s	s	s	s	h m s	m s	d	d
WALTAIR (E) AND MADRAS (W)	WALTAIR (Latitude 17° 43')	1892 Jan 10	I P E	E	Groom 1004	U	2	− 0 371	6 5 8 1	− 0 6	+ 0 9	0 0		8 4	6 4 46 5	− 0 21 9		
				,,	δ Ursæ Minoris	L	2	+ 0 367	6 4 29 5	+ 0 5	− 0 6	0 0	0 0	29 4	6 6 50 8	+ 2 21 4	+ 221 3	+ 220 3
				U	51 Cephei	U	2	− 0 432	6 50 42 5	− 0 6	+ 1 0	0 0		42 9	6 50 8 2	− 0 34 7		
				,,	Radcliffe 4208	L	1	+ 0 363	6 47 35 5	+ 0 5	− 0 6	0 0		35 4	6 49 55 2	+ 2 19 8	+ 219 2	
		,, 11	I P W	E	Groom 1004	U	2	− 0 371	6 5 13 5	− 0 2	+ 0 7	0 0		14 0	6 4 46 5	− 0 27 5		
				,,	δ Ursæ Minoris	L	2	+ 0 367	6 4 21 5	+ 0 2	− 0 5	0 0	0 0	21 2	6 6 50 8	+ 2 29 6	+ 240 0	+ 237 6
				,,	51 Cephei	U	2	− 0 432	6 50 45 5	− 0 2	+ 0 8	0 0		46 1	6 50 8 2	− 0 37 9		
				,	Radcliffe 4208	L	2	+ 0 363	6 47 26 5	+ 0 1	− 0 4	0 0	0 0	26 2	6 49 55 2	+ 2 29 0	+ 235 1	
WALTAIR (E) AND MADRAS (W)	MADRAS (Latitude 13 4')	1892 Jan 6	I P E	E	δ Ursæ Minoris	L	2	+ 0 373	6 18 59 1	− 2 8	− 0 1	− 1 7		54 5	6 6 50 8	− 12 3 7	+ 49 5	+ 49 5
				,,	51 Cephei	U	1	− 0 444	7 2 47 0	+ 3 5	+ 0 2	+ 1 7	− 0 1	52 3	6 50 8 2	− 12 44 1		
		7	I P E	E	Groom 1004	U	4	− 0 381	6 17 25 0	+ 1 0	0 0	+ 1 8		27 8	6 4 46 5	− 12 41 3	+ 44 2	+ 44 4
				,,	δ Ursæ Minoris	L	4	+ 0 373	6 18 57 9	− 0 9	0 0	+ 1 8	0 0	58 8	6 6 50 8	− 12 8 0	+ 44 6	
				,	51 Cephei	U	2	− 0 444	7 2 49 6	+ 1 2	0 0	+ 1 8		52 6	6 50 8 2	− 12 44 4		
		,, 10	I P W	E	Groom 1004	U	4	− 0 381	6 17 17 0	− 1 7	− 0 7	+ 1 7		16 3	6 4 46 5	− 12 29 8	− 10 0	− 9 6
				,,	δ Ursæ Minoris	L	4	+ 0 373	6 19 24 4	+ 1 6	+ 0 4	+ 1 7	0 0	28 1	6 6 50 8	− 12 37 3	− 9 2	
					51 Cephei	U	4	− 0 444	, 2 39 2	− 2 0	− 0 8	+ 1 7	− 0 1	38 0	6 50 8 2	− 12 29 8		
		,, 11	I P W	E	Groom 1004	U	5	− 0 381	6 17 17 8	− 1 7	− 0 6	+ 1 7		17 2	6 4 46 5	− 12 30 7	− 18 0	− 16 7
				,,	δ Ursæ Minoris	L	4	+ 0 373	6 19 31 4	+ 1 6	+ 0 4	+ 1 7	0 0	35 1	6 6 50 8	− 12 44 3	− 15 3	
				,,	51 Cephei	U	4	− 0 444	7 2 41 1	− 2 0	− 0 ,	+ 1 7	− 0 1	40 0	6 50 8 2	− 12 31 8		
WALTAIR (E) AND BOLARUM (W)	WALTAIR (Latitude 17° 43')	1892 Jan 18	I P W	E	51 Cephei	U	2	− 0 432	6 52 11 5	+ 0 5	− 0 3	0 0		11 7	6 50 8 3	− 2 3 4	+ 318 9	+ 318 8
				,	Radcliffe 4208	L	2	+ 0 363	6 47 45 5	− 0 4	+ 0 2	0 0	0 0	45 3	6 49 55 4	+ 2 10 1	+ 319 4	
				,,	Groom 1119	U	3	− 1 165	7 56 10 0	+ 1 4	− 0 8	0 0		10 6	7 50 9 4	− 6 1 2	+ 319 5	
				,,	λ Ursæ Minoris	L	2	+ 1 192	7 23 43 0	− 1 4	+ 0 7	0 0	0 0	42 3	, 30 14 0	+ 6 31 7	+ 317 2	
				,	Groom 3212	L	2	+ 0 223	8 13 25 9	− 0 3	+ 0 1	0 0		25 7	8 14 51 6	+ 1 25 9		
		,, 19	I P E	E	51 Cephei	U	2	− 0 432	6 49 44 5	− 1 3	− 0 5	0 0		42 7	6 50 8 3	+ 0 25 6	− 20 9	− 21 3
				,	Radcliffe 4208	L	2	+ 0 363	6 49 45 0	+ 1 1	+ 0 3	0 0	0 0	46 4	6 49 55 4	+ 0 9 0		
				,,	Groom 1119	U	2	− 1 165	7 49 34 5	− 3 6	− 1 2	0 0		29 7	7 50 9 4	+ 0 39 7	− 21 6	
				,,	λ Ursæ Minoris	L	2	+ 1 192	7 30 20 5	+ 3 6	+ 1 1	0 0	0 0	25 2	7 30 14 0	− 0 11 2		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
									h m s	s	s	s	s	s	h m s	m s	d	d
		1892		E	51 Cephei	U	2	$-0\ 43_2$	6 49 45 4	$-1\ 3$	$-0\ 6$	0 0		43 5	6 50 8 3	$+0\ 24\ 8$		
				,,	Radcliffe 4208	L	2	$+0\ 36_3$	6 49 41 0	$+1\ 1$	$+0\ 3$	0 0	0 0	42 4	6 49 55 4	$+0\ 13\ 0$	$-14\ 8$	$-13\ 2$
		Jan 20	I P E	,,	Groom 1119	U	2	$-1\ 16_5$	7 49 44 5	$-3\ 6$	$-1\ 3$	0 0		39 6	7 50 9 4	$+0\ 29\ 8$		
				,	λ Urse Minoris	L	2	$+1\ 19_2$	7 30 6 5	$+3\ 6$	$+1\ 2$	0 0	0 0	11 3	7 30 14 0	$+0\ 2\ 7$	$-11\ 5$	
				E	51 Cephei	U	2	$-0\ 43_2$	6 49 41 5	$+0\ 5$	$-0\ 4$	0 0		41 6	6 50 8 3	$+0\ 26\ 7$		
				,,	Radcliffe 4208	L	2	$+0\ 36_3$	6 49 37 5	$-0\ 4$	$+0\ 2$	0 0	0 0	37 3	6 49 55 4	$+0\ 18\ 1$	$-10\ 8$	
		,, 21	I P W	,,	Groom 1119	U	3	$-1\ 16_5$	7 49 50 3	$+1\ 4$	$-1\ 0$	0 0		50 7	7 50 9 4	$+0\ 18\ 7$		$-6\ 6$
				,	λ Urse Minoris	L	3	$+1\ 19_2$	7 30 1 3	$-1\ 4$	$+0\ 9$	0 0	0 0	0 8	7 30 14 0	$+0\ 13\ 2$	$-2\ 3$	
	WALTAIR (Latitude 17° 43')	,, 22	I P W	E	51 Cephei	U	3	$-0\ 43_2$	6 49 45 3	$+0\ 5$	$-0\ 6$	0 0		45 2	6 50 8 3	$+0\ 23\ 1$		
				,,	Radcliffe 4208	L	4	$+0\ 36_3$	6 49 29 8	$-0\ 4$	$+0\ 3$	0 0	0 0	29 7	6 49 55 4	$+0\ 25\ 7$	$+3\ 3$	$+3\ 3$
				E	51 Cephei	U	3	$-0\ 43_2$	6 49 41 0	$-1\ 3$	$-0\ 8$	0 0		38 9	6 50 8 3	$+0\ 29\ 4$		
		,, 23	I P E	,,	Radcliffe 4208	L	3	$+0\ 36_3$	6 49 31 7	$+1\ 1$	$+0\ 5$	0 0	0 0	33 3	6 49 55 4	$+0\ 22\ 1$	$-9\ 2$	$-10\ 0$
				,,	Groom 1418	U	2	$-0\ 26_1$	8 22 59 1	$-0\ 8$	$-0\ 5$	0 0		57 8	8 23 26 7	$+0\ 28\ 9$	$-10\ 7$	
WALTAIR (E) AND BOLARUM (W)		1892		E	51 Cephei	U	4	$-0\ 43_3$	7 9 59 9	$+0\ 5$	$-0\ 5$	$+1\ 7$		61 6	6 50 8 3	$-19\ 53\ 3$		
					Radcliffe 4208	L	5	$+0\ 36_3$	7 9 49 1	$-0\ 4$	$+0\ 3$	$+1\ 7$	0 0	50 7	6 49 55 4	$-19\ 55\ 3$	$-2\ 5$	$-2\ 2$
		Jan 18	I P E	W	λ Urse Minoris	L	2	$+1\ 19_3$	7 30 12 6	$-1\ 2$	$+1\ 2$	$+1\ 7$		14 3	7 30 14 0	$-0\ 0\ 3$		
				,	Groom 1119	U	1	$-1\ 16_6$	7 50 3 9	$+1\ 2$	$-1\ 3$	$+1\ 7$	0 0	5 5	7 50 9 4	$+0\ 3\ 9$	$-1\ 8$	
		,, 19	I P E	E	51 Cephei	U	3	$-0\ 43_3$	7 9 57 8	$+0\ 5$	$-0\ 5$	$+1\ 7$		59 5	6 50 8 3	$-19\ 51\ 2$		
				,	Radcliffe 4208	L	4	$+0\ 36_3$	7 9 36 5	$-0\ 4$	$+0\ 3$	$+1\ 7$	0 0	38 1	6 49 55 4	$-19\ 42\ 7$	$+10\ 7$	$+10\ 7$
	BOLARUM (Latitude 17° 30')			W	51 Cephei	U	3	$-0\ 43_3$	6 50 10 5	$-1\ 3$	$-0\ 7$	$+1\ 7$		10 2	6 50 8 3	$-0\ 1\ 9$		
		,, 20	I P W	,,	Radcliffe 4208	L	4	$+0\ 36_3$	6 49 38 5	$+1\ 0$	$+0\ 4$	$+1\ 7$	0 0	41 6	6 49 55 4	$+0\ 13\ 8$	$+19\ 7$	$+21\ 6$
				,,	λ Urse Minoris	L	2	$+1\ 19_3$	7 29 35 7	$+3\ 5$	$+1\ 5$	$+1\ 7$		42 4	7 30 14 0	$+0\ 31\ 6$		
				,,	Groom. 1119	U	1	$-1\ 16_6$	7 50 36 4	$-3\ 4$	$-1\ 6$	$+1\ 7$	0 0	33 1	7 50 9 4	$-0\ 23\ 7$	$+23\ 4$	
				E	51 Cephei	U	2	$-0\ 43_3$	7 10 9 9	$-1\ 3$	$-0\ 8$	$+1\ 7$		9 8	6 50 8 3	$-20\ 1\ 2$		
		,, 21	I P W	,,	Radcliffe 4208	L	2	$+0\ 36_3$	7 9 29 9	$+1\ 0$	$+0\ 4$	$+1\ 7$	0 0	31 0	6 49 55 4	$-19\ 37\ 6$	$+29\ 7$	$+31\ 8$
				W	λ Urse Minoris	L	1	$+1\ 19_3$	7 29 24 6	$+3\ 5$	$+1\ 7$	$+1\ 7$		31 5	7 30 14 0	$+0\ 42\ 5$		
				,,	Groom 1119	U	1	$-1\ 16_6$	7 50 50 5	$-3\ 4$	$-1\ 8$	$+1\ 7$	0 0	47 0	7 50 9 4	$-0\ 37\ 6$	$+33\ 9$	

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Colli mation	Level	Pen Equa tion Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
		1892							h m s	s	s	s	s	s	h m s	m s	d	d
WALTAIR (E) AND BOLARUM (W)	BOLARUM (Latitude 17° 30′)			E	51 Cephei	U	2	−0 433	7 9 53 1	+0 5	−0 1	+1 7		55 2	6 50 8 3	−19 46 9		−8 6
		Jan 22	I P E	,	Radcliffe 4208	L	3	+0 363	7 9 48 2	−0 4	+0 1	+1 7	0 0	49 6	6 49 55 4	−19 54 2	−9 2	
				W	λ Ursæ Minoris	L	1	+1 193	7 30 15 0	−1 2	+0 3	+1 7		15 8	7 30 14 0	+0 1 8	−8 0	
				,	Groom 1418	U	3	−0 261	8 23 18 5	+0 3	−0 1	−1 7	0 0	17 0	8 23 26 7	+0 9 7		
				E	51 Cephei	U	2	−0 433	7 10 0 0	+0 5	0 0	+1 7		2 2	6 50 8 3	−19 53 9		+0 2
		,, 23	I P E	,	Radcliffe 4208	L	3	+0 363	7 9 49 2	−0 4	0 0	+1 7	0 0	50 5	6 49 55 4	−19 55 1	−1 5	
				W	λ Ursæ Minoris	L	2	+1 193	7 30 8 8	−1 2	0 0	+1 7		9 3	7 30 14 0	+0 4 7	+0 2	
				U	Groom 1119	U	2	−1 166	7 50 6 3	+1 2	0 0	+1 7	0 0	9 2	7 50 9 4	+0 0 2	+1 9	
		1892																
		Feb 9	I P E	E	Radcliffe 4208	L	3	+0 363	6 49 23 9	−0 3	−0 6	+1 7		24 7	6 49 58 4	+0 33 7	+105 2	+107 5
				,	Piazzi VI 292	U	6	−0 158	7 8 46 0	+0 2	+0 4	+1 7	0 0	48 3	7 8 27 1	−0 21 2		
				,	λ Ursæ Minoris	L	2	+1 191	7 28 23 1	−1 1	−2 1	−1 7		18 2	7 30 18 9	+2 0 7	+109 8	
				,	Groom 1119	U	2	−1 169	7 52 21 3	+1 1	+2 4	−1 7	0 0	23 1	7 50 4 5	−2 18 6		
BOLARUM (E) AND BOMBAY (W)	BOLARUM (Latitude 17° 30′)	,, 10	I P W	E	Radcliffe 4208	L	3	+0 363	6 50 22 5	+1 0	+0 2	+1 7		25 4	6 49 58 4	−0 27 0	−62 4	−59 7
				,	Piazzi VI 292	U	6	−0 158	7 8 20 6	−0 5	−0 2	+1 7	0 0	21 6	7 8 27 1	+0 5 5		
				,	λ Ursæ Minoris	L	1	+1 191	7 31 33 6	+3 3	+0 7	−1 7		35 9	7 30 18 9	−1 17 0	−56 9	
				,	Groom 1119	U	2	−1 169	7 49 13 0	−3 3	−0 8	−1 7	0 0	7 2	7 50 4 5	+0 57 3		
		,, 11	I P W	E	Radcliffe 4208	L	4	+0 363	6 50 23 1	+1 0	+0 2	+1 7		26 0	6 49 58 4	−0 27 6	−60 1	−59 0
				,	Piazzi VI 292	U	4	−0 158	7 8 22 3	−0 5	−0 1	+1 7	0 0	23 4	7 8 27 1	+0 3 7		
				,	λ Ursæ Minoris	L	1	+1 191	7 31 35 5	+3 3	+0 7	−1 7		37 8	7 30 18 9	−1 18 9	−57 9	
				,	Groom 1119	U	2	−1 199	7 49 12 4	−3 3	−0 7	−1 7	0 0	6 7	7 50 4 5	+0 57 8		
		,, 12	I P E	E	Radcliffe 4206	L	2	+0 363	6 50 22 8	−0 3	0 0	+1 7		24 2	6 49 58 4	−0 25 8	−54 6	−54 6
				,	Piazzi VI 292	U	3	−0 158	7 8 22 5	+0 2	0 0	+1 7	0 0	24 4	7 8 27 1	+0 2 7		
		,, 13	I P E	E	Radcliffe 4206	L	3	+0 363	6 50 23 9	−0 3	0 0	+1 7		25 3	6 49 58 4	−0 26 9	−56 0	−52 8
				,	Piazzi VI 292	U	3	−0 158	7 8 22 4	+0 2	0 0	+1 7	0 0	24 3	7 8 27 1	+0 2 8		
				,	λ Ursæ Minoris	L	1	+1 191	7 31 29 7	−1 1	+0 1	−1 7		27 0	7 30 18 9	−1 8 1	−49 5	
				,,	Groom 1119	U	2	−1 169	7 49 16 6	+1 1	−0 1	−1 7	0 0	15 9	7 50 4 5	+0 48 6		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No. of Wires Observed	Deviation Constant A	Observed Time of Transit	Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
									h m s	s	s	s	s	s	h m s	m s	d	d
	BOLARUM (Latitude 17° 30')	1892	*I P W*	E	Radcliffe 4208	L	1	+0 363	6 50 23 3	+0 2	-0 1	+1 5		24 9	6 49 58 4	- 0 26 5	-54 3	-50 9
		Feb 14		"	Piazzi VI 292	U	3	-0 158	7 8 23 8	-0 1	+0 1	+1 5	0 0	25 3	7 8 27 1	+ 0 1 8		
		"		"	λ Ursæ Minoris	L	1	+1 191	7 31 28 6	+0 6	-0 3	-1 5		27 4	7 30 18 9	- 1 8 5	-47 5	
		"		"	Groom 1119	U	1	-1 169	7 49 22 7	-0 6	+0 4	-1 5	0 0	21 0	7 50 4 5	+ 0 43 5		
BOLARUM (E) AND BOMBAY (W)	BOMBAY (Latitude 18 54')	1892	*I P E*	W	Radcliffe 4209	L	3	+0 360	6 49 46 7	+0 4	+0 4	0 0	0 0	47 5	6 49 58 4	+ 0 10 9	-55 2	-54 2
		Feb 9			Piazzi VI 292	U	3	-0 156	7 7 48 2	-0 2	-0 3	0 0		47 7	7 8 27 1	+ 0 39 4		
				"	λ Ursæ Minoris	L	2	+1 182	7 30 52 0	+1 4	+1 7	0 0	0 0	55 1	7 30 18 9	- 0 36 2	-53 2	
				"	Groom 1119	U	2	-1 159	7 48 39 5	-1 4	-1 8	0 0		36 3	7 50 4 5	+ 1 28 2		
		" 10	*I P E*	W	Radcliffe 4208	L	3	+0 360	6 49 47 1	+0 4	+0 1	0 0	0 0	47 6	6 49 58 4	+ 0 10 8	-60 3	-59 2
				"	Piazzi VI 292	U	3	-0 156	7 7 45 5	-0 2	-0 1	0 0		45 2	7 8 27 1	+ 0 41 9		
				"	λ Ursæ Minoris	L	2	+1 182	7 30 57 5	+1 4	+0 4	0 0	0 0	59 3	7 30 18 9	- 0 40 4	-58 0	
				"	Groom 1119	U	2	-1 159	7 48 31 0	-1 4	-0 5	0 0		29 1	7 50 4 5	+ 1 35 4		
		11	*I P W*	W	Radcliffe 4208	L	2	+0 360	6 49 42 5	+0 3	+0 3	0 0	0 0	43 1	6 49 58 4	+ 0 15 3	-55 8	-54 4
					Piazzi VI 292	U	3	-0 156	7 7 43 3	-0 1	-0 2	0 0		43 0	7 8 27 1	+ 0 44 1		
					λ Ursæ Minoris	L	2	+1 182	7 30 47 0	+0 9	+1 0	0 0	0 0	48 9	7 30 18 9	- 0 30 0	-53 0	
				"	Groom 1119	U	2	-1 159	7 48 32 5	-0 9	-1 1	0 0		30 5	7 50 4 5	+ 1 34 0		
		12	*I P W*	W	Radcliffe 4208	L	3	+0 360	6 49 41 3	+0 3	+0 2	0 0	0 0	41 8	6 49 58 4	+ 0 16 6	-58 3	-55 7
					Piazzi VI 292	U	3	-0 156	7 7 40 7	-0 1	-0 2	0 0		40 4	7 8 27 1	+ 0 46 7		
					λ Ursæ Minoris	L	1	+1 182	7 30 47 0	+0 9	+0 9	0 0	0 0	48 8	7 30 18 9	- 0 29 9	-53 1	
				"	Groom 1119	U	1	-1 159	7 48 32 0	-0 9	-1 0	0 0		30 1	7 50 4 5	+ 1 34 4		
		" 13	*I P E*	W	Radcliffe 4208	L	3	+0 360	6 49 39 2	+0 4	+0 4	0 0	0 0	40 0	6 49 58 4	+ 0 18 4	-59 0	-58 1
				"	Piazzi VI 292	U	3	-0 156	7 7 38 8	-0 2	-0 3	0 0		38 3	7 8 27 1	+ 0 48 8		
				"	λ Ursæ Minoris	L	1	+1 182	7 30 46 0	+1 4	+1 6	0 0	0 0	49 0	7 30 18 9	- 0 30 1	-57 2	
				"	Groom 1119	U	1	-1 159	7 48 24 0	-1 4	-1 8	0 0		20 8	7 50 4 5	+ 1 43 7		
		" 14	*I P E*	W	Radcliffe 4208	L	3	+0 360	6 49 37 0	+0 4	+0 4	0 0	0 0	37 8	6 49 58 4	+ 0 20 6	-59 7	-60 5
					Piazzi VI 292	U	3	-0 156	7 7 36 2	-0 2	-0 3	0 0		35 7	7 8 27 1	+ 0 51 4		
				"	λ Ursæ Minoris	L	2	+1 182	7 30 50 5	+1 4	+1 4	0 0	0 0	53 3	7 30 18 9	- 0 34 4	-61 3	
				"	Groom 1119	U	2	-1 159	7 48 18 5	-1 4	-1 6	0 0		15 5	7 50 4 5	+ 1 49 0		

Arc	Station	Astronomical Date	Instrumental Position	Clock in use	Star	Culmination	No of Wires Observed	Deviation Constant A	Observed Time of Transit	Corrections for Collimation	Level	Pen Equation Q	Approximate Clock Rate	Seconds of Corrected Time of Transit	Right Ascension (Increased by 12 hours for Lower Culmination)	Apparent Clock Corrections	Deduced Value of Deviation Correction a	Adopted Value of Deviation Correction
		1892							h m s	s	s	s	s	s	h m s	m s	d	d
				E	Bradley 1399	U	2	-0 210	10 13 29 4	+1 0	+0 5	+1 5		32 4	10 14 9 0	+0 36 6		
				,	,, 2993	L	4	+0 268	10 21 44 4	-1 1	-0 4	+1 5	0 0	44 4	10 21 31 7	-0 12 7	-103 1	
		Mar 15	I P E	,	,, 3058	L	3	+0 193	10 55 8 7	-0 8	-0 3	-1 5	0 0	6 1	10 54 59 9	-0 6 2	-106 2	-105 7
				W	,, 3194	L	3	+0 304	11 38 15 1	-1 3	-0 5	-1 5		11 8	11 53 58 9	+15 47 1		
				,	Groom 1850	U	2	-0 290	11 42 52 4	+1 3	+0 6	-1 5	0 0	52 8	11 59 44 0	+16 51 2	-107 9	
				E	Bradley 1399	U	4	-0 210	10 13 42 8	-1 4	+0 2	+1 4		43 0	10 14 9 0	+0 26 0		
				,,	,, 2993	L	4	+0 268	10 21 30 8	+1 6	-0 2	+1 4	0 0	33 6	10 21 31 7	-0 1 9	-58 4	
		16	I P W	,,	,, 3058	L	3	+0 193	10 54 59 0	+1 1	-0 1	-1 4	0 0	58 6	10 54 59 9	+0 1 3	-61 3	-62 2
				W	, 3194	L	3	+0 304	11 38 4 0	+1 8	-0 2	-1 4		4 2	11 53 58 9	+15 54 7		
					Groom 1850	U	3	-0 290	11 43 12 6	-1 9	+0 3	-1 4	0 0	9 6	11 59 44 0	+16 34 4	-66 8	
				E	Bradley 1399	U	4	-0 210	10 13 42 2	-1 4	+0 2	+1 5		42 5	10 14 9 0	+0 26 5		
				,	,, 2993	L	3	+0 268	10 21 32 7	+1 6	-0 1	+1 5	0 0	35 7	10 21 31 7	-0 4 0	-63 8	
		,, 17	I P W	,	,, 3058	L	3	+0 193	10 55 0 9	+1 1	-0 1	-1 5	0 0	0 4	10 54 59 9	-0 0 5	-67 0	-66 3
				W	, 3194	L	3	+0 304	11 38 7 0	+1 8	-0 2	-1 5		7 1	11 53 58 9	+15 51 8		
				,	Groom 1850	U	3	-0 290	11 43 14 9	-1 9	+0 2	-1 5	0 0	11 7	11 59 44 0	+16 32 3	-68 2	
				E	Bradley 1399	U	5	-0 210	10 13 39 5	+1 0	+0 3	+1 5		42 3	10 14 9 0	+0 26 7		
				,	,, 2993	L	4	+0 268	10 21 39 5	-1 1	-0 3	+1 5	0 0	39 6	10 21 31 7	-0 7 9	-72 4	
		18	I P E		3058	L	3	+0 193	10 55 5 2	-0 8	-0 2	-1 5	0 0	2 7	10 54 59 9	-0 2 8	-73 2	-74 5
				W	3194	L	3	+0 304	11 38 16 6	-1 3	-0 3	-1 5		13 5	11 53 58 9	+15 45 4		
					Groom 1850	U	3	-0 290	11 43 12 1	+1 3	+0 4	-1 5	0 0	12 3	11 59 44 0	+16 31 7	-78 0	
				F	Bradley 1399	U	3	-0 210	10 13 41 0	+1 0	+0 4	+1 5		43 9	10 14 9 0	+0 25 1		
					2993	L	3	+0 268	10 21 40 0	-1 1	-0 3	+1 5	0 0	40 1	10 21 31 7	-0 8 4	,0 1	
		19	I P E		3058	L	3	+0 193	10 55 6 3	-0 8	-0 2	-1 5	0 0	3 8	10 54 59 9	-0 3 9	-72 0	-71 9
				W	3194	L	3	+0 304	11 38 17 8	-1 3	-0 4	-1 5		14 6	11 53 58 9	+15 44 3		
					Groom 1850	U	3	-0 290	11 43 15 7	+1 3	+0 5	-1 5	0 0	16 0	11 59 44 0	+16 28 0	-73 6	
				E	Bradley 1399	U	2	-0 210	10 13 41 0	-1 4	+0 4	+1 5		41 5	10 14 9 0	+0 27 5		
				,	, 2993	L	3	+0 268	10 21 43 3	+1 6	-0 3	+1 5	0 0	46 1	10 21 31 7	-0 14 4	-87 7	
		, 20	I P W		3008	L	3	+0 193	10 55 9 7	+1 1	-0 2	-1 5	0 0	9 1	10 54 59 9	-0 9 2	-91 1	-90 3
				W	, 3194	L	3	+0 304	11 38 22 9	+1 8	-0 4	-1 5		22 8	11 53 58 9	+15 36 1		
				,,	Groom 1850	U	3	-0 290	11 43 16 2	-1 9	+0 5	-1 5	0 0	13 3	11 59 44 0	+16 30 7	-92 0	

Arc: FYZABAD (E) AND DEHRA DÚN (W) — Station: FYZABAD (Latitude 26 47)

The Deviation corrections at Dehra Dun for this Arc were derived from intersections of a Meridian Mark, and are given on page 26 of Part I, of this Volume

TABLE III ABSTRACT OF OBSERVED VALUES OF PERSONAL EQUATION

Between Captain Burrard and Lieutenant Lenox-Conyngham

OBSERVED WITH TELESCOPE No 1

By Stars Of	At KARACHI (Latitude 24 51')						At BOMBAY (Latitude 18° 54')								
	November 9 1891			November 10, 1891			February 17 1892			February 18, 1892			February 19 1892		
	Star	Declination	Equation (B − C)	Star	Declination	Equation (B − C)	Star	Declination	Equation (B − C)	Star	Declination	Equation (B − C)	Star	Declination	Equation (B − C)
NORTH ASPECT	377	+ 42 22	−0 19	441	+ 46 27	−0 14	2343	+ 27 2	−0 34	2343	+ 27 2	−0 34	2410	+ 22 11	−0 16
	401	+ 28 11	−0 15	492	+ 43 50	−0 23	2374	+ 28 5	−0 25	2374	+ 28 5	−0 25	2429	+ 40 53	−0 25
	425	+ 42 54	−0 22	522	+ 50 9	−0 11	2410	+ 22 11	−0 16	2410	+ 22 11	−0 16	2440	+ 27 51	−0 24
	441	+ 46 27	−0 13	566	+ 40 12	−0 31	2416	+ 36 58	−0 34	2416	+ 36 58	−0 18	2472	+ 28 8 {	−0 23
	465	+ 36 41	−0 08	624	+ 32 46	−0 32	2429	+ 40 53	−0 26	2429	+ 40 53	−0 31			−0 23
	480	+ 40 52	−0 16	649	+ 37 21	−0 28	2440	+ 27 51	−0 36	2440	+ 27 51	−0 17	2499	+ 20 24	−0 31
	510	+ 42 4	−0 14	691	+ 32 52	−0 11	2472	+ 28 8 {	−0 25	2472	+ 28 8	−0 28	2509	+ 34 50	−0 23
	522	+ 50 9	−0 04	705	+ 48 28	−0 18			−0 33	2499	+ 20 24	−0 25	2540	+ 29 9	−0 14
	544	+ 37 25	−0 17	727	+ 40 55	−0 15	2499	+ 20 24	−0 36	2509	+ 34 50	−0 19	2578	+ 23 25	−0 20
	566	+ 40 12	−0 22	819	+ 53 4	−0 12	2517	+ 32 16	−0 26	2540	+ 29 9	−0 12	2592	+ 33 30	−0 28
	587	+ 46 34	−0 31	858	+ 56 39	−0 30	2540	+ 29 9	−0 26	2578	+ 23 25	−0 23	2605	+ 19 36	−0 18
	614	+ 53 58	−0 04				2578	+ 23 25	−0 19	2592	+ 33 30	−0 31	2617	+ 27 3	−0 25
							2592	+ 33 30	−0 33	2605	+ 19 36	−0 27	2632	+ 20 10	−0 27
							2632	+ 20 10	−0 28	2617	+ 27 3	−0 31	2714	+ 21 54	−0 29
							2714	+ 21 54	−0 27	2632	+ 20 10	−0 22	2734	+ 32 48	−0 29
							2784	+ 32 48	−0 33	2714	+ 21 54	−0 21	2786	+ 27 34	−0 21
Mean (B_N − C_N)			−0 154			−0 205			−0 286			−0 238			−0 234
SOUTH ASPECT	413	+ 17 15	−0 30	459	+ 11 20	−0 30	2330	+ 16 6	−0 25	2322	+ 9 21	−0 25	2451	+ 9 29	−0 23
	431	+ 18 41	−0 12	488	+ 11 35	−0 28	2358	− 6 19	−0 30	2330	+ 16 6	−0 21	2462	+ 8 30	−0 19
	437	+ 4 48	−0 14	533	+ 19 33	−0 33	2398	+ 16 44	−0 26	2358	− 0 19	−0 24	2487	+ 3 31	−0 25
	500	+ 15 52	−0 22	538	+ 16 53	−0 31	2451	+ 9 29	−0 24	2398	+ 16 44	−0 24	2491	+ 3 36	−0 28
	533	+ 19 33	−0 14	556	+ 21 55	−0 27	2462	+ 8 30	−0 22	2451	+ 9 29	−0 25	2526	+ 5 29	−0 31
	538	+ 16 53	−0 20	561	+ 10 31	−0 25	2480	+ 2 9	−0 24	2462	+ 8 30	−0 14	2558	+ 18 47	−0 30
	561	+ 10 31	−0 18	581	+ 23 3	−0 22	2487	+ 3 31	−0 41	2480	+ 2 9	−0 16	2649	+ 16 49	−0 28
	577	+ 20 17	−0 17	598	− 2 36	−0 36	2491	+ 3 36	−0 23	2487	+ 3 31	−0 42	2664	+ 16 45	−0 26
	598	− 2 36	−0 19	609	+ 11 46	−0 26	2526	+ 5 29	−0 15	2491	+ 3 36	−0 25	2679	+ 10 15	−0 31
	633	− 0 24	−0 31	641	+ 7 13	−0 28	2558	+ 18 47	−0 29	2526	+ 5 29	−0 25	2690	+ 13 26	−0 19
	641	+ 7 13	−0 32	741	+ 9 14	−0 23	2612	+ 2 3	−0 27	2558	+ 18 47	−0 31	2725	− 2 40	−0 19
				750	+ 10 11	−0 28	2649	+ 16 49	−0 22	2649	+ 16 49	−0 28	2744	+ 17 59	−0 13
				766	+ 24 47	−0 24	2664	+ 16 45	−0 26	2664	+ 16 45	−0 27	2759	+ 18 0	−0 33
							2679	+ 10 15	−0 22	2679	+ 10 15	−0 30	2778	+ 9 31	−0 10
							2690	+ 13 26	−0 30	2690	+ 13 26	−0 22	2782	+ 9 12	−0 30
							2725	− 2 40	−0 24	2725	− 2 40	−0 19			
							2759	+ 18 0	−0 39						
Mean (B_S − C_S)			−0 208			−0 270			−0 276			−0 247			−0 243

Between Captain Burrard and Lieutenant Lenox-Conyngham.

	At DEHRA DŪN (Latitude 30° 19')									
By Stars or	**OBSERVED WITH TELESCOPE No 2.**						**OBSERVED WITH TELESCOPE No. 1**		
	April 2, 1892			April 3, 1892			April 4, 1892		
	Star	Declination	Equation $(B - C)$	Star	Declination	Equation $(B - C)$	Star	Declination	Equation $(B - C)$
NORTH ASPECT	3728	+ 34 48	− 0 17	3728	+ 34 48	− 0 14	3728	+ 34 48	− 0 20
	3741	+ 34 5	− 0 29	3741	+ 34 5	− 0 28	3757	+ 41 0	− 0 24
	3757	+ 41 0	− 0 16	3757	+ 41 0	− 0 16	3784	+ 38 49	− 0 38
	3784	+ 38 49	− 0 17	3851	+ 32 9	− 0 12	3851	+ 32 9	− 0 18
	3851	+ 32 9	− 0 22	3905	+ 39 56	− 0 36	3868	+ 44 5	− 0 30
	3905	+ 39 56	− 0 19	3952	+ 44 13	− 0 20	3905	+ 39 56	− 0 32
	3952	+ 44 13	− 0 32	3973	+ 42 19	− 0 32	3952	+ 44 13	− 0 29
	3973	+ 42 19	− 0 27	3981	+ 48 23	− 0 21	3973	+ 42 19	− 0 31
	3981	+ 48 23	− 0 35	3998	+ 35 32	− 0 23	3981	+ 48 23	− 0 25
	3998	+ 35 32	− 0 22	4010	+ 38 34	− 0 40	3998	+ 35 32	− 0 22
	4010	+ 38 34	− 0 45	4028	+ 47 4	− 0 19	4010	+ 38 34	− 0 27
	4028	+ 47 4	− 0 25						
	Mean $(B_N - C_N)$		− 0 255			− 0 237			− 0 269
SOUTH ASPECT	3671	+ 23 45	− 0 17	3708	+ 11 7	− 0 29	3684	+ 3 3	− 0 21
	3696	+ 6 55	− 0 36	3776	+ 20 46	− 0 32	3696	+ 6 55	− 0 25
	3708	+ 11 7	− 0 25	3795	+ 2 28	− 0 26	3708	+ 11 7	− 0 28
	3720	+ 4 10	− 0 33	3824	+ 14 59	− 0 31	3769	+ 6 41	− 0 28
	3776	+ 20 46	− 0 36	3861	+ 5 28	− 0 29	3776	+ 20 46	− 0 27
	3795	+ 2 28	− 0 30	3877	+ 11 8	− 0 24	3795	+ 2 28	− 0 27
	3808	+ 17 48	− 0 31	3919	+ 14 58	− 0 18	3808	+ 17 48	− 0 27
	3824	+ 14 59	− 0 35	3930	+ 3 40	− 0 40	3824	+ 14 59	− 0 31
	3831	+ 20 43	− 0 26	3990	+ 20 49	− 0 32	3831	+ 20 43	− 0 40
	3861	+ 5 28	− 0 22	4039	+ 4 5	− 0 35	3842	+ 23 41	− 0 24
	3877	+ 11 8	− 0 24	4049	+ 4 15	− 0 29	3877	+ 11 8	− 0 28
	3919	+ 14 58	− 0 32				3919	+ 14 58	− 0 23
	3930	+ 3 40	− 0 25				3930	+ 3 40	− 0 31
							3937	+ 28 23	− 0 27
	Mean $(B_S - C_S)$		− 0 286			− 0 295			− 0 276

Between Captain Burrard and Lieutenant Lenox-Conyngham

Station	By Stars of North Aspect			By Stars of South Aspect		
	Astronomical Date	Telescope in use	Mean Value of Equation $(B_N - C_N)$	General Mean $(B_N - C_N)$	Mean Value of Equation $(B_S - C_S)$	General Mean $(B_S - C_S)$
KARACHI	1891 November 9 , 10	No 1 „ 1	$- 0\;154$ $- 0\;205$	$- 0\;180$	$- 0\;208$ $- 0\;270$	$- 0\;239$
BOMBAY	1892 February 17 , 18 „ 19	No 1 , 1 „ 1	$- 0\;286$ $- {}^{.}0\;238$ $- 0\;234$	$- 0\;253$	$- 0\;276$ $- 0\;247$ $- 0\;243$	$- 0\;255$
DEHRA DÚN	April 2 „ 3 4	No 2 „ 2 „ 1	$- 0\;255$ $- 0\;237$ $- 0\;269$	$- 0\;254$	$- 0\;286$ $- 0\;295$ $- 0\;276$	$- 0\;286$

Final Values of the Equation Adopted

The difference between the final means $(B_N - C_N)$ and $(B_S - C_S)$ is so small that a mean of the two has been adopted as applicable to all stars

For the first Arc of the season, *viz*, Calcutta-Waltair, the following value was adopted, $(B - C) = - 0\;210$, being the November value

For the second and third Arcs, *viz*, Waltair-Jubbulpore and Waltair-Madras the following value was adopted, $(B - C) = - 0\;254$, being the February value

For the fourth and fifth Arcs, *viz*, Waltair-Bolarum and Bolarum-Bombay the following value was adopted, $(B - C) = - 0\;262$, being the mean of the February and April values

For the sixth Arc, *viz*, Fyzabad Dehra Dún, the April value $(B - C) = - 0\;270$ was adopted

In these equations the general symbol $(B - C)$ signifies the quantity which must be *added* to times observed by Lieutenant Lenox-Conyngham, before they are compared with those observed by Captain Burrard

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

317

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

CALCUTTA (E) *Lat 22 33 Long 5h 53m 36s* AND WALTAIR (W) *Lat 17° 48' Long 5h 33m 28s*

Astronomical Date	STAR BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $C_B - B_S = +0^s\,210$ / $C_S - B_S = +0\,210$	$\Delta L - \rho$
1891 Dec 6	1408	+28 44	N	I P E / d / c +2 5 / b +5 6 / a +0 3 / Q +1 94	4 27 52 65	+2 14	54 19	N	I P E / d / c −5 1 / b −11 6 / a +237 6 / Q +1 64	4 48 3 87	−0 04	3 83	20 9 04	20 8 945	0 060	+0 210	20 9 095
	1414	+41 3	N		29 12 74	+2 17	14 91	N		49 25 50	−1 74	23 76	8 85				
	1384	+12 49	S		4 22 47 29	+2 13	49 42	S		4 42 56 85	+1 64	58 49	20 9 07	20 9 003	0 060	+0 210	20 9 153
	1391	+15 58	S		24 22 94	+2 13	25 07	S		44 32 66	+1 33	33 99	8 92				
	1402	+15 37	S		25 41 80	+2 13	43 93	S		45 51 58	+1 37	52 95	9 02				
	1449	+22 45	N	Q −1 94	4 35 49 67	−1 74	47 93	N	Q +1 64	4 55 56 55	+0 64	57 19	20 9 26	20 9 123	0 060	+0 210	20 9 2 3
	1462	+28 28	N		39 8 07	−1 74	6 33	N		59 15 46	0 00	15 46	9 13				
	1475	+32 24	N		42 23 89	−1 72	22 17	N		5 2 31 70	−0 49	31 21	9 04				
	1492	+36 31	N		45 28 27	−1 72	26 55	N		5 36 66	−1 05	35 61	9 06				
	1435	− 2 41	S		4 32 14 25	−1 77	12 46	S		4 52 18 43	+3 05	21 48	20 9 02	20 8 980	0 060	+0 210	20 9 110
	1442	+11 59	S		34 6 75	−1 75	5 00	S		54 12 30	+1 71	14 01	9 01				
	1460	− 3 27	S		40 10 50	−1 77	8 73	S		5 0 14 54	+3 12	17 66	8 93				
	1485	+15 43	S		43 37 60	−1 75	35 85	S		3 43 46	+1 35	44 81	8 96				
Dec 7	1362	+22 3	N	I P W / d / c −4 1 / b 0 0 / a −48 2 / Q 0 00	4 19 2 56	−0 11	2 45	N	I P E / d / c −5 1 / b −8 9 / a +2,8 5 / Q −1 64	4 39 13 98	−2 47	11 51	20 9 06	20 8 957	0 059	+0 210	20 9 108
	1371	+22 45	N		20 56 68	−0 10	56 58	N		41 8 04	−2 56	5 48	8 90				
	1408	+28 44	N		27 59 15	+0 03	59 18	N		48 11 44	−3 35	8 09	8 91				
	1350	+16 32	S		4 17 19 97	−0 22	19 75	S		4 37 30 63	−1 83	28 80	20 9 05	20 8 975	0 059	+0 210	20 9 126
	1384	+12 49	S		22 53 98	−0 28	53 70	S		43 4 08	−1 40	2 68	8 98				
	1391	+15 58	S		24 29 50	−0 23	29 27	S		44 40 01	−1 78	38 23	8 96				
	1402	+15 37	S		25 48 52	−0 23	48 29	S		45 58 92	−1 72	57 20	8 91				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$.

CALCUTTA (E) *Lat* 22° 33', *Long* 5ʰ 53ᵐ 36ˢ ; AND WALTAIR (W) *Lat* 17° 43', *Long* 5ʰ 33ᵐ 26ˢ

Astronomical Date	BAC Number	Declination	Star Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W−E)	Mean of Group	Correction for Rate of B Clock	Corrn for Persl. Equations $C_m - B_m = + 0^s\,210$; $C_s - B_s = + 0\,210$	$\Delta L - \rho$
		° '			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
1891 Dec 7	1449	+ 22 45	N	I P W	4 35 52 43	− 0 10	52 33	N	I P E	4 56 4 01	− 2 56	1 45	20 9 12	20 9 115	0 059 −	0 210 +	20 9 266
	1462	+ 28 28	N	d / c − 4 1	39 10 55	+ 0 03	10 58		c − 5 1	59 23 02	− 3 30	19 72	9 14				
	1475	+ 32 24	N	b 0 0 / a − 48 2	42 26 28	+ 0 11	26 39	N	b − 8 9 / a + 278 5	5 2 39 39	− 3 88	35 51	9 12				
	1492	+ 36 31	N	Q 0 00	45 30 60	+ 0 21	30 81	N	Q − 1 64	5 44 41	− 4 52	39 89	9 08				
	1485	− 2 41	S		4 32 17 25	− 0 55	16 70	S		4 52 25 51	+ 0 23	25 74	20 9 04	20 9 053	0 059 −	0 210 +	20 9 204
	1442	+ 11 59	S		34 9 54	− 0 29	9 25			54 19 56	− 1 32	18 24	8 99				
	1469	− 3 27	S		40 13 38	− 0 56	12 82			5 0 21 64	+ 0 31	21 95	9 13				
	1485	+ 15 43	S		43 40 24	− 0 23	40 01	S		3 50 81	− 1 75	49 06	9 05				
Dec 8	1414	+ 41 3	N	I P W / d / c − 4 1 / b − 1 0 / a − 41 2 / Q 0 00	4 29 23 22	+ 0 24	23 46	N	I P W / d / c + 3 3 / b + 2 9 / a + 240 4 / Q + 1 61	4 49 33 22	− 1 05	32 17	20 8 71	20 8 710	0 057 −	0 210 +	20 8 863
	1884	+ 12 49	S		4 22 58 19	− 0 27	57 92	S		4 43 4 64	+ 2 24	6 88	20 8 96	20 8 940	0 057 −	0 210 +	20 9 093
	1891	+ 15 58	S		24 33 76	− 0 23	33 53			44 40 52	+ 1 93	42 45	8 92				
	1440	+ 22 45	N	Q 0 00	4 35 56 61	− 0 12	56 49	N	Q + 1 61	4 56 4 16	+ 1 26	5 42	20 8 93	20 8 980	0 057 −	0 210 +	20 9 133
	1492	+ 36 31	N		45 34 81	+ 0 14	34 95			5 5 44 36	− 0 38	43 98	9 03				
	1485	− 2 41	S		4 32 21 34	− 0 50	20 84	S		4 52 26 27	+ 3 62	29 89	20 9 05	20 9 025	0 057 −	0 210 +	20 9 178
	1469	− 3 27	S		40 17 53	− 0 51	17 02	S		5 0 22 33	+ 3 69	26 02	9 00				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$.

CALCUTTA (E) *Lat 22° 33', Long 5ʰ 53ᵐ 36ˢ*: AND WALTAIR (W) *Lat 17° 43', Long 5ʰ 33ᵐ 36ˢ*

Astronomical Date	STAR — BAO Number	STAR — Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference of Corrected Times (W – E) — By each Star	Difference of Corrected Times (W – E) — Mean of Group	Correction for Rate of E Clock	Corrn. for Persl. Equations $C_N - B_N = +0ˢ·210$, $C_S - B_S = +0·210$	$\Delta L - \rho$
			\multicolumn — Transits Observed at E By Lenox-Conyngham, with Telescope No 2					Transits Observed at W By Burrard, with Telescope No 1									
					h m s	s	s			h m s	s	s	m s	s			
1891 Dec 10	1862	+ 22 3	N	I P E / d / c + 2 5 / b + 1 1 / a −47 0 / Q 0 00	4 19 14 59	+0 08	14 67	N	I P W / d / o − 1 7 / b + 0 5 / a +280 4 / Q + 1 63	4 39 22 48	+1 10	23 58	20 8 91	20 8 875	0 050	+ 0 210	20 9 035
	1371	+ 22 45	N		21 8 58	+0 09	8 67	N		41 16 59	+1 01	17 60	8 93				
	1408	+ 28 44	N		28 11 06	+0 22	11 28	N		48 19 85	+0 23	20 08	8 80				
	1414	+ 41 3	N		29 30 73	+0 54	31 27	N		49 41 85	−1 72	40 13	8 86				
	1350	+ 16 32	S		4 17 32 00	−0 03	31 97	S		4 37 38 98	+1 74	40 32	20 8 75	20 8 795	0 050	+ 0 210	20 8 955
	1384	+ 12 49	S		23 6 04	−0 10	5 94	S		43 12 62	+2 16	14 78	8 84				
	1391	+ 15 58	S		24 41 52	−0 04	41 48	S		44 48 51	+1 80	50 31	8 83				
	1402	+ 15 37	S		26 0 51	−0 04	0 47	S		46 7 38	+1 85	9 23	8 76				
	1449	+ 22 45	N	Q 0 00	4 36 4 41	+0 09	4 50	N	Q + 1 03	4 56 12 48	+1 01	13 49	20 8 99	20 8 928	0 050	+ 0 210	20 9 088
	1462	+ 28 28	N		39 22 69	+0 21	22 90	N		59 31 48	+0 28	31 76	8 86				
	1475	+ 32 24	N		42 38 29	+0 31	38 60	N		5 2 47 80	−0 29	47 51	8 91				
	1492	+ 36 31	N		45 42 56	+0 41	42 97	N		5 52 85	−0 93	51 92	8 95				
	1435	− 2 41	S		4 32 29 22	−0 37	28 85	S		4 52 33 88	+3 80	37 68	20 8 83	20 8 855	0 050	+ 0 210	20 9 015
	1442	+ 11 59	S		34 21 48	−0 12	21 36	S		54 27 99	+2 24	30 23	8 87				
	1469	− 3 27	S		40 25 49	−0 38	25 11	S		5 0 30 08	+3 87	33 95	8 84				
	1485	+ 15 43	S		43 52 18	−0 04	52 14	S		3 59 20	+1 82	61 02	8 88				
Dec 11	1695	+,21 51	N	I P W / d / c − 4 1 / b − 2 1 / a −36 7 / Q + 1 67	5 21 29 53	+1 51	31 04	N	I P E / d / c − 5 1 / b − 4 8 / a + 9 1 / Q + 1 61	5 41 38 80	+1 35	40 15	20 9 11	20 9 183	0 045	+ 0 210	20 9 348
	1709	+ 29 6	N		23 9 43	+1 63	11 06	N		43 18 90	+1 31	20 21	9 15				
	1728	+ 32 7	N		26 2 24	+1 67	3 91	N		46 11 90	+1 30	13 20	9 29				
	1657	− 0 31	S		5 16 22 15	+1 22	23 37	S		5 36 30 88	+1 46	32 34	20 8 97	20 8 995	0 045	+ 0 210	20 9 160
	1671	+ 17 17	S		18 28 04	+1 44	29 48	S		38 37 12	+1 38	38 50	9 02				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

CALCUTTA (E) *Lat* 22° 88′, *Long* 5ʰ 58ᵐ 86 ; AND WALTAIR (W) *Lat* 17° 43′ *Long* 5ʰ 35ᵐ 26ˢ

Astronomical Date	STAR BAC Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrᵖ for Persl Equations $C_N - B_N = + 0\ 210$ $C_S - B_S = + 0\ 210$	$\Delta L - \rho$
1801 Dec 11	1742	+ 23 58	N	*I P W*	h m s 5 29 15 47	− 1 80	s 13 6,	N	*I P E*	h m s 5 49 21 27	+ 1 35	22 62	m s 20 8 95			+ 0 210	20 9 148
	17,4	+ 26 52	N	c − 4 1	30 48 16	− 1 75	46 41	N	c − 5 1	50 54 10	+ 1 32	55 42	9 01	s 8 983	0 045		
	1768	+ 30 26	N	b − 2 1 a −36 7	32 5 91	− 1 70	4 21	N	b − 4 8 a + 9 1	52 12 00	+ 1 31	13 31	9 10	20	−		
	1778	+ 25 50	N	*Q* − 1 67	33 26 61	− 1 67	24 94	N	*Q* + 1 61	53 32 48	+ 1 33	13 81	8 87				
	1789	− 3 37	S		6 34 32 84	− 2 16	30 68	S		5 54 38 08	+ 1 47	39 55	20 8 87			+ 0 210	20 9 128
	1806	+ 1 25	S	•,	37 17 96	− 2 10	15 86	S		57 23 23	+ 1 46	24 69	8 83	s 8 963	0 045		
	1810	+ 16 3	S		39 4 04	− 1 92	2 12	S		59 9 83	+ 1 3)	11 22	9 10	20	−		
	1821	+ 15 47	S		40 56 94	− 1 92	55 02	S		6 1 2 68	+ 1 39	4 07	9 05				
Dec 12	1362	+ 22 3	N	*I P W*	4 19 19 66	+ 1 47	21 13	N	*I P W*	4 39 28 58	+ 1 43	30 01	20 8 88			+ 0 210	20 8 955
	1371	+ 22 45	N	c − 4 1	20 13 73	+ 1 48	15 21	N	c − 1 7	40 22 54	+ 1 45	23 99	8 ,8	s 8 ,90	0 045		
	1408	+ 28 44	N	b − 4 1 a −19 4	28 16 13	+ 1 59	17 72	N	b − 8 2 a −36 1	48 24 98	+ 1 54	26 52	8 80	20	−		
	1414	+ 41 3	N	*Q* + 1 68	29 35 97	+ 1 81	37 78	N	*Q* + 1 61	49 44 71	+ 1 ,7	46 48	8 70				
	1350	+ 16 32	S		4 17 37 06	+ 1 38	38 44	S		4 37 45 93	+ 1 36	4, 29	20 8 85			+ 0 210	20 8 973
	1384	+ 12 49	S		23 11 07	+ 1 35	12 42	S		43 19 88	+ 1 31	21 19	8 77	s 8 868	0 045		
	1391	+ 15 58	S		24 46 45	+ 1 38	47 83	S		44 55 39	+ 1 35	56 ,4	8 91	20	−		
	1402	+ 15 37	S		26 5 ,8	+ 1 38	6 96	S		46 14 31	+ 1 35	15 66	8 70				
	1449	+ 22 45	N	*Q* − 1 68	4 36 12 80	− 1 88	10 92	N	*Q* − 1 61	4 56 21 67	− 1 77	19 90	20 8 98			+ 0 210	20 9 040
	1462	+ 28 28	N		39 31 21	− 1 78	29 43	N		59 39 87	− 1 68	38 19	8 ,6	s 8 875	0 045		
	1475	+ 32 24	N		42 46 92	− 1 72	45 20	N		5 2 53 60	+ 0 3,	53 97	8 77	20	−		
	1492	+ 36 31	N		45 51 00	− 1 64	49 36	N		5 59 91	− 1 56	58 35	8 99				
	1442	+ 11 59	S		4 34 29 90	− 2 03	27 87	S		4 54 38 64	− 1 92	36 72	20 8 85			+ 0 210	20 9 068
	1469	− 3 27	S		40 13 70	− 2 24	31 46	S		5 0 42 48	− 2 11	40 37	8 91	s 8 903	0 045		
	1485	+ 15 43	S		43 60 58	− 1 98	58 60	S		4 9 42	− 1 87	7 55	8 95	20	−		

CALCUTTA (E) *Lat 22° 33′, Long* 5ʰ 53ᵐ 36ˢ AND WALTAIR (W) *Lat 17° 45′, Long* 5ʰ 33ᵐ 96ˢ

Astronomical Date	STAR BAC Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Corrct ed Time	Difference of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations C₂ − B₂ = + 0ˢ 210 C₃ − B₃ = + 0ˢ 210	ΔL + ρ
					h m s	s	s			h m s	s	s	m s		s	s	s
1891 Dec 6	1695	+ 21 51	N	I P E	5 0 18 99	+ 2 13	21 12	N	I P E	5 20 32 78	− 2 53	30 25	20 9 13		+ 0 011	+ 0 210	9 354
	1714	+ 22 23	N	d c + 2 5	3 22 26	+ 2 14	24 40	N	d c − 5 1	23 36 11	− 2 62	33 49	9 09	9 133			20 9 354
	1723	+ 32 7	N	b + 5 6 a + 0 3	4 51 95	+ 2 16	54 11	N	b − 15 6 a + 217 6	25 7 03	− 3 74	3 29	9 18	20	+	+	
				s Q + 1 94					s Q − 1 64								
	1657	− 0 31	S		4 55 11 25	+ 2 12	13 37	S		5 15 23 07	− 0 42	22 64	20 9 28		+ 0 011	+ 0 210	9 454
	1660	− 0 29	S		55 25 07	+ 2 12	27 19	S		15 36 87	− 0 42	36 45	9 26	9 213			20 9 454
	1671	+ 17 17	S		57 17 36	+ 2 13	19 49	S		17 30 76	− 2 08	28 68	9 19	20	+	+	
	1680	+ 1 45	S		58 18 65	+ 2 12	20 77	S		18 30 59	− 0 62	29 97	9 20				
									·								
	1742	+ 23 58	N	s Q − 1 94	5 8 5 32	− 1 74	3 58	N	s Q − 1 64	5 28 15 45	− 2 48	12 67	20 9 09		+ 0 011	+ 0 210	9 424
	1751	+ 26 52	N		9 38 02	− 1 74	36 28	N		29 48 64	− 3 11	45 53	9 25	9 203			20 9 424
	1768	+ 30 26	N		10 55 87	− 1 74	54 13	N		31 6 91	− 3 51	3 40	9 27	20	+	+	
	1810	+ 16 3	S		5 17 54 01	− 1 75	52 26	S		5 38 3 24	− 1 95	1 29	20 9 03		+ 0 011	+ 0 210	9 331
	1821	+ 15 47	S		20 46 95	− 1 75	45 20	S		40 56 12	− 1 93	54 19	8 99	9 010			20 9 331
									·					20	+	+	
Dec 7	1709	+ 29 6	N	I P W	5 2 0 29	+ 0 04	0 33	N	I P E	5 22 9 72	− 0 10	9 62	20 9 29		+ 0 011	+ 0 210	9 451
	1714	+ 22 23	N	d c − 4 1	3 23 72	− 0 10	23 62	N	d c − 5 1	23 32 06	+ 0 75	32 81	9 19	9 230			20 9 451
	1723	+ 32 7	N	b 0 0 a − 48 2	4 53 24	+ 0 10	53 34	N	b − 8 9 a + 278 5	25 3 11	− 0 56	2 55	9 21	20	+	+	
				s Q 0 00					s Q + 1 64								

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

CALCUTTA (E) *Lat* 22° 33' *Long* 5ʰ 53ᵐ 56 : AND WALTAIR (W) *Lat* 17° 43', *Long* 5ʰ 33ᵐ 26°

Astronomical Date	BAC Number	Decli nation	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $C_E - B_W = +\,0^s\,210$ $C_B - B_S = +\,0\,210$	$\Delta L + \rho$
1891 Dec 7	1754	+ 26 52	N	I P W	h m s 5 9 35 65	s − 0 01	s 35 64	N	I P E	h m s 5 29 44 62	s + 0 18	s 44 80	m s 20 9 16				
	1768	+ 30 26	N	d 0 − 4 1	10 53 38	+ 0 06	53 44	N	d 0 − 5 1	31 2 97	− 0 31	2 66	9 22	s 9 193	s 0 011	0 210	s 9 414
	1778	+ 25 50	N	b 0 0 a − 48 2	11 14 07	− 0 03	14 04	N	b 8 9 a + 278 5	32 22 92	+ 0 32	23 24	9 20	m 20	+	+	m 20
				s Q 0 00					s Q + 1 64								
	1780	− 3 37	S		5 13 20 40	− 0 57	19 83	S		5 33 25 43	+ 3 62	29 05	20 9 22				
	1806	+ 1 25	S		16 5 42	− 0 48	4 94	S		36 11 11	+ 3 09	14 20	9 26	s 9 210	s 0 011	0 210	s 9 431
	1810	+ 16 3	S		17 51 62	− 0 23	51 39	S		37 59 03	+ 1 50	60 53	9 14	m 20	+	+	m 20
	1821	+ 15 47	S		19 44 46	− 0 23	44 23	S		39 51 92	+ 1 53	53 45	9 22				
Dec 8	1695	+ 21 51	N	I P W	5 0 19 83	− 0 13	19 70	N	I P W	5 20 30 65	− 1 88	28 17	20 9 07				
	1709	+ 29 6	N	d 0 − 4 1	1 59 72	− 0 01	59 71	N	d 0 + 3 3	22 11 45	− 2 67	8 78	9 07	s 9 140	s 0 011	0 210	s 9 361
	1714	+ 22 23	N	b − 1 0 a − 41 2	3 22 87	− 0 12	22 75	N	b + 2 9 a + 240 4	23 33 98	− 1 95	32 03	9 28	m 20	+	+	m 20
				s Q 0 00					s Q − 1 62								
	1657	− 0 31	S		4 55 12 49	− 0 47	12 02	S		5 15 20 90	+ 0 19	21 09	20 9 07				
	1660	− 0 29	S		55 26 17	− 0 47	25 70	S		15 34 67	+ 0 19	34 86	9 16	s 9 140	s 0 011	0 210	s 9 361
	1671	+ 17 17	S		57 18 27	− 0 21	18 06	S		17 28 55	− 1 42	27 13	9 07	m 20	+	+	m 20
	1685	+ 1 45	S		58 19 63	− 0 44	19 19	S		18 28 45	0 00	28 45	9 26				
Dec 10	1695	+ 21 51	N	I P E	5 0 17 94	+ 0 08	18 02	N	I P W	5 20 29 23	− 2 14	27 09	20 9 07				
	1723	+ 32 7	N	d 0 + 2 5	4 50 72	+ 0 31	51 03	N	d 0 − 1 1	25 3 59	− 3 51	0 08	9 05	s 9 060	s 0 012	0 210	s 9 282
				b + 1 1 a − 47 0					b + 0 5 a + 280 4					m 20	+	+	m 20
				s Q 0 00					s Q − 1 63								

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

333

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

CALCUTTA (E) *Lat 22° 33′ Long 5ʰ 53ᵐ 36ˢ⸴ AND WALTAIR (W) Lat 17 45′, Long 5ʰ 33ᵐ 26ˢ*

Astronomical Date	STAR			TRANSITS OBSERVED AT E				TRANSITS OBSERVED AT W					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn for Pernl. Equations $C_N - B_N = + 0ˢ 210$ $C_S - B_S = + 0 210$	ΔL + ρ
				By Lenox Conyngham, with Telescope No 2				By Burrard, with Telescope No 1									
	B A C Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1891 Dec 10	1657	− 0 31	S	I P E	h m s 4 55 10 70	s − 0 33	s 10 37	S	I P W	h m s 5 15 19 05	s + 0 30	s 19 35	m s 20 8 98		s 9 008 20	s 0 012	s 0 210	s 9 230 20
	1660	− 0 29	S	d c + 2 5	55 24 45	− 0 33	24 12	S	d c − 1 7	15 3 89	+ 0 30	33 19	9 07			+	+	9 07
	1671	+ 17 17	S	b + 1 1 a −47 0	5 16 50	− 0 01	16 49	S	b + 0 5 a +28 0	17 27 00	− 1 60	25 40	8 91					
	1685	+ 1 43	S	s Q 0 00	58 17 95	− 0 30	17 65	S	s Q − 1 63	18 26 64	+ 0 08	26 72	9 07					
	1742	+ 23 58	N	s Q 0 00	5 8 0 36	+ 0 12	0 48	N	s Q − 1 63	5 28 11 96	− 2 42	9 54	⁎20 9 06		s 9 020 20	s 0 012	s 0 210	s 9 242 20
	1754	+ 26 52	N		9 33 12	+ 0 18	33 30	N		29 45 05	− 2 78	42 27	8 97			+	+	
	1768	+ 30 26	N		10 50 87	+ 0 25	51 12	N		31 3 45	− 3 26	0 19	9 07					
	1778	+ 5 50	N		12 11 62	+ 0 16	11 78	N		32 23 40	− 2 64	20 76	8 98					
	1789	− 3 37	S		5 13 17 97	− 0 39	17 58	S		5 33 25 90	+ 0 64	26 54	20 8 96		s 8 898 20	s 0 012	s 0 210	s 9 120 20
	1806	+ 1 25	S		16 2 99	− 0 30	2 69	S		36 11 52	+ 0 11	11 63	8 94			+	+	
	1810	+ 16 3	S		17 49 22	− 0 03	49 19	S		37 59 49	− 1 46	58 03	8 84					
	1821	+ 15 47	S		19 42 05	− 0 04	42 01	S		39 52 30	− 1 44	50 86	8 85					
Dec 11	2047	+ 22 34	N	I P W	5 55 32 19	+ 1 52	33 71	N	I P E	6 15 44 93	− 1 88	43 05	20 9 34		s 9 295 20	s 0 012	s 0 210	s 9 517 20
	2067	+ 21 42	N	d c − 4 1 b − 2 1 a −36 7	58 20 51	+ 1 51	22 02	N	d c − 5 1 b − 4 8 a + 9 1	18 33 15	− 1 88	31 27	9 25			+	+	
				s Q + 1 67					s Q − 1 62									
	2057	+ 3 49	S		5 56 44 01	+ 1 28	45 29	S		6 16 56 25	− 1 78	54 47	20 9 18		s 9 140 20	s 0 012	s 0 210	s 9 362 20
	2086	+ 0 22	S		6 0 48 06	+ 1 23	49 29	S		20 60 16	− 1 77	58 39	9 10			+	+	

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

CALCUTTA (F) *Lat 22° 33 Long* 5ʰ 53ᵐ 88 AND WALTAIR (W) *Lat 17° 43′ Long* 5ʰ 83ᵐ 26′

Astronomical Date	STAR			TRANSITS OBSERVED AT E *By Lenox Conyngham with Telescope No 2*				TRANSITS OBSERVED AT W *By Burrard with Telescope No 1*				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn for Persl Equations $C_N = B_N = + c^p \, 210$ $C_S = B_S = + o \, 210$	$\Delta L + \rho$
	BAC Number	Decli nation	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1891	2110	+ 32 32	N	*I P W*	h m s 6 4 14 20	s − 1 66	s 32 54	N	*I P E*	h m s 6 24 43 76	s − 1 94	s 41 82	m s 20 9 28	m s 20 9 213	s 0 012	s 0 210	s 20 9 435
Dec 11	2155	+ 39 29	N	d c − 4 1	10 20 30	− 1 54	18 76	N	d c − 5 1	30 29 03	− 1 00	28 03	9 27				
	2170	+ 28 23	N	b − 2 1 a − 36 7 c	11 54 55	− 1 72	52 83	N	b − 4 8 a + 9 1 s	32 3 83	− 1 91	1 92	9 09		+	+	
				s Q − 1 67					*s* Q − 1 62								
	2123	+ 4 56	S		6 5 45 56	− 2 05	43 51	S		6 25 54 26	− 1 79	52 47	20 8 96	20 9 068	0 012	0 210	20 9 290
	2140	+ 16 17	S		7 50 24	− 1 91	48 33	S		27 59 36	− 1 84	57 52	9 19				
	2191	+ 17 45	S		15 17 15	− 1 89	15 26	S		35 24 53	− 0 23*	24 30	9 04		+	+	
	2199	+ 13 20	S		17 4 06	− 1 95	2 11	S		37 13 01	− 1 83	11 19	9 08				
Dec 12	1695	+ 21 51	N	*I P W*	5 0 14 80	+ 1 47	16 27	N	*I P W*	5 20 23 83	+ 1 43	25 26	20 8 99	20 9 003	0 012	0 210	20 9 225
	1700	+ 29 6	N	d c − 4 1	1 54 15	+ 1 59	56 34	N	d c − 1 7	22 3 73	+ 1 54	5 27	8 93				
	1711	+ 22 23	N	b − 4 1 a − 39 4	3 18 01	+ 1 48	19 43	N	b − 8 2 a − 36 1	23 27 15	+ 1 44	28 59	9 10		+	+	
	1723	+ 32 7	N	*s* Q + 1 68	4 47 65	+ 1 63	49 28	N	*s* Q + 1 61	24 56 67	+ 1 60	58 7	8 99				
	1742	+ 23 58	N	*s* Q − 1 68	5 7 60 48	− 1 86	58 62	N	*s* Q − 1 61	5 28 9 50	− 1 75	7 75	20 9 13	20 9 08	0 012	0 210	20 9 300
	1755	+ 26 52	N		9 33 25	− 1 80	31 45	N		29 42 27	− 1 61	40 56	9 11				
	1768	+ 30 26	N		10 51 20	− 1 76	49 44	N		30 60 03	− 1 63	58 38	8 94		+	+	
	1778	+ 25 50	N		12 11 75	− 1 82	9 93	N		32 20 78	− 1 72	19 06	9 13				
	1789	− 3 37	S		5 33 18 06	− 2 24	15 82	S		5 33 26 93	− 2 12	24 81	20 8 99	20 9 043	0 012	0 210	20 9 255
	1810	+ 16 3	S		17 49 29	− 1 98	47 31	S		37 58 20	− 1 87	56 33	9 02				
	1821	+ 15 47	S		19 43 09	− 1 98	40 11	S		39 51 07	− 1 87	49 20	9 09		+	+	

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and con sequently in this case Q = 0 00.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

345

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

WALTAIR (E) *Lat 17° 43′ Long 5ʰ 33ᵐ 26ˢ* AND JUBBULPORE (W) *Lat 23° 10′, Long 5ʰ 19ᵐ 55ˢ*

Astronomical Date	STAR		Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected time	By each Star	Mean of Group	Correction for Rate of E Clock	Correctn. for Persl. Equations	$\Delta L - \rho$
	BAC Number	Declination															
				TRANSITS OBSERVED AT E *By Burrard with Telescope No 1*				TRANSITS OBSERVED AT W *By Lenox Conyngham, with Telescope No 2*					Difference of Corrected Times (W − E)			$B_E − C_E = −0^s\,254$ $B_S − C_S = −0\,254$	
1891 Dec 18	1602	+ 38 22	N	I P W	h m s 5 5 44 92	s +1 21	s 46 13	N	I P E	h m s 5 19 14 01	s +0 48	s 14 49	m s 13 28 36				
	1620	+ 22 10	N	c − 6 5 d	8 40 56	+1 35	41 91	N	c + 7 2 d	22 10 20	+0 31	10 51	28 60	s 13 28 565	0 044	0 254	13 28 367
	1627	+ 33 16	N	b − 3 0 a +12 0	10 47 93	+1 26	49 19	N	b + 6 2 a − 12 8	24 17 47	+0 41	17 88	28 69				
	1637	+ 21 59	N	Q + 1 60	12 29 74	+1 35	31 09	N	Q 0 00	25 59 39	+0 31	39 70	28 61				
	1651	+ 19 42	S		5 14 16 18	+1 37	17 55	S		5 27 45 93	+0 30	46 23	13 28 68				
	1657	− 0 31	S		15 43 45	+1 4	44 92	S		29 13 55	+0 17	13 72	28 80	s 13 28 733	0 044	0 254	13 28 435
	1660	− 0 29	S		15 57 26	+1 47	58 73	S		29 27 28	+0 17	27 45	28 72				
	1709	+ 29 6	N	Q − 1 60	5 22 34 67	−1 91	32 76	N	Q 0 00	5 36 1 04	+0 37	1 41	13 28 65				
	1723	+ 32 7	N		25 27 61	−1 93	25 68	N		38 53 94	+0 40	54 34	28 66	s 13 28 680	0 044	0 254	13 28 382
	1742	+ 23 58	N		28 37 04	−1 86	35 18	N		42 3 54	+0 33	3 87	28 69				
	1754	+ 26 52	N		30 9 87	−1 88	7 99	N		43 36 35	+0 36	36 71	28 72				
	1685	+ 1 45	S		5 18 53 98	−1 74	52 24	S		5 32 20 80	+0 19	20 99	13 28 75				
	1695	+ 21 51	S		20 54 43	−1 85	52 58	S		34 21 02	+0 31	21 33	28 75	s 13 28 713	0 044	0 254	13 28 415
	1787	+ 14 14	S		27 31 64	−1 80	29 84	S		40 58 22	+0 26	58 48	28 64				
Dec 19	1602	+ 38 22	N	I P E	5 5 49 75	+1 02	50 77	N	I P E	5 19 18 80	+0 54	19 34	13 28 57				
	1620	+ 22 10	N	a − 5 3 d	8 45 21	+1 37	46 58	N	c + 7 2 d	22 14 77	+0 35	15 12	28 54	s 13 28 540	0 044	0 254	13 28 342
	1627	+ 33 16	N	b − 1 3 a +40 4	10 52 71	+1 15	53 86	N	b + 7 7 a − 15 5	24 21 93	+0 46	22 39	28 53				
	1637	+ 21 59	N	Q + 1 61	12 34 36	+1 38	35 74	N	Q 0 00	26 3 91	+0 35	4 26	28 52				
	1591	+ 15 28	S		5 3 17 98	+1 50	19 48	S		5 16 47 73	+0 30	48 03	13 28 55				
	1651	+ 19 42	S		14 20 85	+1 42	22 27	S		27 50 44	+0 33	50 77	28 50	s 13 28 555	0 044	0 254	13 28 357
	1657	− 0 31	S		15 47 92	+1 74	49 66	S		29 18 07	+0 18	18 25	28 59				
	1660	− 0 29	S		16 1 76	+1 74	3 50	S		29 31 90	+0 18	32 08	28 58				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

WALTAIR (E) *Lat 17° 43′ Long 5ʰ 35ᵐ 26°* AND JUBBULPORE (W) *Lat 23° 10′ Long 5ʰ 19ᵐ 58°*

Astronomical Date	BAC Number	Declination	Star Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star	Mean of Group	Correction for Rate of E Clock	Corrn for Persl Equations $B_E - C_W = -0^s254$ / $B_W - C_E = -0^s254$	ΔL − ρ
1891 Dec 19	1709	+ 29 6	N	I P E	5 22 39 42	−1 98	37 44	N	I P E	5 36 7 31	−1 28	6 03	13 28 59				
	1723	+ 32 7	N	c − 5 3 (d)	25 32 48	−2 05	30 43	N	c + 7 2 (d)	38 58 58	+0 45*	59 03	28 60	m s 13 28 595	0 044	0 254	13 28 297
	1742	+ 23 58	N	b − 1 3, a +40 4	28 41 73	−1 88	39 85	N	b + 7 7, a −15 5	42 9 81	−1 33	8 48	28 63				
	1754	+ 26 52	N	Q − 1 61	30 14 62	−1 93	12 69	N	Q − 1 70	43 40 86	+0 39*	41 25	28 56				
	1685	+ 1 45	S		5 18 58 54	−1 51	57 03	S		5 32 24 37	+0 19*	25 56	13 28 53				
	1695	+ 21 51	S		20 59 18	−1 84	57 34	S		34 27 30	−1 35	25 95	28 61	m s 13 28 5,0	0 044	0 254	13 28 272
	1714	+ 22 23	S		24 2 54	−1 85	0 69	S		37 30 57	−1 34	29 23	28 54				
	1737	+ 14 14	S		27 36 22	−1 70	34 52	S		41 4 53	−1 41	3 12	28 60				
Dec 20	1602	+ 38 22	N	I P E	5 5 57 7	−2 21	55 56	N	I P H	5 19 22 57	+1 44	24 01	13 28 45				
	1620	+ 22 10	N	c − 5 3 (d)	8 53 28	−1 86	51 42	N	c − 8 8 (d)	22 18 6	+1 34	19 97	28 55	m s 13 28 513	0 038	0 254	13 28 221
	1627	+ 33 16	N	b − 1 9, a +40 4	10 60 80	−2 08	58 72	N	b − 1 3, a −19 8	24 25 31	+1 40	27 19	28 47				
	1687	+ 21 39	N	Q − 1 60	12 42 33	−1 85	40 48	N	Q + 1 74	26 7 72	+1 34	9 06	28 58				
	1591	+ 15 28	S		5 3 25 97	−1 72	24 25	S		5 16 51 50	+1 31	52 81	13 28 56				
	1651	+ 19 42	S		14 28 8	−1 81	27 06	S		27 54 32	+1 33	55 65	28 59	m s 13 28 563	0 038	0 254	13 28 271
	1657	− 0 31	S		15 55 94	−1 48	54 46	S		29 21 83	1 21	23 04	28 58				
	1660	− 0 29	S		16 9 76	−1 48	8 28	S		29 35 59	+1 21	36 80	28 52				
	1709	+ 29 6	N	Q − 1 60	5 22 44 19	−1 99	42 19	N	Q − 1 74	5 36 12 83	−2 11	10 72	13 28 53				
	1723	+ 32 7	N		25 37 33	−2 06	35 27	N		39 5 70	−2 08	3 62	28 35	m s 13 28 440	0 038	0 254	13 28 148
	1742	+ 23 58	N		28 46 58	−1 89	44 69	N		42 15 22	−2 13	13 09	28 40				
	1754	+ 26 52	N		30 19 42	−1 94	17 48	N		43 48 07	−2 11	45 96	28 48				
	1685	+ 1 45	S		5 19 3 34	−1 51	1 83	S		5 32 32 52	−2 25	30 27	13 28 44				
	1695	21 51	S		21 4 04	−1 83	2 19	S		34 32 73	−2 14	30 59	28 40	m s 13 28 443	0 038	0 254	13 28 151
	1714	+ 22 23	S		24 7 29	−1 86	5 43	S		37 36 05	−2 14	33 91	28 48				
	1737	+ 14 14	S		27 41 03	−1 70	39 33	S		41 9 96	−2 18	7 78	28 45				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00

TABLE V. OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES ΔL − ρ.

WALTAIR (E) *Lat* 17° 43′ *Long* 5ʰ 33ᵐ 26ˢ; AND JUBBULPORE (W) *Lat* 23° 10′ *Long* 5ʰ 19ᵐ 58ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrⁿ for Persl Equations B_E − C_E = − 0ˢ 254 B_E − C_E = − 0 254	ΔL − ρ
	B A C Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1891 De 21	1602	+ 38 22	N	I P W	ʰ ᵐ ˢ 5 5 61 23	ˢ − 2 17	ˢ 58 86	N	I P W	ʰ ᵐ ˢ 5 19 26 11	ˢ + 1 37	ˢ 27 48	ᵐ ˢ 13 28 62	ᵐ ˢ	0 037	0 254	13 28 324
	1627	+ 33 16	N	d c − 1 5	11 4 24	− 2 20	2 04	N	d c − 8 8	24 29 24	+ 1 34	30 58	28 54	13 28 610	—	—	
	1637	+ 21 39	N	b − 5 6 a + 14 6	12 45 70	− 1 90	43 80	N	ḫ − 8 4 a − 17 2	26 11 17	+ 1 30	12 47	28 67				
				e Q − 1 63					e Q + 1 72								
	1723	+ 32 7	N	Q − 1 63	5 25 40 81	− 2 17	38 64	N	Q − 1 ₁2	5 39 9 33	− 2 10	7 23	13 28 59	13 28 667	0 032	0 254	13 28 781
	1742	+ 23 8	N		28 49 9₁	− 1 96	48 01	N		42 18 84	− 2 14	16 70	28 69		—	—	
	1754	+ 26 52	N		30 22 84	− 2 03	20 81	N		43 51 65	− 2 12	49 53	28 72				
	1695	+ 21 51	S		5 21 7 45	− 1 89	5 56	S		5 34 36 13	− 2 14	34 19	13 28 63	13 28 683	0 032	0 254	13 28 397
	1714	+ 22 23	S		24 10 70	− 1 91	8 79	S		37 39 63	− 2 14	37 49	28 ₁0		—	—	
	1737	+ 14 14	S		27 44 33	− 1 71	42 62	S		41 15 51	− 2 17	11 34	28 72				
Dec 23	1602	+ 38 22	N	I P W	5 6 5 11	+0 49	5 60	N	I I W	5 19 32 95	+ 1 37	34 32	13 28 72	13 28 623	0 030	0 254	13 28 339
	1620	+ 22 10	N	d c − 1 5	9 0 12	+ 1 35	1 47	N	d c − 8 8	22 28 78	+ 1 30	30 08	28 61		—	—	
	1627	+ 33 16	N	b − 6 9 a + 103 8	11 7 97	+0 79	8 76	N	b − 8 6 a − 1₁ 7	24 36 00	+ 1 34	37 34	28 58				
	1637	+ 21 59	N	s Q + 1 76	12 49 23	+ 1 36	50 59	N	e Q + 1 ₁3	26 17 87	+ 1 30	19 17	28 58				
	1651	+ 19 43	S		5 14 35 65	+ 1 48	37 13	S		5 28 4 54	+ 1 30	5 84	13 28 71	13 28 680	0 030	0 254	13 28 96
	1657	− 0 31	S		16 2 22	+ 2 31	4 53	S		29 32 02	+ 1 19	33 21	28 68		—	—	
	1660	− 0 29	S		16 16 04	+ 2 31	18 35	S		29 45 81	+ 1 19	47 00	28 65				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

WALTAIR (E) *Lat 17° 43′, Long 5ʰ 35ᵐ 26ˢ* ; AND JUBBULPORE (W) *Lat 23° 10′, Long 5ʰ 19ᵐ 58ˢ*

Astronomical Date	STAR			TRANSITS OBSERVED AT E By Burrard with Telescope No 1				TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrⁿ for Persl. Equations $B_M − C_M = −0ˢ 254$ $B_S − C_S = −0ˢ 254$	ΔL − ρ
	B A C Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Corrected Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1801 Dec 23	1709	+ 29 6	N	I P W	ʰ ᵐ ˢ 5 22 54 81	ˢ − 2 49	ˢ 52 32	N	I P W	ʰ ᵐ ˢ 5 36 23 10	ˢ − 2 13	ˢ 20 97	ᵐ ˢ 13 28 65		ˢ 0 030	ˢ 0 254	ˢ 13 28 416
	1723	+ 32 7	N	$c − 1ˢ 5$	25 47 92	− 2 67	45 25	N	$c − 8ˢ 8$	39 16 02	− 2 11	13 91	28 66	ˢ 13 28 700	0 030	0 254	
	1754	+ 26 52	N	$b − 6 9$ $a + 101 8$	30 29 93	− 2 39	27 54	N	$b − 8 6$ $a − 17 7$	43 58 47	− 2 14	56 33	28 79		−	−	
				$Q − 1ˢ 76$					$Q − 1ˢ 73$								
	1685	+ 1 45	S		5 19 13 14	− 1 30	11 84	S		5 32 42 81	− 2 26	40 55	13 28 71		0 030	0 254	13 28 393
	1695	+ 21 51	S	c	21 14 37	− 2 15	12 22	S		34 43 07	− 2 16	40 91	28 69	ˢ 13 28 677	0 030	0 254	
	1714	+ 22 23	S		24 17 74	− 2 18	15 56	S		37 46 35	− 2 16	44 19	28 63		−	−	
Dec 24	1657	− 0 31	S	I P W	5 16 5 24	+ 2 40	7 64	S	I P E	5 29 34 63	+ 1 70	36 33	13 28 69		0 029	0 254	13 28 433
	1660	− 0 29	S	$c − 1ˢ 5$	16 19 03	+ 2 40	21 43	S	$c + 7ˢ 2$	29 48 45	+ 1 70	50 15	28 72	ˢ 13 28 705	0 029	0 254	
				$b − 7 1$ $a + 119 7$					$b − 0 6$ $a − 18 0$						−	−	
				$Q + 1ˢ 74$					$Q + 1ˢ 71$								
	1709	+ 29 6	N	$Q + 1ˢ 74$	5 22 54 42	+ 0 92	55 34	N	$Q − 1ˢ 71$	5 36 25 60	− 1 50	24 10	13 28 76		0 029	0 254	13 28 465
	1723	+ 32 7	N		25 47 65	+ 0 73	48 38	N		39 18 59	− 1 47	17 12	28 74	ˢ 13 28 748	0 029	0 254	
	1742	+ 23 58	N		28 56 62	+ 1 21	57 83	N		42 28 07	− 1 53	26 54	28 71		−	−	
	1754	+ 26 52	N		30 29 54	+ 1 04	30 58	N		43 60 88	− 1 52	59 36	28 78				
	1685	+ 1 45	S		5 19 12 73	+ 2 30	15 03	S		5 32 45 33	− 1 71	43 62	13 28 59		0 029	0 254	13 28 377
	1695	+ 21 51	S		21 14 02	+ 1 33	15 35	S		34 45 58	− 1 56	44 02	28 67	ˢ 13 28 660	0 029	0 254	
	1714	+ 22 23	S		24 17 37	+ 1 29	18 66	S		37 48 91	− 1 56	47 35	28 60		−	−	
	1737	+ 14 14	S		27 50 74	+ 1 72	52 46	S		41 22 76	− 1 61	21 15	28 69				

WALTAIR (E) *Lat 17° 43′, Long 5ʰ 33ᵐ 26ˢ:* AND JUBBULPORE (W) *Lat. 23° 10′ Long 5ʰ 19ᵐ 53ˢ*

Astronomical Date	Star BAC Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correc tion (E)	Seconds of Correct ed Time (E)	Star's Aspect	In strumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correc tion (W)	Seconds of Correct ed Time (W)	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Penal Equations $B_E - C_E = -0^s 254$ $B_S - C_S = -0^s 254$	$\Delta L + \rho$
1891 Dec 18	2029	+ 23 19	N	*I P W*	ʰ ᵐ ˢ 5 58 56 13	ˢ + 0 74	ˢ 56 87	N	*I P E*	ʰ ᵐ ˢ 6 12 25 56	ˢ + 0 33	ˢ 25 89	ᵐ ˢ 13 29 02				
	2047	+ 22 34	N	d 0 − 6 5	6 2 34 07	− 0 26	33 81	N	d c + 7 2	16 53	+ 0 32	2 85	29 04				
	2067	+ 21 42	N	b − 3 0 a + 12 0	5 22 21	− 0 25	21 96	N	b + 6 2 a − 12 8	18 50 73	+ 0 31	51 04	29 08	ᵐ 13 29 047	ˢ 0 014	ˢ 0 354	ˢ 13 28 779
				ˢ Q 0 ∞					ˢ Q 0 ∞								
	2012	+ 12 35	S		5 55 49 30	− 0 20	49 10	S		6 9 17 94	+ 0 26	18 20	13 29 10				
	2022	+ 9 59	S		57 17 66	− 0 18	17 48	S		10 46 41	+ 0 23	46 64	29 16				
	2057	+ 3 49	S		6 3 45 30	− 0 16	45 14	S		17 14 10	+ 0 20	14 30	29 16				
	2086	+ 0 22	S		7 49 32	− 0 13	49 19	S		21 18 15	+ 0 18	18 33	29 14	ᵐ 13 29 140	0 014	0 254	13 28 872
	2110	+ 32 32	N	Q ˢ 0 ∞	6 11 32 96	− 0 33	32 63	N	Q ˢ 0 ∞	6 25 1 17	+ 0 41	1 58	13 28 95				
	2155	+ 39 29	N		17 19 25	− 0 40	18 85	N		30 47 41	+ 0 48	47 89	29 04				
	2170	+ 28 22	N		18 53 02	− 0 31	52 71	N		32 21 38	+ 0 37	21 75	29 04				
	2178	+ 28 18	N		20 41 07	− 0 31	40 76	N		34 9 44	+ 0 37	9 81	29 05	ᵐ 13 29 030	0 014	0 354	13 28 753
	2128	+ 4 56	S		6 12 33 54	− 0 16	33 38	S		6 26 2 22	+ 0 20	2 42	13 29 04				
	2140	+ 16 17	S		14 48 53	− 0 21	48 32	S		28 17 11	+ 0 27	17 38	29 06				
	2191	+ 17 45	S		22 15 41	− 0 22	15 19	S		35 41 93	+ 0 29	44 22	29 03				
	2199	+ 13 20	S		24 2 19	− 0 20	1 99	S		37 30 83	+ 0 26	31 09	29 10	ᵐ 13 29 058	0 014	0 254	13 28 790
Dec 19	2029	+ 23 19	N	*I P E*	5 58 57 05	+ 1 35	58 40	N	*I P E*	6 12 25 26	+ 2 07	27 33	13 28 93				
	2038	+ 21 11	N	d c − 5 3	6 0 55 32	+ 1 39	56 71	N	d c + 7 2	14 23 62	+ 2 04	25 66	28 95				
	2047	+ 22 34	N	b − 1 3 a + 40 4	2 34 03	+ 1 37	35 40	N	b + 7 7 a − 15 5	16 2 11	+ 2 06	4 17	28 77	ᵐ 13 28 883	0 012	0 254	13 28 617
				ˢ Q + 1 61					ˢ Q + 1 70								
	2012	+ 12 35	S		5 55 49 12	+ 1 54	50 66	S		6 9 19 24	+ 0 27*	19 51	13 28 85				
	2022	+ 9 59	S		57 17 48	+ 1 59	19 07	S		10 45 98	+ 1 95	47 93	28 86				
	2086	+ 0 22	S	Q − 1 61	6 7 52 25	− 1 49	50 76	S		21 19 46	+ 0 19*	19 65	28 89	ᵐ 13 28 867	0 012	0 254	13 28 601

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and con sequently in these cases Q = 0 ∞.

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

WALTAIR (E) *Lat 17° 43′, Long 5ʰ 35ᵐ 26ˢ* AND JUBBULPORE (W) *Lat 23° 10′, Long 5ʰ 19ᵐ 55ˢ*

Astronomical Date	STAR			Transits Observed at E By Burrard with Telescope No 1				Transits Observed at W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrns for Pers¹ Equations $B_N - C_N = d^e\ 254$ $B_S - C_S = 0\ 254$	$\Delta L + \rho$
	BAC Number	Decli nation	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1891 Dec 19	2110	+ 32 32	N	*I P E*	h m s 6 11 36 18	s − 2 05	s 34 13	N	*I P E*	h m s 6 25 2 61	s + 0 46*	3 07	m s 13 28 94				
	2155	+ 39 29	N	$c - 5\ 3$ d	17 22 71	− 2 23	20 48	N	$c + 7\ 2$ d	30 48 71	+ 0 55*	49 26	28 78	m s 13 28 895	0 012	0 354	13 28 629
	2170	+ 28 22	N	$b - 1\ 3$ $a + 40\ 4$	18 56 27	− 1 96	54 31	N	$b + 7\ 7$ $a - 15\ 5$	32 22 82	+ 0 41*	23 23	28 92		−	−	
	2178	+ 28 18	N	*s* Q − 1 61	20 44 29	− 1 96	42 33	N	*s* Q − 1 70	34 12 56	− 1 29	11 27	28 94				
	2140	+ 16 17	S		6 14 51 53	− 1 74	49 79	S		6 28 18 49	+ 0 31*	18 80	13 29 01				
	2191	+ 17 45	S		22 18 56	− 1 76	16 80	S		35 47 03	− 1 38	45 65	28 85	m s 13 28 900	0 012	0 354	13 28 634
	2199	+ 13 20	S	' '	24 5 31	− 1 69	3 62	S		37 33 88	− 1 42	32 46	28 84		−	−	
Dec 20	2029	+ 21 19	N	*I P E*	5 58 58 14	+ 1 34	59 48	N	*I P W*	6 12 27 04	+ 1 35	28 39	13 28 91				
	2038	+ 21 11	N	$c - 5\ 3$ d	6 0 56 40	+ 1 38	57 78	N	$c - 8\ 8$ d	14 25 35	+ 1 33	26 68	28 90	m s 13 28 888	0 010	0 354	13 28 624
	2047	+ 32 34	N	$b - 1\ 9$ $a + 40\ 4$	2 35 15	+ 1 36	36 51	N	$b - 7\ 3$ $a - 19\ 8$	16 3 97	+ 1 35	5 32	28 81		−	−	
	2067	+ 21 42	N	*s* Q + 1 62	5 23 27	+ 1 37	24 64	N	*v* Q + 1 74	18 52 23	+ 1 34	53 57	28 93				
	2012	+ 12 35	S		5 55 50 28	+ 1 54	51 82	S		6 9 19 38	+ 1 30	20 68	13 28 86				
	2022	+ 9 59	S		57 18 64	+ 1 59	20 23	S		10 47 76	+ 1 28	49 04	28 81	m s 13 28 853	0 010	0 354	13 28 589
	2057	+ 3 49	S		6 3 46 22	+ 1 68	47 90	S		17 15 53	+ 1 24	16 77	28 87		−	−	
	2086	+ 0 22	S		7 50 14	+ 1 73	51 87	S		21 19 52	+ 1 22	20 74	28 87				
	2110	+ 32 32	N	Q + 1 62	6 11 34 12	+ 1 16	35 28	N	Q − 1 74	6 25 6 13	− 2 07	4 06	13 28 78				
	2155	+ 39 29	N		17 20 49	+ 0 98	21 47	N		30 52 39	− 2 04	50 35	28 88	m s 13 28 865	0 010	0 354	13 28 601
	2170	+ 28 22	N		18 54 11	+ 1 25	55 36	N		32 26 34	− 2 09	24 25	28 89		−	−	
	2178	+ 28 18	N		20 42 19	+ 1 25	43 44	N		34 14 44	− 2 09	12 35	28 91				
	2123	+ 4 56	S		6 12 34 46	+ 1 66	36 12	S		6 26 7 09	− 2 24	4 85	13 28 73				
	2140	+ 16 17	S		14 49 45	+ 1 48	50 93	S		28 21 99	− 2 18	19 81	28 88	m s 13 28 760	0 010	0 354	13 28 406
	2191	+ 17 45	S		22 16 49	+ 1 46	17 95	S		35 48 77	− 2 16	46 61	28 66		−	−	
	2199	+ 13 20	S		24 5 15	+ 1 53	4 68	S		37 35 64	− 2 19	33 45	28 77				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in these cases Q = 0 00.

WALTAIR (E) *Lat 17° 43', Long 5ʰ 33ᵐ 26ˢ* AND JUBBULPORE (W) *Lat 23° 10', Long 5ʰ 19ᵐ 58ˢ*

Astronomical Date	STAR B A C Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corres. for Persl. Equations $B_E - C_W = c' - 254$ $B_E - C_W = 0 - 254$	ΔL + ρ
					h m s	s	s			h m s	s	s	m s				
1891 Dec 21	2088	+ 21 11	N	I P W	6 0 57 48	+1 35	58 83	N	I P W	6 14 26 59	+1 30	27 89	13 29 06	13 29 005	0 008	0 254	13 28 743
	2047	+ 22 34	N	d / o − 1 5 / b − 5 6 / a + 54 6 / e / Q + 1 60	2 36 19	+1 31	37 50	N	d / o − 8 8 / b − 8 4 / a − 17 2 / e / Q + 1 72	16 5 14	+1 31	6 45	28 95				
	2022	+ 9 59	S		5 57 19 52	+1 61	21 13	S		6 10 49 01	+1 24	50 25	13 29 12	13 29 010	0 008	0 254	13 28 748
	2057	+ 3 49	S		6 3 47 13	+1 74	48 87	S		17 16 66	+1 21	17 87	29 00				
	2066	+ 0 22	S		7 51 15	+1 82	52 97	S		21 20 68	+1 20	21 88	28 91				
	2110	+ 32 32	N	Q + 1 60	6 11 35 11	+1 05	36 16	N	Q − 1 72	6 25 7 44	−2 10	5 34	13 29 18	13 29 180	0 008	0 254	13 28 918
	2123	+ 4 56	S		6 12 35 34	+1 72	37 06	S		6 26 8 42	−2 22	6 20	13 29 14	13 29 073	0 008	0 254	13 28 811
	2191	+ 17 45	S		22 17 40	+1 43	18 83	S		35 50 08	−2 17	47 91	29 08				
	2199	+ 13 20	S		24 4 26	+1 53	5 79	S		37 36 97	−2 18	34 79	29 00				
Dec 23	2029	+ 23 19	N	I P W	5 59 0 41	+1 25	1 66	N	I P W	6 12 29 38	+1 31	30 69	13 29 03	13 28 990	0 004	0 254	13 28 732
	2088	+ 21 11	N	d / o − 1 5	6 0 58 61	+1 35	59 96	N	d / o − 8 8	14 27 64	+1 30	28 94	28 98				
	2047	+ 22 34	N	b − 6 9 / a + 103 8	2 37 40	+1 28	38 68	N	b − 8 6 / a − 17 7	16 6 32	+1 31	7 63	28 95				
	2067	+ 21 42	N	e / Q + 1 71	5 25 49	+1 32	26 81	N	e / Q + 1 73	18 54 51	+1 30	55 81	29 00				
	2022	+ 9 59	S		5 57 20 58	+1 84	22 42	S		6 10 50 11	+1 25	51 36	13 28 94	13 28 960	0 004	0 254	13 28 702
	2067	+ 3 49	S		6 3 47 97	+2 09	50 06	S		17 17 85	+1 22	19 07	29 01				
	2066	+ 0 22	S		7 51 85	+2 23	54 08	S		21 21 85	+1 20	23 01	28 93				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

WALTAIR (E) Lat 17° 48′ Long 5ʰ 33ᵐ 26ˢ, AND JUBBULPORE (W) Lat 23° 10′, Long 5ʰ 19ᵐ 55ˢ

Astronomical Date	Star — BAC Number	Star — Declination	Star Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Difference (W − E) By each Star	Difference Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $B_W - C_W = 0^s\cdot254$, $B_S - C_S = 0\cdot254$	$\Delta L + \rho$
					h m s	s	s			h m s	s	s	m s				
1891 Dec 23	2110	+32 32	N	I P W / d / c − 1 5	6 11 40 11	−2 64	37 47	N	I P W / d / o − 8 8	6 25 8 57	−2 11	6 46	13 28 99		0 004	0 254	13 8 745
	2155	+39 29	N	b − 6 9 / a +103 8	17 26 77	−3 06	23 71	N	b − 8 6 / s −17 7	30 54 86	−2 09	52 77	29 06	13 29 003			
	2170	+28 21	N	s / Q − 1 71	18 60 04	−2 41	57 63	N	s / Q − 1 73	32 28 ,8	−2 13	26 65	29 02				
	2178	+28 18	N		29 48 10	−2 41	45 69	N		34 16 76	−2 13	14 63	28 94				
	2123	+ 4 56	S		6 12 39 67	−1 37	38 30	S		6 26 9 52	−2 23	7 29	13 28 99	13 28 967	0 004	0 254	13 28 709
	2191	+17 45	S		22 22 00	−1 91	20 09	S		35 51 19	−2 18	49 01	28 92				
	2199	+13 20	S		24 8 60	−1 72	6 88	S		37 38 07	−2 20	35 87	28 99				
Dec 24	2029	+23 19	N	I P W / d / c − 1 5	5 59 4 14	−2 22	1 92	N	I P W / d / o + 7 2	6 12 29 03	+1 88	30 91	13 28 99	13 29 005	0 002	0 254	13 28 49
	2038	+21 11	N	b − 7 1 / a +119 7	6 1 2 27	−2 10	0 17	N	b − 0 6 / a −18 0	14 27 31	+1 86	29 23	29 06				
	2047	+22 34	N	s / Q − 1 72	2 41 08	−2 18	38 90	N	s / Q + 1 71	16 5 97	+1 87	7 84	28 94				
	2067	+21 41	N		5 29 15	−2 13	27 02	N		18 54 19	+1 86	56 05	29 03				
	2012	+12 35	S		5 55 55 86	−1 67	54 19	S		6 9 21 35	+1 79	23 14	13 28 96	13 29 010	0 002	0 254	13 28 754
	2022	+ 9 59	S		57 24 07	−1 54	22 53	S		10 49 78	+1 77	51 55	29 02				
	2057	+ 3 49	S		6 3 51 50	−1 25	50 25	S		17 17 54	+1 73	19 27	29 02				
	2066	+ 0 23	S		7 55 30	−1 10	54 20	S		21 21 55	+1 70	23 25	29 05				
	2110	+32 32	N	Q − 1 72	6 11 40 33	−2 75	3 58	N	Q − 1 71	6 25 8 17	−1 46	6 71	13 29 13	13 29 138	0 002	0 254	13 28 882
	2155	+39 29	N		17 27 04	−3 24	23 80	N		30 54 34	−1 37	52 97	29 17				
	2170	+28 22	N		18 60 26	−2 50	57 76	N		32 28 35	−1 51	26 84	29 08				
	2178	+28 18	N		20 48 21	−2 50	45 71	N		34 16 39	−1 51	14 88	29 17				
	2123	+ 4 56	S		6 12 39 79	−1 31	38 48	S		6 26 9 36	−1 69	7 57	13 29 09	13 29 113	0 002	0 254	13 28 857
	2140	+16 17	S		14 55 15	−1 85	53 30	S		28 24 03	−1 60	22 43	29 13				
	2191	+17 45	S		22 22 10	−1 93	20 17	S		35 50 87	−1 89	49 28	29 11				
	2199	13 20	S		24 8 69	−1 71	6 98	S		37 37 73	−1 63	36 10	29 12				

WALTAIR (E) Lat 17° 43′ Long $5^h\ 33^m\ 26^s$ AND **MADRAS (W)** Lat 13° 4′, Long $5^h\ 21^m\ 6^s$

Astronomical Date	STAR — BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star's Aspect	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star (W−E)	Mean of Group	Correction for Rate of M Clock	Correction for Pers. Equations $B_W − C_W = 0^s\ 254$ $B_S − C_S = 0\ 254$	$\Delta L - \rho$
1892 Jan 6	2110	+32 32	N	I P W	6 25 29 39	+0 36	29 75	N	I P E	6 37 48 ,8	−1 95	46 85	12 17 10				
	2130	+31 31	N	c − 5 4	28 7 62	+0 44	8 06	N	c + 7 5	40 27 13	−1 91	25 22	17 16	12 17 158	0 024	0 254	12 16 880
	2149	+16 53	N	b − 4 1 / a +162 0	29 50 ,0	+1 53	52 23	N	b + 1 4 / a + 49 5	42 11 00	−1 60	9 40	17 17				
	2163	+16 30	N	Q + 1 ,0	31 32 10	+1 55	33 65	N	Q − 1 73	43 52 44	−1 59	,50 85	17 20				
	2105	− 6 58	S		6 23 37 20	+3 02	40 22	S		6 35 58 50	−1 14	5, 86	12 17 14	12 17 160	0 024	0 254	12 16 882
	2123	+ 4 56	S		26 38 31	+2 30	40 61	S		38 59 16	−1 37	57 ,9	17 18				
	2184	+16 30	N	Q − 1 70	6 35 15 25	−1 85	13 40	N	Q + 1 73	6 47 28 66	+1 87	30 53	12 17 13	12 17 065	0 024	0 254	12 16 787
	2191	+17 45	N		36 14 35	−1 93	12 42	N		48 27 58	+1 85	29 43	17 01				
	2230	+13 32	N		44 26 ,2	−1 63	25 09	N		56 40 38	+1 84	42 22	17 13				
	2237	+34 6	N		45 48 99	3 19	45 80	N		58 1 30	+1 49	2 79	16 99				
	2109	+13 20	S		6 37 60 89	−1 63	59 26	S		6 50 14 18	+1 93	16 31	12 17 05	12 17 113	0 024	0 254	12 16 835
	2206	+13 1	S		39 20 65	−1 60	19 05	S		51 34 15	+1 93	36 08	17 03				
	2211	+ 8 42	S		40 4, 18	−1 33	44 35	S		52 59 52	+2 01	61 53	17 18				
	2222	+ 2 32	S		42 20 07	−0 95	19 12	S		54 34 18	+2 13	36 31	17 19				
Jan 7	2110	+32 32	N	I P E	6 25 31 77	+0 77	32 54	N	I P L	6 37 48 08	+1 43	49 51	12 16 97				
	2130	+31 31	N	c + 3 6	28 10 02	+0 85	10 87	N	c + 2 5	40 26 34	+1 45	27 79	16 92	12 16 980	0 025	0 254	12 16 701
	2149	+16 53	N	b + 7 6 / a +180 2	29 53 03	+2 03	55 06	N	b − 0 1 / a + 44 4	42 10 30	+1 74	12 04	16 98				
	2163	+16 30	N	Q + 1 ,0	31 34 38	+2 05	36 43	N	Q + 1 75	43 51 73	+1 75	53 48	17 05				
	2086	+ 0 22	S		6 21 46 00	+3 15	49 15	S		6 34 4 10	+2 03	6 13	12 16 98	12 16 980	0 025	0 254	12 16 41
	2094	− 4 42	S		22 42 26	+1 49	45 ,5	S		35 0 61	+2 12	2 73	16 98				
	2105	− 6 58	S		23 39 37	+3 63	43 00	S		35 57 91	+2 16	60 07	17 07				
	2123	+ 4 56	S		26 40 57	+2 85	43 42	S		38 58 52	+1 9b	60 47	17 05				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$.

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E *By Burrard, with Telescope No 1*				Star's Aspect	TRANSITS OBSERVED AT W *By Lenox Conyngham, with Telescope No. 2*				Difference of Corrected Times (W — E)		Correction for Rate of E Clock	Corrn. for Persl. Equations $B_{1'} - C_{2} = - 0^s$ 254 $B_3 - C_3 = - 0$ 254	$\Delta L - \rho$
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1802 Jan 7	2184	+ 16 30	N	*I P E*	h m s 6 35 17 69	s — 1 35	s 16 34	N	*I P E*	h m s 6 47 35 04	s — 1 75	s 33 29	m s 12 16 95			s 0 254	12 16 711
	2191	+ 17 45	N	b + 3 6	36 16 64	— 1 44	15 20	N	o + 2 5	48 33 93	— 1 77	32 16	16 96		s 0 025		
	2230	+ 13 32	N	b + 7 6	44 29 08	— 1 14	27 94	N	d + 44 4	56 46 76	— 1 77	44 99	17 05	m s 12 16 990			
	2237	+ 34 6	N	a +180 2 Q — 1 70	49 51 41	— 2 77	48 64	N	Q — 1 75	58 7 75	— 2 11	5 64	17 00				
	2199	+ 13 20	S		6 38 3 21	— 1 14	2 07	S		6 50 20 78	— 1 69	19 09	12 17 02			0 254	12 16 784
	2206	+ 13 1	S		39 22 99	— 1 11	21 88	S		51 40 61	— 1 69	38 92	17 04	m s 12 17 063	0 025		
	2211	+ 8 42	S		40 47 98	— 0 80	47 18	S		53 5 94	— 1 61	4 33	17 15				
	2222	+ 2 32	S		42 22 37	— 0 40	21 97	S		54 40 52	— 1 51	39 01	17 04				
Jan 10	2110	+ 32 32	N	*I P E*	6 25 41 57	+ 0 31	41 88	N	*I P W*	6 37 57 28	+ 1 55	58 83	12 16 95			0 254	12 16 645
	2130	+ 31 31	N	o — 1 4	28 19 82	+ 0 42	20 24	N	o — 4 3	40 35 62	+ 1 55	37 17	16 93	m s 12 16 925	0 026		
	2149	+ 16 53	N	b + 6 0	30 2 55	+ 1 90	4 45	N	b — 6 5	42 19 81	+ 1 51	21 32	16 87				
	2168	+ 16 30	N	a +220 3 Q + 1 70	31 43 97	+ 1 92	45 89	N	a — 9 6 Q + 1 74	44 1 34	+ 1 50	2 84	16 95				
	2105	— 6 58	S		6 23 48 46	+ 3 86	52 32	S		6 36 7 91	+ 1 43	9 34	12 17 02			0 254	12 16 720
	2123	+ 4 56	S		26 49 92	+ 2 90	52 82	S		39 8 33	+ 1 47	9 80	16 98	m s 12 17 000	0 026		
	2230	+ 13 32	N	Q — 1 70	6 44 38 58	— 1 22	37 36	N	Q — 1 74	6 56 56 40	— 1 97	54 43	12 17 07			0 254	12 16 745
	2237	+ 34 6	N		45 61 28	— 3 25	58 03	N		58 16 94	— 1 93	15 01	16 98	m s 12 17 025	0 026		

WALTAIR (E) *Lat 17° 43', Long 5ʰ 33ᵐ 26ˢ;* AND MADRAS (W) *Lat 13° 4', Long 5ʰ 21ᵐ 5ˢ.*

Astronomical Date	STAR		Transits Observed at E (By Burrard, with Telescope No 1)					Transits Observed at W (By Lenox Conyngham, with Telescope No 2)					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn. for Persl. Equations $B_E - C_E = -0ˢ·254$ $B_W - C_W = -0·254$	AL − ρ
	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892 Jan 10	2199	+ 13 20	S	I P E / d / c − 1 4 / b + 6 0 / a +220 3 / Q − 1 70	h m s 6 38 12 70	s −1 22	s 11 48	S	I P W / d / c − 4 3 / b − 6 7 / a − 9 0 / Q − 1 74	h m s 6 50 30 38	s −1 99	s 28 39	m s 12 16 91				
	2206	+ 13 1	S		39 32 49	−1 17	31 32	S		51 50 18	−1 99	48 19	16 87	12 16 930	0 026	0 254	12 16 650
	2211	+ 8 42	S		40 57 40	−0 81	56 59	S		53 15 60	−2 01	13 59	17 00				
	2222	+ 2 32	S		42 31 65	−0 30	31 35	S		54 50 51	−2 02	48 29	16 94				
Jan 11	2110	+ 32 32	N	I P W / d / c − 0 4 / b + 4 8 / a +237 6 / Q + 1 70	6 25 44 72	+0 19	44 91	N	I P W / d / c − 4 3 / b − 6 7 / a −16 7 / Q + 1 71	6 38 0 42	+1 61	2 03	12 17 12				
	2130	+ 31 31	N		28 22 80	+0 31	23 11	N		40 38 75	+1 60	40 35	17 24	12 17 128	0 026	0 254	12 16 848
	2149	+ 16 53	N		30 5 47	+1 90	7 37	N		42 23 04	+1 51	24 55	17 18				
	2168	+ 16 30	N		31 46 96	+1 92	48 88	N		44 4 35	+1 50	5 85	16 97				
	2086	+ 0 22	S		6 21 58 17	+3 38	61 55	S		6 34 17 16	+1 41	18 57	12 17 02				
	2094	− 4 41	S		22 54 30	+3 84	58 14	S		35 13 69	+1 37	15 06	16 92	12 17 033	0 026	0 254	12 16 753
	2105	− 6 58	S		23 51 37	+4 03	55 40	S		36 11 11	+1 36	12 47	17 07				
	2123	+ 4 56	S		26 52 81	+2 99	55 80	S		39 1ᵇ 49	+1 43	12 92	17 12				
	2184	+ 16 30	N	Q − 1 70	6 35 30 13	−1 48	28 65	N	Q − 1 71	6 47 47 54	−1 92	45 62	12 16 97				
	2191	+ 17 45	N		36 29 11	−1 60	27 51	N		48 46 51	−1 91	44 60	17 09	12 17 035	0 026	0 254	12 16 755
	2280	+ 13 32	N		44 41 54	−1 20	40 34	N		56 59 34	−1 91	57 43	17 09				
	2287	+ 34 6	N		46 4 41	−3 40	1 01	N		58 19 81	−1 81	18 00	16 99				
	2199	+ 13 20	S		6 38 15 64	−1 20	14 44	S		6 50 33 50	−1 94	31 56	12 17 12				
	2206	+ 13 1	S		39 35 37	−1 15	34 22	S		51 53 19	−1 94	51 25	17 03	12 17 063	0 026	0 254	12 16 783
	2211	+ 8 42	S		40 60 31	−0 74	59 57	S		53 18 63	−1 97	16 66	17 09				
	2222	+ 2 32	S		42 34 53	−0 21	34 32	S		54 53 34	−2·01	51 33	17 01				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

WALTAIR (Γ) *Lat 17° 43′, Long* 8ʰ 33ᵐ 26ˢ   AND MADRAS (W) *Lat 13° 4′, Long* 5ʰ 21ᵐ 8ˢ

Astronomical Date	Star BAC Number	Star Declination	Star Aspect	Transits Observed at E — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Transits Observed at W — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Diff of Corrected Times (W−E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Persl Equations $B_N - C_N = 0^s 254$, $B_S - C_S = 0$ 254	$\Delta L + \rho$
1892 Jan 6	2343	+ 27 2	N	I P W; $c - 5\,4$; $b - 4\,1$; $a +162\,0$; $Q + 1\,70$	ʰ ᵐ ˢ 6 52 22 44	+0 80	23 24	N	I P E; $d + 7\,5$; $b + 1\,4$; $a +49\,5$; $Q + 1\,73$	ʰ ᵐ ˢ 7 4 38 82	+1 65	40 47	12 17 23				ˢ 13 16 992
	2350	+ 24 19	N		53 33 64	+1 02	34 66	N		5 50 09	+1 70	51 79	17 13	ᵐ ˢ 12 17 230	0 016	0 254	
	2410	+ 22 11	N		7 1 21 24	+1 16	22 40	N		13 37 86	+1 75	39 61	17 21		+		
	2423	+ 20 39	N		9 15 18	+1 28	16 46	N		15 32 03	+1 78	33 81	17 35				
	2362	+ 16 21	S		6 54 50 43	+1 57	52 00	S		7 7 7 46	+1 87	9 33	12 17 33				12 17 033
	2373	+ 3 18	S		56 20 11	+2 40	22 51	S		8 37 54	+2 12	39 66	17 15	ᵐ ˢ 12 17 260	0 016	0 254	
	2396	+ 16 44	S		59 33 62	+1 53	35 15	S		11 50 58	+1 87	52 45	17 30		+		
	2455	+ 21 45	N	$Q - 1\,70$	7 8 11 48	−2 21	9 27	N	$Q - 1\,73$	7 20 28 30	−1 70	26 60	12 17 33				12 1 047
	2460	+ 21 40	N		9 3 92	−2 21	1 71	N		21 20 6.	−1 70	18 95	17 24	ᵐ ˢ 12 17 285	0 016	0 254	
	2469	+ 28 8	N		10 50 42	−2 69	47 73	N		23 6 85	−1 84	5 01	17 28		+		
	2472	+ 28 8	N		11 41 49	−2 69	38 80	N		23 57 93	−1 84	56 09	17 29				
	2444	+ 11 53	S		7 6 41 71	−1 54	40 17	S		7 18 59 02	−1 51	57 51	12 17 34				12 17 152
	2480	+ 2 9	S		14 12 15	−0 94	11 21	S		26 29 9.	−1 32	28 63	17 42	ᵐ ˢ 12 1 90	0 016	0 254	
	2487	+ 3 31	S		15 14 83	−1 02	13 81	S		27 32 59	−1 35	31 24	17 43		+		
	2491	+ 3 36	S		16 18 82	−1 02	17 80	S		28 36 52	−1 35	35 17	17 37				
Jan 7	2343	+ 27 2	N	I P E; $o + 3\,6$; $b + 7\,6$; $a +180\,2$; $Q + 1\,70$	6 52 20 20	+1 24	21 44	N	I P E; $o + 2\,5$; $b - 0\,1$; $a +44\,4$; $Q + 1\,75$	7ˢ 4 36 94	+1 54	38 48	12 17 04				12 16 869
	2350	+ 24 19	N		53 31 35	+1 48	32 83	N		5 48 33	+1 60	49 93	17 10	ᵐ ˢ 12 17 108	0 015	0 254	
	2410	+ 22 11	N		7 1 18 91	+1 63	20 54	N		13 36 09	+1 64	37 73	17 19		+		
	2423	+ 20 39	N		3 13 97	+1 75	14 72	N		15 30 15	+1 67	31 82	17 10				
	2362	+ 16 21	S		6 54 48 20	+2 07	50 27	S		7 7 5 72	+1 75	7 47	12 17 20				12 16 909
	2373	+ 3 18	S		56 17 65	+2 95	20 60	S		8 35 .8	+1 98	37 76	17 16	ᵐ ˢ 12 17 148	0 015	0 254	
	2382	+ 0 2	S		57 24 71	+3 16	27 87	S		9 42 92	+2 04	44 96	17 09		+		
	2396	+ 16 44	S		59 31 30	+2 03	33 33	S		11 48 73	+1 74	50 47	17 14				

WALTAIR (E) *Lat. 17° 43′, Long. 5ʰ 35ᵐ 96ˢ*; AND MADRAS (W) *Lat. 13° 4′, Long. 5ʰ 21ᵐ 9ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard, with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. for Persl. Equations $B_B − C_B = 0^s 254$ $B_B − C_B = 0 254$	$\Delta L + \rho$
	BAC Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892 Jun 7	2455	+ 21 45	N	I P E	h m s 7 8 9 15	s −1 74	s 7 41	N	I P E	h m s 7 20 26 57	s −1 85	s 24 72	m s 12 17 31		s 12 1, 288	s + 0 015	s 0 354	s 12 17 049
	2460	+ 21 40	N	d c + 3 6	8 61 56	−1 74	59 82	N	d c + 2 5	21 19 02	−1 85	17 17	17 35			+	−	
	2469	+ 28 8	N	b + 7 6 a + 180 2	10 48 18	−2 25	45 93	N	b − 0 1 a + 44 4	23 5 04	−1 98	3 06	17 13					
	2472	+ 28 8	N	s Q − 1 70	11 39 12	−2 25	36 87	N	s Q − 1 75	23 56 21	−1 98	54 23	17 36					
	2444	+ 11 53	S		7 6 39 33	−1 04	38 29	S		7 18 57 22	−1 67	55 55	12 17 26		4 12 1, 220	s 0 015	s 0 254	12 16 981
	2480	+ 2 9	S		14 9 86	−0 38	9 48	S		26 28 13	−1 50	26 63	17 15			+	−	
	2487	+ 3 31	S		15 12 52	−0 47	12 05	S		27 30 19	−1 53	29 26	17 21					
	2491	+ 3 36	S		16 16 49	−0 47	16 02	S		28 34 81	−1 53	33 28	17 26					
Jan 10	2343	+ 27 2	N	I P E	6 52 15 19	+0 91	16 10	N	I P W	7 4 31 19	+1 53	33 32	12 17 22		s 12 17 183	s 0 012	s 0 254	12 16 941
	2350	+ 24 19	N	d c − 1 4	53 26 37	+1 20	27 57	N	d c − 4 3	5 43 24	+1 52	44 76	17 19			+	−	
	2410	+ 22 11	N	b + 6 0 a + 220 3	7 1 13 96	+1 39	15 35	N	b − 9 6 a − 9 6	13 30 98	+1 52	32 50	17 15					
	2423	+ 20 39	N	s Q + 1 70	3 7 87	+1 55	9 42	N	s Q + 1 74	15 25 07	+1 52	26 59	17 17					
	2362	+ 16 21	S		6 54 43 07	+1 94	45 01	S		7 7 0 71	+1 50	2 21	12 17 20		12 17 190	s 0 012	s 0 254	12 16 948
	2373	+ 3 18	S		56 12 34	+3 03	15 37	S		8 31 08	+1 46	32 54	17 17			+	−	
	2382	+ 0 2	S		57 19 27	+3 30	22 57	S		9 38 25	+1 45	39 70	17 13					
	2395	+ 16 44	S		59 26 13	+1 90	28 03	S		11 43 79	+1 50	45 29	17 26					
	2460	+ 21 40	N	Q − 1 70	7 8 56 59	−1 96	54 63	N	Q − 1 74	7 21 13 84	−1 96	11 88	12 17 25		12 17 183	s 0 012	s 0 254	12 16 941
	2469	+ 28 8	N		10 43 22	−2 60	40 62	N		22 59 67	−1 95	57 72	17 10			+	−	
	2472	+ 28 8	N		11 34 35	−2 60	31 75	N		23 50 90	−1 95	48 95	17 20					

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

WALTAIR (E) *Lat* 17° 45′ *Long* 5ʰ 38ᵐ 96 ; AND MADRAS (W) *Lat* 18° 4′ *Long* 5ʰ 21ᵐ 9ˢ

Astronomical Date	Star — BAC Number	Declination	Star's Aspect	Transits Observed at E — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Correct ed Time	Star's Aspect	Transits Observed at W — Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Correct ed Time	Diff. of Corrected Times (W − E) By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $B_w - C_w = -0''.254$; $B_s - C_s = -0.254$	$\Delta L + \rho$
		° ′			h m s	s	s			h m s	s	s	m s		s		m s
189° Jan 10	2444	+ 11 53	8	*I P E*	7 6 34 13	−1 08	33 05	8	*I P W*	7 18 52 37	−1 99	50 38	12 17 33	12 17 338	0 012	0 254	12 16 996
	2480	+ 2 9	8	c − 1 4	14 4 50	−0 28	4 22	8	c − 4 3	26 23 48	−2 02	21 46	17 24	+	+	−	
	2487	+ 1 31	8	b + 6 0 / a +220 3	15 7 24	−0 39	6 85	8	b − 6 5 / a − 9 6	27 26 08	−2 02	24 06	17 21				
	2491	+ 3 36	8	Q − 1 70	16′11 19	−0 39	10 80	8	Q − 1 74	28 29 99	−2 02	27 97	17 17				
Jan 11	2343	+ 27 2	N	*I P W*	6 52 14 22	+0 83	15 05	N	*I P W*	7 4 30 57	+1 56	32 13	12 17 08	12 17 1,0	0 010	0 254	12 16 926
	2350	+ 24 19	N	c − 0 4	53 25 31	+1 14	26 45	N	c − 4 3	5 42 10	+1 54	43 64	17 19	+	+	−	
	2410	+ 22 11	N	b + 4 8 / a +237 6	7 1 12 87	+1 36	14 19	N	b + 5 7 / a −16 7	13 29 84	+1 53	31 37	17 18				
	2423	+ 20 19	N	Q + 1 70	3 6 77	+1 51	8 28	N	Q + 1 71	15 23 99	+1 52	25 51	17 23				
	2362	+ 16 21	8		6 54 41 93	+1 94	43 87	8		7 6 59 49	+1 50	60 99	12 17 12	12 17 123	0 010	0 254	12 16 879
	2373	+ 3 18	8		56 11 13	+3 12	14 25	8		8 29 98	+1 42	31 40	17 15	+	+	−	
	2398	+ 16 44	8		59 25 02	+1 90	26 92	8		11 42 51	+1 51	44 02	17 10				
	2455	+ 21 45	N	Q − 1 70	7 8 3 11	−1 99	1 12	N	Q − 1 71	7 20 20 22	−1 89	18 33	12 17 21	12 17 178	0 010	0 254	12 16 934
	2460	+ 21 40	N		8 55 51	−1 99	53 52	N		21 12 57	−1 89	10 68	17 16	+	+	−	
	2469	+ 28 8	N		10 42 20	−2 68	39 52	N		22 58 48	−1 85	56 63	17 11				
	24:2	+ 28 8	N		11 33 26	−2 68	30 58	N		23 49 66	−1 85	47 81	17 23				
	2444	+ 11 53	8		7 6 33 01	−1 05	31 96	8		7 18 51 01	−1 95	49 06	12 17 10	12 17 190	0 010	0 254	12 16 946
	2487	+ 3 31	8		15 5 99	−0 30	5 69	8		27 24 99	−2 00	23 99	17 30	+	+	−	
	2491	+ 3 36	8		16 9 97	−0 30	9 67	8		28 28 84	−2 00	26 84	17 17				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

WALTAIR (E) Lat 17° 45' Long 5h 35m 26s : AND BOLARUM (W) Lat 17° 30', Long 5h 14m 16s

Astronomical Date	BAC Number	Declination	Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	Difference W−E By each Star	Mean of Group	Correction for Rate of E Clock	Corrns for Persl Equations $B_W - C_W = 0^s\ 262$, $B_E - C_E = 0\ 262$	$\Delta L - \rho$
					h m s	s	s			h m s	s	s	m s		s	s	s
1892 Jan 18	2343	+ 2 2	N	$I\ P\ W$	7 5 7 75	+0 37	8 12	N	$I\ P\ E$	7 24 18 11	+1 61	19 72	19 11 60				
	2350	+24 1	N	d; c + 1 1; b − 2 1; a + 318 8	6 18 ,4	+0 79	19 53	N	d; o + 1 0; b − 3 3; a − 2 2	25 29 59	+1 60	31 19	11 66	19 11 60	0 43	0 262	19 11 313
	2410	+22 11	\		14 6 23	+1 07	7 30	N		33 17 32	+(59	18 91	11 61					
	2423	+20 3	\	s; $Q + 1\ 70$	16 0 14	+1 30	1 44	\	s; $Q + 1\ 65$	35 11 45	+1 59	•13 04	11 60					
	2362	+16 21	\		7 7 35 18	+1 87	37 05	S		7 26 47 05	+1 59	48 64	19 11 59				
	2373	+ 3 18	N		9 3 92	+3 46	7 38	9		28 17 46	+1 59	19 ?5	11 67	19 11 640	0 43	0 262	19 11 335
	2342	+ 0 2	S		10 10 74	3 85	14 59	S		29 24 69	+1 59	26 28	11 69					
	2398	+16 44	\		12 18 28	+1 81	20 09	S		31 30 11	+1 59	31 70	11 61					
	2455	+21 45	\	s; $Q - 1\ 6_5$	7 20 56 43	−2 21	54 22	V	s; $Q - 1\ 65$	7 40 7 60	−1 71	5 89	19 11 67				
	2460	21 4(	\	•	21 48 8)	−2 21	46 68	V	•	40 60 04	−1 71	58 3?	11 65	19 11 635	0 43	0 261	19 11 390
	2469	+28 8	\		23 35 8(	−3 14	32 71	V		42 45 97	−1 69	44 28	11 5,					
	2472	+28 8	N		24 26 93	−3 14	23 79	N		43 37 13	−1 69	35 44	11 65					
	2444	+11 5?	S		7 19 26 04	−0 94	25 10	S		7 38 38 48	−1 71	36 77	19 11 67				
	2480	+ 2 (	S	•	26 56 02	+0 23	56 25	S	•	46 9 60	−1 71	7 89	11 64	19 11 680	0 43	0 262	19 11 375
	2487	+ 3 3	S		27 58 80	+0 07	58 87	S		47 12 27	−1 71	10 56	11 69					
	2491	+ 3 3(	S		29 2 72	+0 07	2 79	S		48 16 22	−1 71	14 51	11 72					
Jan 19	2343	+27 2	N	$I\ P\ E$	7 5 9 64	+1 64	11 28	N	$I\ P\ E$	7 24 21 39	+1 61	23 00	19 11 72				
	2350	+24 19	N	d; c − 2 9; b − 3 2; a − 21 3	6 21 15	+1 61	22 76	N	d; o + 1 0; b − 3 2; a + 10 7	25 32 80	+1 61	34 41	11 65	19 11 690	0 45	0 262	19 11 383
	2410	+22 11	V		14 8 93	+1 59	10 52	N		33 20 53	+1 62	22 15	11 63					
	2423	+20 39	V	s; $Q + 1\ 70$	16 2 99	+1 58	4 57		s; $Q + 1\ 70$	35 14 70	+1 63	16 33	11 76					
	2362	+16 21	S		7 7 38 65	+1 55	40 20	S		7 26 50 20	+1 66	51 86	19 11 66				
	2373	+ 3 18	S		9 9 04	+1 45	10 49	S		28 20 55	+1 71	22 26	11 77	19 11 743	0 45	0 261	19 11 436
	2382	+ 0 2	S		10 16 31	+1 43	17 74	S		29 27 83	+1 72	29 55	11 81					
	2398	+16 44	S		12 21 72	+1 55	23 27	S		31 33 35	+1 65	35 00	11 73					

WALTAIR (E) *Lat 17° 43   Long 5ʰ 33ᵐ 36ˢ*; AND BOLARUM (W) *Lat 17° 80', Long 5ʰ 14ᵐ 15ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Burrard with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W — E)		Correction for Rate of E Clock	Correction for Peral Equations $B_N - C_N = -0^s 263$ $B_S - C_S = -0^s 263$	$\Delta L - \rho$
	B.A.C Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1892		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
Jan 19	2455	+ 21 45	N	I P E	7 20 59 19	− 1 76	57 43	N	I P E	7 40 10 82	− 1 78	9 04	19 11 61				
	2460	+ 21 40	N	d c − 2 9	21 51 64	− 1 76	49 88	N	d c + 1 0	41 3 40	− 1 78	1 62	11 74	19 11 703	0 045	0 263	19 11 396
	2469	+ 28 8	N	b − 3 2 a − 21 3	23 37 58	− 1 70	35 88	N	b + 4 2 a + 10 7	42 49 41	− 1 80	47 61	11 73		—	—	
	2472	+ 28 8	N	ˢ Q − 1 65	24 28 66	− 1 70	26 96	N	ˢ Q − 1 70	43 40 49	− 1 80	38 69	11 73				
	2444	+ 11 53	S		7 19 30 15	− 1 84	28 31	S		7 38 41 75	− 1 73	40 02	19 11 71				
	2480	+ 2 9	S		26 61 37	− 1 91	59 46	S		46 12 83	− 1 69	11 14	11 68	19 11 680	0 045	0 263	19 11 373
	2487	+ 3 31	S		28 3 99	− 1 90	2 09	S		47 15 50	− 1 69	13 81	11 72		—	—	
	2491	+ 3 36	S		29 7 90	− 1 80	6 10	S		48 19 40	− 1 69	17 71	11 61				
Jan 20	2343	+ 27 3	N	I P E	7 5 13 17	+ 1 58	14 74	N	I P W	7 24 25 16	+ 1 39	26 55	19 11 80				
	2350	+ 24 19	N	d c − 2 9	6 24 64	+ 1 57	26 21	N	d c − 2 8	25 36 53	+ 1 42	37 95	11 74	19 11 770	0 044	0 263	19 11 464
	2410	+ 22 11	N	b − 3 4 a − 13 2	14 12 39	+ 1 56	13 95	N	b − 4 2 a + 21 6	33 24 25	+ 1 44	25 69	11 74		—	—	
	2423	+ 20 39	N	ˢ Q + 1 68	16 6 53	+ 1 55	8 08	N	ˢ Q + 1 65	35 18 43	+ 1 45	19 88	11 80				
	2362	+ 16 21	S		7 7 42 16	+ 1 52	43 68	S		7 26 54 00	+ 1 49	55 49	19 11 81				
	2373	+ 5 18	S		9 12 51	+ 1 48	13 99	S		28 24 12	+ 1 62	25 74	11 75	19 11 790	0 044	0 263	19 11 484
	2398	+ 16 44	S		12 25 17	+ 1 52	26 69	S		31 37 01	+ 1 49	38 50	11 81		—	—	
	2455	+ 21 45	N	Q − 1 68	7 21 2 72	− 1 81	0 91	N	Q − 1 65	7 40 14 58	− 1 86	12 72	19 11 81				
	2460	+ 21 40	N		21 55 14	− 1 81	53 33	N		41 6 93	− 1 86	5 07	11 74	19 11 805	0 044	0 263	19 11 499
	2469	+ 28 8	N		23 41 12	− 1 78	39 34	N		42 53 07	− 1 93	51 14	11 80		—	—	
	2472	+ 28 8	N		24 32 26	− 1 78	30 48	N		43 44 28	− 1 93	42 35	11 87				
	2444	+ 11 53	S		7 19 33 57	− 1 86	31 71	S		7 38 45 27	− 1 76	43 51	19 11 80				
	2480	+ 2 9	S		27 4 80	− 1 89	2 91	S		46 16 40	− 1 67	14 73	11 82	19 11 788	0 044	0 263	19 11 482
	2487	+ 3 31	S		28 7 40	− 1 88	5 52	S		47 18 96	− 1 68	17 28	11 76		—	—	
	2491	+ 3 36	S		29 11 74	− 1 88	9 46	S		48 22 91	− 1 68	21 23	11 77				

TABLE V. OBSERVATIONS OF TRANSITS WITH B CLOCK, AND DEDUCTION

341

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ.

WALTAIR (E) *Lat 17° 43′ Long* 5ʰ 35ᵐ 26ˢ; AND BOLARUM (W) *Lat 17° 30′, Long* 5ʰ 14ᵐ 15ˢ

Astronomical Date	STAR		Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of B Clock	Corrn. for Persl. Equations $B_E - C_E = -0˙.262$ $C_E - C_B = 0˙.262$	ΔL — ρ
	BAC Number	Decli nation															
		° ′			h m s	s	s			h m s	s	s	m s		s	s	s
1892 Jan 21	2343	+ 27 2	N	I P W d c + 1 1 b − 2 4 a − 6 6 s Q + 1 70	7 5 16 24	+ 1 70	17 94	N	I P W d c − 2 8 b − 4 7 a+ 31 8 s Q + 1 66	7 24 28 29	+ 1 34	29 63	19 11 69	19 11 693	0 043	0 262	19 11 389
	2350	+ 24 19	N		6 27 76	+ 1 69	29 45	N		25 39 67	+ 1 39	41 06	11 61				
	2410	+ 22 11	N		14 15 48	+ 1 68	17 16	N		33 27 45	+ 1 42	28 87	11 71				
	2423	+ 20 39	N		16 9 57	+ 1 68	11 25	N		35 21 57	+ 1 44	33 01	11 76				
	2362	+ 16 21	S		7 745 15	+ 1 67	46 81	S		7 26 57 05	+ 1 50	58 55	19 11 73	19 11 713	0 043	0 262	19 11 409
	2373	+ 3 18	S		9 15 49	+ 1 63	17 12	S		28 27 24	+ 1 67	28 91	11 79				
	2382	+ 0 2	S		10 22 85	+ 1 63	24 48	S		29 34 43	+ 1 71	36 14	11 66				
	2398	+ 16 44	S		12 28 25	+ 1 67	29 92	S		31 40 10	+ 1 49	41 59	11 67				
	2455	+ 21 45	N	Q − 1 70	7 21 5 74	− 1 72	4 02	N	Q − 1 66	7 40 17 64	− 1 90	15 74	19 11 72	19 11 770	0 043	0 262	19 11 426
	2469	+ 28 8	N		23 44 20	− 1 70	42 50	N		42 56 24	− 2 00	54 24	11 74				
	2444	+ 11 53	S		7 19 36 64	− 1 74	34 90	S		7 38 48 41	− 1 76	46 65	19 11 75	19 11 775	0 043	0 262	19 11 471
	2491	+ 3 36	S		29 14 35	− 1 77	12 58	S		48 26 03	− 1 65	24 38	11 80				
Jan. 22	2343	+ 27 2	N	I P W d c + 1 1 b − 1 7 a + 3 3 s Q + 1 70	7 5 19 53	+ 1 63	21 16	N	I P E d c + 1 0 b − 0 8 a − 8 6 s Q + 1 6,	7 24 31 07	+ 1 72	32 79	19 11 63	19 11 630	0 043	0 262	19 11 326
	2362	+ 16 21	S		7 7 48 36	+ 1 64	50 00	S		7 27 0 00	+ 1 67	1 67	19 11 67	19 11 00	0 043	0 262	19 11 396
	2373	+ 3 18	S		9 18 70	+ 1 66	20 36	S		28 30 40	+ 1 62	32 02	11 66				
	2382	+ 0 2	S		10 25 88	+ 1 66	27 54	S		29 37 67	+ 1 61	39 28	11 74				
	2398	+ 16 44	S		12 31 38	+ 1 64	33 02	S		31 43 08	+ 1 67	44 75	11 73				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

	STAR			TRANSITS OBSERVED AT E By Burrard with Telescope No 1					TRANSITS OBSERVED AT W By Lenox Conyngham with Telescope No 2					Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrns for Persl Equations $B_N - C_N = -0.262$ $B_S - C_S = -0.262$	
Astronomical Date	BAC Numbr	D climation	Stars Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group				$\Delta L - \rho$
1802 Jan 22	2455	+ 21 45	N	$I\ P\ W$	$h\ m\ s$ 7 21 8 91	s − 1 77	s 7 14	N	$I\ P\ E$	$h\ m\ s$ 7 40 20 56	s − 1 65	s 18 91	$m\ s$ 19 11 77			0 042	0 262	19 11 449
	2460	+ 21 40	N	d $c\ +\ 11$	21 61 35	− 1 77	59 58	N	d $c\ +\ 10$	41 12 96	− 1 65	11 31	11 73	19 11 53	0 042			
	2469	+ 28 8	N	$b\ -\ 37$ $a\ +\ 33$	23 47 39	− 1 78	45 61	N	$b\ -\ 08$ $a\ -\ 86$	42 58 99	− 1 62	57 37	11 56		−		−	
	2472	+ 28 8	N	s $Q\ -\ 1\ 70$	26 38 53	− 1 78	36 75	N	s $Q\ -\ 1\ 67$	43 50 12	− 1 62	48 50	11 75					
	2444	+ 11 53	S		7 59 39 73	− 1 74	37 99	S		7 38 51 47	− 1 69	49 78	19 11 79			0 042	0 262	19 11 474
	2480	+ 2 9	S		27 10 83	− 1 74	9 09	S		46 22 61	− 1 72	20 89	11 80	19 11 78	0 042			
	2487	+ 3 31	S		28 13 53	− 1 74	11 79	S		47 25 25	− 1 72	23 53	11 74		−		−	
	2491	+ 3 36	S		29 17 44	− 1 74	15 70	S		48 29 20	− 1 72	27 48	11 78					
Jan 23	2343	+ 27 2	N	$I\ P\ E$	7 5 22 75	+ 1 55	24 30	N	$I\ P\ E$	7 24 14 26	+ 1 77	16 03	19 11 73			0 043	0 262	19 11 438
	2350	+ 24 19	N	d $c\ -\ 29$	6 34 11	+ 1 54	35 65	N	d $c\ +\ 10$	25 45 66	+ 1 76	4 42	11 17	19 11 (3)	0 043			
	2410	+ 22 11	N	$b\ -\ 49$ $a\ -\ 10\ 0$	14 21 85	+ 1 53	23 38	N	$b\ 0\ 0$ $a\ +\ 02$	33 33 41	+ 1 6	35 17	11 79		−		−	
				s $Q\ +\ 1\ 70$					s $Q\ +\ 1\ 74$									
	2373	+ 3 18	S		7 9 21 99	+ 1 49	23 48	S		7 28 33 51	+ 1 6	35 21	19 11 79	19 11 90	0 043	0 262	19 11 485
															−		−	
	2469	+ 28 8	N	s $Q\ -\ 1\ 70$	7 23 50 61	− 1 84	48 77	N	s $Q\ -\ 1\ 84$	7 43 2 29	− 1 81	0 48	19 11 71	19 11 40	0 043	0 262	19 11 435
	2472	+ 28 8	N		24 41 69	− 1 84	39 85	N		43 53 43	− 1 81	51 62	11 77		−		−	
	2491	+ 3 36	S		7 29 20 76	− 1 93	18 83	S		7 48 32 46	− 2 82	30 64	19 11 81	19 11 810	0 043	0 262	19 11 505
															−		−	

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

343

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

			WALTAIR (E) *Lat 17° 45′ Long 5ʰ 33ᵐ 26ˢ* AND BOLARUM (W) *Lat 17° 30′, Long 5ʰ 14ᵐ 15ˢ*													
	STAR		TRANSITS OBSERVED AT E *By Burrard with Telescope No 1*				TRANSITS OBSERVED AT W *By Lenox Conyngham, with Telescope No 2*					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn for Persl Equations $B_F − C_F = -0ˢ\ 262$ $B_a − C_a = -1$	
Astronomical Date	B A C Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			$\Delta L + \rho$
1892 Jan 18	2657	+ 25 41	N	*I F W*	ʰ ᵐ ˢ 7 35 4 99	ˢ 0 61	ˢ 5 60	N	*I P E*	ʰ ᵐ ˢ , 54 15 73	ˢ +1 60	ˢ 17 33	ᵐ ˢ 19 11 73				
	2714	+ 21 54	N	d c + 1 1	42 5 18	+1 12	6 30	N	d 0 + 1 0	8 1 16 49	+1 49	18 08	11 78	ˢ 19 11 ,90	0 003	0 262	19 11 526
	2734	+ 32 48	N	b − 2 1 a + 31 8 8	40 34 ,8	−0 51	34 17	N	b − 3 3 c − 2 2	4 44 51	+1 62	46 13	11 86		−	−	
				e Q + 1 71					e Q + 1 65			'					
	2668	− 1 5	S		7 36 21 35	+3 99	25 34	S		7 55 35 53	+1 58	37 11	19 11 77				
	2679	+ 10 15	S		37 59 48	+2 65	62 13	S		5, 12 31	+1 59	13 90	11 77	ˢ 19 11 818	0 003	0 262	19 11 5 4
	2690	+ 13 26	S		39 42 96	+2 23	45 19	S		58 55 47	+1 59	5, 06	11 8,		−	−	
	2ʼ25	− 2 40	S		49 4, 46	+4 18	51 64	S		8 3 1 92	+1 58	3 50	11 86				
	2786	+ 27 34	N	e Q − 1 71	7 54 15 48	−3 10	12 38	N	to Q − 1 65	8 13 25 60	−1 69	23 91	19 11 53				
	2799	+ 18 41	N		57 54 69	−1 86	52 83	N		17 6 18	−1 71	4 47	11 64	ˢ 19 11 ,83	0 003	0 262	19 11 319
	2843	+ 24 30	N		8 2 57 29	−2 66	54 63	N		22 7 91	−1 ,0	6 21	11 58		−	−	
	2814	− 3 24	S		7 59 53 01	+0 85	53 86	S		8 19 7 24	−1 72	5 52	19 11 66	ˢ 19 11 660	0 003	0 262	19 11 396
															−	−	
Jan 19	2657	+ 25 41	N	*I P E*	7 35 4 02	+1 61	5 64	N	*I P E*	7 54 15 96	+1 60	17 56	19 11 92				
	2734	+ 32 48	N	d 0 − 2 9	45 32 73	+1 69	34 42	N	d 0 + 1 0	8 4 44 77	+1 58	46 35	11 93	ˢ 19 11 893	0 003	0 262	19 11 629
	2744	+ 17 59	N	b − 3 2 a − 21 3	46 41 34	+1 57	42 91	N	b − 3 3 a + 10 7	5 53 10	+1 64	54 74	11 83		−	−	
				e Q + 1 70					e Q + 1 ,0								
	2668	− 1 5	S		7 36 23 96	+1 42	25 38	S		7 55 35 56	+1 73	37 29	19 11 91				
	2679	+ 10 15	S		38 0 73	+1 50	2 22	S		57 12 42	+1 68	14 10	11 88	ˢ 19 11 913	0 003	0 262	19 11 649
	2725	− 2 40	S		43 50 24	+1 40	51 64	S		8 3 1 86	+1 73	3 59	11 95		−	−	

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$.

WALTAIR (E) *Lat* 17° 48′ *Long* 5ʰ 35ᵐ 26ˢ, AND BOLARUM (W) *Lat* 17° 80′, *Long* 5ʰ 14ᵐ 18ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E *By Burrard with Telescope No 1*				Star's Aspect	TRANSITS OBSERVED AT W *By Lenox Conyngham with Telescope No 2*				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrⁿ for Persl Equations $B_R - C_R = -0.262$ $B_B - C_B = -0.262$	$\Delta L + \rho$
	BAO Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1892 Jan 19	2759	+ 18 0	N	*I P E*	ʰ ᵐ ˢ 7 48 43 83	ˢ − 1 82	ˢ 42 01	N	*I P E*	ʰ ᵐ ˢ 8 7 55 64	ˢ − 1 76	ˢ 53 88	ᵐ ˢ 19 11 87		ˢ	ˢ	ˢ
	2786	+ 27 34	N	d c − 2 9	54 13 82	− 1 76	12 06	N	d c + 1 0	13 25 82	− 1 80	24 02	11 96		0 003	0 262	19 11 654
	2799	+ 18 41	N	b − 3 2 a − 21 3	87 54 39	− 1 84	52 55	N	b − 3 2 a + 10 ʃ	17 6 27	− 1 77	4 50	11 95	ᵐ ˢ 19 11 918	−	−	
	2833	+ 24 30	N	Q − 1 70	8 2 56 18	− 1 79	54 39	N	Q − 1 70	22 8 07	− 1 79	6 28	11 89				
	2778	+ 9 31	S		7 51 23 13	− 1 91	21 22	S		8 10 34 85	− 1 72	33 13	19 11 91		ˢ	ˢ	ˢ
	2782	+ 9 12	S		56 24 40	− 1 91	22 49	S		11 36 05	− 1 71	34 34	11 85		0 003	0 262	19 11 626
	2814	− 3 24	S		59 55 69	− 2 00	53 69	S		19 7 24	− 1 66	5 58	11 89	ᵐ ˢ 19 11 800	−	−	
	2825	− 3 33	S		8 0 59 55	− 2 00	57 55	S		20 11 12	− 1 66	9 46	11 91				
Jan 20	2657	+ 25 41	N	*I P E*	7 35 4 13	+ 1 57	5 70	N	*I P W*	7 54 16 36	+ 1 40	17 76	19 12 06		ˢ	ˢ	ˢ
	2744	+ 17 59	N	d c − 2 9	46 41 41	+ 1 54	42 93	N	d c − 2 8	8 5 53 50	+ 1 48	54 98	12 03	ᵐ ˢ 19 12 045	0 003	0 262	19 11 80
				b − 3 4 a − 13 2						b − 4 2 a + 21 6					−	−	
				Q + 1 68						Q + 1 65							
	2668	− 1 5	S		7 36 24 14	+ 1 45	25 59	S		7 55 35 85	+ 1 65	37 50	19 11 91		ˢ	ˢ	ˢ
	2679	+ 10 15	S		38 0 66	+ 1 49	2 15	S		5 12 68	+ 1 56	14 24	12 09	ᵐ ˢ 19 12 013	0 003	0 262	19 11 748
	2690	+ 13 26	S		39 43 74	+ 1 51	45 25	S		58 55 81	+ 1 52	57 33	12 08		−	−	
	2725	− 2 40	S		43 50 31	+ 1 45	51 76	S		8 3 2 06	+ 1 67	3 73	11 97				
	2759	+ 18 0	N	Q − 1 68	7 48 43 8ʃ	− 1 81	42 06	N	Q − 1 65	8 7 55 88	− 1 82	54 06	19 12 00		ˢ	ˢ	ˢ
	2799	+ 18 41	N		57 54 51	− 1 82	52 69	N		17 6 51	− 1 83	4 68	11 99	ᵐ ˢ 19 11 993	0 003	0 262	19 11 728
	2833	+ 24 30	N		8 2 56 35	− 1 79	54 56	N		22 8 43	− 1 88	6 55	11 99		−	−	
	2778	+ 9 31	S		7 51 23 25	− 1 87	21 38	S		8 10 35 03	− 1 73	33 30	19 11 92		ˢ	ˢ	ˢ
	2814	− 3 24	S		59 55 72	− 1 92	53 80	S		19 7 33	− 1 63	5 70	11 90	ᵐ ˢ 19 11 910	0 003	0 262	19 11 645
	2825	− 3 33	S		8 0 59 61	− 1 92	57 69	S		20 11 34	− 1 63	9 60	11 91		−	−	

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

WALTAIR (E) *Lat 17° 43′ Long 5ʰ 33ᵐ 29ˢ* AND BOLARUM (W) *Lat 17° 30′, Long 5ʰ 14ᵐ 15ˢ*

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrⁿ. for Persⁿl. Equations $B_E - C_W = 0^s \cdot 262$ $B_E - C_E = 0 \cdot 262$	ΔL + ρ
					h m s	*s*	*s*			*h m s*	*s*	*s*	*m s*				
1892																	
Jan 21	2714	+ 21 54	N	*I P W*	7 42 5 13	+ 1 68	6 81	N	*I P W*	8 1 17 31	+ 1 42	18 73	19 11 92		*s* 0 003	*s* 0 262	*s* 19 11 612
	2734	+ 32 48	N	*d* c + 1 1	45 33 18	+ 1 72	34 90	N	*d* c − 2 8	4 45 51	+ 1 25	46 76	11 86	*m s* 19 11 877			
	2744	+ 17 59	N	b − 2 4 a − 6 6	46 41 68	+ 1 68	43 36	N	b + 31 8 a + 31 8	5 53 74	+ 1 47	55 21	11 85		−	−	
				s Q + 1 70					*s* Q + 1 66								
	2690	+ 13 26	S		7 39 44 17	+ 1 67	45 84	S		7 58 56 11	+ 1 54	57 65	19 11 81	*m s* 19 11 845	*s* 0 003	*s* 0 262	*s* 19 11 580
	2725	− 2 40	S		43 50 51	+ 1 62	52 13	S		8 3 2 27	+ 1 74	4 01	11 88		−	−	
	2759	+ 18 0	N	*s* Q − 1 70	7 48 44 11	− 1 72	42 39	N	*s* Q − 1 66	8 7 56 20	− 1 85	54 35	19 11 96	*m s* 19 11 948	*s* 0 003	*s* 0 262	*s* 19 11 683
	2786	+ 27 34	N		54 14 31	− 1 70	12 61	N		13 26 54	− 1 99	24 55	11 94		−	−	
	2799	+ 18 41	N		5 54 77	− 1 73	53 04	N		17 6 80	− 1 86	4 94	11 90				
	2833	+ 24 30	N		8 2 56 58	− 1 71	54 87	N		22 8 80	− 1 94	6 86	11 99				
	2778	+ 9 31	S		7 51 23 35	− 1 75	21 60	S		8 10 35 35	− 1 73	33 62	19 12 02	*m s* 19 11 963	*s* 0 003	*s* 0 262	*s* 19 11 698
	2782	+ 9 12	S		52 24 71	− 1 75	22 96	S		11 36 58	− 1 73	34 85	11 89		−	−	
	2814	− 3 24	S		59 55 92	− 1 78	54 14	S		19 7 63	− 1 57	6 06	11 92				
	2825	− 3 33	S		8 0 59 77	− 1 78	57 99	S		20 11 58	− 1 57	10 01	12 02				
Jan 22	2657	+ 25 41	N	*I P W*	7 35 4 70	+ 1 58	*8* 6 28	N	*I P E*	7 54 16 42	+ 1 70	18 12	19 11 84	*m s* 19 11 830	*s* 0 003	*s* 0 262	*s* 19 11 565
	2734	+ 32 48	N	*d* c + 1 1	45 33 39	+ 1 56	34 95	N	*d* c + 1 0	8 4 45 10	+ 1 74	46 84	11 89		−	−	
	2744	+ 17 59	N	b − 3 7 a + 3 3	46 41 97	+ 1 59	43 56	N	b − 0 8 a − 8 6	5 53 65	+ 1 67	55 32	11 76				
				s Q + 1 65					*s* Q + 1 67								
	2668	− 1 5	S		7 36 24 38	+ 1 61	25 99	S		7 55 36 24	+ 1 61	37 85	19 11 86	*m s* 19 11 883	*s* 0 003	*s* 0 262	*s* 19 11 618
	2679	+ 10 15	S		38 1 18	+ 1 61	2 79	S		57 13 02	+ 1 65	14 67	11 88		−	−	
	2690	+ 13 26	S		39 44 29	+ 1 61	45 90	S		58 56 13	+ 1 66	5 79	11 89				
	2725	− 2 40	S		43 50 65	+ 1 62	52 27	S		8 3 2 57	+ 1 60	4 17	11 90				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

WALTAIR (E) *Lat* 17° 43′, *Long* 5ʰ 38ᵐ 26ˢ, AND BOLARUM (W) *Lat* 17° 30′, *Long* 5ʰ 14ᵐ 15ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E — By Burrard, with Telescope No 1				Star's Aspect	TRANSITS OBSERVED AT W — Bv Lenox Conyngham with Telescope No 2				Difference of Corrected Times (W – E)		Correction for Rate of W Clock	Corrns for Pers Equations $B_N - C_N = 0^s \cdot 262$ $B_S - C_S = 0 \cdot 262$	$\Delta L + \rho$
	BAC Number	Decli nation		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1802 Jan 22	2786	+ 27 34	N	I P W	h m s 7 54 14 47	s − 1 72	s 12 75	N	I P E	h m s 8 13 26 26	s − 1 62	s 24 64	m s 19 11 89		s 0 003	s 0 262	s 19 11 648
	2799	+ 18 41	N	d c + 1 11	57 54 94	− 1 71	53 23	N	d c + 1 0	17 6 78	− 1 67	5 11	11 88	19 11 913			
	2833	+ 24 30	N	b − 3 7 a + 3 3	8 2 56 74	− 1 72	55 02	N	b − 0 8 a − 8 6	22 8 63	− 1 64	6 99	11 97	Ms	−	−	
				Q − 1 65					Q − 1 67								
	2778	+ 9 31	S	7 51 23 51		− 1 70	21 87	S		8 10 35 44	− 1 70	33 74	19 11 87		0 003	0 262	19 11 632
	2814	− 3 24	S		59 55 99	− 1 68	54 31	S		19 8 00	− 1 74	6 26	11 95	19 11 897			
	2825	− 3 33	S		8 0 59 87	− 1 68	58 19	S		20 11 80	− 1 74	10 06	11 87	Ms	−	−	
Jan 23	2657	+ 25 41	N	I P E	7 35 4 99	+ 1 54	6 53	N	I P E	7 54 16 65	+ 1 76	18 41	19 11 88		0 003	0 262	19 11 690
	2714	+ 21 54	N	d c − 2 9	42 5 56	+ 1 53	7 09	N	d c + 1 0	8 1 17 36	+ 1 76	19 12	12 03	19 11 955			
				b − 4 9 a − 10 0					b 0 0 a + 0 2					Ms	−	−	
				Q + 1 70					Q + 1 74								
	2668	− 1 5	S		7 36 24 74	+ 1 47	26 21	S		7 55 36 36	+ 1 76	38 12	19 11 91		0 003	0 262	19 11 675
	2679	+ 10 15	S		38 1 51	+ 1 49	3 00	S		57 13 18	+ 1 76	14 94	11 94	19 11 940			
	2690	+ 13 26	S		39 44 68	+ 1 50	46 18	S		58 56 33	+ 1 76	58 09	11 91	Ms	−	−	
	2725	− 2 40	S		43 51 02	+ 1 46	52 48	S		8 3 2 72	+ 1 76	4 48	12 00				
	2786	+ 27 34	N	Q − 1 70	7 54 14 85	− 1 85	13 00	N	Q − 1 74	8 13 26 66	− 1 71	24 95	19 11 95		0 003	0 262	19 11 715
	2799	+ 18 41	N		57 55 34	− 1 89	53 45	N		17 7 16	− 1 72	5 44	11 99	19 11 980			
	2833	+ 24 30	N		8 2 57 13	− 1 86	55 27	N		22 8 99	− 1 72	7 27	12 00	Ms	−	−	
	2814	− 3 24	S		7 59 56 49	− 1 94	54 55	S		8 19 8 15	− 1 72	6 43	19 11 88		0 003	0 262	19 11 665
	2825	− 3 33	S		8 0 60 23	− 1 94	58 31	S		20 12 05	− 1 72	10 33	12 02	19 11 950			

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

347

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

BOLARUM (E) *Lat* 17° 30′, *Long* 5ʰ 14ᵐ 15ˢ AND BOMBAY (W) *Lat* 18° 54′, *Long* 4ʰ 51ᵐ 25ˢ

Astronomical Date	BAC Number	Declination	*Star's Aspect (E)	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	*Star's Aspect (W)	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	Difference (W−E) By each Star	Mean of Group	Correction for Rate of E Clock	Corrn for Persl. Equations $C_N - B_N = +0^s 262$ $C_S - B_S = +0^s 262$	$\Delta L - \rho$
1892 Feb 9	2410	+ 22 11	N	I P E	7 13 43·70	+ 1·68	45·38	N	I P E	7 36 32·19	+ 1·70	33·89	22 48·51				
	2416	+ 36 58	N	d, o + 0·9	14 53·93	+ 0·91	54·84	N	d, 0 − 1·1	37 41·19	+ 2·08	43·27	48·43	22 48·430	0·006 −	+ 0·262	22 48·686
	2429	+ 40 53	N	b + 6·1, a +107·5	16 44·31	+ 0·66	44·97	N	b − 4·4, a − 54·2	39 31·16	+ 2·21	33·37	48·40				
	2440	+ 27 51	N	Q + 1·73	17 53·97	+ 1·41	55·38	N	Q + 1·76	40 41·93	+ 1·83	43·76	48·38				
	2398	+ 16 44	S		7 11 56·26	+ 1·92	58·18	S		7 34 45·07	+ 1·58	46·65	22 48·47				
	2444	+ 11 53	S		19 1·09	+ 2·13	3·22	S		41 50·08	+ 1·48	51·56	48·34	22 48·385	0·006 −	+ 0·262	22 48·641
	2451	+ 9 29	S		19 47·53	+ 2·23	49·76	S		42 36·65	+ 1·44	38·09	48·33				
	2462	+ 8 30	S		21 20·41	+ 2·27	22·68	S		44 9·66	+ 1·42	11·08	48·40				
	2499	+ 20 24	N	Q − 1·73	7 30 51·31	− 1·69	49·62	N	Q + 1·76	7 53 36·24	+ 1·65	37·89	22 48·27				
	2509	+ 34 50	N		32 14·64	− 2·42	12·22	N		54 58·53	+ 2·02	60·55	48·33	22 48·313	0·006 −	+ 0·262	22 48·569
	2517	+ 32 16	N		33 7·10	− 2·28	4·82	N		55 51·21	+ 1·95	53·16	48·34				
	2491	+ 5 36	S		7 28 41·93	− 1·00	40·93	S		7 51 27·96	+ 1·32	29·28	22 48·35				
	2526	+ 5 29	S		34 28·95	− 1·07	27·88	S		57 14·83	+ 1·36	16·19	48·31	22 48·330	0·006 −	+ 0·262	22 48·586
Feb 10	2410	+ 22 11	N	I P W	7 13 43·99	+ 1·70	45·69	N	I P E	7 36 32·51	+ 1·75	34·26	22 48·57				
	2416	+ 36 58	N	d, c − 2·7	14 52·99	+ 2·12	55·11	N	d, 0 − 1·1	37 41·46	+ 2·19	43·65	48·54	22 48·540	0·007 −	+ 0·262	22 48·795
	2429	+ 40 53	N	b − 2·1, a − 59·7	16 43·00	+ 2·26	45·26	N	b − 1·1, a − 59·2	39 31·50	+ 2·33	33·83	48·57				
	2440	+ 27 51	N	Q + 1·70	17 53·80	+ 1·85	55·65	N	Q + 1·73	40 42·23	+ 1·90	44·13	48·48				
	2398	+ 16 44	S		7 11 56·92	+ 1·57	58·49	S		7 34 45·36	+ 1·62	46·98	22 48·49				
	2444	+ 11 53	S		19 2·07	+ 1·46	3·53	S		41 50·47	+ 1·51	51·98	48·45	22 48·485	0·007 −	+ 0·262	22 48·740
	2451	+ 9 29	S		19 48·64	+ 1·40	50·04	S		42 37·01	+ 1·47	38·49	48·45				
	2462	+ 8 30	S		21 21·59	+ 1·38	22·97	S		44 10·07	+ 1·45	11·52	48·55				

     TABLE V   OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

BOLARUM (E) *Lat* 17° 80′, *Long* 5ʰ 14ᵐ 15   AND BOMBAY (W) *Lat* 18° 54 *Long* 4ʰ 51ᵐ 25ᵛ

Astronomical Date	Star		Stars Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Stars Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrn for Persl Equations $C_N - B_N = + o^s 262$ $C_S - B_S = + o 262$	$\Delta L - \rho$
	B A C Number	Declination															
1802					h m s	s	s			h m s	s	s	m s				
Feb 10	2472	+ 28 8	N	I P W	7 24 3 78	−1 54	2 24	N	I P E	7 46 48 80	+1 91	50 71	22 48 47				
	2499	+ 20 24	N	c − 2 7	30 51 69	−1 74	49 95	N	c − 1 1	53 36 67	+1 71	38 38	48 43	m s 22 48 415	0 007	0 262	22 48 700
	2509	+ 34 50	N	b − 2 1	32 13 85	−1 34	12 51	N	b − 1 1	54 58 87	+2 11	60 98	48 47		−	+	
	2517	+ 32 16	N	a −59 7	33 6 58	−1 41	5 17	N	a −59 2	55 51 55	+2 03	53 58	48 41				
				Q − 1 70					Q + 1 73								
	2480	+ 2 9	S		7 26 36 84	−2 16	34 68	S		7 49 21 86	+1 31	23 17	22 48 49				
	2487	+ 3 31	S		27 39 49	−2 13	37 36	S		50 24 44	+1 34	25 18	48 42	m s 19 48 443	0 007	0 262	22 48 698
	2491	+ 3 36	S		28 43 44	−2 13	41 31	S		51 28 40	+1 34	29 74	48 43		−	+	
	2526	+ 5 29	S		34 30 30	−2 09	28 21	S		57 15 26	+1 38	16 64	48 43				
Feb 11	2410	+ 22 11	N	I P W	7 13 44 60	+1 70	46 30	N	I P W	7 36 33 14	+1 75	34 89	22 48 59				
	2416	+ 36 58	N	c − 2 7	14 53 61	+2 12	55 73	N	c − 0 7	37 4 12	+2 13	44 25	48 52	m s 22 48 510	0 006	0 262	22 48 766
	2429	+ 40 53	N	b − 1 9	16 43 60	+2 27	45 87	N	b − 2 6	39 32 12	+2 26	34 38	48 51		−	+	
	2440	+ 27 51	N	a −59 0	17 54 42	+1 85	56 27	N	a −54 4	40 42 82	+1 87	44 69	48 42				
				Q + 1 70					Q + 1 75								
	2398	+ 16 44	S		7 11 57 51	+1 58	59 09	S		7 34 46 16	+1 62	47 78	22 48 69				
	2444	+ 11 53	S		19 2 65	+1 47	4 12	S		41 51 05	+1 52	52 57	48 45	m s 22 48 513	0 006	0 262	22 48 771
	2451	+ 9 29	S		19 49 22	+1 41	50 63	S		42 37 57	+1 47	39 04	48 41		−	+	
	3464	+ 8 30	S		21 22 15	+1 39	23 54	S		44 10 60	+1 45	12 05	48 51				
	2472	+ 28 8	N	Q − 1 70	7 24 4 36	−1 54	2 82	N	Q + 1 75	7 46 49 34	+1 88	51 22	22 48 40				
	2499	+ 20 24	N		30 52 24	−1 74	50 50	N		53 37 20	+1 70	38 90	48 40	m s 22 48 420	0 006	0 262	22 48 676
	2509	+ 34 50	N		32 14 44	−1 34	13 10	N		54 59 54	+2 07	61 61	48 51		−	+	
	2517	+ 32 16	N		33 7 15	−1 42	5 73	N		55 52 11	+1 99	54 10	48 37				
	2480	+ 2 9	S		7 26 37 39	−2 15	35 24	S		7 49 22 32	+1 32	23 64	22 48 40				
	2487	+ 3 31	S		27 39 95	−2 12	37 83	S		50 24 95	+1 35	26 30	48 47	m s 22 48 438	0 006	0 262	22 48 694
	2491	+ 3 36	S		28 43 97	−2 12	41 85	S		51 28 91	+1 35	30 26	48 41		−	+	
	2526	+ 5 29	S		34 30 79	−2 08	28 71	S		57 15 79	+1 39	17 18	48 47				

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

349

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L - \rho$

BOLARUM (E) *Lat 17° 30′ Long 5ʰ 14ᵐ 15* : AND BOMBAY (W) *Lat 18° 54′, Long 4ʰ 51ᵐ 95ˢ*

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Lenox Conyngham, with Telescope No 2				Star's Aspect	TRANSITS OBSERVED AT W By Burrard, with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of E Clock	Corrn for Persl Equations $C_N = B_N = + d^a$ 262 $C_S = B_S = 0$ 262	$\Delta L - \rho$
	B A C Number	Declination		In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892 Feb 12	2410	+ 22 11	N	I P E	ʰ ᵐ ˢ 7 13 44 60	ˢ +1 84	ˢ 46 44	N	I P W	ʰ ᵐ ˢ 7 36 33 29	ˢ +1 75	ˢ 35 04	ᵐ ˢ 22 48 60				ˢ 22 48 108
	2416	+ 36 58	N	c + o 9ᵈ	14 53 74	+2 25	55 99	N	c − o 7ᵈ	37 42 22	+2 15	44 37	48 38	ˢ 22 48 448	0 002	+ o 262	
	2429	+ 40 53	N	b o o a − 54 6	16 43 70	+2 38	46 08	N	b − 2 3 a − 55 7	31 32 22	+2 29	34 51	48 43		−		
	2440	+ 27 51	N	Q + 1 71ᵉ	17 54 48	+1 98	56 46	N	Q + 1 75ᵉ	40 42 95	+1 89	44 84	48 38				
	2398	+ 16 44	S		7 11 57 55	+1 71	59 26	S		7 34 46 08	+1 63	47 71	22 48 45				22 48 668
	2444	+ 11 53	S		19 2 72	+1 61	4 33	S		41 51 14	+1 52	52 66	48 33	ˢ 22 48 408	0 002	+ o 262	
	2451	+ 9 29	S		19 49 22	+1 56	50 78	S		42 3 75	+1 47	39 22	48 44		−		
	2462	+ 8 30	S		21 22 20	+1 54	23 74	S		44 10 70	+1 45	12 15	48 41				
Feb 13	2429	+ 40 53	N	I P E	7 16 43 86	+2 34	46 20	N	I P h	7 39 35 86	−1 26	34 60	22 48 40				22 48 619
	2440	+ 27 51	N	c + o 9ᵈ b − 4 2 a − 52 8	17 54 62	+1 95	56 57	N	c − 1 1ᵈ b − 4 2 t − 58 1	40 46 59	−1 66	44 93	48 36	ˢ 22 48 380	0 003	o 262	
				Q + 1 70ᵉ					Q − 1 75ᵉ						−	+	
	2444	+ 11 53	S		7 19 2 81	+1 59	4 40	S		7 41 54 88	−2 04	52 84	22 48 44	ˢ 22 48 440	0 003 −	o 262 +	22 48 699
	2472	+ 28 8	N	Q − 1 70ᵉ	7 24 4 54	−1 44	3 10	N	Q − 1 75ᵉ	7 46 53 08	−1 65	51 43	22 48 33				22 48 889
	2499	+ 20 24	N		30 52 45	−1 63	50 82	N		53 41 01	−1 85	39 16	48 34	ˢ 22 48 130	0 003	o 262	
	2509	+ 34 50	N		32 14 69	−1 26	13 43	N		55 3 19	−1 45	1 74	48 31		−	+	
	2517	+ 32 16	N		33 7 38	−1 33	6 05	N		55 55 93	−1 54	54 39	48 34				

TABLE V   OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL − ρ

BOLARUM (E) *Lat 17° 30′, Long 5ʰ 14ᵐ 15ˢ*   AND   BOMBAY (W) *Lat 18° 54′, Long 4ʰ 51ᵐ 25*

Astronomical Date	Star BAC Number	Declination	Star Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time (E)	Total Correction (E)	Seconds of Corrected Time (E)	Star Aspect	Instrumental Position and Correction Constants (W)	Mean Observed Time (W)	Total Correction (W)	Seconds of Corrected Time (W)	By each Star	Mean of Group	Correction for Rate of E Clock	Corrn for Persl Equations $C_K − B_K = + 0ˢ 262$, $C_B − B_B = + 0ˢ 262$	ΔL − ρ
1892 Feb 13	2480	+ 2 9	S	I P E	7 26 37 58	− 2 00	35 58	S	I P E	7 49 26 16	− 2 24	23 92	22 48 34				
	2487	+ 3 11	S	c + 0 9 (d)	27 40 21	− 1 98	38 23	S	c − 1 1 (d)	50 28 78	− 2 20	6 58	48 35	22 48.368	0 003	+ 0 262	22 48 627
	2491	+ 3 36	S	b − 0 2	28 44 14	− 1 98	42 16	S	b − 4 2	51 32 73	− 2 20	30 53	48 37			−	+
	2526	+ 5 29	S	a − 52 8 / Q − 1 70	34 30 98	− 1 94	29 04	S	ε − 58 1 / Q − 1 75	57 19 61	− 2 16	1 45	48 41				
Feb 14	2410	+ 22 11	N	I P W	7 13 45 18	+ 1 59	46 77	N	I P E	7 36 33 67	+ 1 70	35 37	22 48 60				
	2416	+ 36 58	N	c − 0 5 (d)	14 54 38	+ 1 97	56 35	N	c − 1 1	37 42 56	+ 2 14	44 70	48 35	22 48.443	0 004	+ 0 262	22 48 701
	2429	+ 40 53	N	b + 0 9	16 44 32	+ 2 09	46 41	N	b − 3 8	39 32 58	+ 2 28	34 86	48 45			−	+
	2440	+ 27 51	N	a − 50 9 / Q + 1 48	17 55 11	+ 1 72	56 83	N	a − 60 5 / Q + 1 14	40 43 35	+ 1 85	45 20	48 37				
	2898	+ 16 44	S		7 11 58 18	+ 1 47	59 65	S		7 34 46 49	+ 1 57	48 06	22 48 41				
	2444	+ 11 53	S		19 3 31	+ 1 38	4 69	S		41 51 59	+ 1 45	53 04	48 35	22 48.413	0 004	+ 0 262	22 48 671
	2451	+ 9 29	S		19 49 82	+ 1 33	51 15	S		42 38 19	+ 1 41	39 60	48 45			−	+
	2462	+ 8 30	S		21 22 82	+ 1 31	24 13	S		44 11 18	+ 1 39	12 57	48 44				
	2472	+ 28 8	N	Q − 1 48	7 24 4 63	− 1 23	3 40	N	Q + 1 74	7 46 49 91	+ 1 86	51 77	22 48 37				
	2499	+ 20 24	N		30 52 49	− 1 41	51 08	N		53 3 84	+ 1 66	39 50	48 42	22 48.425	0 004	+ 0 262	22 48 683
	2509	+ 34 50	N		32 14 67	− 1 06	13 61	N		55 0 05	+ 2 06	2 11	48 50			−	+
	2517	+ 32 16	N		33 7 41	− 1 12	6 29	N		55 52 72	+ 1 98	54 70	48 41				
	2480	+ 2 9	S		7 26 37 58	− 1 77	35 81	S		7 49 23 01	+ 1 25	24 26	22 48 45				
	2487	+ 3 31	S		27 40 14	− 1 74	38 40	S		50 25 56	+ 1 28	26 84	48 44	22 48.418	0 004	+ 0 262	22 48 676
	2491	+ 3 36	S		28 44 14	− 1 74	42 40	S		51 29 50	+ 1 28	30 78	48 38			−	+
	2526	+ 5 29	S		34 31 03	− 1 71	29 32	S		57 16 39	+ 1 33	17 72	48 40				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

351

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

BOLARUM (E) *Lat 17° 30′ Long* 5ʰ 14ᵐ 15   AND BOMBAY (W) *Lat 18° 54′ Long* 4ʰ 51ᵐ 25ˢ

Astronomical Date	STAR		Star's Aspect	TRANSITS OBSERVED AT E By Lenox Conyngham with Telescope No 9				Star's Aspect	TRANSITS OBSERVED AT W By Burrard with Telescope No 1				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn. for Persl Equations $C_B - B_F = + 0^s 262$ $C_B - B_B = + 0^s 262$	$\Delta L + \rho$
	B A C Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892 Feb 9	2714	+ 21 54	N	I P E	h m s , 38 15 24	+ 1 70	s 16 94	N	I P E	h m s 8 1 7 39	s − 1 83	s 5 56	m s 22 48 62				
	2734	+ 32 48	N	c + 0 9 d	41 43 87	+ 1 16	45 03	N	c − 1 1 d	4 35 13	− 1 55	33 58	48 55	22 48 5 8	− 0 052	+ 0 262	22 48 788
	2744	+ 17 59	N	b + 6 1 a + 107 5	42 51 60	+ 1 87	53 47	N	b − 4 4 a − 54 2	5 43 99	− 1 91	42 08	48 61				
	2759	+ 18 0	N	s Q + 1 73	44 50 82	+ 1 87	52 69	N	s Q − 1 76	7 43 13	− 1 91	41 22	48 53				
	2690	+ 13 26	S		7 35 53 81	+ 2 06	55 87	S		7 58 46 47	− 2 01	44 46	22 48 59				
	2725	− 2 40	S		39 59 58	+ 2 71	62 29	S		8 2 53 22	− 2 31	50 91	48 62	22 48 568	− 0 052	+ 0 262	22 48 7,8
	2778	+ 9 31	S		47 29 68	+ 2 23	31 91	S		10 22 56	− 2 08	20 48	48 57				
	2782	+ 9 12	S		48 30 96	+ 2 24	33 20	S		11 23 78	− 2 09	21 69	48 49				
	2786	+ 27 34	N	Q − 1 73	7 50 24 86	− 2 03	22 83	N	Q − 1 76	8 13 12 99	− 1 69	11 30	22 48 47				
	2793	+ 43 32	N		52 22 41	− 2 99	19 42	N		15 9 22	− 1 21	8 01	48 59	22 48 545	− 0 052	+ 0 262	22 48 755
	2833	+ 24 30	N		59 7 10	− 1 88	5 22	N		21 55 56	− 1 77	53 79	48 57				
	2850	+ 24 27	N		8 1 61 86	− 1 88	59 98	N		24 50 30	− 1 77	48 53	48 55				
	2799	+ 18 41	S		7 54 4 96	− 1 62	3 34	S		8 16 53 72	− 1 90	51 82	22 48 48				
	2814	− 3 24	S		56 5 16	− 0 72	4 44	S		18 55 33	− 2 33	53 00	48 56	22 48 498	− 0 052	+ 0 262	22 48 708
	2825	− 3 33	S		57 9 07	− 0 72	8 35	S		19 59 19	− 2 34	56 85	48 50				
	2867	+ 10 26	S		8 3 41 05	− 1 27	39 78	S		26 30 30	− 2 07	28 23	48 45				
Feb 10	2714	+ 21 54	N	I P W	7 38 18 47	+ 1 69	20 16	N	I P E	8 1 10 59	− 1 71	8 88	22 48 ,2				
	2734	+ 32 48	N	c − 2 7 d	41 46 25	+ 2 00	48 25	N	c − 1 1 d	4 38 33	− 1 41	36 92	48 67	22 48 698	− 0 049	+ 0 262	22 48 911
	2744	+ 17 59	N	b − 2 1 a − 59 7	42 55 08	+ 1 60	56 68	N	b − 1 1 a − 59 2	5 47 23	− 1 81	45 42	48 74				
	2759	+ 18 0	N	s Q + 1 70	44 54 26	+ 1 60	55 86	N	s Q − 1 73	7 46 33	− 1 81	44 52	48 66				
	2725	− 2 40	S		7 40 4 37	+ 1 14	5 51	S		8 2 56 48	− 2 26	54 22	22 48 71				
	2778	+ 9 31	S		4, 33 76	+ 1 40	35 16	S		10 25 84	− 1 99	23 85	48 69	22 48 68 3	− 0 049	+ 0 262	22 48 896
	2782	+ 9 12	S		48 34 99	+ 1 39	36 38	S		11 27 02	− 1 99	25 03	48 65				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

BOLARUM (E) *Lat 17° 30′ Long 5ʰ 14ᵐ 15 :* AND BOMBAY (W) *Lat 18° 54, Long 4ʰ 51ᵐ 25ˢ*

Astronomical Date	STAR			TRANSITS OBSERVED AT E *By Lenox Conyngham with Telescope No 2*				TRANSITS OBSERVED AT W *By Burrard with Telescope No 1*				Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Correction for Penl Equations $C_{N} - B_{N} = + 0^{s} 262$ $C_{S} - B_{S} = + 0^{s} 262$	ΔL + ρ
	BAC Number	Declination	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star s Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
		° ′			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ	ᵐ ˢ	ˢ	ˢ	
1892 Feb 10	2786	+ 27 14	N	I P W d	7 50 27 59	− 1 56	26 03	N	I P E d	8 13 16 26	− 1 57	14 69	22 48 66				
	2793	+ 43 32	N	c − 2 7	52 23 65	− 1 03	22 62	N	c − 1 1	15 12 31	− 1 03	11 28	48 66	22 48 630	0 049	0 262	22 48 833
	2833	+ 24 30	N	b − 2 1 a − 59 7	59 10 03	− 1 64	8 39	N	b − 1 1 a − 59 2	21 58 63	− 1 65	56 98	48 59			+	
	2850	+ 24 27	N	Q − 1 70	8 2 4 88	− 1 64	3 24	N	Q − 1 73	24 53 46	− 1 65	51 81	48 57		−		
	2799	+ 18 41	S		7 54 8 30	− 1 78	6 52	S		8 16 56 92	− 1 80	55 12	22 48 60				
	2814	− 3 24	S		56 9 88	− 2 28	7 60	S		18 58 55	− 2 27	56 28	48 68	22 48 613	0 049	0 262	22 48 836
	2825	− 3 31	S		57 13 80	− 2 28	11 52	S		20 2 44	− 2 28	0 16	48 64			+	
	2867	+ 10 26	S		8 3 44 93	− 1 98	42 95	S		26 33 50	− 1 98	31 52	48 57		−		
Feb 11	2734	+ 32 48	N	I P W d	7 41 49 17	+ 1 99	51 16	N	I P W d	8 44 1 43	− 1 49	39 94	22 48 78				
	2744	+ 17 59	N	c − 2 7	42 58 01	+ 1 61	59 62	N	c − 0 7	5 50 15	− 1 85	48 30	48 68	22 48 730	0 045	0 262	22 48 947
				b − 1 9 a − 59 0					b − 2 6 a − 54 4							+	
				Q + 1 70					Q − 1 75						−		
	2690	+ 13 26	S		7 36 0 58	+ 1 51	2 09	S		7 58 52 65	− 1 95	50 70	22 48 61				
	2725	− 2 40	S		40 7 29	+ 1 15	8 44	S		8 2 59 37	− 2 27	57 10	48 66	22 48 660	0 045	0 262	22 48 877
	2778	+ 9 31	S		47 36 61	+ 1 41	38 02	S		10 28 19	− 2 03	26 16	48 74			+	
	2782	+ 9 12	S		48 37 91	+ 1 41	39 32	S		11 29 99	− 2 04	27 95	48 63		−		
	2786	+ 27 14	N	Q − 1 70	7 50 30 48	− 1 56	28 92	N	Q − 1 75	8 13 19 27	− 1 62	17 65	22 48 73				
	2793	+ 43 32	N		52 26 52	− 1 03	25 49	N		15 15 31	− 1 14	14 17	48 68	22 48 695	0 045	0 262	22 48 912
	2833	+ 24 30	N		59 12 96	− 1 64	11 32	\		22 1 15	− 1 70	0 05	48 13			+	
	2850	+ 24 27	N		8 2 7 78	− 1 64	6 14	N		24 56 48	− 1 70	54 78	48 64		−		
	2799	+ 18 41	S		7 54 11 21	− 1 77	9 44	S		8 16 59 90	− 1 84	58 06	22 48 62				
	2814	− 3 24	S		56 12 82	− 2 27	10 55	S		18 61 51	− 2 28	59 23	48 68	22 48 630	0 045	0 262	22 48 847
	2867	+ 10 26	S		8 3 47 83	− 1 97	45 86	S		26 36 46	− 2 01	34 45	48 59		−	+	

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION 353

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

	STAR			TRANSITS OBSERVED AT E By Lenox Conyngham, with Telescope No 2				TRANSITS OBSERVED AT W By Burrard, with Telescope No 1				Difference of Corrected Times (W − E)				
Astronomical Date	BAC Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Corr ect ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Correo. for Pernl. Equations $C_P − B_W = +0^s 262$ $C_B − B_E = +0 262$	$\Delta L + \rho$

					h m s	s	s			h m s	s	s	m s				
1892 Feb 12	2714	+ 21 54	N	I P E	7 38 24 09	+ 1 83	25 92	N	I P W	8 1 16 31	− 1 76	14 55	22 48 63				
	2734	+ 32 48	N	d c + 0 9	41 51 80	+ 2 11	53 91	N	d c − 0 7	4 44 06	− 1 47	42 59	48 68	22 48 683	0 043	+ 0 262	22 48 902
	2744	+ 17 59	N	b 0 0 a − 54 6	43 0 64	+ 1 74	2 38	N	b − 2 3 β − 55 7	5 53 00	− 1 84	51 16	48 ,8		−	+	
	2759	+ 18 0	N	e Q + 1 71	44 59 86	+ 1 74	61 60	N	e Q − 1 75	7 52 08	− 1 84	50 24	48 64				
	2690	+ 13 26	S		7 36 3 16	+ 1 64	4 80	S		7 58 55 45	− 1 94	53 51	22 48 71				
	2725	− 2 40	S		40 9 89	+ 1 31	11 20	S		8 2 62 17	− 2 28	59 89	48 69	22 48 727	0 043	0 262	22 48 946
	2778	+ 9 31	S		47 39 24	+ 1 56	40 80	S		10 31 61	− 2 03	29 58	48 78		−	+	
	2793	+ 43 32	N	e Q − 1 71	7 52 29 23	− 0 94	28 29	N	e Q − 1 75	8 15 18 07	− 1 11	16 96	22 48 6,				
	2833	+ 24 30	N		59 15 62	− 1 53	14 09	N	•	22 4 39	− 1 70	2 69	48 60	22 48 637	0 043	0 262	22 48 856
	2850	+ 24 27	N		8 2 10 40	− 1 53	8 87	N		24 59 21	− 1 70	57 51	48 64		−	+	
	2799	+ 18 41	S		7 54 13 86	− 1 66	12 20	S		8 17 2 59	− 1 83	0 76	22 48 56				
	2814	− 3 24	S		56 15 43	− 2 13	13 32	S		19 4 22	− 2 29	1 93	48 61	22 48 88	0 043	0 262	22 48 80,
	2825	− 3 33	S		57 19 32	− 2 13	17 19	S		20 8 10	− 2 30	5 80	48 61		−	+	
	2807	+ 10 26	S		8 3 50 49	− 1 84	48 65	S		26 39 23	− 2 01	37 22	48 57				
Feb 13	2714	+ 21 54	N	I P E	7 38 26 70	+ 1 81	28 51	N	I P E	8 1 15 44	+ 1 70	17 14	22 48 63				
	2734	+ 32 48	N	d c + 0 9	41 54 49	+ 2 08	56 57	N	d c − 1 1	4 43 22	+ 1 98	45 20	48 63	22 48 630	0 040	0 262	22 48 852
	2744	+ 17 59	N	b − 0 3 a − 52 8	43 3 33	+ 1 72	5 05	N	b − 4 2 a − 58 1	5 52 12	+ 1 60	53 72	48 67		−	+	
	2759	+ 18 0	N	e Q + 1 70	45 2 46	+ 1 ,2	4 18	N	e Q + 1 75	7 51 17	+ 1 60	52 77	48 59				
	2690	+ 13 26	S		7 36 5 75	+ 1 63	7 38	S		7 58 54 51	+ 1 49	56 00	22 48 62				
	2725	− 2 40	S		40 12 50	+ 1 30	13 80	S		8 3 1 31	+ 1 16	2 47	48 67	22 48 63	0 040	0 262	22 48 87,
	2778	+ 9 31	S		47 41 89	+ 1 54	41 43	S		10 30 62	+ 1 43	32 05	48 62		−	+	
	2782	+ 9 12	S		48 43 07	+ 1 54	44 61	S		11 31 89	+ 1 42	33 31	48 70				

BOLAEUM (E) *Lat 17° 30′ Long 5ʰ 14ᵐ 15ˢ* : AND BOMBAY (W) *Lat 18° 54′, Long 4ʰ 51ᵐ 35ˢ*

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL + ρ

BOLARUM (E) Lat 17° 30' Long 8h 14m 15s, AND BOMBAY (W) Lat 18° 54', Long 4h 51m 25s

Astronomical Date	BAC Number	Decli nation	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrns for Personal Equations $C_W - B_E = +$ σ² 262 $C_E - B_S = +$ σ² 262	ΔL + ρ
					h m s	s	s			h m s	s	s	m s				
1892 Feb 13	2786	+ 27 14	N	I P E	7 50 35 80	− 1 46	34 34	N	I P E	8 13 21 10	+ 1 84	22 94	22 48 60		s 0 040	s 0 262	s 22 48 770
	2793	+ 43 32	N	c + 0 9 d	52 31 94	− 0 96	30 98	N	0 − 1 1 d	15 17 20	+ 2 35	19 55	48 57	m s 22 48 548	−	+	
	2833	+ 24 30	N	b − 0 3 a − 52 8	59 18 31	− 1 53	16 78	N	b − 4 2 a − 58 1	22 3 48	+ 1 76	5 24	48 46				
	2850	+ 24 27	N	Q − 1 70 s	8 2 13 10	− 1 53	11 57	N	Q + 1 75 s	24 58 37	+ 1 76	60 13	48 56				
	2799	+ 18 41	S		7 54 16 47	− 1 66	14 81	S		8 17 1 86	+ 1 61	3 47	22 48 66		s 0 040	s 0 262	s 22 48 840
	2814	− 3 24	S		56 18 10	− 2 11	15 99	S		19 3 45	+ 1 15	4 60	48 61	m s 22 48 618	−	+	
	2825	− 3 33	S		57 21 98	− 2 11	19 87	S		20 7 28	+ 1 14	8 42	48 55				
	2867	+ 10 26	S		8 3 53 07	− 1 84	51 23	S		26 38 45	+ 1 43	39 88	48 65				
Feb 14	2714	+ 21 54	N	I P W	7 38 29 39	+ 1 53	30 92	N	I P E	8 1 21 34	− 1 8	19 56	22 48 64		s 0 038	s 0 262	s 22 48 872
	2734	+ 32 48	N	0 − 2 7 d	41 57 25	+ 1 79	59 04	N	0 − 1 1 d	4 49 13	− 1 48	47 65	48 61	m s 22 48 648	−	+	
	2744	+ 17 59	N	1 + 0 9 a − 50 9	43 6 02	+ 1 45	7 47	N	b − 3 8 a − 60 5	5 58 04	− 1 88	56 16	48 69				
	2759	+ 18 0	N	Q + 1 48 s	45 5 18	+ 1 45	6 63	N	Q − 1 74 s	7 57 16	− 1 88	55 28	48 65				
	2000	+ 13 26	S		7 36 8 47	+ 1 36	9 83	S		7 58 60 48	− 1 99	58 49	22 48 66		s 0 038	s 0 262	s 22 48 857
	2725	− 2 40	S		40 15 27	+ 1 05	16 32	S		8 3 7 26	− 2 34	4 92	48 60	m s 22 48 633	−	+	
	2778	+ 9 31	S		47 44 60	+ 1 28	45 88	S		10 36 55	− 2 07	34 48	48 60				
	2782	+ 9 12	S		48 45 84	+ 1 27	47 11	S		11 37 86	− 2 08	35 78	48 67				
	2786	+ 27 34	N	Q − 1 48 s	7 50 38 07	− 1 31	36 76	N	Q − 1 74 s	8 13 27 02	− 1 63	25 39	22 48 63		s 0 038	s 0 262	s 22 48 859
	2793	+ 43 32	N		52 34 20	− 0 84	33 36	N		15 23 13	− 1 10	22 03	48 67	m s 22 48 635	−	+	
	2833	+ 24 30	N		59 20 48	− 1 38	19 10	N		22 9 43	− 1 71	7 72	48 62				
	2850	+ 24 27	N		8 2 15 28	− 1 38	13 90	N		25 4 23	− 1 71	2 52	48 62				
	2799	+ 18 41	S		7 54 16 71	− 1 49	17 22	S		8 17 7 83	− 1 87	5 96	22 48 74		s 0 038	s 0 262	s 22 48 879
	2814	− 3 24	S		56 20 30	− 1 93	18 37	S		19 9 36	− 2 35	7 01	48 64	m s 22 48 635	−	+	
	2825	− 3 33	S		57 24 14	− 1 93	22 21	S		20 13 24	− 2 36	10 88	48 67				
	2867	+ 10 26	S		8 3 55 33	− 1 66	53 67	S		26 44 31	− 2 07	42 24	48 57				

TABLE V OBSERVATIONS OF TRANSITS WITH B CLOCK, AND DEDUCTION

355

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL —

FYZABAD (E) *Lat* 26° 47′ *Long* 5ʰ 25ᵐ 42ˢ; AND DEHRA DÚN (W) *Lat* 30° 19′, *Long* 5ʰ 12ᵐ 23ˢ

| Astronomical Date | STAR | | Star's Aspect | Instrumental Position and Correction Constants | Mean Observed Time | Total Correction | Seconds of Corrected Time | Star's Aspect | Instrumental Position and Correction Constants | Mean Observed Time | Total Correction | Seconds of Corrected Time | By each Star | Mean of Group | Correction for Rate of E Clock | Correction for Penl Equations $C_g - B_g = + \, \sigma^s \, 270$ $C_g - B_g = + \, 0 \, 270$ | ΔL - ρ |
	B A C Number	Declination															
					(Transits Observed at E — By Lenox Conyngham with Telescope No 2)					(Transits Observed at W — By Burrard with Telescope No 1)			(Difference of Corrected Times W − E)				
1892		′			*h m s*	*s*	*s*			*h m s*	*s*	*s*	*m s*	*m s*	*s*	*s*	*s*
Mar 15	3625	+ 36 53	N	I P E	10 29 54 28	+ 2 21	56 49	N	I P W	10 46 15 34	+ 1 50	16 84	16 20 35	16 20 308	0 008	+ 0 270	16 20 570
	3633	+ 34 38	N	c + d 1 9	31 29 47	+ 2 08	31 55	N	c + d 0 9	47 50 36	+ 1 47	51 83	20 28				
	3641	+ 38 28	N	b + 3 6 a −105 7	32 41 73	+ 2 30	44 03	N	b + 0 2 a −19 3	49 2 82	+ 1 52	4 34	20 31			−	+
	3661	+ 32 16	N	Q + 1 48	35 53 13	+ 1 94	55 07	N	Q + 1 40	52 13 91	+ 1 45	15 36	20 29				
	3650	+ 28 5	S		10 34 7 39	+ 1 73	9 12	S		10 50 27 90	+ 1 41	29 31	16 20 19	16 20 183	0 008	+ 0 270	16 20 445
	3671	+ 23 45	S		37 17 80	+ 1 53	19 33	S		53 38 15	+1 37	39 52	20 19				
	3684	+ 3 3	S		39 21 38	+ 0 69	22 07	S		55 41 01	+ 1 22	42 23	20 16			−	+
	3693	+ 14 46	S		40 27 51	+ 1 14	28 65	S		56 47 54	+ 1 30	48 84	20 19				
	3728	+ 34 48	N	Q − 1 48	10 47 4 09	− 0 87	3 22	N	Q + 1 40	11 3 22 11	+ 1 47	23 58	16 20 36	16 20 330	0 008	+ 0 270	16 20 592
	3741	+ 14 5	N		49 33 29	− 0 91	32 38	N		5 51 20	+ 1 46	52 66	20 28				
	3757	+ 41 0	N		53 12 63	− 0 49	12 14	N		9 30 97	+ 1 55	32 52	20 38			−	+
	3765	+ 39 48	N		54 34 91	− 0 58	34 33	N		10 53 10	+ 1 53	54 63	20 30				
	3708	+ 11 7	S		10 43 23 31	− 1 97	21 34	S		10 59 41 71	− 0 12*	41 59	16 20 25	16 20 260	0 008	+ 0 270	16 20 532
	3720	+ 4 10	S		45 10 86	− 2 24	8 62	S		11 1 27 58	+ 1 23	28 81	20 19				
	3732	− 1 33	S		48 2 59	− 2 44	0 15	S		4 19 25	+ 1 19	20 44	20 29			−	+
	3751	+ 26 5	S		50 30 84	− 1 32	29 52	S		6 48 44	+ 1 39	49 83	20 31				
Mar 16	3625	+ 36 53	N	I P W	10 29 55 64	+ 1 64	57 28	N	I P W	10 46 16 04	+ 1 57	17 61	16 20 33	16 20 335	0 010	+ 0 270	16 20 595
	3633	+ 34 38	N	c − d 5 5	31 30 71	+ 1 57	32 28	N	c + d 2 9	47 51 04	+ 1 53	52 57	20 29				
	3641	+ 38 28	N	b + 1 8 a −62 2	32 43 07	+ 1 69	44 6	N	b − 0 1 a −27 1	49 3 48	+ 1 59	5 07	20 31			−	+
	3661	+ 32 16	N	Q + 1 44	35 54 25	+ 1 50	55 75	N	Q + 1 40	52 14 66	+ 1 50	16 16	20 41				
	3650	+ 28 5	S		10 34 8 47	+ 1 39	9 86	S		10 50 28 69	+ 1 44	30 13	16 20 27	16 20 283	0 010	+ 0 270	16 20 543
	3671	+ 23 45	S		37 18 72	+ 1 27	19 99	S		53 38 88	+ 1 39	40 27	20 28				
	3684	+ 3 3	S		39 21 80	+ 0 80	22 60	S		55 41 77	+ 1 18	42 95	20 35			−	+
	3693	+ 14 46	S		40 28 29	+ 1 05	29 34	S		56 48 27	+ 1 30	49 57	20 23				

* Owing to the irregular rate of the Chronograph the Pen Equation had to be applied graphically on the record before the star signals were read off, and consequently in this case Q = 0 ∞.

TABLE V OBSERVATIONS OF TRANSITS WITH E CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, ΔL — ρ

FYZABAD (E) Lat 26° 47′, Long 5ʰ 28ᵐ 42ˢ; AND DEHRA DŪN (W) Lat 30° 19′ Long 5ʰ 12ᵐ 23ˢ

Astronomical Date	Star		Transits Observed at E By Lenox Conyngham with Telescope No 2					Transits Observed at W By Burrard, with Telescope No 1					Difference of Corrected Times (W – E)		Correction for Rate of E Clock	Corrn for Persl Equations $C_N - B_N = + 0°.270$ $C_S - B_S = + 0°.270$	ΔL – ρ
	BAC Number	Declination	Stars Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Stars Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892 Mar 16	3728	+ 34 48	N	I P W	h m s 10 47 5 30	s – 1 30	s 4 00	N	I P W	h m s 11 3 22 79	s + 1 54	s 24 33	m s 16 20 33		s 16 20 315	0 010	s 0 2,0	s 16 20 5,5
	3741	+ 34 5	N	c – 5 5	49 34 52	– 1 33	33 19	N	c + 2 9	5 51 9,	+ 1 53	53 50	20 31			–	+	
	3757	+ 41 0	N	b + 1 8 a – 61 2	53 14 09	– 1 10	12 99	N	b – 0 1 c – 27 1	9 31 61	+ 1 64	33 25	20 26					
	3765	+ 39 48	N	s Q – 1 44	54 36 22	– 1 15	35 07	N	s Q + 1 40	10 53 82	+ 1 61	55 43	20 36					
	3708	+ 11 7	S		10 43 23 97	– 1 92	22 05	S		10 59 41 00	+ 1 27	42 27	16 20 22		s 16 20 148	0 010	s 0 2,0	16 20 508
	3720	+ 4 10	S		45 11 43	– 2 06	9 36	S		11 1 28 38	+ 1 20	29 58	20 22			–	+	
	3732	– 1 33	S	ͨ	48 3 09	– 2 18	0 91	S		4 19 98	+ 1 14	21 12	20 21					
	3751	+ 26 5	S		50 31 77	– 1 56	30 21	S		6 49 13	+ 1 42	50 55	20 34					
Mar 17	3625	+ 36 53	N	I P W	10 29 56 52	+ 1 6,	58 17	N	I P E	10 46 17 26	+ 1 44	18 70	16 20 53		s 16 20 5, 3	0 013	s 0 2,0	16 20 810
	3633	+ 34 38	N	c – 5 5	31 31 38	+ 1 58	33 16	N	c + 0 6	47 52 29	+ 1 43	53 72	20 56			–	+	
	3641	+ 38 28	N	b + 1 2 a – 66 3	32 43 97	+ 1 70	45 67	N	b + 0 2 a – 8 0	49 4 80	+ 1 44	6 24	20 57					
	3661	+ 32 16	N	s Q + 1 45	35 55 21	+ 1 50	36 71	N	s Q + 1 39	52 15 84	+ 1 42	17 26	20 55					
	3650	+ 28 5	S		10 34 9 36	+ 1 38,	10 74	S		10 50 29 84	+ 1 40	31 24	16 20 50		s 16 20 458	0 013	s 0 2,0	16 20 715
	3671	+ 23 43	S		37 19 70	+ 1 26	20 96	S		53 40 03	+ 1 38	41 41	20 4,			–	+	
	3684	+ 3 3	S		39 22 92	+ 0 75	23 67	S		55 42 80	+ 1 32	44 12	20 45					
	3693	+ 14 46	S		40 29 28	+ 1 03	30 31	S		56 49 39	+ 1 35	50 74	20 43					
	3728	+ 34 48	N	Q – 1 45	10 47 6 21	– 1 32	4 89	N	Q + 1 39	11 3 24 02	+ 1 43	25 45	16 20 56		s 16 20 533	0 013	s 0 2,0	16 20 790
	3741	+ 34 5	N		49 35 45	– 1 34	34 11	N		5 53 16	+ 1 42	54 58	20 47			–	+	
	3757	+ 41 0	N		53 14 8,	– 1 10	13 75	N		9 32 87	+ 1 45	34 32	20 57					
	3765	+ 39 48	N		54 37 16	– 1 15	36 01	N		10 55 09	+ 1 45	56 54	20 53					
	3708	+ 11 7	S		10 43 24 96	– 1 96	23 00	S		10 59 42 09	+ 1 34	43 43	16 20 43		s 16 20 445	0 013	s 0 270	16 20 702
	3720	+ 4 10	S		45 12 41	– 2 13	10 28	S		11 1 29 37	+ 1 32	30 69	20 41			–	+	
	3732	– 1 33	S		48 4 08	– 2 25	1 8,	S		4 21 00	+ 1 31	22 31	20 48					
	3751	+ 26 5	S		50 32 76	– 1 58	31 18	S		6 50 25	+ 1 39	51 64	20 46					

FYZABAD (E) Lat 26° 47′ Long 5ʰ 28ᵐ 42ˢ AND DEHRA DÚN (W) Lat 30° 19′, Long 5ʰ 12ᵐ 23ˢ

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of E Clock	Corrn. for Persl Equations $C_N - B_N = +0\ 270$ $C_S - B_S = +0\ 270$	ΔL − ρ
		°			ʰ ᵐ ˢ	ˢ	ˢ			ʰ ᵐ ˢ	ˢ	ˢ	ᵐ ˢ				
1892 Mar 18	3625	+36 53	N	I P E	10 29 57 39	+2 01	59 40	N	I P E	10 46 18 45	+1 37	19 82	16 20 42				
	3633	+34 38	N	c + 3 9	31 32 55	+1 92	34 47	N	c + 0 5	47 53 42	+1 36	54 78	20 31				
	3641	+38 28	N	d / b + 2 6 / a − 74 5	32 44 85	+2 07	46 92	N	d / b − 0 8 / a − 10 2	49 5 92	+1 38	7 30	20 38	16 20 383	0 013	+ 0 270	16 20 640
	3661	+32 16	N	Q + 1 46	35 56 15	+1 82	57 97	N	Q + 1 35	52 17 04	+1 35	18 39	20 42		−	+	
	3650	+28 5	S		10 34 10 39	+1 67	12 06	S		10 50 31 00	+1 33	32 33	16 20 27				
	3671	+23 45	S		37 20 68	+1 52	22 20	S		53 41 21	+1 31	42 52	20 32	16 20 298	0 013	+ 0 270	16 20 555
	3684	+ 3 3	S		39 23 98	+0 93	24 91	S		55 44 01	+1 23	45 24	20 33		−	+	
	3693	+14 46	S		40 30 29	+1 25	31 54	S		56 50 53	+1 28	51 81	20 27				
	3728	+34 48	N	Q − 1 46	10 47 7 09	−1 00	6 09	N	Q + 1 35	11 3 25 27	+1 36	26 63	16 20 54				
	3741	+34 5	N		49 36 30	−1 03	35 27	N		5 54 44	+1 36	55 80	20 53	16 20 4 3	0 013	+ 0 270	16 20 10
	3757	+41 0	N		53 15 83	−0 73	15 10	N		9 14 09	+1 40	35 49	20 19		−	+	
	3765	+39 48	N		54 38 10	−0 80	37 30	N		10 56 26	+1 39	57 65	20 35				
	3708	+11 7	S		10 43 25 97	−1 77	24 20	S		10 59 43 21	+1 26	44 47	16 20 27				
	3720	+ 4 10	S		45 13 41	−1 97	11 44	S		11 1 30 49	+1 24	31 73	20 29	16 20 308	0 013	+ 0 270	16 20 565
	3732	− 1 33	S		48 5 13	−2 11	3 02	S		4 22 17	+1 22	23 39	20 37		−	+	
	3751	+26 5	S		50 33 71	−1 32	32 39	S		6 51 37	+1 32	52 69	20 30				
Mar 19	3625	+36 53	N	I P E	10 29 58 60	+1 99	60 59	N	I P E	10 46 19 58	+1 40	20 98	16 20 39				
	3633	+34 38	N	c + 3 9	31 33 68	+1 91	35 59	N	c + 0 5	47 54 61	+1 39	56 00	20 41	16 20 368	0 014	+ 0 270	16 20 624
	3641	+38 28	N	d / b + 2 9 / a − 71 9	32 46 16	+2 06	48 22	N	d / b − 0 9 / a − 12 4	49 7 00	+1 41	8 41	20 19		−	+	
	3661	+32 16	N	Q + 1 45	35 57 25	+1 81	59 06	N	Q + 1 38	52 18 16	+1 38	19 54	20 48				
	3650	+28 5	S		10 34 11 55	+1 66	13 21	S		10 50 32 14	+1 36	33 50	16 20 29				
	3671	+23 45	S		37 21 81	+1 53	23 34	S		53 42 32	+1 34	43 66	20 32	16 20 288	0 014	+ 0 270	16 20 544
	3684	+ 3 3	S		39 25 14	+0 95	26 09	S		55 45 15	+1 24	46 39	20 30		−	+	
	3693	+14 46	S		40 31 44	+1 26	32 70	S		56 51 65	+1 29	52 94	20 24				

		colspan	FYZABAD (E) *Lat 26° 47′ Long 5ʰ 95ᵐ 42ˢ*: AND DEHRA DÚN (W) *Lat 30° 19′, Long 5ʰ 12ᵐ 28ˢ*											

Astronomical Date	STAR		Star Aspect	TRANSITS OBSERVED AT E *By Lenox Conyngham with Telescope No 2*				Star Aspect	TRANSITS OBSERVED AT W *By Burrard with Telescope No 1*				Difference of Corrected Times (W − E)		Correction for Rate of B Clock	Correc⁰ⁿ for Persl Equations $C_N - B_N = + 0ˢ 270$ $C_S - B_S = + 0ˢ 270$	$\Delta L - \rho$
	BAC Number	Decli nation		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time		In strumental Position and Correction Constants	Mean Observed Time	Total Correc tion	Seconds of Correct ed Time	By each Star	Mean of Group			
1892 Mar 19	3728	° + 34 48	N	I P E	ʰ ᵐ ˢ 10 47 8 34	ˢ − 0 99	ˢ 7 35	N	I P E	ʰ ᵐ ˢ 11 3 26 24	ˢ + 1 40	ˢ 27 64	ᵐ ˢ 16 20 29				
	3741	+ 34 5	N	$o + 3 9$ $b + 2 9$ $a − 71 9$	49 37 54	− 1 02	36 52	N	$o + 0 5$ $b − 0 9$ $a − 12 4$	5 55 45	+ 1 39	56 84	20 32	ˢ 16 20 290	0 014	+ 0 270	16 20 546
	3757	+ 41 0	N		53 16 99	− 0 73	16 26	N		9 35 12	+ 1 43	36 55	20 29		−		
	3765	+ 39 48	N	$Q − 1 45$	54 39 27	− 0 79	38 48	N	$Q + 1 38$	10 57 32	+ 1 42	58 74	20 26				
	3708	+ 11 7	S		10 43 27 24	− 1 75	25 49	S		10 59 44 40	+ 1 28	45 68	16 20 19				
	3720	+ 4 10	S		45 14 70	− 1 93	12 77	S		11 1 31 75	+ 1 25	33 00	20 23	ˢ 16 20 218	0 014	+ 0 270	16 20 474
	3732	− 1 31	S		48 6 39	− 2 06	4 33	S		4 23 33	+ 1 22	24 55	20 22		−		
	3751	+ 26 5	S		50 34 96	− 1 30	33 66	S		6 52 54	+ 1 35	53 89	20 23				
Mar 20	3625	+ 36 53	N	I P W	10 30 0 04	+ 1 84	1 88	N	I P W	10 46 20 99	+ 1 29	22 28	16 20 40				
	3633	+ 34 38	N	$o − 8 5$ $b + 3 1$ $a − 90 3$	31 35 15	+ 1 72	36 87	N	$o − 2 1$ $b − 1 5$ $a − 4 4$	47 56 05	+ 1 29	57 34	20 47	ˢ 16 20 430	0 014	+ 0 270	16 20 706
	3641	+ 38 28	N		32 47 41	+ 1 91	49 32	N		49 8 54	+ 1ᵃ 30	9 84	20 52		−		
	3661	+ 32 16	N	$Q + 1 46$	35 58 74	+ 1 62	60 36	N	$Q + 1 38$	52 19 49	+ 1 28	20 77	20 41				
	3650	+ 28 5	S		10 34 13 00	+ 1 45	14 45	S		10 50 33 56	+ 1 29	34 85	16 20 40				
	3671	+ 23 44	S		37 23 30	+ 1 29	24 59	S		53 43 71	+ 1 28	44 99	20 40	ˢ 16 20 3 0	0 014	+ 0 2/0	16 20 626
	3684	+ 3 3	S		39 26 71	+ 0 59	27 30	S		55 46 42	+ 1 25	47 67	20 37		−		
	3698	+ 14 46	S		40 33 01	+ 0 97	33 98	S		56 43 02	+ 1 27	54 29	20 31				
	3728	+ 14 48	N	$Q − 1 46$	10 47 9 72	− 1 19	8 53	N	$Q + 1 38$	11 3 27 69	+ 1 29	28 98	16 20 45				
	3741	+ 34 5	N		49 38 91	− 1 22	37 69	N		5 56 90	+ 1 29	58 19	20 50	ˢ 16 20 480	0 014	+ 0 270	16 20 736
	3757	+ 41 0	N		53 18 32	− 0 87	17 45	N		9 36 65	+ 1 30	37 95	20 50		−		
	3765	+ 39 48	N		54 40 57	− 0 94	39 63	N		10 58 80	+ 1 30	60 10	20 47				
	3708	+ 11 7	S		10 43 28 73	− 2 08	26 65	S		10 59 45 75	+ 1 27	47 02	16 20 37				
	3720	+ 4 10	S		45 16 18	− 2 31	13 87	S		11 1 32 95	+ 1 26	34 21	20 34	ˢ 16 20 375	0 014	+ 0 270	16 20 631
	3732	− 1 31	S		48 7 94	− 2 48	5 46	S		4 24 56	+ 1 25	25 81	20 35		−		
	3751	+ 26 5	S		50 36 40	− 1 55	34 85	S		6 54 01	+ 1 28	55 29	20 44				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

FYZABAD (E) *Lat* 26° 47′ *Long* 5ʰ 28ᵐ 42ˢ AND DEHRA DŪN (W) *Lat* 30° 19′, *Long* 5ʰ 12ᵐ 28ˢ

Astronomical Date	STAR			TRANSITS OBSERVED AT E By Lenox Conyngham, with Telescope No 2					TRANSITS OBSERVED AT W By Burrard with Telescope No 1					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Corrn for Persl Equations $O_{23} - B_{23} = + c^8 \ 270$ $C_2 - B_2 = + \ 0 \ 270$	$\Delta L + \rho$
	BAC Number	Decli nation	Star z Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star z Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892					h m s	s	s			h m s	s	s	m s				
Mar 15	3905	+ 39 56	N	I P E	11 6 54 85	+2 40	57 25	N	I P W	11 23 19 03	−1 27	17 76	16 20 51				
	3913	+ 43 46	N	d c + 3 9	8 20 00	+2 67	22 67	N	d c + 0 9	24 44 41	−1 22	43 19	20 52	16 20 530	− 0 047	+ 0 270	16 20 743
	3937	+ 28 23	N	b + 3 6 a −105 7	14 16 98	+1 74	18 72	N	b + 0 2 a −19 3	30 40 59	−1 39	39 20	20 48				
	3952	+ 44 13	N	e Q + 1 48	16 14 79	+2 70	17 49	N	e Q − 1 40	32 39 28	−1 22	ᵇ38 06	20 57				
	3919	+ 14 58	S		11 9 50 73	+1 14	51 87	S		11 26 13 84	−1 50	12 34	16 20 47				
	3930	+ 3 40	S		12 30 96	+0 71	31 67	S		28 53 72	−1 57	52 15	20 48	16 20 480	− 0 047	+ 0 270	16 20 703
	3962	+ 1 33	S		18 32 62	+0 64	33 26	S		34 55 34	−1 59	51 75	ᵇ 20 49				
	3981	+ 48 23	N	e Q − 1 48	11 24 3 28	+0 07	3 35	N	e Q − 1 40	11 40 24 97	−1 16	23 81	16 20 47				
	3998	+ 35 32	N		27 47 92	−0 83	47 09	N	e	44 8 84	−1 32	7 52	20 43	16 20 538	− 0 047	+ 0 270	16 20 761
	4010	+ 38 74	N		30 27 96	−0 65	27 31	N		46 49 20	−1 28	47 92	20 61				
	4018	+ 41 31	N		31 56 54	−0 46	56 08	N		48 17 98	−1 25	16 73	20 65				
	3990	+ 20 49	S		11 26 8 05	−1 56	6 49	S		11 42 28 50	−1 46	27 04	16 20 55				
	4027	+ 9 3	S		33 14 24	−2 04	12 20	S		49 34 22	−1 54	32 68	20 48	16 20 495	− 0 047	+ 0 270	16 20 718
	4039	+ 4 5	S		36 25 46	−2 24	23 22	S		52 45 31	−1 57	43 74	20 52				
	4049	+ 4 15	S		38 8 77	−2 23	6 54	S		54 28 54	−1 57	26 97	20 43				
Mar 16	3905	+ 39 56	N	I P W	11 6 59 56	+1 75	61 31	N	I P W	11 23 23 15	−1 19	21 96	16 20 65				
	3913	+ 43 46	N	d c − 5 5	8 24 80	+1 89	26 69	N	d c + 2 9	24 48 50	−1 11	47 39	20 70	16 20 610	− 0 041	+ 0 270	16 20 859
	3937	+ 28 23	N	b + 1 8 a − 62 2	14 21 44	+1 39	22 83	N	b − 0 1 a − 27 1	30 44 72	−1 35	43 37	20 54				
				e Q + 1 44					e Q − 1 40								
	3886	+ 17 3	S		11 3 43 02	+1 10	44 12	S		11 20 6 23	−1 48	4 75	16 20 63				
	3919	+ 14 58	S		9 54 98	+1 05	56 03	S		26 18 02	−1 50	16 52	20 49	16 20 548	− 0 041	+ 0 270	16 20 777
	3930	+ 3 40	S		12 35 02	+0 81	35 83	S		28 57 96	−1 61	56 35	20 52				
	3962	+ 1 33	S		18 36 63	+0 77	37 40	S		34 59 58	−1 63	57 95	20 55				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$.

FYZABAD (E) Lat 26° 47′, Long 5ʰ 28ᵐ 42 ; AND DEHRA DÚN (W) Lat 30° 19′ Long 5ʰ 12ᵐ 25′

Astronomical Date	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants (E)	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants (W)	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group	Correction for Rate of W Clock	Corrn for Persl Equations $C_W - B_W = +0".270$ $C_s - B_s = +0".270$	$\Delta L + \rho$
		°			h m s	s	s			h m s	s	s	m s				
1892 Mar 10	3981	+ 48 23	N	I P W / c − 5 5 / b + 1 8 / a −62 2 / Q − 1 44	11 24 8 29	− 0 80	7 49	N	I P W / c + 2 9 / b − 0 1 / a −27 1 / Q − 1 40	11 40 29 11	− 1 02	28 09	16 20 60	16 20 617	0 41 / 1	0 2 0 / +	16 20 866
	3998	+ 35 32	N		27 52 46	− 1 28	51 18	N		44 13 02	− 1 25	11 77	20 59				
	4018	+ 41 31	N		32 1 24	− 1 08	0 16	N		48 22 03	− 1 15	20 88	20 72				
	3990	+ 20 49	S		11 26 12 30	− 1 69	10 61	S		11 42 32 67	− 1 44	31 23	16 20 62	16 20 551	0 41 / 1	0 2 0 / +	16 20 782
	4027	+ 9 3	S		33 18 30	− 1 95	16 35	S		49 38 43	− 1 55	36 88	20 53				
	4039	+ 4 5	S		36 29 47	− 2 06	27 41	S		52 49 55	− 1 60	47 95	20 54				
	4049	+ 4 15	S		38 12 65	− 2 05	10 60	S		54 32 72	− 1 60	31 12	20 52				
Mar 17	3905	+ 39 56	N	I P W / c − 5 5 / b + 1 2 / a −66 3 / Q + 1 45	11 7 2 64	+ 1 76	4 40	N	I P E / a + 0 5 / b + 0 2 / a − 8 0 / Q − 1 39	11 23 26 41	− 1 33	25 08	16 20 68	16 20 610	0 34 / 1	0 2 0 / +	16 20 846
	3918	+ 43 46	N		8 27 98	+ 1 92	29 90	N		24 51 73	− 1 30	50 43	20 53				
	3937	+ 28 23	N		14 24 52	+ 1 39	25 91	N		30 47 89	− 1 38	46 51	20 60				
	3952	+ 44 13	N		16 22 78	+ 1 94	24 72	N		32 46 65	− 1 30	45 35	20 63				
	3896	+ 17 3	S		11 3 46 06	+ 1 08	47 14	S		11 20 9 27	− 1 42	7 85	16 20 71	16 20 603	0 34 / 1	0 2 0 / +	16 20 839
	3919	+ 14 58	S		9 58 12	+ 1 03	59 15	S		26 21 06	− 1 43	19 63	20 48				
	3930	+ 3 40	S		12 38 11	+ 0 77	38 88	S		28 60 94	− 1 46	59 48	20 60				
	3962	+ 1 33	S		18 39 72	+ 0 72	40 44	S		35 2 53	− 1 47	1 06	20 62				
	3981	+ 48 23	N	Q − 1 45	11 24 11 20	− 0 78	10 42	N	c − 13 0 / Q − 1 39	11 40 32 95	− 1 74	31 21	16 20 79	16 20 678	0 34 / 1	0 2 0 / +	16 20 914
	3998	+ 35 32	N		27 55 55	− 1 29	54 26	N		44 16 57	− 1 72	14 85	20 59				
	4010	+ 38 14	N		30 35 77	− 1 19	34 58	N		46 56 91	− 1 72	55 19	20 61				
	4018	+ 41 31	N		32 4 29	− 1 08	3 21	N		48 25 65	− 1 72	23 93	20 72				
	3990	+ 20 49	S		11 26 15 38	− 1 72	13 66	S		11 42 36 07	− 1 73	44 34	16 20 68	16 20 617	0 34 / 1	0 2 0 / +	16 20 8,3
	4039	+ 4 5	S		36 32 56	− 2 13	30 43	S		52 52 81	− 1 76	51 05	20 62				
	4049	+ 4 15	S		38 15 77	− 2 12	13 65	S		54 36 02	− 1 76	34 26	20 61				

TABLE V OBSERVATIONS OF TRANSITS WITH W CLOCK, AND DEDUCTION

361

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

FYZABAD (E) *Lat 26° 47' Long 5ʰ 28ᵐ 42ˢ* AND DEHRA DÜN (W) *Lat 30° 19', Long 5ʰ 12ᵐ 23ˢ*

Astronomical Date	STAR		TRANSITS OBSERVED AT E By Lenox Conyngham, with Telescope No 2					TRANSITS OBSERVED AT W By Burrard with Telescope No 1					Difference of Corrected Times (W − E)		Correction for Rate of W Clock	Correc. for Persl. Equations $C_N - B_N = + 0\ 2,0$ $C_S - B_S = + 0\ 270$	$\Delta L + \rho$
	BAC Number	Declination	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	Star's Aspect	Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892					h m s	s	s			h m s	s	s	m s				
Mar 18	3905	+ 39 56	N	I P E	11 7 5 31	+2 14	7 45	N	I P E	11 23 29 30	−1 31	27 99	16 20 54		0 033	0 270	16 20 735
	3913	+ 43 46	N	c + 3 9	8 30 54	+2 34	32 88	N	c + 0 5	24 54 60	−1 28	53 32	20 44	m s		+	
	3037	+ 28 23	N	b + 2 6	14 2, 25	+1 68	28 93	N	b − 0 8	30 50 80	−1 37	49 43	20 50	16 20 498	−		
	3952	+ 44 13	N	a − 14 5	16 25 40	+2 36	27 76	N	a − 10 2	32 49 54	−1 27	48 27	20 51				
				Q + 1 46					Q − 1 35								
	3886	+ 17 3	S		11 3 48 95	+1 31	50 26	S		11 20 12 20	−1 42	10 78	16 20 52		0 033	0 270	16 20 750
	3919	+ 14 58	S		10 0 85	+1 25	2 10	S		26 23 99	−1 42	22 57	20 4,	m s		+	
	3962	+ 1 33	S		18 42 58	+0 89	41 47	S		35 5 49	−1 47	4 02	20 55	16 20 513	−		
	3981	+ 48 23	N	Q − 1 46	11 24 13 84	−0 33	13 51	N	Q − 1 35	11 40 35 23	−1 25	33 98	16 20 47		0 033	0 2,0	16 20 177
	3998	+ 35 32	N		27 58 16	−0 97	57 19	N	•	44 19 10	−1 33	1, 77	20 58	m s		+	
	4010	+ 38 14	N		30 8 41	−0 84	3, 57	N		46 59 46	−1 32	58 14	20 47	16 20 40	−		
	4018	+ 41 31	N		32 7 06	−0 69	6 37	N		48 28 21	−1 30	26 91	20 54				
	3990	+ 20 49	S		11 26 18 19	−1 50	16 69	S		11 42 38 63	−1 40	37 23	16 20 54		0 0 3	0 2,0	16 20 757
	4027	+ 9 3	S		33 24 21	−1 82	22 39	S		49 44 31	−1 44	42 87	20 48	m s		+	
	4039	+ 4 5	S		36 35 3	−1 97	33 40	S		52 55 37	−1 46	53 91	20 51	16 20 520	−		
	4049	+ 4 15	S		38 18 62	−1 96	16 66	S		54 38 6,	−1 46	37 21	20 55				
Mar 19	3913	+ 43 46	N	I P F	11 8 33 37	+2 31	35 68	N	I P E	11 24 57 48	−1 30	56 18	16 20 50		0 0 9	0 270	16 20 743
	3937	+ 28 23	N	c + 3 9	14 30 11	+1 67	31 78	N	c + 0 5	30 53 64	−1 40	52 24	20 46	m s		+	
	3952	+ 44 13	N	b + 2 9	16 28 23	+2 34	30 57	N	b − 0 9	32 52 42	−1 30	51 12	20 55	16 20 503	−		
				a − 71 9					a − 12 4								
				Q + 1 45					Q − 1 38								
	3886	+ 17 3	S		11 3 51 74	+1 32	53 06	S		11 20 15 03	−1 46	13 57	16 20 51		0 030	0 270	16 20 733
	3919	+ 14 58	S		10 3 68	+1 26	4 94	S		26 26 92	−1 47	25 45	20 51	m s		+	
	3930	+ 3 40	S		12 43 19	+0 97	44 76	S		29 6 72	−1 52	5 20	20 44	16 20 483	−		
	3962	+ 1 33	S		18 45 45	+0 92	46 37	S		35 8 36	−1 52	6 84	20 47				

OF THE APPARENT DIFFERENCE OF LONGITUDES, $\Delta L + \rho$

FYZABAD (E) *Lat* 26° 47´ *Long* 5ʰ 26ᵐ 42ˢ: AND DEHRA DÛN (W) *Lat* 30° 19´ *Long* 5ʰ 12ᵐ 25ˢ

| Astronomical Date | STAR | | Star's Aspect | TRANSITS OBSERVED AT E *By Lenox Conyngham, with Telescope No 2* | | | | Star's Aspect | TRANSITS OBSERVED AT W *By Burrard, with Telescope No 1* | | | | Difference of Corrected Times (W − E) | | Correction for Rate of W Clock | Corrn for Pers. Equations $C_N - B_N = + 0^s \cdot 270$ $C_S - B_S = + 0^s \cdot 270$ | $\Delta L + \rho$ |
	BAC Number	Declination		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time		Instrumental Position and Correction Constants	Mean Observed Time	Total Correction	Seconds of Corrected Time	By each Star	Mean of Group			
1892 Mar 19	3981	+ 48 23	N	*I P E* $c + 3 9$ $b + 2 9$ $a - 71 9$ $Q - 1 45$	h m s 11 24 16 66	s − 0 34	s 16 32	N	*I P E* $c + 0 5$ $b - 0 9$ $a - 12 1$ $Q - 1 38$	h m s 11 40 38 16	s − 1 26	s 36 90	m s 16 20 58		16 20·498	0·030	0·270	16 20 ·138
	3998	+ 35 32	N		28 1 10	− 0 96	0 14	N		44 21 99	− 1 36	20 63	20 49			−	+	
	4010	+ 38 34	N		30 41 33	− 0 84	40 49	N		47 2 35	− 1 35	1 00	20 51					
	4018	+ 41 31	N		32 10 00	− 0 70	9 30	N		48 31 04	− 1 33	29 71	20 41					
	4027	+ 9 3	S		11 32 27 12	− 1 80	25 32	S		11 49 47 22	− 1 49	45 73	16 20 41		16 20·427	0·030	0·270	16 20·667
	4039	+ 4 5	S		36 38 20	− 1 93	36 27	S		52 58 29	− 1 51	56 78	20 51			−	+	
	4049	+ 4 15	S		38 21 52	− 1 92	19 60	S		54 41 47	− 1 51	39 96	20 36					
Mar 20	3905	+ 39 56	N	*I P W* $c - 4 5$ $b + 3 1$ $a - 90 3$ $Q + 1 46$	11 7 10 74	+ 2 00	12 74	N	*I P W* $c - 2 1$ $b - 1 5$ $a - 4 4$ $Q - 1 38$	11 23 34 72	− 1 46	33 26	16 20 52		16 20·513	0·027	0·270	16 20 ·16
	3913	+ 41 46	N		8 35 99	+ 2 21	38 20	N		24 60 11	− 1 47	58 64	20 44			−	+	
	3937	+ 28 23	N		14 32 78	+ 1 46	34 24	N		30 56 21	− 1 49	54 72	20 48					
	3952	+ 44 13	N		16 30 72	+ 2 23	32 95	N		32 55 03	− 1 47	53 56	20 61					
	3886	+ 17 3	S		11 3 54 49	+ 1 04	55 53	S		11 20 17 48	− 1 48	16 00	16 20 47		16 20·498	0·027	0·270	16 20 741
	3919	+ 14 58	S		10 6 38	+ 0 97	7 35	S		26 9 34	− 1 49	27 85	20 50			−	+	
	3930	+ 3 40	S		12 46 57	+ 0 61	47 18	S		29 9 16	− 1 50	7 66	20 48					
	3962	+ 1 33	S		18 48 19	+ 0 54	48 73	S		35 10 78	− 1 51	9 27	20 54					
	3981	+ 48 23	N	$Q - 1 46$	11 24 19 20	− 0 43	18 77	N	$Q - 1 38$	11 40 40 84	− 1 45	39 39	16 20 62		16 20·600	0·027	0·270	16 20·843
	4010	+ 38 34	N		30 43 86	− 1 00	42 86	N		47 4 89	− 1 46	3 43	20 57			−	+	
	4018	+ 41 31	N		32 12 46	− 0 84	11 62	N		48 33 68	− 1 45	32 23	20 61					
	3990	+ 20 49	S		11 26 23 72	− 1 75	21 97	S		11 42 44 02	− 1 49	42 53	16 20 56		16 20·585	0·027	0·270	16 20·828
	4027	+ 9 3	S		33 29 72	− 2 13	27 59	S		49 49 66	− 1 50	48 16	20 57			−	+	
	4039	+ 4 5	S		36 40 92	− 2 31	38 61	S		52 60 76	− 1 50	59 26	20 65					
	4049	+ 4 15	S		38 24 18	− 2 30	21 88	S		54 43 94	− 1 50	42 44	20 56					

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	Rate Corrections for both Clocks deduced from Transits Observed at both Stations, *viz* : *a*, Corrections for the Intervals between Nights of Observations and *B*, Hourly Corrections for Nights of Observations interpolated by means of the Quantities *a*								
			a at E Station for		*a* at W Station for		Astronomical Dates of Observations	*B* for		Correction to Observed Difference of Times of Transit for	
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Calcutta (E) and Waltair (W)	20° 9′	1891 December 6 to 7	− 4 26	+ 0 80	− 4 26	+ 0 73	1891 December 6	− 0 178	+ 0 032	− 0 060	+ 0 011
		7 8	− 4 20	+ 0 65	− 4 12	+ 0 82	,, 7	− 175	+ 032	− 059	+ 011
		,, 8 10	− 7 98	+ 1 61	− 7 91	+ 1 63	,, 8	− 170	+ 033	− 057	+ 011
		,, 10 , 12	− 6 47	+ 1 79	− 6 44	+ 1 77	,, 9	− 166	+ 034	− 056	+ 011
							,, 10	− 150	+ 035	− 050	+ 012
							,, 11	− 135	+ 037	− 045	+ 012
							12	− 135	+ 037	− 045	+ 012
Waltair (E) and Jubbulpore (W)	13° 28′	December 18 to 19	− 4 71	− 1 57	− 4 59	− 1 39	December 18	− 0 194	− 0 062	− 0 044	− 0 014
		,, 19 , 20	− 4 80	− 1 12	− 4 73	− 1 06	,, 19	− 196	− 054	− 044	− 012
		, 20 , 21	− 3 33	− 0 98	− 3 50	− 1 23	,, 20	− 170	− 046	− 038	− 010
		, 21 23	− 6 72	− 1 20	− 6 ,4	− 1 12	,, 21	− 142	− 035	− 032	− 008
		23 , 24	− 3 10	− 0 14	− 3 12	− 0 23	, 22	− 140	− 024	− 032	− 005
							,, 23	− 135	− 016	− 030	− 004
							, 24	− 130	− 008	− 029	− 002
Waltair (E) and Madras (W)	12° 17′	1892 January 6 to 7	− 2 82	+ 1 82	− 2 72	+ 1 92	1892 January 6	− 0 115	+ 0 078	− 0 024	+ 0 016
		7 10	− 9 40	+ 5 24	− 9 33	+ 5 23	,, 7	− 123	+ 075	− 025	+ 015
		,, 10 , 11	− 2 97	+ 1 12	− 3 09	+ 1 16	,, 8	− 130	+ 073	− 027	+ 015
							,, 9	− 130	+ 073	− 027	+ 015
							,, 10	− 128	+ 060	− 026	+ 012
							11	− 126	+ 048	− 026	+ 010
Waltair (E) and Boharum (W)	19° 11′	January 18 to 19	− 3 16	− 0 09	− 3 26	− 0 15	January 18	− 0 134	− 0 005	− 0 043	− 0 002
		,, 19 , 20	− 3 51	− 0 11	− 3 55	− 0 19	,, 19	− 140	− 006	− 045	− 002
		,, 20 ,, 21	− 3 15	− 0 39	− 3 11	− 0 30	, 20	− 139	− 010	− 044	− 003
		,, 21 ,, 22	− 3 15	− 0 15	− 3 13	− 0 13	,, 21	− 131	− 013	− 042	− 003
		,, 22 ,, 23	− 3 11	− 0 20	− 3 25	− 0 27	,, 22	− 132	− 010	− 042	− 003
							,, 23	− 133	− 010	− 043	− 003

Arc	Approximate Difference of Longitude	Intervals between Nights of Observations	Rate Corrections for both Clocks deduced from Transits Observed at both Stations, viz : a, Corrections for the Intervals between Nights of Observations and β Hourly Corrections for Nights of Observations interpolated by means of the Quantities a.								
			a at E Station for		a at W Station for		Astronomical Dates of Observations	β for		Correction to Observed Difference of Times of Transit for	
			E Clock	W Clock	E Clock	W Clock		E Clock	W Clock	E Clock	W Clock
Bolarum (E) and Bombay (W)	22° 49′	1892 February 9 to 10	− 0 31	− 3 21	− 0 42	− 3 31	1892 February 9	− 0 015	− 0 136	− 0 006	− 0 052
		" 10 „ 11	− 0 57	− 2 92	− 0 56	− 2 95	" 10	− 019	− 129	− 007	− 049
		" 11 , 12	− 0 19	− 2 77	− 0 12	− 2 75	" 11	− 015	− 119	− 006	− 045
		" 12 , 13	− 0 12	− 2 64	− 0 13	− 2 59	" 12	− 006	− 112	− 002	− 043
		" 13 „ 14	− 0 25	− 2 41	− 0 27	− 2 45	13	− 008	− 105	− 003	− 040
							" 14	− 011	− 101	− 004	− 038
Fyzabad (k) and Dehra Dun (W)	16° 20′	March 15 to 16	− 0 73	− 4 11	− 0 75	− 4 20	March 15	− 0 031	− 0 143	− 0 008	− 0 047
		" 16 17	− 0 94	− 3 06	− 1 13	− 3 10	" 16	− 037	− 151	− 010	− 041
		17 18	− 1 24	− 3 02	− 1 10	− 2 91	17	− 046	− 126	− 013	− 034
		" 18 19	− 1 21	− 2 87	− 1 14	− 2 84	18	− 049	− 122	− 013	− 033
		19 20	− 1 20	− 2 40	− 1 33	− 2 46	19	− 051	− 110	− 014	− 030
							20	− 053	− 101	− 014	− 027

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS 365

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

			CALCUTTA (E) AND WALTAIR (W)					
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1891 December 6	*I P E*	*I P E*	$m \quad s$ 20 9 095	$m \quad s$ 20 9 153	$m \quad s$ $\Big\}$ 20 9 163	$m \quad s$ 20 9 354	$m \quad s$ 20 9 454	$m \quad s$ $\Big\}$ 20 9 366
, ,	, ,	,,	9 213	9 130		9 424	9 231	
, 7	*I P W*	,	9 108	9 126	$\Big\}$ 9 116	9 451		$\Big\}$ 9 438
,, ,	,	,	9 266	9 204		9 414	9 431	
,, 8	,	*I P W*	8 863	9 093	$\Big\}$ 9 067	9 361	9 361	$\Big\}$ 9 361
, ,	,	,	9 133	9 178				
,, 10	*I P E*	,	9 015	8 955	$\Big\}$ 9 023	9 182	9 230	$\Big\}$ 9 219
, ,	,	,	9 088	9 015		9 244	9 120	
,, 11	*I P W*	*I P E*	9 348	9 160	$\Big\}$ 9 196	9 517	9 362	$\Big\}$ 9 401
, ,	,	,	9 148	9 128		9 435	9 290	
,, 12	,	*I P W*	8 955	8 973	$\Big\}$ 9 009	9 225		$\Big\}$ 9 260
, ,	,	,	9 040	9 068		9 300	9 255	
Means $\Big\{$	*I P E*	*I P E*	20 9 184	20 9 142	20 9 163	20 9 389	20 9 343	20 9 366
	I P W	,	9 218	9 155	9 186	9 454	9 361	9 417
		I P W	8 998	9 078	9 038	9 295	9 308	9 311
	I P E		9 062	8 985	9 023	9 262	9 175	9 219
General Means			20 9 116	20 9 090	20 9 103	20 9 350	20 9 297	20 9 328

Whence $\quad \Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 20^m + \frac{1}{2}(9^s 103 + 9^s 328) = 20^m 9^s 216,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(9^s 328 - 9^s 103) = + 0^s 113$

The site of the old Longitude Station at Calcutta having been built over a new one was selected   The new station is 31 feet 4½ inches east of the old one   This distance corresponds to 0ˢ 022 of longitude, and this quantity must therefore be subtracted from the above value of ΔL before the latter can be compared with arcs previously measured from Calcutta

Final value = $20^m \; 9^s \; 194$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

WALTAIR (E) AND JUBBULPORE (W)

Astronomical Date	Instrumental Position at E	W	Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1891			m s	m s	m s	m s	m s	m s
December 18	I P W	I P E	13 28 267	13 28 435	} 13 28 375	13 28 779	13 28 872	} 13 28 798
„ „	,	„	28 382	28 415		28 752	28 790	
„ 19	I P E	,	28 242	28 257	} 28 267	28 617	28 601	} 28 620
„ „	,	,	28 297	28 272		28 629	28 634	
, 20	„	I P W	28 221	28 271	} 28 198	28 624	28 589	} 28 578
„ „	„	,	28 148	28 151		28 601	28 496	
„ 21	I P W	,	28 324		} 28 367	28 743	28 748	} 28 805
„ ,	„	„	28 381	28 397		28 918	28 811	
„ 23	„	,	28 339	28 396	} 28 386	28 732	28 702	} 28 722
„ ,	„	„	28 416	28 393		28 745	28 709	
„ 24	„	I P F		28 423	} 28 421	28 749	28 754	} 28 811
„ „	„	„	28 465	28 377		28 882	28 857	
Means	I P E	I P E	13 28 270	13 28 265	13 28 267	13 28 623	13 28 618	13 28 620
	I P W	„	28 371	28 412	28 398	28 791	28 818	28 805
	„	I P W	28 365	28 395	28 377	28 785	28 743	28 764
	I P E	„	28 185	28 211	28 198	28 613	28 543	28 578
General Means			13 28 298	13 28 321	13 28 310	13 28 703	13 28 681	13 28 692

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 13^m + \frac{1}{2}(28^s 310 + 28^s 692) = 13^m 28^s 501,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(28^s 692 - 28^s 310) = + 0^s 191$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1892			m s	m s	m s	m s	m s	m s
January 6	I P W	I P E	12 16 880	12 16 882	12 16 846	12 16 992	12 17 022	12 17 053
„	„		16 787	16 835		17 047	17 152	
„ 7	I P E		16 701	16 741	16 734	16 869	16 909	16 952
„ „	,	„	16 711	16 784		17 049	16 981	
„ 10	,	I P W	16 645	16 720	16 690	16 941	16 948	16 957
,	,	,	16 745	16 640		16 941	16 996	
„ 11	I P W	„	16 848	16 753	16 785	16 926	16 879	16 921
,	,	,	16 755	16 783		16 934	16 946	
Means	I P W	I P E	12 16 834	12 16 859	12 16 846	12 17 020	12 17 087	12 17 053
	I P E	„	16 706	16 763	16 734	16 959	16 945	16 952
	„	I P W	16 695	16 685	16 690	16 941	16 972	16 957
	I P W		16 802	16 768	16 785	16 930	16 913	16 921
General Means			12 16 759	12 16 769	12 16 764	12 16 963	12 16 979	12 16 971

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 12^m + \frac{1}{2}(16^s\ 764 + 16^s\ 971) = 12^m\ 16^s\ 868,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(16^s\ 971 - 16^s\ 764) = + 0^s\ 104$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ

Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with					
			E Clock = ΔL − ρ			W Clock = ΔL + ρ		
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1892			m s	m s	m s	m s	m s	m s
January 18	I P W	I P E	19 11 313	19 11 335	} 19 11 338	19 11 526	19 11 554	} 19 11 449
„ „	„	„	11 330	11 375		11 319	11 396	
„ 19	I P E	„	11 383	11 436	} 11 397	11 629	11 649	} 11 640
„ „	„	„	11 396	11 373		11 654	11 626	
„ 20	„	I P W	ᵘ11 464	11 484	} 11 482	11 780	11 748	} 11 725
„ „	„	„	11 499	11 482		11 728	11 645	
„ 21	I P W	„	11 389	11 409	} 11 424	11 612	11 580	} 11 643
„ „	„	„	11 426	11 471		11 683	11 698	
„ 22	„	I P E,	11 326	11 396	} 11 411	11 565	11 618	} 11 616
„ „	„	„	11 449	11 474		11 648	11 632	
„ 23	I P E	„	11 458	11 485	} 11 471	11 690	11 675	} 11 691
„ „	„	„	11 435	11 505		11 715	11 685	
Means ⎰	I P E	I P E	19 11 418	19 11 450	19 11 434	19 11 672	19 11 659	19 11 666
⎱	I P W	„	11 355	11 395	11 375	11 515	11 550	11 533
⎰	„	I P W	11 408	11 440	11 424	11 648	11 639	11 643
⎱	I P E	„	11 482	11 483	11 482	11 754	11 697	11 725
General Means			19 11 416	19 11 442	19 11 429	19 11 647	19 11 636	19 11 642

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 19^m + \frac{1}{2}(11^s 429 + 11^s 642) = 19^m 11^s 536,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(11^s 642 - 11^s 429) = + 0^s 107$

The site of the old Longitude Station at Bolarum being, in 1892 no longer available, a new site was chosen 16 feet 4¾ inches more to the west. In order therefore to combine this arc with arcs previously measured from Bolarum, a correction of − 0ˢ 011 must be applied to the above value

Final value of Waltair–Bolarum = $19^m 11^s 525$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

369

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ.

Astronomical Date	Instrumental Position at E	Instrumental Position at W	E Clock = ΔL − ρ			W Clock = ΔL + ρ		
			By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1892 February 9	I P E	I P E	22 48 686	22 48 641	} 22 48 621	22 48 788	22 48 778	} 22 48 757
, ,	,	,,	48 569	48 586		48 755	48 708	
,, 10	I P W	,,	48 795	48 740	} 48 733	48 911	48 896	} 48 869
, ,	,	,,	48 700	48 698		48 833	48 836	
, 11	,	I P W	48 766	48 771	} 48 727	48 947	48 877	} 48 896
, ,	,	,	48 676	48 694		48 912	48 847	
,, 12	I P E	,	48 708	48 668	} 48 688	48 902	48 946	} 48 878
, ,	,	,				48 896	48 807	
, 13		I P E	48 639	48 699	} 48 639	48 852	48 875	} 48 834
, ,		,	48 589	48 627		48 770	48 840	
, 14	I P W	,	48 701	48 671	} 48 683	48 872	48 857	} 48 867
, ,		,	48 683	48 676		48 859	48 879	
Means	I P E	I P E	22 48 621	22 48 638	22 48 630	22 48 791	22 48 800	22 48 796
	I P W	,,	48 720	48 696	48 708	48 869	48 867	48 868
		I P W	48 721	48 713	48 727	48 930	48 862	48 896
	I P E		48 708	48 668	48 688	48 879	48 877	48 878
General Means			22 48 693	22 48 684	22 48 688	22 48 867	22 48 852	22 48 860

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 22^m + \frac{1}{2}(48^s 688 + 48^s 860) = 22^m 48^s 774,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(48^s 860 - 48^s 688) = +0^s 086$

The site of the old Longitude Station at Bolarum being, in 1892, no longer available, a new site was chosen 16 feet 4¾ inches more to the west   In order therefore to combine this arc with arcs previously measured from Bolarum, a correction of + 0ˢ 011 must be applied to the above value

Final value of Bolarum–Bombay = $22^m 48^s 785$

TABLE VII ABSTRACT OF RESULTS OF ALL OBSERVATIONS

AND DEDUCTION OF THE APPARENT DIFFERENCE OF LONGITUDE, ΔL

AND THE RETARDATION OF SIGNALS, ρ.

| | Instrumental Position at | | Apparent Difference of Longitude by Observations with | | | | | |
| Astronomical Date | | | E Clock = ΔL − ρ | | | W Clock = ΔL + ρ | | |
	E	W	By N Stars	By S Stars	Means	By N Stars	By S Stars	Means
1892			m s	m s	m s	m s	m s	m s
March 15	I P E	I P W	16 20 570	16 20 445	} 16 20 532	16 20 743	16 20 703	} 16 20 731
" "	"	"	20 592	20 522		20 761	20 718	
" 16	I P W	"	20 595	20 543	} 20 555	20 859	20 777	} 20 821
" "	"	"	20 575	20 508		20 866	20 782	
" 17	"	I P E	20 810	20 715	} 20 754	20 846	20 839	} 20 868
" "	"	"	20 790	20 702		20 914	20 873	
" 18	I P E	"	20 640	20 555	} 20 618	20 735	20 50	} 20 755
" "	"	"	20 710	20 565		20 727	20 757	
" 19	"	"	20 624	20 544	} 20 547	20 743	20 723	} 20 718
" "	"	"	20 546	20 474		20 738	20 667	
" 20	I P W	I P W	20 706	20 616	} 20 675	20 756	20 741	} 20 792
" "	"	"	20 736	20 631		20 843	20 828	
Means {	I P E	I P E	16 20 630	16 20 535	16 20 583	16 20 748	16 20 724	16 20 737
	I P W	I P W	20 653	20 577	20 615	20 831	20 782	20 807
	"	I P E	20 800	20 709	20 754	20 880	20 856	20 868
	I P E	I P W	20 581	20 484	20 532	20 752	20 711	20 731
General Means			16 20 666	16 20 576	16 20 621	16 20 803	16 20 768	16 20 786

Whence $\Delta L = \frac{1}{2}\{(\Delta L - \rho) + (\Delta L + \rho)\} = 16^m + \frac{1}{2}(20^s\ 621 + 20^s\ 786) = 16^m\ 20^s\ 704,$

$\rho = \frac{1}{2}\{(\Delta L + \rho) - (\Delta L - \rho)\} = \frac{1}{2}(20^s\ 786 - 20^s\ 621) = + 0^s\ 083$

ELECTRO-TELEGRAPHIC LONGITUDES

PART III.

HISTORICAL SKETCH

OF THE

EARLIER MEASUREMENTS OF INDIAN ARCS OF LONGITUDE,

SHOWING REASONS FOR RECOMPUTING

THE SAME, ALSO EXPLANATION

OF THE CAUSES OF

CIRCUIT-ERRORS, AND DESCRIPTION IN DETAIL

OF. THE EXPERIMENTS

BY WHICH THEY WERE DISCOVERED,

WITH

REVISED RESULTS OF ARCS IN

VOLUMES IX AND X.

CHAPTER I

ON THE RECOMPUTATION OF THE ARCS CONTAINED IN VOLUMES IX AND X

1.

Introductory

When the operations for determining differences of longitude between certain stations in India by help of the Electric Telegraph were first inaugurated, General J T Walker, R E, who was then Superintendent of the Great Trigonometical Survey, feeling that some better test of the accuracy of such measurements, than that afforded by the magnitude of their probable errors, was desirable, arranged that the arcs should be so laid out as to form triangular circuits, the closing errors of such circuits would obviously give a most satisfactory check on the accuracy of the results attained It cannot but be regarded as a most fortûnate thing, when looked at by the light of subsequent experience, that General Walker's foresight led him to adopt this plan, for by it errors have been brought to notice which would otherwise have escaped detection,—errors serious enough to diminish the value of the work, and yet of such a nature as to be ignored by the ordinary method of computing the probable errors, as they are due to a constant cause, and are not susceptible of elimination by the system of reducing the observations as adopted in the earlier years of these operations

2.

Historical

The longitude equipment, which has been in use at various times since the season 1872-73, when it was first employed by Captain J Herschel and Captain W M Campbell in Southern India, remained essentially the same throughout the nine seasons, the results of which are collected in this volume for final reduction and discussion There have been from time to time minor changes both in the equipment and system of procedure, which it is desirable to glance at in this place, as they bear upon the history of the circuit-errors, and show the reasons why some of the early arcs have been rejected, and the rest re-computed on an improved system. The work of the first season 1872-73 was chiefly tentative, and undertaken especially to enable the observers to become familiar with the instruments, and to decide upon

the best system to be adopted   This year's work was definitely rejected, partly for the above reason, but chiefly because of a fault in Telescope No 2, which proved to be so shaky that no confidence could be placed in its performances   This fault was remedied by Mr Doderet, Mathematical Instrument Maker to the Madras Government, and a fair start was made in the season 1875-76   During that season and the following ones, moderately good results were obtained, only moderately good because the circuit errors seemed larger than would be expected, considering the minute care taken in the adjustment of the instruments, and in every process connected with the observations   Even thus early some anxiety began to be felt as to the cause of these errors, and the bad effect they might eventually produce on the value of the results, as well as a feeling of disappointment that with all the care expended on the work, their source could not be traced out

In the season 1881-82 the circuit-errors increased largely, so much so that it was obvious that unless some remedy were devised it would be almost useless to proceed with the work   A further examination of the instruments showed that Mr Doderet's cure had been only temporary, and that the tube of No 2 Telescope had again become loosened to such an extent that the increase of circuit-errors was quite intelligible   The telescope was then repaired by Mr Bolton at the Mathematical Instrument Office in Calcutta, and the measurements were proceeded with   On resuming work in the seasons 1882 83 and 1883-84 the errors again asserted themselves, though considerably diminished in magnitude, and seemed wrapped in greater mystery than ever

As the large errors in 1881-82 had been clearly traced to unsteadiness of the tube, it was only natural to suppose that the comparatively small errors of the subsequent years might be attributed to an incomplete rectification of this fault, it was therefore determined to return the instruments to the makers, Messrs Cooke and Sons of York, to be thoroughly overhauled, and to have some alterations made in some of their details   Suspicion fell upon the **Y**s of the transit telescopes which were of a peculiar construction   They are described at page 3 of Part I of Volume IX of the *Account of the Operations, &c*, and as it was supposed that they *might* be the seat of instability, they were discarded, and new fixed **Y**s of the old established type supplied in their place

The repaired instruments were examined by Colonel G Strahan, R E, at the Greenwich Observatory before being returned to India, and as the tests applied showed the stability to be satisfactory, operations were renewed in 1885 86 with the expectation of greatly improved results   This expectation was however again doomed to disappointment, and although extra precautions and additional changes of pivots, and observers, &c, were introduced, there was no material decrease in the average magnitude of the circuit-errors

3.

Possible Sources of Circuit-Errors

In Sections 3, 4, and 5 of the Appendix to Volume X, will be found a discussion on the so called circuit-errors, in which various surmises are made as to their cause, most of them however being at once dismissed as inadequate to produce the effect

It will be superfluous to enter into a description of all the experiments which have been made to localize the cause of these errors, because many of them have been entirely abortive   The observers' attention has been pretty steadily directed to Collimation, Level, and Azimuthal Deviation, as being the most promising quarter in which to experimentalize, and it has now been found that they were justified in this, as the true source of error has been at length localized there, though not exactly in the direction suspected   The errors were supposed to be caused by a want of stability in the position of the line of collimation.   The process of collimating, *i e*, the determination of the micrometer reading of the telescope

when the sight-line is perpendicular to the axis of the pivots, has always been carried out by Gauss's method, *i e*, by two collimators, one placed to the north and one to the south of the transit telescope, and that of levelling by reflection of the wires from mercury placed vertically below the telescope   In collimating, the telescope is horizontal, pointed first to the south and then to the north, and in levelling, it is pointed towards the nadir, but in observing clock stars for longitude, the telescope is always pointed within a few degrees of the zenith, and there was no evidence to show whether the sight-line might not shift its position during these various movements   To elucidate this point various experiments were made by observing stars alternately direct and by reflection, and by vertical collimators, but the evidence as far as it showed anything, showed that no such instability of the sight line existed

At the commencement of each season, new and elaborate precautions were taken in changing pivots more frequently, in more minute refinements in making the adjustments, and other such matters, in hopes of diminishing these mysterious circuit errors, but all in vain   Some of the circuits closed satisfactorily while others showed errors that were much larger than could reasonably be expected or accounted for, thus raising a suspicion that it was more due to a happy chance than to real precision when the errors turned out to be small   That a chance elimination of error may really thus occur was pretty clearly shown in the work of 1880 81, in which season the circuit-errors were as small as could reasonably be expected, a result which has been shown by subsequent investigation to be due to mutual cancelment by mere chance   It seemed hardly reasonable to hope that after the cause of these mysterious errors had eluded search for so many seasons, it should be eventually completely explained, and that a means of re computation should be discovered, which has almost entirely negatived their effects This is however the case, and the final results in this volume are given to the world in full confidence that their accuracy is probably as high as is possible of attainment with modern instruments

4.

Discovery of the Cause of the Circuit-Errors

The errors have now been traced with considerable certainty to the faulty nature of the collimator object glasses, by which an erroneous determination of the position of the sight-line of the telescope with respect to the axis of the pivots may be, and often has been, made

The way in which the discovery of the source of trouble was led up to, was as follows —It was noticed that on several occasions, notably at Deesa in 1885, that the values of C_0 as obtained in the two pivot positions differed considerably, in fact by a quantity distinctly larger than could be due to faulty observation   The discrepancy in the case of Deesa alluded to was no less than nine divisions of the micrometer, a quantity that exceeds many times any possible error of intersection by even an unskilled observer   This alteration of nine divisions took place persistently every time the telescope was reversed, (within an amount at least that was well within the limits of observation) throughout the whole six nights of the measurement of the arc Deesa–Mooltan   No explanation of this anomaly could be discovered, and no special notice was taken of it at the time   But when the computation of this and the adjacent arcs was completed on the system at first adopted, it became evident that there was something very wrong about it, for all the circuits in which it entered showed abnormally large circuit-errors, and this fact led Capt Burrard, who was employed on the work that season (though not at Deesa), to connect the faultiness of the arc with the variation of C_0, and thus to obtain a clue to the solution of the difficulty   It seemed extremely improbable that a real change of the position of the sight-line should occur in merely reversing pivots when carefully executed without jar, and next to impossible that this change should almost exactly repeat itself at each subsequent reversal, for it must be remembered that no new strains are set up in the tube or any part of the apparatus by mere reversal, exactly the same part of the pivots being in contact with the Ys in both positions, and no change being made in the

distribution of weights The change of C_0 could only therefore be accounted for by an error in some of the quantities used in its determination. At page 22 of Part I of this volume, the method employed in determining the value of C_0 by means of two collimators, one placed to the north and the other to the south of the transit telescope, is described in detail

The formulæ used are as follows —

$$C_0 = \tfrac{1}{2} \{D + E - k(A - B)\} \text{ for } I P E$$

and

$$C_0 = \tfrac{1}{2} \{D + E + k(A - B)\} \text{ for } I P W$$

where k is a factor employed in reducing the divisions of the micrometer of the south collimator to those of the transit telescope, D is the reading of the transit telescope micrometer when the cross of the North collimator is intersected, E the same for the South collimator, A is the reading of the South collimator micrometer when intersecting the cross of the North collimator, and B is the reading of the South collimator when its moveable wire intersects the cross in its own diaphragm

Apart from the consideration that it is desirable as a general rule to vary as much as possible the circumstances under which a set of observations is taken, the chief reason for changing pivots is, that errors arising from the sight line of the telescope not being perpendicular to the axis of the pivots, or in other words, from faulty collimation, are completely cancelled by taking the mean of the observations in the two pivot positions But this cancelment does not hold if the position of the sight-line with regard to the axis is unstable, and shifts its position during reversal, and it seems to have been somewhat hastily concluded, from the variation in the value of C_0, that such a shift really occurred, hence the idea arose that observations in either pivot position should be made complete in themselves by the application of C_0 as determined by observations in that particular position, without reference to its value after reversal, thereby abandoning almost entirely the principle of cancelment of error by reversal Reverting to the formula

$$C_0 = \tfrac{1}{2} \{D + E \mp k \overline{A - B}\}$$

it seems unlikely that any of the quantities contained therein, with the exception of A, can be affected by the imperfection of the collimator object glasses In determining D and E (the readings of the N and S collimator crosses respectively in the transit telescope) the object glass of the transit telescope being much larger than those of the collimators the whole surface of the latter is invariably brought into use, and moreover B being the reading of the collimator micrometer when its moveable wire is brought into coincidence with its own fixed cross, it is in no way affected by imperfections of the object-glass A is however very materially affected, and experiments, which will be subsequently described, show that the reading of A varies considerably according to the particular parts of the object glass brought into play Now this, when reduced to its ultimate consequences, means simply that the angle formed by the sight lines of the two collimators is not correctly determined, or it may express the state of things better to say that owing to faulty object glasses the collimators have no definite sight-lines, their position depending on the part of the object glass in use, and that therefore the angle between them is indeterminate, as this angle enters with opposite signs in C_E and C_w (which symbols will be henceforward used to distinguish C_0 as found by observations $I P E$ and $I P W$ respectively) it follows that $C_E - C_w$ is equal to twice the value of the error, or uncertainty of this angle, measured in divisions of the transit telescope micrometer

It was not until the arc Deesa–Mooltan was measured that any case had occurred in which the difference between C_E and C_w was sufficiently marked or persistent, to attract attention Now however that the discovery has been once made that this difference exists, and is an uncancelled source of error in an arc, it is not difficult to trace its existence in previous work the greater the difference between C_E and C_w in any arc, the greater will be the correction caused by the re-computation on the principle

of a mean C_0 In some cases in which the difference is small, the correction almost vanishes; this probably arises from the collimators being by chance so placed as to bring nearly the whole of their object-glasses into play, as will be further explained in the next chapter

<h1 style="text-align:center">5.</h1>

<p style="text-align:center">Effect of Erroneous Measurement of the Angle $(A - B)$</p>

The effect of an error in the measurement of the angle $(A - B)$ may be easily traced out as follows —Take the case of any particular star whose declination is δ

Let t_e, t_w be the observed times of transit $I\,P\,E$ and $I\,P\,W$ corrected for all sources of error except collimation

D_E and D_w be the readings of the transit telescope micrometer when the cross of the North collimator is intersected $I\,P\,E$ and $I\,P\,W$ respectively

E_E and E_w the same for the South collimator

m the value in seconds of time of one division of the micrometer of the transit telescope

T_1 the true time of transit

θ, or $k \ \overline{A - B}$ the true angle between the sight lines of the two collimators, measured in divisions of the transit telescope micrometer

C_s the reading to which the micrometer is set during the transit observations

Then for $I\,P\,E$

$$T_1 = t_e + m\,(C_0 - C_s)\sec\delta = t_e + m\left\{\frac{D_E + E_k}{2} - \frac{\theta}{2} - C_s\right\}\sec\delta,$$

and for $I\,P\,W$

$$T_1 = t_w + m\,(C_s - C_0)\sec\delta = t_w + m\left\{-\frac{D_w + E_w}{2} - \frac{\theta}{2} + C_s\right\}\sec\delta$$

Now if instead of C_0, C_E and C_w are used to represent the values obtained for C_0 in the two pivot positions, by means of θ' an erroneous value of θ, and T_E and T_w represent the corrected times of transit, then

$$T_E = t_e + m\,(C_E - C_s)\sec\delta = t_e + m\left\{\frac{D_E + E_E}{2} - \frac{\theta'}{2} - C_s\right\}\sec\delta,$$

and

$$T_w = t_w + m\,(C_s - C_w)\sec\delta = t_w + m\left\{-\frac{D_w + E_w}{2} - \frac{\theta'}{2} + C_s\right\}\sec\delta$$

These being compared with T_1 give

$$T_E - T_1 = m\,\frac{\theta - \theta'}{2}\sec\delta,$$

and

$$T_w - T_1 = m\,\frac{\theta - \theta'}{2}\sec\delta,$$

i e each value of the arc is burdened with an error of the same magnitude and sign, and therefore that their mean is burdened with the same error

A mean C_0 dispenses entirely with the use of the faulty angle θ', so long as the collimators are not disturbed, for

$$C_0 = \tfrac{1}{2}\,(C_E + C_v) = \tfrac{1}{2}\left\{\frac{D_E + E_E}{2} - \frac{\theta'}{2}\right\} + \tfrac{1}{2}\left\{\frac{D_v + E_v}{2} + \frac{\theta'}{2}\right\}$$

$$= \tfrac{1}{4}\,\{D_E + D_v + E_E + E_v\}$$

6.

Summary of Reasons for adopting a Mean C_0

To justify then the adoption of the computation with the mean C_0, we have the following facts — (1) In examining the circuits formed by the arcs when computed by the old method, large circuit errors often appear where the differences between C_E and C_v are large, (2) Errors in the measurement of the angle between the sight lines of the two collimators are competent to, and actually do, produce the differences between C_E and C_v; (3) Experiments, to be described in the next chapter, show that there are defects in the object glasses of the collimators, and possibly also in those of the transit telescopes, which make the measurement of this angle doubtful, (4) The extreme improbability of any such periodic movement in the position of the sight line as would on reversal cause the observed differences between C_E and C_v, (5) The desirability of carrying out in its integrity the principle of cancelment of collimation error by reversal; and (6) The fact that with one or two very trifling exceptions the circuit errors are notably diminished throughout the whole network, and brought down to a satisfactorily low average This last consideration, if standing alone, would carry little weight, but taken in connection with the others is significant

7.

Rejection of certain Arcs

For the reasons given above a re computation of all the arcs (with the exception of those of 1881 82) has been carried out on the principle of a mean C_0, before they have been taken in hand for the simultaneous reduction   It is important to note that so long as the *same* value of C_0 is used in both positions, its *actual* magnitude is of little consequence, as not affecting the principle of cancelment

The reason why the arcs of 1881-82 have been exempted from re-computation is that as the tube of No 2 telescope was obviously shaky during that season, no system of calculation could render its performances trustworthy, and the entire work of that season has been rejected   This is of little consequence as Hazaribagh—the station to which most of the arcs measured that season were joined—is of little importance in the general network, and may be omitted without detriment, of the remaining arcs of that season, two, *viz*, Fyzabad-Agra and Jalpaiguri-Calcutta, were subsequently re-measured, after the tube had been repaired, with results so different that the old values have been entirely rejected

The effect of shakiness of the telescope tube is easily traced by an examination of the observations for determining C_0 When the tube is steady, there is very little fluctuation in the values of D and E so long as the pivots are not reversed, although C_0 may vary considerably   when there is any shake or looseness, it becomes at once apparent even without pivot reversal, by the great differences in the readings of D and E, according to the direction in which the telescope is rotated, whether from the nadir upwards, or from the zenith downwards   It is on account of such differences as these that the arcs of 1881 82 have been rejected, and by no means because the circuit-errors are abnormally large

CHAPTER II

ON SOME EXPERIMENTS FOR TESTING THE OBJECT GLASSES OF THE TRANSIT TELESCOPES AND OF THE COLLIMATORS

1.

Introductory Remarks

It has been shown in the preceding chapter that any error in measuring the angle $(A - B)$, at which the sight lines of the two collimators are inclined to each other, vitiates the determination of C_0 in such a way that observations in both pivot positions are affected with an error in the same direction, if the sight line of the transit telescope remains immoveable with regard to the axis of the pivots during reversal   It was also shown that, on this hypothesis of perfect stability, $C_0 = \frac{1}{2} \{C_E + C_w\}$ If an accurate value of C_0 be required from observations in one pivot position, it is imperative that the angle between the sight lines of the collimators should be determined with great precision, as its value enters directly into the computation of C_0, but if observations in the other pivot position be added, without any disturbance of the collimators, and a mean taken between the two, this angle is eliminated from the result   The experiments now to be described show that, except under special conditions which are somewhat troublesome to secure in actual practice, and which as a matter of fact have not obtained hitherto, there are defects in the object-glasses of the collimators which render the measurement of this angle uncertain, and that on this account neither C_E nor C_w *alone* are to be trusted in reducing transit observations

2.

Classification of Experiments

For the examination of the object glasses of the collimators and the transit telescopes the following five classes of experiments were devised —

(1) Experiments on the effects produced in the value of C_0 by small vertical, and lateral displace-
  — ments of the collimators with regard to the sight-line of the transit telescope, without reversal of pivots

(2) Experiments on the value of C_0 as obtained from collimators in horizontal and vertical positions, as well as at intermediate altitudes.

(3) Experiments to ascertain whether any difference in the value of C_0 was noticeable when the transit telescope was removed, so that vision was no longer effected through the aperture in the cube

(4) Experiments on the object-glasses of the collimators with full and reduced apertures

(5) Experiments on distant meridian marks, and on images of the wires reflected from mercury, with full and reduced apertures, to test the object-glasses of the transit telescopes

The details of these five classes of experiments, so far as they are necessary to justify the conclusions arrived at, will now be given

3.

First Class of Experiments

The two collimators being placed on their respective piers in the position usually adopted in actual work, were very carefully aligned, so that their sight-lines were not only *parallel*, but as nearly *coincident* as could be effected, and centrally placed with regard to the aperture in the cube of the transit telescope   This was accomplished by the following contrivance   A lamp placed at the eye end of one collimator projected from the object end a cylindrical beam of light of the same diameter as the object-glass, and this being received on a white disk of cardboard placed over the object glass of the other collimator enabled the observers to obtain the required coincidence without much trouble, the exactness of parallelism being subsequently gained by a cautious lateral shifting of the eye end of one of the collimators, till the two crosses were noted as superimposed, or very nearly so, the final adjustment was effected with the micrometer   The value of C_0 was then determined by the usual process as described at page 22 of Part I of this volume

The collimators were then moved half an inch to the right, to the left, upwards, and downwards successively, still retaining exact parallelism and coincidence of sight lines, as well as uninterrupted vision through the cube   Under none of these changes was any material change noted in the value of C_0, nor any difference between C_E and C_W The effect of lateral displacement is obviously to bring into use different parts of the object-glass of the transit telescope   This is not however a consequence of vertical displacement, as might at first sight be supposed, because in this case the part of the object glass used in viewing the north collimator when the collimators are depressed half an inch, is the same as that which comes into play in viewing the south collimator when the collimators are raised half an inch, and *vice versa*

The amount of lateral and vertical displacement available is very limited, for the collimator object-glasses being $2\frac{1}{4}$ inches in diameter, and the aperture in the cube only $3\frac{1}{4}$ inches, any displacement, more than that mentioned above, gives rise to partially obstructed vision through the cube, thus introducing new conditions which are dealt with under the fourth class   The object-glasses of the transit telescopes being five inches in diameter, it follows that only a small portion towards the centre can thus be dealt with

4.

Second Class of Experiments

In these, an endeavour was made to ascertain if C_0 showed any variation corresponding to different altitudes at which the collimators were placed, for it seemed by no means unlikely that in raising

the telescope from a horizontal position towards the zenith, varying strains might be set up, which would conceivably alter the value of C_0 These experiments were inconclusive, and showed no variations in C_0 traceable to such a cause   In carrying them out a peculiar form of vertical collimator was used for zenith observations, which proved to be so handy and accurate, that it may be worth while to describe it in this place   The instrument is shown in Plate IV   It is a modified form of that known as Captain Kater's vertical floating collimator, a contrivance which has rather fallen into disuse in the present day.   It consists essentially of an annular wooden trough, supported on two T-iron bars spanning the observatory in an east and west direction , this trough is turned out of a solid block, in which a substantial wooden ring, nearly square in section, floats on mercury   Attached to this ring by two stout brass arms is a collimating telescope fitted with a micrometer, so as to hang vertically when the ring is floating in the trough   so far the principle is exactly that of Captain Kater's collimator*   He seems to have concluded that the telescope thus hanging freely, and floating on mercury would always recover the same inclination to the horizontal plane, after being rotated through an angle of 180°, or being disturbed in any way   In these experiments this was not found to be strictly the case, and as extreme refinement was aimed at, it was thought better to attach two very sensitive and well tested levels to the floating ring, as shown in the Plate   By reading these, the necessity for assuming the unchanged inclination of the telescope to the horizontal plane was obviated   The rough adjustment to verticality of the sight line was made in the first instant by placing shot in holes formed for this purpose in the upper surface of the ring, the final adjustment being secured by the micrometer screw   The levels were then so adjusted that the bubbles played near the centres of their runs, and then the instrument was ready for use in the determination of the true zenith point by rotation through 180°   The ready reversal by merely giving a slight twist to the ring rendered this a most handy means of employing a fixed zenith point, which for convenience, ready application, and precision, left nothing to be desired   The ring when rotated was stopped, when it came to the proper position, by a projecting pin as shown in the Plate

5.

Third Class of Experiments

These experiments showed conclusively that no change could be detected in C_0, whether the vision was through the aperture of the cube, or the telescope was entirely removed, so long as the alignment was sufficiently perfect to ensure uninterrupted vision   If the alignment was not good, differences in C_0 owing to partial obstruction of the field of view of the collimators appeared, but these will be dealt with under the fourth class   As no special care has been taken in the longitude operations that the view through the cube should be entirely unobstructed, it seems quite likely that some of the anomalies in C_0 may be traceable to this source

6.

Fourth Class of Experiments

These are the most important of all, and are in themselves quite sufficient to afford reasons for the differences between C_E and C_v They deal with the quantity A in the formula $C_0 = \frac{1}{2}\{D + E - k\ \overline{A - B}\}$, this being the reading of the South collimator micrometer, when its moveable wire intersects the North collimator cross   The reading was taken under various conditions of full and of reduced apertures, and shows discrepancies under these circumstances sufficient to account for the mysterious variations of C_0 The two collimators being adjusted carefully, as described under the first class of these experiments, a

* In the Plate the ring, with the telescope and levels attached, is represented as raised above the annular trough for the sake of greater clearness.

semicircular disk of cardboard of the same diameter as the object-glasses of the collimators was prepared, and so adjusted as to shut off consecutively the east, west, upper, and lower halves of the effective aperture. The reading of A was taken under each of these conditions with the results given in the following table —

Table I — VALUES OF A — (Collimators appertaining to Telescope No 1)

	Full aperture of both Collimators	Eastern half of object glass in use		Western half of object glass in use		Upper half of object glass in use		Lower half of object glass in use		REMARKS
		Disk inserted in		Disk inserted in		Disk inserted in		Disk inserted in		
		North collimator	South collimator	North collimator	South collimator	North collimator	South collimator	North collimator	South collimator	
Each of the readings in these columns is the mean of two, one taken by Captain Burrard, and one by Lieut Lenox Conyngham	58 2	58 7	59 2	53 9	53 6	57 5	58 0	58 5	59 2	At the end of the experiments the disk was removed, and the reading of A again taken, to see if any movement had taken place
	56 8	58 7	60 2	54 2	54 0	57 5	57 2	59 0	57 0	
	57 0	59 0	57 7	54 2	56 0	59 1	57 3	59 8	56 6	
	58 2	60 2	59 3	55 3	53 0	58 5	57 3	61 0	57 5	
					54 3					
Means	57 6	59 2	59 1	54 4	54 2	58 2	57 5	59 6	57 6	
Final Means	Ao = 57 6	AE = 59 2		Aw = 54 3		Au = 57 9		AL = 58 6		

In this table A is expressed in divisions of the South collimator micrometer. To convert A (or differences between two values of A) into divisions of the transit telescope micrometer, in which unit D, E and C_0 are always expressed, it must be multiplied by 1 666. The subscripts o, E, W, U and L in this, and succeeding tables, signify that the whole aperture, the eastern, western, upper, and lower halves respectively of the object glasses were in use.

It would have been better in some respects if a diaphragm obscuring three quarters, instead of one half, of the apertures had been employed, leaving one quarter open in the shape of a sector, but it was found that the great diminution of light thereby caused rendered the intersections uncertain and difficult

As parallel rays are being dealt with it is immaterial in theory in which of the two collimators the disk is inserted, but as the alignment with every precaution might not be quite perfect, the disk was inserted in each successively. The table shows that the precaution is almost unnecessary, the differences being generally so small as not to exceed the uncertainties of observation

The greatest discrepancy occurs between the eastern and western halves, amounting to 4 9 divisions of the collimator microscope, or 8 1 divisions of that of the transit telescope. Now assuming as an extreme case that the western half gives the true result, then if in practice, through bad alignment, the eastern half only is in use—and against such an event there is no *à priori* probability—the angle (A−B) between the sight lines of the collimators would be in error by that amount, and this error (as has been shown above) enters directly into the determination of C_0 with the same sign both *I P E* and *I P W*, the effect being that transits of stars in *both* positions occur either too early or too late by m sec $\delta \times 8$ 1, where $m = 0'$ 0225, the value in seconds of time of one division of the micrometer, and δ is the star's declination. In the case of an equatorial star this amounts to 0' 18. Stars used for longitude work are generally selected within a few degrees of the zenith, and for such, the error in the time of transit arising from this source would be, in latitude λ, 0' 18 × sec λ, a quantity which would vary from 0″18 in South

India to o' 21 in the Punjab   The great distance apart at which the collimators have been placed in practice rendered the coincidence of their sight-lines difficult to secure, and the alignment has hitherto been considered sufficiently good in actual practice if clear vision of both crosses was obtained in the field of the south collimator   no attempt has hitherto been made to ascertain what parts of the object-glasses were out of use, either on account of imperfect alignment, or on account of the interference of the cube of the transit telescope, through which by means of a small aperture the collimators view each other

It seems obvious therefore that considerable uncancelled errors may exist in transit observations owing to this peculiarity in the collimators, which produces different values of C_0 according to the part of the lenses brought into use

It is perhaps hardly fair to the maker of these instruments to have allowed them to be used so excentrically that a large portion of their object glasses was obscured, a practice which seems to have arisen originally from the difficulty of adjusting them truly, when at such a considerable distance apart as thirty feet   It is a troublesome process to ensure the coincidence of the sight lines under these conditions, especially as the necessity of their passing centrally through the aperture in the cube is equally important, and hence the practice arose of considering the clearness of vision a sufficient test of adjustment   It is not known why the original observers selected this distance of thirty feet, but it was subsequently diminished with obvious advantage   It is fortunate that there has been occasionally a very notable want of adjustment in this respect, otherwise the peculiarity of the object glasses might never have been suspected or proved, for if the want of truth in the alignment of the collimators had been trifling, small errors in the work would have remained, small enough to have escaped the close search to which they have now been subjected, and yet large enough to diminish the precision of the results   Under existing conditions although good alignment is very desirable, still it would never do away entirely with the necessity for using a mean C_0, for so long as any regularly recurring difference exists between C_E and C_w, so long will suspicion fall rather on the angle $(A - B)$ than upon any instability of the sight line

7.

Fifth Class of Experiments

In commencing the testing of the object-glass of the transit telescope the collimators were used, and the experiment was conducted as follows —The three telescopes were carefully aligned, and a lamp being placed behind the eye pieces of the collimators as in the fourth class, a bright circle of light was cast on a cardboard disk inserted over the object-glass of the transit telescope   The collimators were moved until this circle of light in both positions was at the centre of the disk, the telescope being horizontal

An aperture was then cut from the centre of the disk of the same size as this circle of light   Theoretically the insertion of this annular disk would have no effect on the readings of D and E because that part of the object glass concealed by it could in no case come into play, until the alignment was disturbed   A semicircular disk was then prepared which could be inserted in the object glass of either collimator, or in the annular disk of the transit telescope   by means of this contrivance the apertures of any one of the three telescopes could be diminished at will, and in any desired position   The test consisted in taking micrometer readings of the transit telescope when intersecting, firstly, the cross of the north collimator, and secondly, that of the south collimator, with various apertures, the results being given in the two following tables   D is the reading for the intersection of the north collimator and E for that of the south, the subscripts having the same meaning as in the table in section 6 of this chapter

Table II—Values of D —(Telescope No 1)

Object glasses of Telescope and Collimators open	Eastern half of object glasses in use		Western half of object glasses in use		Upper half of object glasses in use		Lower half of object glasses in use		Remarks
	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	
Means of two readings one by Capt Burrard, and one by Lieut Lenox Conyngham									At the end the disks were removed, and the reading of D again taken, to see if any movement had taken place in either Collimator or Telescope during the experiments
1767 4	1769 3	1768 5	1764 2	1766 2	1764 9	1765 0	1771 5	1770 0	
67 7	69 7	69 7	63 6	65 5	65 7	64 1	69 3	70 8	
67 2	68 0	69 0	63 2	64 7	66 0	66 1	69 0	70 7	
67 4	68 2	69 1	62 9	65 4	66 0	65 0	69 0	70 4	
Means 1767 4	1768 8	1769 1	1763 5	1765 5	1765 7	1765 1	1769 7	1770 3	
Final Means $D_O = 1767\cdot4$	$D_E = 1769\cdot0$		$D_W = 1764\cdot5$		$D_U = 1765\cdot4$		$D_L = 1770\cdot0$		

Table III—Values of E —(Telescope No 1)

Object glasses of Telescope and Collimators open	Eastern half of object glasses in use		Western half of object glasses in use		Upper half of object glasses in use		Lower half of object glasses in use		Remarks
	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	Semi circular disk inserted in collimator	Aperture in disk of Telescope half covered	
Means of two readings, one by Capt Burrard, and one by Lieut Lenox Conyngham									At the end the disks were removed, and the reading of E again taken, to see if any movement had taken place during the experiments
1448 1	1450 6	1450 4	1447 3	1444 9	1450 7	1450 5	1448 0	1449 0	
48 7	50 5	50 0	46 8	45 9	50 7	51 0	45 8	48 2	
47 5	50 7	49 7	47 3	46 2	50 4	51 8	47 9	49 0	
48 3	50 3	49 9	48 5	45 8	50 6	51 2	47 4	48 5	
Means 1448 1	1450 5	1450 0	1447 5	1445 7	1450 6	1451 1	1447 3	1448 7	
Final Means $E_O = 1448\cdot1$	$E_E = 1450\cdot3$		$E_W = 1446\cdot6$		$E_U = 1450\cdot9$		$E_L = 1448\cdot0$		

From these tables it will be seen that D_E differs from D_W by 4 5 micrometer divisions and D_L from D_U by a slightly larger amount, the differences in E being somewhat smaller, *viz*, 3 7 and 2 9 respectively

As however the object-glasses of the collimators have been proved to be capable of producing larger differences than these under certain circumstances, when employed by themselves alone, it seems very doubtful if such differences can be fairly imputed to the transit telescope at all.

It had been noticed by Captain Burrard previously, that by tilting the collimators in actual practice, a change in the value of C_0 was caused, and this was supposed to be due to the fact that a different portion of the object-glass of the transit telescope was brought into play   This is probably not the cause of the change, for as the telescope is much nearer to each of the collimators than they are to each other, it follows that any alteration in their mutual inclination causes more displacement between their sight lines, than between them and that of the transit telescope   If the two collimators were correctly aligned before tilting, then it is certain that they could not be so after tilting, unless one of them was bodily raised or depressed, which was never the case   The discrepancies due to incorrect alignment, which are abundantly evident in the fourth class of these experiments, are then produced, and therefore there is no reason for supposing the existence of any imperfection of the object glass of the transit telescope on these grounds

It should be mentioned here that in practice the alignment can never be so faulty, as to cause the obscuration of any part of the object glass of the transit telescope, owing to the necessity of the collimators being mutually visible through the aperture in the cube   As the object glasses of the collimators had been proved to be faulty, inasmuch as they gave different images for different parts of the aperture, it seemed to be futile to attempt further to examine the object glasses of the transit telescopes by their means   It fortunately happens that an excellent distant meridian mark exists at Dehra Dun, consisting of a pyramid of masonry eight feet high, and distant about nine miles on a ridge of the sub-Himalayas nearly 5,000 feet above the station, and this was viewed with full and reduced apertures, as in the case of the collimator experiments   No resulting differences in the readings of the micrometer when the moveable wire was made to intersect the mark were noticeable, but these results are not considered of much weight, as owing to haze the mark was somewhat unsteady and difficult to intersect

The object glass was subsequently tested again on the same principle, except that instead of a distant mark, the reflexion of the wires themselves from the surface of mercury was used as an object for intersection with varying apertures   Again no variations were recognizable, and hence it has been concluded that the object glass is as nearly as possible perfect   Now if it really be perfect, the readings D and E will not vary, even if the collimators are not correctly aligned, unless the alignment is so bad that only parts of the collimator object glasses come into use, a state of things which is not possible in practice, for it would prevent mutual visibility of the collimators through the aperture in the cube

It may therefore be concluded that the variations in C_0 are solely due to the uncertainty in the quantity A in the formula $C_0 = \frac{1}{2} \{ D + E \mp k\ A - B \}$ or, in other words, are caused by *faulty alignment of the collimators*, so that parts of their object glasses are shut out, either by non coincidence of their sight lines, or by interposition of part of the cube of the transit telescope

This completes the series of experiments with Telescope No 1 and its collimators   subsequently a similar series was instituted for the second equipment, with the same results, i e, that the value of A depended greatly upon which parts of the collimator object glasses were brought into effective use, but differing only in this respect that the object glass of Telescope No 2 did not come out of the trial as successfully as that of Telescope No 1

Observations with it were taken as before with full and reduced apertures on the distant meridian mark, but for the same reason as in the former case not much reliance was placed on the results   The reflexion of the wires from the mercury trough was then used as an image for observation, and it was found that material differences existed in the readings according to the part of the object glass in use

The following table shows the values of M, or the readings of the micrometer when the direct and reflected images of the wire coincided, from which it is evident that a serious discrepancy exists between the eastern and western halves of the object-glass of Telescope No 2 —

Table IV —VALUES OF M —(Telescope No 2)

Whole object glass in use	North half in use	South half in use	West half in use	East half in use
1518 3	1517 9	1519 1	1519 0	1515 4
18 5	17 3	17 3	19 5	16 6
17 0	17 2	18 0	19 5	15 2
17 ,	18 0	19 0	19 8	14 1
18 4				
1517 9	1517 6	1518 4	1519 5	1515 3
1518 1	1519 0	1519 0	1521 2	1516 5
17 8	19 0	18 5	20 4	16 4
18 8	19 0	18 1	19 0	15 9
18 9	19 0	18 9	20 0	16 5
1518 4	1519 0	1518 6	1520 2	1516 3
M_0 1518 2	M_N 1518 3	M_S 1518 5	M_W 1519 9	M_E 1515 8

It is satisfactory to find that when the collimators were so arranged as to show varying differences between C_E and C_w, that C_0 the mean of the two remained nearly constant Thus at Kurrachee in 1890 four values of C_E and C_w were taken as follows, the collimators being moved after each pair —

C_E	C_w	Mean = C_0
1720 6	1724 3	1722 5
22 5	24 0	23 3
25 8	22 1	23 9
26 0	20 1	23 1

The same process repeated at Waltair in 1891, when the collimators were wholly removed after each night's work, and set up again the next day, gave results as follows —

C_E	C_w	Mean = C_0
1484 4	1473 6	1479 0
82 2	76 9	79 6
81 3	77·8	79 6
84 8	73 2	79 0
78 0	82 3	80 2

and lastly in Dehra Dun in 1892 the following values were obtained —

C_E	C_w	Mean $= C_0$
1512 1	1520 1	1516 1
15 1	16 7	15 9
15 5	15 7	15 6
16 1	14 8	15 5

8.

Conclusions

To sum up, the following conclusions may be legitimately drawn from these experiments —(1) That the instability of the sight-line of the transit telescopes is apparent only, not real, (2) That the collimators of both equipments are faulty, inasmuch as their object glasses give different images according to the part of them that comes into play, (3) That the object glass of Telescope No 1 is very nearly perfect, (4) That the object-glass of Telescope No 2 is decidedly' of inferior form, (5) That *very careful* alignment will nearly prevent these imperfections from having an injurious effect on the final results, (6) That the use of a mean C_0 does so almost completely, and (7) That a very careful alignment in future combined with the adoption of a mean C_0 will give results, from which errors due to these faults may be considered as practically entirely eliminated

Explanation of Revised Abstract of Determinations of Collimation and Level Correction Constants

——————— ———————

This Abstract differs from those of the same kind in previous volumes only in the columns headed c_1, c and b

In order to obtain the revised figures in these columns the mean of the values of C_0 in position $I P E$, and in position $I P W$ are entered separately in the column of remarks

The mean of these two quantities is taken as the final value of C_0 to be used for *every day* of observation on that particular arc regardless of pivot position

c_1 is the collimation correction constant   It is equal to $C_0 - C_s$ for $I P E$, and $C_s - C_0$ for $I P W$

c is obtained from c_1 by subtracting the diurnal aberration

b is the level correction constant   It is equal to $C_0 - M$ for $I P E$, and $M - C_0$ for $I P W$

Left table

Astronl Date	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks
1876			d	d	d	d	d	d	
Jan 28	BELLARY (Telescope No 1)	IPE	55 3	55 0	+2 2	+1 3	•54 4 / 53 5	+3 2	
,, 29		IPW	58 1	55 0	-2 2	-3 1	56 1 / 55 5	-1 4	Mean C_0
,, 30		,,	59 3	55 0	-2 2	-3 1	56 4 / 56 9	-0 5	$IPE = 56\,1$ (a)
Feb 8		IPE	56 0	55 0	+2 2	+1 3	55 1 / 55 2	+6 1	$IPW = 58\,3$
,, 9		,,	57 1	55 0	+2 2	+1 3	55 3	+1 9	General Mean = 57 2
,, 10		IPW	57 5	55 0	-2 2	-3 1	58 8	+1 6	
Feb 19	BOLARUM (Telescope No 2)	IPW	100 2	95 0	-4 7	-5 6	95 0 / 94 9	-4 7	
,, 20		,,	100 7	95 0	-4 7	-5 6	93 4 / 99 5	-6 3	Mean C_0
,, 21		,	101 1	95 0	-4 7	-5 6	99 0	-0 4	$IPE = 98\,7$ (d)
,, 22		IPE	98 6	95 0	+4 7	+3 8	102 4	-2 1	$IPW = 100\,7$
,, 23		,,	98 1	95 0	+4 7	+3 8	100 9	-1 2	General Mean = 99 7
,, 24			99 4	95 0	+4 7	+3 8	101 2	-1 5	
Mar 3	MADRAS (Telescope No 1)	IPE	48 1	50 0	-1 7	-2 6	53 1	-4 8	
,, 5			43 6	50 0	-1 7	-2 6	49 4	-1 1	Mean C_0
,, 6			46 9	50 0	-1 7	-2 6	49 4	-1 1	$IPE = 48\,2$ (d)
,, 7		IPW	48 1	50 0	+1 7	+0 8	50 3	+2 0	$IPW = 48\,3$
,, 8		,,	48 5	50 0	+1 7	+0 8	48 8	+0 5	General Mean = 48 3
,, 12			48 3	50 0	+1 7	+0 8	47 5	-0 8	
Mar 22	MADRAS (Telescope No 1)	IPW	48 6	50 0	+0 8	-0 1	47 1	-2 1	
,, 24		,,	48 2	50 0	+0 8	-0 1	48 7	-0 5	
,, 26		,	48 6	50 0	+0 8	-0 1	48 9	-0 3	Mean C_0
,, 29		IPE	47 0	50 0	-0 8	-1 7	47 6	+1 6	$IPE = 49\,8$ (d)
,, 30		,	46 6	50 0	-0 8	-1 7	47 1	+2 1	$IPW = 48\,5$
31			51 7	50 0	-0 8	-1 7	48 2	+1 0	General Mean = 49 2
Apr 1		,	52 6	50 0	-0 8	-1 7	48 6	+0 6	
,, 2		,,	51 1	50 0	-0 8	-1 7	47 9	+1 3	

Right table

Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks
		d	d	d	d	d	d	
BOMBAY (Telescope No 2)	IPE	96 4	95 0	+0 3	-0 6	96 0	-0 7	
	IPW	94 5	95 0	-0 3	-1 2	98 7	+3 4	Mean C_0
	,,	94 1	95 0	-0 3	-1 2	94 3	-1 0	$IPE = 96\,0$ (d)
	IPE	95 3	95 0	+0 3	-0 6	96 8	-1 5	$IPW = 94\,6$
	,,	96 3	95 0	+0 3	-0 6	97 2	-1 9	General Mean = 95 3
	IPW	95 2	95 0	-0 3	-1 2	97 4	+2 1	
BELLARY (Telescope No 1)	IPW	58 9	60 0	+3 0	+2 1	58 4 / 58 7	+1 6	
	IPW	58 1	60 0	+3 0	+2 1	58 8	+1 8	Mean C_0
	IPE	60 6	60 0	+3 0	+2 1	61 2	+4 2	$IPE = 54\,7$ (d)
	IPE	54 5	55 0	+2 0	+1 1	60 7	-3 7	$IPW = 59\,2$
		55 3	55 0	+2 0	+1 1	52 1	+4 9	General Mean = 57 0
		54 4	55 0	+2 0	+1 1	51 1	+5 9	
BOLARUM (Telescope No 2)	IIE	100 5	100 0	-0 7	-1 6	96 4	+2 6	
		100 2	100 0	-0 1	-1 6	100 3	-1 0	Mean C_0
		100 8	100 0	-0 1	-1 6	100 2	-0 9	$IIE = 100\,5$ (d)
	IIW	9 9	100 0	+0 1	-0 2	97 5	-1 8	$IIW = 98\,1$
		9 2	100 0	+0 7	-0 2	97 5 / 96 1	-2 5	General Mean = 99 3
		99 1	100 0	+0 7	-0 2	97 4	-1 9	
BELLARY (Telescope No 2)	IPE	71 2	75 0	-4 4	-5 3	79 5 / 68	-7 6	
	,	71 4	75 0	-4 4	-5 3	69 6 / 68 0	+1 8	
	IPW	70 4	75 0	+4 4	+3 5	75 4 / 76 2	+5 2	Mean C_0
	,,	69 6	75 0	+4 4	+3 5	72 7	+2 1	$IPE = 71\,1$ (d)
	,,	70 4	75 0	+4 4	+3 5	66 6 / 6 4	-3 6	$IPW = 70\,1$
	,,	70 1	75 0	+4 4	+3 5	65 7 / 66 9	-4 3	General Mean = 70 6
	IP.E	1 0	15 0	-4 4	-5 3	63 7	+6 9	
	,	0 9	15 0	-4 4	-5 3	63 4 / 63 3	+7 2	

Left section

Astronl Date	Station	Instrumental Position	C₀	C	c₁	c	M	b	Remarks
			d	d	d	d	d	d	
1876 Apr 11		IPE	48.0	50.0	-0.6	-1.5	48.0	+1.4	
„ 12		„	48.5	50.0	-0.6	-1.5	47.9	+1.5	
„ 13	BANGALORE (Telescope No. 1)	„	49.9	50.0	-0.6	-1.5	47.7	+1.7	Mean C₀ / IPE = 48.8^d / IPW = 49.9 / General Mean = 49.4
„ 14		IPW	49.9	50.0	+0.6	-0.3	52.6	+3.2	
„ 17		„	49.8	50.0	+0.6	-0.3	49.1	-0.3	
„ 18		„	50.0	50.0	+0.6	-0.3	49.3	-0.1	
1877 Jan 18		IPE	77.2						
„ 19		„	78.5						
„ 20		„	76.1						
„ 21			76.8			•			
„ 22			75.0	80.0	-4.0	-4.9	81.3	-5.3	Mean C₀ / IPE = 76.5^d / IPW = 75.5 / General Mean = 76.0
„ 23	VIZAGAPATAM (Telescope No. 1)		76.1	80.0	-4.0	-4.9	81.8	-5.8	
„ 24			76.9	80.0	-4.0	-4.9	74.2	+1.8	
„ 25			77.8	80.0	-4.0	-4.9	75.7	+0.3	
„ 26			74.5	80.0	-4.0	-4.9	74.7	+1.3	
„ 27		IPW	74.8	80.0	+4.0	+3.1	76.6	+0.6	
„ 29		„	75.6	80.0	+4.0	+3.1	75.9	-0.1	
„ 31		„	76.2	80.0	+4.0	+3.1	76.4	+0.4	
Feb 1		„	75.5	80.0	+4.0	+3.1	77.3	+1.3	
Feb 8		IPW	75.6	80.0					
„ 9		„	75.9	80.0					
„ 14		„	76.9	80.0					
„ 17		„	76.6	80.0	+2.4	+1.5	79.1	+1.5	Mean C₀ / IPE = 78.4^d / IPW = 76.8 / General Mean = 77.6
„ 19	VIZAGAPATAM (Telescope No. 1)	IPE	6.7	80.0					
„ 21		„	76.8	80.0	-2.4	-3.3	74.5	+3.1	
„ 22		„	77.9	80.0	-2.4	-3.3	74.2	+3.4	
„ 23		IPW	78.4	80.0	+2.4	+1.5	82.2	+4.6	
„ 24		„	77.3	80.0	+2.4	+1.5	81.7	+4.1	
„ 25		IPE	82.3	80.0	-2.4	-3.3	75.7	+1.9	
Mar 22		IPE	70.4	70.0	+3.9	+3.0	75.9	-2.0	Mean C₀
„ 24	MANGALORE (Telescope No. 1)	„	70.0	70.0	+3.9	+3.0	71.2	+2.7	IPE = 69.9^d
„ 25		„	69.4	70.0	+3.9	+3.0	71.0	+2.9	IPW = 77.9
„ 26		IPW	77.9	70.0	-3.9	-4.8	73.0	-0.9	General Mean = 73.9
„ 27									

Right section

Station	Instrumental Position	C₀	C₂	c₁	c	M	b	Remarks
		d	d	d	d	d	d	
	IPE	73.0	70.0	+0.6	-0.3	73.0	-2.4	
	„	72.6	70.0	+0.6	-0.3	72.9 / 72.8	-2.3	Mean C₀
BELLARY (Telescope No. 2)	„	71.9	70.0	+0.6	-0.3	73.2 / 72.9	-2.5	IPE = 72.5^d
	IPW	67.9	70.0	-0.6	-1.5	62.4	-8.2	IPW = 68.6
	„	69.1	70.0	-0.6	-1.5	67.9 / 67.3	-3.0	General Mean = 70.6
	„	68.8	70.0	-0.6	-1.5	69.5 / 68.1	-1.8	
	IPE	84.2						
	„	83.3						
		79.2	85.0	-2.9	-3.8	84.8	-2.7	
		80.8	85.0	-2.9	-3.8	84.7	-2.6	Mean C₀
MADRAS (Telescope No. 2)		82.1	85.0	-2.9	-3.8	84.6	-2.5	IPE = 81.7^d
		81.9	85.0	-2.9	-3.8	85.7	-3.6	IPW = 82.5
		80.2	85.0	-2.9	-3.8	84.9	-2.8	General Mean = 82.1
	IPW	83.6	85.0	+2.9	+2.0	86.6	+4.5	
	„	82.1	85.0	+2.9	+2.0	87.1	+5.0	
	„	82.4	85.0	+2.9	+2.0	87.6	+5.5	
	„	81.8	85.0	+2.9	+2.0	88.6	+6.5	
	IPE	74.7	75.0					
	„	72.6	75.0					
	IPW	75.3	75.0	-0.1	-1.0	72.6	-2.5	Mean C₀
BELLARY (Telescope No. 2)	IPE	74.8	75.0					IPE = 74.4^d
	„	75.8	75.0	+0.1	-0.8	75.7	-0.6	IPW = 75.8
	„	74.1	75.0	+0.1	-0.8	76.9	-1.8	General Mean = 75.1
	IPW	75.7	75.0	-0.1	-1.0	75.6	+0.5	
	„	76.4	75.0	-0.1	-1.0	73.9	-1.2	
	IPE	74.0	75.0	+0.1	-0.8	81.5	-6.4	
	IPE	68.2	70.0	-1.0	-1.9	70.4	-1.4	Mean C₀
BOMBAY (Telescope No. 2)	„	68.8	70.0	-1.0	-1.9	71.6	-2.6	IPE = 68.0^d
	„	67.1	70.0	-1.0	-1.9	72.1	-3.1	LPW = 70.0
	IPW	69.7	70.0	+1.0	+0.1	70.4	+1.4	General Mean = 69.0
	„	70.3	70.0					

Left table:

Astronl Date	Station	Instrumental Position	Collimation C_0	C_s	c_1	c	Level M	b	Remarks
1880 Dec. 11	BOMBAY (Telescope No 2)	IPE	50 5						
„ 13		„	47 9	75 0	-25 7	-26 6	71 6	-22 3	Mean C_0
„ 14		„	48 1	75 0	-25 7	-26 6	69 6	-20 3	$IPE = 48\,8$
„ 16		,	48 5	50 0	- 0 7	- 1 6	46 4	+ 2 9	$IPW = 49\,7$
„ 17		IPW	49 6	50 0	+ 0 7	- 0 2	57 3	+ 8 0	General
„ 18		„	50 4	50 0	+ 0 7	- 0 2	51 1	+ 1 8	Mean $= 49\,3$
„ 19		„	49 0	50 0	+ 0 7	- 0 2	52 3	+ 3 0	
1881 Jan 1	DEESA (Telescope No 1)	IPW	56 4						
„ 3		„	55 9						
, 5		,	56 6	55 0	- 0 7	- 1 5	57 5	+ 1 8	Mean C_0
„ 6		,	55 8	55 0	- 0 7	- 1 5	56 4	+ 0 7	$IPE = 55\,3$
„ 7		,	55 1	55 0	- 0 1	- 1 5	56 3	+ 0 6	$IPW = 56\,0$
„ 8		IPE	55 8	55 0	+ 0 7	- 0 1	58 2	- 2 5	General
„ 9		,	54 8	55 0	+ 0 7	- 0 1	56 7	- 1 0	Mean $= 55\,7$
„ 10		,	55 4	55 0	+ 0 7	- 0 1	58 8	- 3 1	
Jan 17	BOMBAY (Telescope No 1)	IPE	5 7	10 0	- 3 6	- 4 5	10 9	- 4 5	Mean C_0
, 18		„	5 6	10 0	- 3 6	- 4 5	7 9	- 1 5	$IPE = 5\,7$
„ 19		,	5 8	10 0	- 3 6	- 4 5	3 9	+ 2 5	$IPW = 7\,0$
„ 20		IPW	6 7	10 0	+ 3 6	+ 2 7	11 8	+ 5 4	General
„ 21		„	6 2	10 0	+ 3 6	+ 2 7	10 8	+ 4 4	Mean $= 6\,4$
„ 23		„	7 4	10 0	+ 3 6	+ 2 7	5 6	- 0 8	
, 24		,	7 5						
Feb 6	JUBBULPORE (Telescope No 1)	IPE	16 6	15 0	+ 6 0	+ 5 2	14 4	+ 6 6	Mean C_0
„ 7		,	20 4	15 0	+ 6 0	+205 2†	16 9	+ 4 1	$IPE = 19\,6$
„ 8		,	21 5	15 0	+ 6 0	+ 5 2	17 2	+ 3 8	$IPW = 22\,3$
„ 9		,	19 8	20 0	+ 1 0	+ 0 2	16 7	+ 4 3	General
, 10		IPW	22 3	20 0	- 1 0	- 1 8	22 7	+ 1 7	Mean $= 21\,0$
„ 13		,	24 7	20 0	- 1 0	- 1 8	21 8	+ 0 8	
„ 14		,	22 8	20 0	- 1 0	- 1 8	20 6	- 0 4	

Right table:

Station	Instrumental Position	Collimation C_0	C	c_1	c	Level M	b	Remarks
DEESA (Telescope No 1)	IPE	57 7	60 0	- 3 4	- 4 2	51 6	+ 5 0	Mean C_0
	„	56 6	60 0	- 3 4	- 4 2	62 7	- 6 1	$IPE = 57\,9$
	,	59 4	60 0	- 3 4	- 4 2	62 3	- 5 7	$IPW = 55\,2$
	IPW	54 6	60 0	+ 3 4	+ 2 6	59 4	+ 2 8	General
	„	54 8	55 0	- 1 6	- 2 4	60 5	+ 3 9	Mean $= 56.6$
	„	56 1	55 0	- 1 6	- 2 4	60 7	+ 4 1	
KURRACHEE (Telescope No 2)	IPW	66 1	70 0	+ 5 9	+ 4 2	80 7	+34*4	Mean C_0
	„	63 0	65 0	0 0	- 0 8	65 7	+ 0 7	$IPE = 64\,8$
	„	66 1	65 0	0 0	- 0 8	67 8	+ 2 8	$IPW = 65\,1$
	IPE	64 1	65 0	0 0	- 0 8	69 7	- 4 7	General
	,	65 5	65 0	0 0	- 0 8	65 9	- 0 9	Mean $= 65\,0$
	,	64 7	65 0	0 0	- 0 8	67 1	- 2 1	
KURRACHEE (Telescope No 2)	IPE	65 1	65 0	+ 0 8	0 0	65 3	+ 0 5	Mean C_0
	„	64 7	65 0	+ 0 8	0 0	63 8	+ 2 0	$IPE = 65\,0$
	„	65 2	65 0	+ 0 8	0 0	63 6	+ 2 2	$IPW = 66\,5$
	IPW	65 6	65 0	- 0 8	- 1 6	72 9	+ 7 1	General
	„	67 3	65 0	- 0 8	- 1 6	66 4	+ 0 6	Mean $= 65\,8$
	„	66 6	65 0	- 0 8	- 1 6	69 2	+ 3 4	
BOMBAY (Telescope No 2)	IPE	84 3	80 0	+ 5 3	+ 4 4	78 7	+ 6 6	Mean C_0
	„	81 7	80 0	+ 5 3	+ 4 4	81 0	+ 4 3	$IPE = 83\,2$
	„	83 6	80 0	+ 5 3	+ 4 4	79 6	+ 5 7	$IPW = 87\,3$
	,	83 1	80 0	+ 5 3	+ 4 4	80 2	5 1	General
	IPW	87 8	80 0	- 5 3	- 6 2	82 1	- 3 2	Mean $= 85\,3$
	,	86 3	80 0	- 5 3	- 6 2	91 8	+ 6 6	
	,	87 8	80 0	- 5 3	- 6 2	90 8	+ 5 5	

* At Kurrachee on January 5th the reflection of the wrong wire in the mercury trough was observed by mistake causing an abnormally large correction for dislevelment　　† At Jubbulpore on February 7th the observations were accidentally made with a mistake of two revolutions in the setting of the micrometer

Block 1

Astronl Date	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks
1881 Feb 23	JUBBULPORE (Telescope No 1)	IPW	19 6	20 0	+1 8	+1 0	17 6	-0 6	Mean C_0 $IPE = 16\ 5$ $IPW = 19\ 9$ General Mean $= 18\ 2$	BOLARUM (Telescope No 2)	IPW	19 6	20 0	+4 0	+3 1	20 2	+4 2	Mean C_0 $IPE = 13\ 8$ $IPW = 18\ 1$ General Mean $= 16\ 0$
„ 24		„	20 6	20 0	+1 8	+1 0	17 0	-1 2			„	17 3	20 0	+4 0	+3 1	21 4	+5 4	
„ 25		„	19 5	20 0	+1 8	+1 0	22 6	+4 4			IPE	17 4	20 0	+4 0	+3 1	22 3	+6 3	
„ 28		IIh	16 5	20 0	-1 8	-2 6	20 7	-2 5			IPE	14 2	20 0	-4 0	-4 9	17 2	-1 2	
Mar 2		„	15 9	20 0	-1 8	-2 6	19 7	-1 5			„	13 4	20 0	-4 0	-4 9	14 6	+1 4	
„ 3		„	16 9	20 0	-1 8	-2 6	19 3	-1 1			„	13 7	20 0	-4 0	-4 9	13 1	+2 9	

Block 2

Astronl Date	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks
Mar 11	JUBBULPORE (Telescope No 2)	IPE	8 5	10 0	-0 8	-1 6	8 1	+1 1	Mean C_0 $IPE = 9\ 2$ $IPW = 9\ 1$ General Mean $= 9\ 2$	AGRA (Telescope No 1)	IPE	35 4	35 0	0 0	-0 8	35 3	-0 3	Mean C_0 $IPE = 34\ 4$ $IPW = 35\ 5$ General Mean $= 35\ 0$
„ 12		„	9 5	10 0	-0 8	-1 6	9 0	+0 2			„	34 7	35 0	0 0	-0 8	35 8	-0 8	
„ 13		„	9 7	10 0	-0 8	-1 6	10 0	-0 8			„	33 2	35 0	0 0	-0 8	35 6	-0 6	
„ 15		IPW	10 3	10 0	+0 8	0 0	10 6	+1 4			IPW	35 0	35 0	0 0	-0 8	35 0	0 0	
„ 17		„	10 0	10 0	+0 8	0 0	10 8	+1 6			„	35 0	35 0	0 0	-0 8	35 3	+0 3	
„ 20		„	8 0	10 0	+0 8	0 0	5 9	-3 3			„	34 7	35 0	0 0	-0 8	33 8	-1 2	
„ 21		„	8 0	10 0	+0 8	0 0	5 2	-4 0			„	37 1	35 0	0 0	-0 8	35 2	+0 2	

Block 3

Astronl Date	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks
Mar 28	JUBBULPORE (Telescope No 2)	IPW	8 1	10 0	+4 7	+3 9	10 6	+5 3	Mean C_0 $IPE = 2\ 3$ $IPW = 8\ 3$ General Mean $= 5\ 3$	DEESA (Telescope No 1)	IPW	23 9	20 0	-1 8	-2 6	20 8	-1 0	Mean C_0 $IPE = 20\ 3$ $IPW = 23\ 2$ General Mean $= 21\ 8$
„ 29		„	8 1	10 0	+4 7	+3 9	11 0	+5 7			„	22 6	20 0	-1 8	-2 6	21 2	-0 6	
„ 30		„	8 8	10 0	+4 7	+3 9	10 4	+5 1			„	23 2	20 0	-1 8	-2 6	18 9	-2 9	
31		IPE	2 1	10 0	-4 7	-5 5	4 5	+0 8			IPE	19 7	20 0	+1 8	+1 0	21 0	+0 8	
Apr 1		„	2 5	10 0	-4 7	-5 5	8 9	-3 6			„	20 5	20 0	+1 8	+1 0	21 6	+0 2	
„ 3		„	2 2	10 0	-4 7	-5 5	6 8	-1 5			„	20 8	20 0	+1 8	+1 0	22 8	-1 0	

Block 4

Astronl Date	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks	Station	Instrumental Position	C_0	C	c_1	o	M	b	Remarks
Apr 10	AGRA (Telescope No 2)	IPE	74 3	75 0	+2 4	+1 6	74 5	+2 9	Mean C_0 $IPE = 74\ 6$ $IPW = 80\ 1$ General Mean $= 77\ 4$	DEESA (Telescope No 1)	IPE	29 7	30 0	-1 3	-2 1	29 7	-1 0	Mean C_0 $IPE = 28\ 8$ $IPW = 28\ 6$ General Mean $= 28\ 7$
11		„	74 8	75 0	+2 4	+1 6	74 4	+3 0			„	27 3	30 0	-1 3	-2 1	28 6	+0 1	
„ 13		„	74 8	75 0	+2 4	+1 6	69 0	+8 4			„	29 5	30 0	-1 3	-2 1	27 9	+0 8	
„ 14		IPW	79 9	80 0	+2 6	+1 8	79 4	+2 0			IPW	28 5	30 0	+1 3	+0 5	20 5	-8 2	
„ 15		„	80 3	80 0	+2 6	+1 8	80 0	+2 6			„	29 6	30 0	+1 3	+0 5	31 9	+3 2	
„ 16		„	80 0	80 0	+2 6	+1 8	82 1	+4 7			„	27 7	30 0	+1 3	+0 5	30 8	+2 1	

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_1	o_1	o	M	b				C_0	C_1	o_1	o	M	b	
			d	d	d	d	d	d				d	d	d	d	d	d	
1877 Apr 25		IPE	85 8								IPE	68 2						
,, 26		,,	86 3								,,	70 5						
,, 27											,,	68 9						
,, 28		,,	84 2								,,	70 4						
,, 29		,,	82 3	85 0	−0 5	−1 4	81 9	+2 6			,,							
,, 30		,,	84 4	85 0	−0 5	−1 4	81 6	+2 9			,,	68 8	70 0	−0 4	−1 3	65 4	+4 2	
May 1		IPW	84 0	85 0	+0 5	−0 4	83 5	−1 0			IPW	70 7	70 0	+0 4	−0 5	67 3	−2 3	
,, 2	BOMBAY (Telescope No. 1)	,,	83 7	85 0	+0 5	−0 4	82 9	−1 4		ADEN (Telescope No. 2)	,,	69 9	70 0	+0 4	−0 5	69 9	+0 3	
							83 3		Mean C_0 d									Mean C_0 d
,, 3		,,	81 7	85 0	+0 5	−0 4	83 3	−1 0	IPE = 84·7		,,	70 7	70 0	+0 4	−0 5	70 1	+0 5	IPE = 69 0
							81 8		IPW = 84 3									IPW = 70 1
,, 4		,,	82 9	85 0	+0 5	−0 4	84 5	−0 2	General Mean = 84 5		,,	69 5	70 0	+0 4	−0 5	70 6	+1 0	General Mean = 69 6
							84 2											
,, 5		IPE	83 7	85 0	−0 5	−1 4	84 9	−0 4			,,		70 0	+0 4	−0 5	72 6	+3 0	
,, 6		,,									,,	69 6	70 0	+0 4	−0 5	73 2	+3 6	
,, 7		,,	85 9	85 0	−0 5	−1 4	85 3	−0 9			IPE	68 6	70 0	−0 4	−1 3	62 3	+7 3	
							85 4											
,, 8		IPW	86 4	85 0	+0 5	−0 4	88 1	+3 6			,,	68 8	70 0	−0 4	−1 3	70 2	−0 6	
							88 0											
,, 9		,,	84 5	85 0	+0 5	−0 4	85 4	+1 2			,,	68 0	70 0	−0 4	−1 3	69 0	+0 6	
							86 0											
May 23											IPE	74 5						
,, 25		IPE	41 1	40 0	+1 5	+0 6	34 3	+7 4			,,	75 2	75 0	+1 9	+1·1	101 7	−24·8	
							34 0											
,, 26		,,	41 5	40 0	+1 5	+0 6	44 0	−2 0			,,	73 3	75 0	+1 9	+1 1	77 6	−0 7	
							43 0		Mean C_0 d									Mean C_0 d
,, 27	ADEN (Telescope No. 1)	,,	42 1	40 0	+1 5	+0 6	42 1	−0 6	IPE = 41 6	SUEZ (Telescope No. 2)	,,	74 2	75 0	+1 9	+1 1	75 9	+1 0	IPE = 74 3
							42 0		IPW = 41 4									IPW = 79 5
,, 28		IPW	42 5	40 0	−1 5	−2 4	41 0	+0 1	General Mean = 41 5		IPW	78 7	75 0	−1 9	−2 7	74 2	−2 7	General Mean = 76 9
							42 2											
,, 29		,,	40 6	40 0	−1 5	−2 4	39 4	−2 2			,,	79 3	75 0	−1 9	−2 7	75 9	−1 0	
							39 2											
,, 30		,,	41·1	40 0	−1 5	−2 4	39 8	−1 7			,,	80 0	75 0	−1 9	−2 7	74 0	−2 9	
							39 8											
											,,	80 0	75 0					

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C	c_1	c	M	b				C_0	C_4	c_1	c	M	b	
1882			d	d	d	d	d	d				d	d	d	d	d	d	
Dec. 2		I P E	31 7 32 7 30 2	32 7 32 7 32 7	−2 2	−3 0	33 7 33 1	−1 5			I P E	30 0 29 6 29 9	30 0 30 0 30 0	−0 2	−1 0	31 5 32 4 33 2	−2 6	
„ 4		I P W	35 0 36 1 36 1	35 0 35 0 35 0	−0 1	−0 9	34 4 34 7 35 6	0 0			I P W	30 1 29 6	30 0 30 0	+0 2	−0 6	35 0 35 9	+5 7	
„ 5		I P E	35 3 34 9 35 1	35 3 35 3 35 3	+0 4	−0 4	36 0 34 7 34 9	+0 3			I P E	29 9 29 7	30 0 30 0	−0 2	−1 0	18 0 17 6	+12 0	
„ 6	JALPAIGURI (Telescope No. 2)	I P W	36 4 35 1 35 7	36 4 36 4 16 4	−1 5	−2 3	35 6 33 9 34 5	+0 2	Mean C_0 $I.P.E$ = 34 8 $I.P.W$ = 35 0 General Mean = 34 9	FYZABAD (Telescope No 1)	I P W	29 5 29 9	30 0 30 0	+0 2	−0 6	28 7 30 3	−0 3	Mean C_0 $I.P.E$ = 29 6 $I.P.W$ = 30 0 General Mean = 29 8
„ 7		I P E	39 2 35 2 35 7	39 2 39 2 39 2	+4 3	+3 5	41 5 38 8 39 2	+4 9			I P E	28 9 29 3 30 0	30 0 30 0 30 0	−0 2	−1 0	26 7 28 8 29 9	+1 3	
„ 8		I P W	35 5 33 9 34 6	35 5 35 5 35 5	−0 6	−1 4	35 5 35 2 35 2	−0 4			I P W	29 9 29 9	30 0 30 0	+0 2	−0 6	29 2 29 3	−0 5	
„ 9		I P E	36 6 35 7 35 6	36 6 36 6 36 6	+1 7	+0 9	37 6 35 4 35 0	+1 1			I P E	29 7 29 3	30 0 30 0	−0 2	−1 0	30 3 31 2	−1 0	
„ 11		I P W	35 0 33 9 32 7	35 0 35 0 35 0	−0 1	−0 9	34 7 34 1 34 1	+0 6			I P W	30 8 30 6	30 0 30 0	+0 2	−0 6	28 6 29 7	−0 6	
Dec. 21		I P W	32 0 34 9 33 1	32 0 32 0 32 0	+0 4	−0 4	31 0 31 5	+1 1			I P W	22 7 21 6	25 0 25 0	+1 6	+0 8	23 4*	0 0	
„ 26		I P E	31 0 28 3 29 5	31 0 31 0 31 0	−1 4	−2 2	31 3 32 1	−0 7			I P E	26 5 25 7	25 0 25 0	−1 6	−2 4	25 0 26 1	−2 2	
„ 27	JALPAIGURI (Telescope No 2)	I P W	36 5 35 6	36 5 36 5	−4 1	−4 9	37 1 37 5	−4 9	Mean C_0 $I.P.E$ = 30 2 $I.P.W$ = 34 6 General Mean = 32 4	CALCUTTA (Telescope No 1)	I P W	21 6 18 8	25 0 25 0	+1 6	+0 8	24 5 26 0	+1 9	Mean C_0 $I.P.E$ = 25 4 $I.P.W$ = 21 4 General Mean = 23 4
„ 28		I P E	31 2 28 4	31 2 31 2	−1 2	−2 0	31 1 29 6	−2 0			I P E	26 8 28 2	25 0 25 0	−1 6	−2 4	22 3 19 7	+2 4	
„ 29		I P W	35 9 34 3	35 9 35 9	−3 5	−4 3	36 5 35 0	−3 4			I P W	20 9 22 7	25 0 25 0	+1 6	+0 8	26 9 27 9	+4 0	
1883 Jan. 3		I P E	31 2 31 5	31 2 31 2	−1 2	−2 0	31 0 29 6	−2 1			I P E	22 8 25 4 22 7	25 0 25 0 25 0	−1 6	−2 4	27 2 28 2	−4 3	

* Owing to the tremor of the ground in Calcutta caused by passing vehicles, the value of M could not, sometimes, be determined until late in the night.

Astronl. Date	Station	Instrumental Position	C_0	C_2	c_1	c	M	b	Remarks	Station	Instrumental Position	C_0	C_2	c_1	c	M	b	Remarks
1883 Jan 12		I.P.E	3 2 / 5 1	5 0 / 5 0	0 0	−0 9	2 5 / 3 1 / 2 7	+2 2			I.P.E	31 2 / 30 8	31 2 / 31 2	−0 5	−1 3	31 2 / 30 1	−1 0	
„ 13		I P W	3 8 / 5 3	5 0 / 5 0	0 0	−0 9	1 3 / 2 0	−3 3			I P W	34 5 / 31 1	34 5 / 34 5	−2 8	−3 6	35 1 / 36 1	−3 9	
„ 14		I.P.E	5 1 / 5 7	5 0 / 5 0	0 0	−0 9	3 3 / 4 0	+1 3	Mean C_0 d I.P.E = 4 5 I.P W = 5 5 General Mean = 5 0		I P E	32 4 / 32 6	32 4 / 32 4	+0 7	−0 1	32 8 / 32 3	+0 9	Mean C_0 d I.P.E = 32 2 I.P W = 31 2 General Mean = 31 7
„ 15		I P W	7 1 / 7 4	5 0 / 5 0	0 0	−0 9	3 7 / 6 0	−0 1			I P W	31 2 / 31 0	31 0 / 31 0	+0 7	−0 1	31 7 / 31 5	
„ 17		I P E	3 8 / 4 3	5 0 / 5 0	0 0	−0 9	4 7 / 4 0	+0 6			I P E	34 6 / 31 7	34 0 / 34 0	+2 3	+1 5	34 7 / 35 1	+3 2	
„ 18		I P W	3 7 / 5 8	5 0 / 5 0	0 0	−0 9	4 6 / 6 0	+0 3			I P W	30 1 / 29 5	30 0 / 30 0	+1 7	+0 9	31 2 / 29 6	+1 3	
Jan 23		I P W	5 4 / 4 4	5 0 / 5 0	+0 4	−0 5	2 2 / 3 2	−1 9			I P W	22 4 / 21 0	22 0 / 22 0	+0 8	0 0	25 3 / 25 4	−2 6	
„ 24		I P E	5 0 / 6 6	5 0 / 5 0	−0 4	−1 3	4 0 / 4 8	+0 2			I P E	28 3 / 23 2 / 25 7	28 0 / 28 0 / 28 0	+5 2	+4 4	32 5 / 32 2	+9 6	
„ 25		I P W	3 7 / 4 4	5 0 / 5 0	+0 4	−0 5	4 9 / 4 9	+0 3			I P W	24 2 / 23 8	24 0 / 24 0	−1 2	−2 0	22 9 / 20 5	+1 1	
„ 26		I P E	3 4 / 4 8	5 0 / 5 0	−0 4	−1 3	3 8 / 6 1	−0 4	Mean C_0 d I P E = 4 5 I P W = 4 7 General Mean = 4 6		I P E	20 6 / 21 8	21 0 / 21 0	−1 8	−2 6	31 9 / 31 0	+8 7	Mean C_0 d I P E = 23 3 I P W = 22 5 General Mean = 22 8
„ 28		I P W	3 8 / 4 2	5 0 / 5 0	+0 4	−0 5	2 7 / 2 6	−1 9			I P W	18 9 / 23 5 / 20 1	19 0 / 19 0 / 19 0	+3 8	+3 0	19 3 / 18 6 / 19 5	+3 7	
„ 29		I.P.E	3 0 / 4 4	5 0 / 5 0	−0 4	−1 3	3 3 / 3 5	+1 2			I P E	23 3 / 20 5 / 22 9	23 0 / 23 0 / 23 0	+0 2	−0 6	24 6 / 22 9 / 24 9	+1 3	
„ 30		I P W	5 6 / 6 2	5 0 / 5 0	+0 4	−0 5	5 4 / 6 0	+1 1			I P W	22 8 / 23 8 / 22 6 / 21 6	23 0 / 23 0 / 23 0 / 23 0	−0 2	−1 0	24 5 / 23 5 / 23 5	−1 0	

Station (left): CHITTAGONG (Telescope No. 1)

Station (right): JALPAIGURI (Telescope No. 2) / CALCUTTA (Telescope No. 2)

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_s	c_1	c	M	b				C_0	C_s	c_1	c	M	b	
1863 Feb 8		IPE	5 3 / 7 4	5 0 / 5 0	+2 4	+1 5	3 3 / 2 9	+4 3			IPE	47 5 / 46 6 / 47 3	47 0 / 47 0 / 47 0	+0 2	−0 6	45 9 / 44 9 / 45 1	−1 5	
„ 9		IPW	6 2 / 7 5	5 0 / 5 0	−2 4	−3 3	12 1 / 5 1 / 5 2	+0 1			IPW	45 7 / 47 2 / 45 6	47 0 / 47 0 / 47 0	−0 3	−1 0	50 0 / 50 9 / 49 9	−3 5	
„ 10	CALCUTTA (Telescope No 1)	IPE	6 6 / 6 6	5 0 / 15 0	+2 4 / −7 6	+1 5* / −8 5†	12 6 / 12 9	−5 4	Mean C_0 d IPE − 6 8 IPW − 7 9 General Mean − 7 4	FYZABAD (Telescope No 2)	IPE	48 2 / 47 4 / 46 5	47 0 / 47 0 / 47 0	+0 2	−0 6	44 7 / 45 0 / 44 4	−2 1	Mean C_0 d IPE − 47 4 IPW − 46 2 General Mean − 46 8
„ 11		IPW	8 1 / 7 9 / 8 6	5 0 / 5 0 / 5 0	−2 4	−3 3	2 8 / 3 8	−4 1			IPW	48 0 / 46 1 / 45 7 / 46 1	47 0 / 47 0 / 47 0 / 47 0	−0 2	−1 0	51 5 / 50 9 / 50 6	−4 2	
„ 12		IPE	6 9 / 7 8	5 0 / 5 0	+2 4	+1 5	13 1 / 12 3	−5 3			IPE	48 0 / 48 7 / 46 7	47 0 / 47 0 / 47 0	+0 2	−0 6	46 6 / 46 7 / 47 5	+0 1	
„ 14		IPW	9 1 / 8 1	5 0 / 5 0	−2 4	−3 3	6 5 / 4 3	−2 0			IPW	46 5 / 45 6 / 45 4	47 0 / 47 0 / 47 0	−0 2	−1 0	41 1 / 40 5 / 40 3	+6 2	
Feb 22		IPW	307 1 / 306 5	305 0 / 305 0	−2 7	−3 6	305 9 / 305 9	−1 8			IPW	20 8 / 21 9 / 21 7	22 0 / 22 0 / 22 0	+0 3	−0 5	20 2 / 20 7 / 21 0	+1 7	
„ 23		IPE	307 3 / 308 5	305 0 / 305 0	+2 7	+1 8	310 1 / 311 5	−3 1			IPE	23 8 / 23 3 / 22 3	23 0 / 23 0 / 23 0	+0 7	−0 1	22 1 / 21 9 / 20 7	−0 7	
„ 24	CALCUTTA (Telescope No 1)	IPW	306 4 / 309 3	305 0 / 305 0	−2 7	−3 6	302 4 / 303 2	−4 9	Mean C_0 d IPE − 308 4 IPW − 307 0 General Mean − 307 7	JUBBULPORE (Telescope No 2)	IPW	22 5 / 20 9 / 21 7	22 0 / 22 0 / 22 0	+0 3	−0 5	21 9 / 22 4 / 22 8	−0 1	Mean C_0 d IPE − 22 4 IPW − 22 2 General Mean − 22 3
„ 26		IPE	309 8 / 307 6	305 0 / 305 0	+2 7	+1 8	300 3 / 298 3	+8 4			IPE	22 0 / 23 4 / 22 7	22 0 / 22 0 / 22 0	−0 3	−1 1	23 7 / 24 2 / 22 9	+1 3	
Mar 2		IPW	306 4 / 306 2	305 0 / 305 0	−2 7	−3 6	312 2 / 312 2	+4 5			IPW	24 5 / 22 1 / 23 4	23 0 / 23 0 / 23 0	−0 7	−1 5	21 1 / 21 6 / 21 3	+1 0	
„ 3		IPE	308 5 / 308 5	305 0 / 305 0	+2 7	+1 8	299 3 / 299 6	+8 2			IPE	20 9 / 22 3 / 22 1	21 0 / 31 0 / 21 0	−1 3	−2 1	21 2 / 21 3 / 21 4	−1 0	

* For all stars up to No 3068.   † For subsequent stars.

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_2	c_1	c	M	b				C_0	C_2	c_1	c	M	b	
			d	d	d	d	d	d				d	d	d	d	d	d	
1868 Mar 14		IPE	302 8 301 5 302 9	300 0 300 0 300 0	−0 3	−1 1	298 1 298 3	+1 5			IPE	22 7 20 4 23 0	23 0 23 0 23 0	+1 2	+0 4	23 0 23 1 23 3	+1 3	
„ 15		IPW	299 1 299 9	300 0 300 0	+0 3	−0 5	308 4 308 3	+8 7			IPW	20 1 19 3 18 5	21 0 21 0 21 0	+0 8	0 0	19 2 19 6 18 2	+2 8	
„ 16	FYZABAD (Telescope No 1)	IPE	301 7 301 3	300 0 300 0	−0 3	−1 1	298 9 299 5	+0 5		JUBBULPORE (Telescope No 2)	IPE	23 7 21 9 22 1	24 0 24 0 24 0	+2 2	+1 4	22 8 20 8 20 9	−0 3	
„ 17		IPW	298 4 299 5	300 0 300 0	+0 3	−0 5	297 8 298 5	−1 5	Mean C_0 $IPE = 300\ 8$ $IPW = 298\ 6$ General Mean $= 299\ 7$		IPW	22 5 20 8 20 4	22 0 22 0 22 0	−0 2	−1 0	22 6 23 1 20 9	−0 4	Mean C_0 $IPE = 23\ 0$ $IPW = 20\ 5$ General Mean $= 21\ 8$
„ 18		IPE	299 7 299 3	300 0 300 0	−0 3	−1 1	301 6 299 5	−0 9			IPE	24 8 23 7 23 0	25 0 25 0 25 0	+3 2	+2 4	24 9 23 9 24 1	+2 5	
„ 19		IPW	297 2 298 0	300 0 300 0	+0 3	−0 5	305 1 307 9 308 5	+7 5			IPW	21 6 21 3 20 4	21 0 21 0 21 0	+0 8	0 0	20 8 21 1 21 3	+0 7	
„ 20		IPE	298 3 299 5	300 0 300 0	−0 3	−1 1	297 2 297 9 297 4	+2 2			IPE	24 4 23 9 21 9	25 0 25 0 25 0	+3 2	+2 4	24 0 23 7 22 2	+1 5	
Mar 28		IPE	303 3 301 6 302 2	300 0 300 0 300 0	+0 8	0 0	294 6 294 8 295 0	+5 4			IPE	40 7 39 2 39 4	41 0 41 0 41 0	+0 7	−0 1	40 6 39 7 39 7	−0 3	
„ 29		IPW	300 7 300 8	300 0 300 0	−0 8	−1 6	300 2 301 2 302 8	+0 6			IPW	42 1 40 0	42 0 42 0	−1 7	−2 5	42 6 41 8	−1 9	
„ 30	FYZABAD (Telescope No 1)	IPE	301 4 300 8	300 0 300 0	+0 8	0 0	301 4 303 0 302 7	−1 6	Mean C_0 $IPE = 301\ 8$ $IPW = 299\ 8$ General Mean $= 300\ 8$	AGRA (Telescope No 2)	IPE	39 4 40 5 40 5	40 0 40 0 40 0	−0 3	−1 1	39 1 38 0 38 1	−1 9	Mean C_0 $IPE = 39\ 3$ $IPW = 41\ 2$ General Mean $= 40\ 3$
„ 31		IPW	298 0 299 2	300 0 300 0	−0 8	−1 6	305 9 306 5	+5 4			IPW	42 5 41 5 41 8	42 0 42 0 42 0	−1 7	−2 5	42 7 41 7 41 9	−1 8	
Apr 3		IPE	301 0 302 0	300 0 300 0	+0 8	0 0	297 7 297 3	+3 3			IPE	37 6 38 1 38 0	39 0 39 0 39 0	−1 3	−2 1	36 5 36 3 34 0	−4 7	
„ 4		IPW	299 9 300 1	300 0 300 0	−0 8	−1 6	301 3 302 4 303 0	+1 4			IPW	40 0 41 0 40 9	39 0 39 0 39 0	+1 3	+0 5	40 4 40 0 40 1	+0 1	

Astronl Date	Station	Instru mental Position	Collimation				Level		Remarks	Station	Instru mental Position	Collimation				Level		Remarks
			C_0	C_1	c_1	o	M	b				C_0	C_1	c_1	o	M	b	
1883 Nov 27		I P E	97 2 101 1 98 8	100 0 100 0 100 0	−2 7	−3 6	97 9 99 0 97 7	−0 9			I P E	17 8 17 7	20 0 20 0	+4 4	+3 6	16 7 14 6	+0 1	
Dec. 8		I P W	100 2 99 3	100 0 100 0	+2 7	+1 8	97 4 99 1 98 0	+0 9			I P E	16 9 17 3	20 0 20 0	+4 4	+3 6	21 3 22 4	+6 3	
„ 9		I P W	98 7 98 8	100 0 100 0	+2 7	+1 8	95 6 95 3 96 7	−1 4			I P W	13 0 13 6	20 0 20 0	−4 4	−5 2	10 6 11 1	+4 7	
„ 10	AKYAB (Telescope No 1)	I P E	97 0 95 8	100 0 100 0	−2 7	−3 6	99 7 99 6 100 0	−2 5	Mean C_0 I P E = 97 2 I P W = 97 4 General Mean = 97 3	CALCUTTA (Telescope No 2)	I P W	15 1 13 7	15 0 15 0	+0 6	−0 2	8 3 14 5	+4 2	Mean C_0 I P E = 16 6 I P W = 14 6 General Mean = 15 6
„ 11		I P E	95 6 97 3	100 0 100 0	−2 7	−3 6	95 5 96 9 96 9	+0 9			I P E	17 1 15 0	15 0 15 0	−0 6	−1 4	22 6 22 9	+7 2	
„ 12		I P W	94 9 95 6 96 8	100 0 100 0 100 0	+2 7	+1 8	99 8 98 6	+1 9			I P R	15 4 15 3	15 0 15 0	−0 6	−1 4	13 2 11 2	−3 4	
„ 13		I P W	96 3 96 4	100 0 100 0	+2 7	+1 8	98 8 98 9	+1 6			I P W	14 3 13 6	15 0 15 0	+0 6	−0 2	15 8 15 7	−0 2	
„ 14		I P E	97 0 94 7	95 0 95 0	+2 3	+1 4	94 6 95 3	+2 3			I P W	14 6 18 5	15 0 15 0	+0 6	−0 2	17 5 17 3	−1 8	
Dec 26		I P E	96 9 96 1	95 0 95 0	+1 8	+0 9	97 6 98 9	−1 5			I P E	27 3 25 1	30 0 30 0	+4 6	+3 7	27 8 26 6	+1 8	
„ 27		I P W	98 7 95 7	100 0 100 0	+3 2	+2 3	95 2 93 4	−2 5			I P E	27 0 25 9	30 0 30 0	+4 6	+3 7	25 7 25 6	+0 3	
„ 28		I P W	97 0 95 9	95 0 95 0	−1 8	−2 7	95 0 95 1	−1 7			I P W	23 7 24 7	25 0 25 0	+0 4	−0 5	24 9 24 1	+0 9	
„ 29	AKYAB (Telescope No 1)	I P E	96 7 97 4	95 0 95 0	+1 8	+0 9	96 8 97 6	−0 4	Mean C_0 I P E = 97 4 I P W = 96 2 General Mean = 96 8	CHITTAGONG (Telescope No 2)	I P W	24 8 24 3	25 0 25 0	+0 4	−0 5	24 0 24 3	+1 2	Mean C_0 I P E = 26 0 I P W = 24 7 General Mean = 25 4
„ 30		I P E	96 6 96 6	95 0 95 0	+1 8	+0 9	96 9 98 2	−0 8			I P E	26 7 24 4	25 0 25 0	−0 4	−1 3	27 0 27 4	+1 8	
1884 Jan 2		I P W	95 0 96 3	95 0 95 0	−1 8	−2 7	92 9 94 4	−3 1			I P E	25 5 26 0	25 0 25 0	−0 4	−1 3	24 9 23 9	−1 0	
„ 3		I P W	95 8 95 2	95 0 95 0	−1 8	−2 7	95 6 95 8	−1 1			I P W	25 1 24 9	25 0 25 0	+0 4	−0 5	26 4 25 9	−0 8	
„ 4		I P E	98 8 99 8	95 0 95 0	+1 8	+0 9	98 7 99 5	−2 3			I P W	24 7 25 6	25 0 25 0	+0 4	−0 5	26 3 25 4	−0 5	

Astronl. Date	Station	Instru mental Position	Collimation				Level		Remarks	Station	Instru mental Position	Collimation				Level		Remarks
			C_0	C_1	c_1	c	M	b				C_0	C_1	c_1	c	M	b	
1864 Jan. 21		IPW	98 1 / 100 0	100 0	− 0 5	− 1 4	94 2 / 93 7	− 6 5			IPW	25 9 / 24 7	25 0 / 25 0	+ 0 9	0 0	25 8 / 23 6	+ 1 2	
		IPE	97 2 / 100 0	100 0	+ 0 5	− 0 4	102 2 / 104 1	− 2 7										
„ 22		IPE	96 3 / 95 0	95 0	+ 5 5	+ 4 6	99 9	+ 0 6			IPE	27 4 / 25 6	25 0 / 25 0	− 0 9	− 1 8	31 9 / 31 7	+ 5 9	
		IPW	100 3 / 95 0	95 0	− 5 5	− 6 4	94 1 / 94 6	− 6 1										
„ 23		IPW	101 9 / 100 0	100 0	− 0 5	− 1 4	95 8	− 4 7			IPW	26 6 / 26 5	25 0 / 25 0	+ 0 9	0 0	24 4 / 23 2	+ 2 1	
		IPE	103 2 / 100 4	100 0 / 100 0	+ 0 5	− 0 4	104 4 / 106 1	− 4 8										
„ 24	PROME (Telescope No 1)	IPE	101 0 / 100 0	100 0	+ 0 5	− 0 4	97 1 / 94 8	+ 4 5	Mean C_0 $IPE = 100 1$ $IPW = 100 9$ General Mean = 100 5	CHITTAGONG (Telescope No 2)	IPE	26 0 / 26 3	25 0 / 25 0	− 0 9	− 1 8	34 1 / 33 3	+ 7 8	Mean C_0 $IPE = 25 9$ $IPW = 25 9$ General Mean = 25 9
		IPW	102 4 / 100 9	100 0 / 100 0	− 0 5	− 1 4	107 4 / 104 2	+ 5 3										
„ 25		IPW	103 0 / 100 0	100 0	− 0 5	− 1 4	106 1 / 106 1	+ 5 6			IPW	26 9 / 26 6	25 0 / 25 0	+ 0 9	0 0	23 3 / 23 5	+ 2 5	
		IPE	102 4 / 103 3	100 0 / 100 0	+ 0 5	− 0 4	98 0 / 97 6	+ 2 7										
„ 26		IPE	98 4 / 98 8	100 0 / 100 0	0 5	− 0 4	94 5 / 96 7	+ 4 9			IPE	25 7 / 25 5	25 0 / 25 0	− 0 9	− 1 8	25 6 / 24 9	− 0 6	
		IPW	99 0 / 101 1	100 0 / 100 0	− 0 5	− 1 4	99 9 / 100 5	− 0 3										
„ 29		IPW	102 6 / 100 6	100 0 / 100 0	− 0 5	− 1 4	97 1 / 97 0	− 3 4			IPW	25 0 / 25 3	25 0 / 25 0	+ 0 9	0 0	31 0 / 28 0	− 4 1	
		IPE	100 2 / 100 9	100 0 / 100 0	+ 0 5	− 0 4	109 0 / 109 7	− 8 9										
„ 30		IPE	100 1 / 99 5	100 0 / 100 0	+ 0 5	− 0 4	96 4 / 98 8	+ 2 9			IPE	25 3 / 25 2	25 0 / 25 0	− 0 9	− 1 8	26 7 / 26 3	+ 0 6	
		IPW	100 9 / 99 8	100 0 / 100 0	− 0 5	− 1 4	105 9 / 105 9	+ 5 4										
Feb. 8	PROME (Telescope No 1)	IPE	100 4 / 101 8	100 0 / 100 0	+ 0 9	0 0	99 9 / 101 9	0 0		AKYAB (Telescope No 2)	IPE	21 6 / 21 5	22 0 / 22 0	+ 0 9	0 0	22 3 / 20 9	+ 0 5	
		IPW	101 4 / 102 9	100 0 / 100 0	− 0 9	− 1 8	100 3 / 99 9	− 0 8										
„ 9		IPW	101 8 / 102 1	100 0 / 100 0	− 0 9	− 1 8	100 8 / 100 5	− 0 2			IPW	20 3 / 19 7	22 0 / 22 0	− 0 9	− 1 8	23 3 / 23 2	− 2 2	
		IPE	99 3 / 99 7	100 0 / 100 0	+ 0 9	0 0	104 1 / 105 7	− 4 0										

Astronl. Date	Station	Instrumental Position	Collimation C₀	C	c₁	c	Level M	b	Remarks	Station	Instrumental Position	Collimation C₀	Cₐ	c₁	c	Level M	b	Remarks
1884 Feb 12	PROME (Telescope No 1)—(Continued)	IPE	101 8 / 101 1	100 0 / 100 0	+0 9	0 0	95 6 / 96 6	+4 8		AKYAB (Telescope No 2)—(Continued)	IPE	21 8 / 22 4	22 0 / 22 0	+0 9	0 0	20 3 / 19 7	−1 1	
		IPW	99 7 / 99 3	100 0 / 100 0	−0 9	−1 8	105 3 / 105 6	+4 6	Mean C₀ $IPE = 100\ 8$ $IPW = 101\ 0$ General Mean $= 100\ 9$									Mean C₀ $IPE = 21\ 8$ $IPW = 20\ 3$ General Mean $= 21\ 1$
„ 13		IPW	99 9 / 100 9	100 0 / 100 0	−0 9	−1 8	94 4 / 94 8	−6 3			IPW	19 9 / 21 2	22 0 / 22 0	−0 9	−1 8	25 5 / 26 4	−4 9	
		IPE	100 6 / 101 8	100 0 / 100 0	+0 9	0 0	111 9 / 112 6	−11 4										
Mar 8	MOULMEIN (Telescope No. 2)	IPE	39 9	40 0	−2 2	−3 1	41 1	−1 1		PROME (Telescope No 1)	IPW	99 8	100 0	−0 7	−1 6	99 0 / 98 8	−1 8	
„ 9		IPW	44 1 / 42 2	45 0 / 45 0	−2 8	−3 7	46 3 / 47 2	−4 6			IPW	102 2 / 101 1	100 0 / 100 0	−0 7	−1 6	99 1 / 97 9	−2 2	
„ 10		IPW	43 2	45 0	−2 8	−3 7	45 6	−3 4			IPE	97 8 / 99 4 / 99 0	100 0 / 100 0 / 100 0	+0 7	−0 2	99 6 / 100 4 / 101 5	+0 2	
		IPE	40 1	45 0	+2 8	+1 9	39 2	−3 0										
„ 11		IPE	40 2 / 40 4	40 0 / 40 0	−2 2	−3 1	40 3 / 38 3	−2 9			IPW	101 5 / 101 2 / 101 3	100 0 / 100 0 / 100 0	−0 7	−1 6	98 5 / 98 4 / 98 4	−2 3	
		IPW	42 6 / 43 1	40 0 / 40 0	+2 2	+1 3	45 5 / 45 5	−3 3										
„ 12		IPW	41 7 / 43 9	40 0 / 40 0	+2 2	+1 3	45 0 / 45 8	−3 2	Mean C₀ $IPE = 40\ 9$ $IPW = 43\ 5$ General Mean $= 42\ 2$		IPE	101 3 / 101 1 / 101 0	100 0 / 100 0 / 100 0	+0	−0 2	97 3 / 98 8 / 99 3	+2 2	Mean C₀ $IPE = 100\ 1$ $IPW = 101\ 3$ General Mean $= 100\ 7$
		IPE	40 6 / 40 2	40 0 / 40 0	−2 2	−3 1	40 0 / 39 9	−2 2										
„ 13		IPE	39 3 / 40 8	40 0 / 40 0	−2 2	−3 1	42 6 / 40 8	−0 5			IPW	102 5 / 101 0 / 101 8	100 0 / 100 0 / 100 0	−0 7	−1 6	106 2 / 107 9 / 108 9	+7 0	
		IPW	46 3 / 44 4	40 0 / 40 0	+2 2	+1 3	42 8 / 42 3	−0 4										
„ 14		IPW	42 4 / 44 1	40 0 / 40 0	+2 2	+1 3	42 3 / 43 0	−0 5			IPE	100 4 / 99 1 / 99 9	100 0 / 100 0 / 100 0	+0 7	−0 2	97 1 / 96 9 / 98 2	+3 3	
		IPE	44 6 / 42 5	40 0 / 40 0	−2 2	−3 1	42 9 / 42 4	+0 5										
„ 15		IPE	40 5 / 43 0	40 0 / 40 0	−2 2	−3 1	43 9 / 43 2	+1 4			IPW	101 1 / 103 2 / 100 9	100 0 / 100 0 / 100 0	−0 7	−1 6	98 5 / 97 5 / 97 1	−3 0	
		IPW	44 3 / 41 2	40 0 / 40 0	+2 2	+1 3	43 1 / 42 7	−0 2										

Astronl. Date	Station	Instrumental Position	Collimation				Level		Remarks	Station	Instrumental Position	Collimation				Level		Remarks
			C_0	C_2	q_1	o	M	b				C_0	C_2	q_1	o	M	b	
1884 Mar. 26		IPE	41 7	42 0	0 0	−0 9	40 2	−2 3			IPE	90 1	90 0	−0 6	−1 5	88 3	+0 7	
			40 9	42 0			39 2					90 5	90 0			89·0		
																88 8		
		IPW	42 4	42 0	0 0	−0 9	44 7	−3 5										
			42 2	42 0			46 3											
„ 27		IPW	44 6	42 0*	0 0	−0 9	43 2	−2 1			LPW	89 1	90 0	+0 6	−0 3	86 0	−3 0	
			43 8	42 0			45 0					89 2	90 0			86 7		
		IPE	41 1	42 0	0 0	−0 9	41 4	−1 3				89 5	90 0			86 4		
			39 8	42 0			40 0											
„ 28		IPE	40 6	42 0	0 0	−0 9	42 3	0 0			IPE	89 2	90 0	−0 6	−1 5	91 1	−1 4	
			40 9	42 0			41 7					89 1	90 0			90 3		
		IPW	42 5	42 0	0 0	−0 9	43 7	−1 8								91 1		
			44 1	42 0			43 9											
„ 29	MOULMEIN (Telescope No 2)	IPW	44 1	42 0	0 0	−0 9	43 0	−1 5	Mean C_0 IPE = 40 8 IPW = 43 2 General Mean = 42 0	AKYAB (Telescope No 1)	IPW	88 7	90 0	+0 6	−0 3	89 7	+0 1	Mean C_0 IPE = 89 9 LPW = 88 9 General Mean = 89 4
			44 2	42 0			43 9					87 9	90 0			90 1		
		IPE	40 2	42 0	0 0	−0 9	40 6	−1 3								88 6		
			39 9	42 0			40 7											
„ 30		IPE	42 8	42 0	0 0	−0 9	42 1	0 0			IPE	89 7	90 0	−0 6	−1 5	91 1	−2 1	
			40 9	42 0			41 8					91 7	90 0			91 8		
		IPW	43 1	42 0	0 0	−0 9	42 0	−0 3										
			43 0	42 0			42 6											
„ 31		IPW	42 7	42 0	0 0	−0 9	42 7	−0 7			IPW	88 8	90 0	+0 6	−0 3	89 3	−0 2	
			43 0	42 0			42 7					89 3	90 0			89 1		
		IPE	41 0	42 0	0 0	−0 9	41 2	−0 8										
			40 2	42 0			41 2											
Apr 1		IPE	41 0	42 0	0 0	−0 9	42 0	−0 7			IPE	89 4	90 0	−0 6	−1 5	90 3	−1 7	
			39 7	42 0			40 5					89 4	90 0			91 9		
		IPW	43 5	42 0	0 0	−0 9	42 4	−0 2										
			41 2	42 0			42 0											

* Except for Star No. 2909 for which $C_0 = 7 \cdot$ ...

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

BELLARY (E), AND BOMBAY (W)					BOLARUM (E), AND BELLARY (W)				
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with		Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Observations with	
	E	W	E Clock = ΔL − ρ	W Clock = ΔL + ρ		E	W	E Clock = ΔL − ρ	W Clock = ΔL + ρ
1876			m s	m s	1876			m s	m s
January 28	IPE	LPE	16 26 810	16 26 818	February 19	IPW	IPW	6 21 929	6 21 946
" "	"	"	26 815	26 889	" "	"	"	21 931	21 980
" 29	IPW	IPW	26 872	26 871	" 20	"	"	21 762	21 817
" "	"	"	26 850	26 839	" "	"	"	21 757	21 841
" 30	"	"	26 890	26 948	" 21	,	"	21 909	21 909
" "	"	"	26 887	26 974	" "	"	"	21 906	21 881
February 8	IPE	IPE	26 827		" 22	IPE	IPE	21 929	21 989
" 9	"	"	26 780	26 933	" "	"	"	21 935	22 016
" "	"	"	26 749	26 924	" 23	"	"	22 051	21 991
" 10	LPW	LPW	26 820	26 886	" "	"	"	22 020	22 004
" "	"	"	26 925	26 910	" 24	"	"	22 030	22 032
					" "	"	"	22 040	22 008
Mean Values by Observations I P E			16 26 796	16 26 891	Mean Values by Observations I P E			6 22 001	6 22 007
" I P W			26 874	26 905	" I P W			21 866	21 896
General Means			16 26 835	16 26 898	General Means			6 21 934	6 21 952

Whence

$$\Delta L = 16 \ 26 \ 867$$

$$\rho = +\ 0 \ 032$$

Whence

$$\Delta L = 6 \ 21 \ 943$$

$$\rho = +\ 0 \ 009$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

MADRAS (E), AND BOLARUM (W)					MADRAS (E), AND BELLARY (W)					BANGALORE (E), AND BELLARY (W)				
Astro-nomical Date	Instrumental Position at		Apparent Differe-ence of Longitude by Observations with		Astro-nomical Date	Instrumental Position at		Apparent Differ-ence of Longitude by Observations with		Astro-nomical Date	Instrumental Position at		Apparent Differ-ence of Longitude by Observations with	
	E	W	E Clock = ΔL − ρ	W Clock = ΔL + ρ		E	W	E Clock = ΔL − ρ	W Clock = ΔL + ρ		E	W	E Clock = ΔL − ρ	W Clock = ΔL + ρ
1876			m s	m s	1876			m s	m s	1876			m s	m s
March 3	I.P.E	I P E	6 54 594	6 54 559	March 22	I P W	I P E	13 16 629	13 16 689	April 11	I P E	I P E	2 37 124	2 37 136
" "	"	"	54 548	54 564	, "	"	"	16 573	16 666	" "	"	"	37 156	37 167
" 5	"	"	54 610	54 608	" 24	"	"	16 585	16 658	" 12	"	"	37 129	37 181
" "	"	"	54 599	54 643	" "	"	"	16 534	16 674	" "	"	"	37 121	37 170
" 6	"	"	54 518	54 603	" 26	"	I P W	16 620	16 675	" 13	"	"	37 131	
" ,	,	"	54 550	54 583	" "	"	"	16 638	16 662	" ,	"	"	37 133	37 195
" 7	I P W	I P W	54 538	54 656	" 29	I P E	"	16 483		" 14	I P W	I P W	37 152	37 332
" "	"	,	54 562	54 711	" "	"	"	16 461		" "	"	"	37 204	37 323
" 8	"	"	54 651	54 777	" 30	"	"	16 382	16 420	" 17	"	"	37 236	37 305
" "	"	"	54 703	54 764	" "	"	"	16 347	16 446	" "	"	"	37 296	37 325
" 12	"	"	54 647	54 565	" 31	"	"	16 639	16 587	" 18	"	"	37 299	37 390
" "	"	"	54 605	54 592	" "	"	"	16 612	16 638	" "	"	"	37 356	37 350
					April 1	"	I P.E		16 539					
					" "	"	"		16 535					
					" 2	"	"	16 569	16 547					
					, "	"	"	16 542	16 531					

Mean Values										Mean Values				
by Observations I P E			6 54 570	6 54 593						by Observations I P E			2 37 132	2 37 170
" I P W			54 618	54 678						" I P W			37 277	37 338

General Means			6 54 594	6 54 636		Means		13 16 544	13 16 590	General Means			2 37 205	2 37 254

Whence

$$\Delta L = \overset{m}{6} \overset{s}{54} 615$$

$$\rho = + \quad 0\ 021$$

Whence

$$\Delta L = \overset{m}{13}\ \overset{s}{16}\ 567$$

$$\rho = + \quad 0\ 023$$

Whence

$$\Delta L = \overset{m}{2}\ \overset{s}{37}\ 230$$

$$\rho = + \quad 0\ 025$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

VIZAGAPATAM (E), AND MADRAS (W)

Astronomical Date	Instrumental Position at both Stations	E Clock $= \Delta L_N - \rho$	W Clock $= \Delta L_N + \rho$
1877		m s	m s
January 22	I P E	12 9·742	12 9·882
" "	"	9·762	9·781
" 23	"	9·773	9·887
" "	"	9·714	9·840
" 24	"	9·806	9·872
" "	"	9·795	9·800
" 25	"	9·816	10·024
" "	"		9·863
" 26	"	9·792	9·821
" "	"	9·845	9·936
" 27	I P W	10·047	9·982
" "	"	10·015	
" 29	"	9·978	9·993
" "	"	9·974	10·025
" 31	"	9·998	10·021
" "	"	9·939	9·979
February 1	"	9·962	
Mean Values by Observations I P E		12 9·783	12 9·871
" I P W		9·988	10·000
General Means		12 9·886	12 9·936

Whence Correction for Relative Personal Equation, $H_N - C_N =$
$$\delta L_N = 12\ 9·911$$
$$-\ 0·083$$
$$\Delta L_N = 12\ 9·828$$

Again Correction for Relative Personal Equation, $H_S - C_S =$
$$\delta L_S = 12\ 9·849$$
$$-\ 0·019$$
$$\Delta L_S = 12\ 9·830$$

Finally
$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 12\ 9·829$$
$$\rho = +\ 0·025$$

VIZAGAPATAM (E), AND BELLARY (W)

Astronomical Date	Instrumental Position at both Stations	E Clock $= \Delta L_N - \rho$	W Clock $= \Delta L_N + \rho$
1877		m s	m s
February 17	I P W	25 26·507	25 26·614
" "	"	26·597	26·628
" 21	I P E	26·436	26·565
" "	"	26·370	
" 22	"	26·428	26·504
" "	"	26·435	26·519
" 23	I P W	26·508	26·493
" "	"		26·655
" 24	"	26·393	26·459
" "	"	26·471	26·491
" 25	I P E	26·551	26·662
" "	"	26·668	26·726
Mean Values by Observations I P E		25 26·481	25 26·595
" I P W		26·495	26·557
General Means		25 26·488	25 26·576

Whence Correction for Relative Personal Equation, $H_N - C_N =$
$$\delta L_N = 25\ 26·532$$
$$-\ 0·083$$
$$\Delta L_N = 25\ 26·449$$

Again Correction for Relative Personal Equation, $H_S - C_S =$
$$\delta L_S = 25\ 26·508$$
$$-\ 0·019$$
$$\Delta L_S = 25\ 26·489$$

Finally
$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 25\ 26·469$$
$$\rho = +\ 0·044$$

MANGALORE (E), AND BOMBAY (W)

Astronomical Date	Instrumental Position at both Stations	E Clock $= \Delta L_N - \rho$	W Clock $= \Delta L_N + \rho$
1877		m s	m s
March 22	I P E	8 7·269	8 7·298
" "	"	7·295	7·382
" 24	"	7·236	7·240
" "	"	7·241	7·262
" 25	"	7·132	7·192
" "	"	7·161	7·302
" 26	I P W	7·266	7·346
" "	"	7·322	7·399
Mean Values by Observations I P E		8 7·222	8 7·279
" I P W		7·294	7·373
General Means		8 7·258	8 7·326

Whence Correction for Relative Personal Equation, $H_N - C_N =$
$$\delta L_N = 8\ 7·292$$
$$-\ 0·083$$
$$\Delta L_N = 8\ 7·209$$

Again Correction for Relative Personal Equation, $H_S - C_S =$
$$\delta L_S = 8\ 7·272$$
$$-\ 0·019$$
$$\Delta L_S = 8\ 7·253$$

Finally
$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 8\ 7·231$$
$$\rho = +\ 0·034$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

BOMBAY (E), AND DEESA (W)				DEESA (E), AND KURRACHEE (W)			
Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with		Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with	
		E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$			E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1860		ᵐ ˢ	ᵐ ˢ	1861		ᵐ ˢ	ᵐ ˢ
December 13	I P E	2 31 529	2 31 710	January 5	I P W	20 40 470	20 40 557
" "	"	31 615	31 662	" "	"	40 525	40 603
" 14	"	31 622	31 654	" 6	"	40 603	40 767
" ,	"	31 588	31 648	" "	"	40 622	40 779
" 16	"	31 559	31 735	" 7	"	40 643	40 756
" "	,	31 592	31 692	" ,	"	40 717	40 820
" 17	I P W	31 594	31 671	" 8	I P E	40 305	40 501
" "	,	31 662	31 746	" ,	"	40 415	40 484
" 18	"	31 563	31 628	" 9	"	40 343	40 470
" ,	"	31 533	31 579	" "	"	40 355	40 510
" 19	"	31 553	31 586	" 10	"	40 427	40 499
"		31 533		" ,	"	40 561	40 591
Mean Values by Observations I P E		2 31 584	2 31 682	Mean Values by Observations I P E		20 40 368	20 40 509
, I P W		31 573	31 642	, I P W		40 597	40 714
General Means		2 31 579	2 31 662	General Means		20 40 483	20 40 611

Whence $\delta L_N = 2\ 31\ 621$

Correction for Relative Personal Equation $C_N - H_N = + 0\ 031$

$$\Delta L_N = 2\ 31\cdot652$$

Again $\delta L_S = 2\ 31\ 644$

Correction for Relative Personal Equation $C_S - H_S = - 0\ 009$

$$\Delta L_S = 2\ 31\ 635$$

Whence $\delta L_N = 20\ 40\ 547$

Correction for Relative Personal Equation $H_N - C_N = - 0\ 031$

$$\Delta L_N = 20\ 40\ 516$$

Again $\delta L_S = 20\ 40\ 533$

Correction for Relative Personal Equation $H_S - C_S = + 0\ 009$

$$\Delta L_S = 20\ 40\ 542$$

Finally

$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 2\ 31\ 644$$

$$\rho = + 0\ 042$$

Finally

$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 20\ 40\ 529$$

$$\rho = + 0\ 064$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

BOMBAY (E), AND KURRACHEE (W)

Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with	
		E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1881		m s	m s
January 17	I P E	23 12 077	23 12 208
" "	"	12 073	12 169
" 18	"	12 079	12 313
" ,	"	12 022	12 277
" 19	"	12 252	12 414
" "	"	12 214	12 411
" 20	I P W	12 137	12 270
" "	"	12 109	12 339
" 21	"	12 165	12 335
" "	,	12 105	12 383
" 22	"	12 163	12 464
" ,	"	12 243	12 565
Mean Values			
by Observations I P E		23 12 120	23 12 299
" I P W		12 154	12 393
General Means		23 12 137	23 12 346

Whence $\delta L_N = 23\ 12\ 241$

Correction for Relative Personal Equation, $H_N - C_N = -\ 0\ 031$

$\Delta L_N = 23\ 12\ 210$

Again $\delta L_S = 23\ 12\ 210$

Correction for Relative Personal Equation $H_S - C_S = +\ 0\ 009$

$\Delta L_S = 23\ 12\ 219$

Finally

$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 23\ 12\ 215$$

$$\rho = +\ 0\ 105$$

JUBBULPORE (E) AND BOMBAY (W)

Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with	
		E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1881		m s	m s
February 6	I P E	28 31 792	28 31 951
" "	"		31 988
" 7	"	31 699	32 011
" "	"	31 794	31 957
" 8	"	31 759	31 896
" ,	"	31 787	31 970
" 9	"	31 695	31 902
, ,	,	31 726	31 970
, 10	I P W	31 834	31 854
" ,	"	31 787	32 029
" 13	"	31 903	32 013
" "	"	31 794	32 001
" 14	,	31 812	31 970
, ,	,	31 850	32 059
Mean Values			
by Observations I P E		28 31 750	28 31 956
, I P W		31 830	31 988
General Means		28 31 790	28 31 972

Whence $\delta L_N = 28\ 31\ 881$

Correction for Relative Personal Equation, $H_N - C_N = -\ 0\ 084$

$\Delta L_N = 28\ 31\ 797$

Again $\delta L_S = 28\ 31\ 873$

Correction for Relative Personal Equation $H_S - C_S = -\ 0\ 038$

$\Delta L_S = 28\ 31\ 835$

Finally

$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 28\ 31\ 816$$

$$\rho = +\ 0\ 091$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

JUBBULPORE (E), AND BOLARUM (W)				JUBBULPORE (E), AND AGRA (W)			
Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with		Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with	
		E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$			E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1881		m s	m s	1881		m s	m s
February 23	I P W	5 42 881	5 43 064	March 11	I P E	7 42 945	7 43 138
„ „	„	42 944	43 089	„ „	„	43 034	43 119
„ 24	„	42 909	43 125	„ 12	„	42 976	43 212
„ „	„	42 907	43 191	„ „	„	43 057	43 144
„ 25	„	42 784	43 078	„ 13	„	43 092	43 285
„ „	„	42 814	43 166	„ „	„	43 138	43 233
„ 28	I P E	42 886	43 075	„ 15	I P W	42 688	42 816
„ „	„	42 894	43 062	„ „	„	42 711	42 801
March 2	„	42 897	43 102	„ 17	„		42 891
„ „	„	42 835	43 129	„ „	„	42 736	42 904
„ 3	„	42 905	43 106	„ 20	„	42 684	42 833
„ „	„	42 907	43 209	„ „	„	42 782	42 827
				„ 21	„	42 854	43 028
				„ „	„	42 825	42 972
Mean Values by Observations I P E		5 42 887	5 43 114	Mean Values by Observations I P E		7 43 040	7 43 189
„ I P W		42 823	43 119	„ I P W		42 754	42 884
General Means		5 42 880	5 43 117	General Means		7 42 897	7 43 017

Whence $\qquad\qquad\qquad\qquad \delta L_N = $ m s 5 42 999

Correction for Relative Personal Equation $H_N - C_N = - 0.084$

$$\Delta L_N = 5\ 42\ 915$$

Again $\qquad\qquad\qquad\qquad \delta L_S = 5\ 42\ 992$

Correction for Relative Personal Equation, $H_S - C_S = - 0.038$

$$\Delta L_S = 5\ 42\ 954$$

Finally

$$\Delta L = \tfrac{1}{2}\,(\Delta L_N + \Delta L_S) = \overset{m}{5}\ \overset{s}{42}\ 935$$

$$\rho = +\ 0.119$$

Whence $\qquad\qquad\qquad\qquad \delta L_N = $ m s 7 42 967

Correction for Relative Personal Equation, $C_N - H_N = + 0.084$

$$\Delta L_N = 7\ 43\ 051$$

Again $\qquad\qquad\qquad\qquad \delta L_S = 7\ 42\ 962$

Correction for Relative Personal Equation $C_S - H_S = + 0.038$

$$\Delta L_S = 7\ 43\ 000$$

Finally

$$\Delta L = \tfrac{1}{2}\,(\Delta L_N + \Delta L_S) = \overset{m}{7}\ \overset{s}{43}\ 026$$

$$\rho = +\ 0.070$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

JUBBULPORE (E) AND DEESA (W)				AGRA (E), AND DEESA (W)			
Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with		Astronomical Date	Instrumental Position at both Stations	Apparent Difference of Longitude by Stars of North Aspect, by Observations with	
		E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$			E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1881		m s	m s	1881		m s	m s
March 28	I P W	31 2 904	31 3 210	April 10	I P E	23 20 226	23 20 367
„ „	„	3 071	3 117	„ „	„	20 280	20 465
„ 29	„	2 981	3 283	„ 11	„	20 381	20 547
„ „	„	3 166	3 340	„ „	„	20 382	
„ 30	„	3 123	3 273	„ 13	„	20 423	20 505
„ „	„	3 169	3 299	„ „	„	20 380	20 435
„ 31	I P E	3 453	3 566	„ 14	I P W	20 163	20 352
„ „	„	3 493	3 484	„ „	„	20 258	20 265
April 1	„	3 383	3 585	„ 15	„	20 099	20 264
„ „	„	3 438	3 505	„ „	„	20 134	20 182
„ 8	„	3 371	3 510	„ 16	„	20 107	20 202
„ „	„	3 394	3 506	„ „	„	20 108	20 115
Mean Values by Observations I P E		31 3 422	31 3 526	Mean Values by Observations I P E		23 20 345	23 20 464
„ I P W		3 069	3 287	„ I P W		20 145	20 230
General Means		31 3 246	31 3 407	General Means		23 20 245	23 20 347

Whence $\qquad\qquad \delta L_N = 31\ 3\ 326$

Correction for Relative Personal Equation, $C_N - H_N = +\ 0\ 084$

$$\Delta L_N = 31\ 3\ 410$$

Again $\qquad\qquad \delta L_S = 31\ 3\ 338$

Correction for Relative Personal Equation $C_S - H_S = +\ 0\ 038$

$$\Delta L_S = 31\ 3\ 376$$

Finally

$$\Delta L = \tfrac{1}{2}\,(\Delta L_N + \Delta L_S) = 31\ 3\ 393$$

$$\rho = +\ 0\ 081$$

Whence $\qquad\qquad \delta L_N = 23\ 20\ 296$

Correction for Relative Personal Equation, $C_N - H_N = +\ 0\ 084$

$$\Delta L_N = 23\ 20\ 380$$

Again $\qquad\qquad \delta L_S = 23\ 20\ 321$

Correction for Relative Personal Equation, $C_S - H_S = +\ 0\ 038$

$$\Delta L_S = 23\ 20\ 359$$

Finally

$$\Delta L = \tfrac{1}{2}\,(\Delta L_N + \Delta L_S) = 23\ 20\ 370$$

$$\rho = +\ 0\ 051$$

Deduction of the Difference of Longitude, ΔL, from Observations of Transits with Local Clocks, combined by Clock Comparisons

	BOMBAY (E) AND ADEN (W)							ADEN (E), AND SUEZ (W)					
Astronomical Date	Instrumental Position at		Epoch by E Clock, T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude, $\delta L_N = D + M_N$	Astronomical Date	Instrumental Position at		Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect, M_N	Deduced Clock Difference, D at Epoch T_E	Apparent Difference of Longitude, $\delta L_N = D + M_N$
	E	W						E	W				
						h m 1 51	*h m* 1 51							*h m* 0 49	*h m* 0 49
1877			*h m s*	*s*	*s*	*s*	1877			*h m s*	*s*	*s*	*s*
April 30	*I P E*	*I P E*	14 53 38	− 29 721	49 740	20 019	May 25	*I P E*	*I P E*	16 42 5	+ 4 473	38 320	42 793
„			15 21 31	29 843	49 785	19 942	„ 26	„		16 46 26	5 374	37 480	42 854
May 1	*I P W*	*I P W*	15 25 12	31 881	51 917	20 036	„ 27			16 46 30	6 159	36 822	42 981
„ 2	„		14 51 27	33 776	53 917	20 141	„ 28	*I P W*	*I P W*	16 54 48	6 478	36 249	42 727
„		„	15 20 29	33 909	53 961	20 052	„ 29	„	„	16 46 32	7 027	35 891	42 918
„ 3	„		14 55 59	35 967	55 988	20 021	„ 30	„	„	16 56 54	7 178	35 687	42 865
„ „			15 21 50	35 917	56 027	20 110							
4		„	14 54 15	38 131	58 109	19 978							
„	„	„	15 21 29	38 117	58 147	20 030							
„ 5	*I P E*	„	14 52 12	40 181	60 195	20 014	„						
„ „			15 22 23	40 229	60 244	20 015							
„ 7		*I P E*	14 51 59	44 190	64 407	20 217							
„ „	„		15 21 54	44 253	64 450	20 197							
„ 8	*I P W*		14 53 3	46 309	66 348	20 039							
„ „	„		15 20 15	46 364	66 382	20 018							
„ 9	„	„	14 54 40	48 011	68 129	20 118							
„ „	„		15 21 32	48 022	68 163	20 141							
					Mean	20 064						Mean	42 856

Mean $\delta L_N = 1$ *h* 51 *m* 20 064*s*; Whence $\delta L_S = 1$ 51 19 996

Correction for Relative Personal Equation } $H_N − C_N = − 0 030$ $H_S − C_S = + 0 026$

Ditto of transcribing $= \ 0 000$* $= 0 000$*

$\Delta L_N = 1$ 51 20 034 $\Delta L_S = 1$ 51 20 022

Whence

$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 1 \text{ } 51 \text{ } 20 \cdot 028$$

Mean $\delta L_N = 0$ *h* 49 *m* 42 856*s*; Whence $\delta L_S = 0$ 49 42 820

Correction for Relative Personal Equation } $H_N − C_N = − 0 030$ $H_S − C_S = + 0 026$

Ditto of transcribing $= − 0 011†$ $= − 0 011†$

$\Delta L_N = 0$ 49 42 815 $\Delta L_S = 0$ 49 42 835

Whence

$$\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 0 \text{ } 49 \text{ } 42 \cdot 825$$

* The records at both stations were transcribed by the same person   † Each Observer transcribed his own records of transits

Deduction of the Difference of Longitude, ΔL, from the Determination of Local Clock Corrections, combined by Clock Comparisons

Astronomical Date	Epoch T_B	E Clock				W Clock				Deduced Clock Corrections at Epoch T_B		Difference of Clocks D at Epoch T_B	Apparent Difference of Longitude δL_N = $D + \Delta T_B - \Delta T_W$
		Instrumental Position	Correction as by Stars of North Aspect	Time	Hourly Rate Correction r_B	Instrumental Position	Correction as by Stars of North Aspect	Time (by E Clock)	Hourly Rate Correction r_W	for E Clock ΔT_B	for W Clock ΔT_W		
1877	*h m s*		*s*	*h m s*	*s*		*s*	*h m s*	*s*	*s*	*s*	*h m s*	*h m s*
April 30	16 8 36	I P E	−17 655	16 39 23	− 0 033	I P E	+12 248	15 37 49	+ 0 064	−17 638	+12 281	1 51 49 861	1 51 19 942
May 1	15 43 43	I P W	18 221	16 19 21	030	I P W	13 611	15 8 5	060	18 203	13 647	51 944	20 094
,, 2	16 26 39	,,	18 872	16 28 33	030	,	15 075	16 24 45	060	18 871	15 077	54 059	20 111
,, 3	15 52 51	,,	19 621	16 16 18	030	,,	16 375	15 29 23	049	19 609	16 398	56 073	20 066
,, 4	16 1 26	,,	20 319	16 23 44	028	,,	17 853	15 39 7	056	20 309	1, 874	58 203	20 020
,, 5	16 5 33	I P E	21 117	16 28 0	035	,,	19 224	15 43 6	064	21 104	19 248	60 315	19 963
,, 7	15 53 40	,,	22 434	16 11 15	030	I P E	21 885	15 35 45	056	22 425	21 902	64 495	20 168
,, 8	15 46 4	I P W	23 167	15 51 23	023	,,	23 267	15 40 44	053	23 165	23 272	66 415	19 978
,, 9	15 54 37	,	23 641	16 14 14	022	,,	24 439	15 35 0	052	23 634	24 456	68 203	20 113
												Mean	1 51 20 051

$$\text{Mean } \delta L_N = 1 \quad 51 \quad 20 \quad 051 \qquad\qquad \text{Whence } \delta L_S = 1 \quad 51 \quad 19 \quad 983$$

Correction for Relative Personal Equation, $H_N - C_N =$ − 0 030 $H_S - C_S =$ + 0 026

Ditto   transcribing Equation   =   0 000*   =   0 000*

$$\Delta L_N = 1 \quad 51 \quad 20 \quad 021 \qquad\qquad \Delta L_S = 1 \quad 51 \quad 20 \quad 009$$

Whence $\Delta L = \frac{1}{2} (\Delta L_N + \Delta L_S) = 1 \quad 51 \quad 20 \quad 015$

Value deduced in preceding Table $= 1 \quad 51 \quad 20 \quad 028$

Final value of ΔL, Bombay-Aden, being the mean of the above $= 1 \quad 51 \quad 20 \quad 022$

* The records at both stations were transcribed by the same person

Deduction of the Difference of Longitude, ΔL, from the Determination of Local Clock Corrections, combined by Clock Comparisons

Astronomical Date	Epoch T_B	E Clock				W Clock				Deduced Clock Corrections at Epoch T_B		Difference of Clocks D, at Epoch T_B	Apparent Difference of Longitude δL_N = $D + \Delta T_E - \Delta T_W$
		Instrumental Position	Correction as by Stars of North Aspect	Time	Hourly Rate Correction r_B	Instrumental Position	Correction as by Stars of North Aspect	Time (by E Clock)	Hourly Rate Correction r_W	for E Clock ΔT_E	for W Clock ΔT_W		
	h m s		s	h m s	s		s	h m s	s	s	s	h m s	h m s
1877 May 25	16 41 4	I P E	− 4 582	16 42 59	− 0 037	I P E	− 8 978	16 39 8	− 0 088	− 4 581	− 8 981	0 49 38 321	0 49 42 721
,, ,,	18 18 45	,,	4 635	18 25 20		,,	9 173	18 12 9		4 631	9 183	38 238	42 790
,, 26	16 40 11	,,	5 558	16 41 13	042	,,	10 844	16 39 8	082	5 557	10 845	37 484	42 772
,, ,,	18 18 33	,,	5 656	18 21 39		,,	11 099	18 15 2		5 654	11 103	37 419	42 868
,, 27	16 41 6	,,	6 661	16 43 1	031	,,	12 705	16 39 10	091	6 660	12 708	36 828	42 876
,, ,,	18 16 28	,,	6 717	18 22 4		,,	12 922	18 10 51		6 714	12 931	36 738	42 949
,, 28	16 46 0	I P W	7 887	16 52 48	039	I P W	14 344	16 39 11	086	7 883	14 154	36 256	42 727
,, ,,	18 9 58	,,	7 904	18 15 35		,,	14 542	18 4 20		7 900	14 550	36 191	42 841
,, 29	16 41 9	,,	9 160	16 43 5	055	,,	16 117	16 39 13	080	9 158	16 120	35 893	42 855
,, ,,	18 16 58	,,	9 278	18 21 42		,,	16 335	18 12 13		9 274	16 141	35 853	42 920
,, 30	16 51 5	,,	10 778	16 43 6	065	,,	17 874	16 59 3	082	10 787	17 863	35 689	42 765
,, ,,	18 18 52	,,	10 887	18 25 28		,,	18 091	18 12 15		10 880	18 100	35 664	42 884
											Mean		0 49 42 831

$$\text{Mean } \delta L_N = 0 \ 49 \ 42 \ 831 \qquad\qquad \text{Whence } \delta L_S = 0 \ 49 \ 42 \ 795$$

$$\text{Correction for Relative Personal Equation, } H_N - C_N = \ - \ 0 \ 030 \qquad\qquad H_S - C_S = \ + \ 0 \ 026$$

$$\text{Ditto} \qquad \text{transcribing Equation} = \ - \ 0 \ 011* \qquad\qquad = \ - \ 0 \ 011*$$

$$\Delta L_N = 0 \ 49 \ 42 \ 790 \qquad\qquad \Delta L_S = 0 \ 49 \ 42 \ 810$$

$$\text{Whence } \Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 0 \ 49 \ 42 \ 800$$

$$\text{Value deduced in preceding Table} = 0 \ 49 \ 42 \ 825$$

$$\text{Final value of } \Delta L, \text{ Aden Suez, being the mean of the above} = 0 \ 49 \ 42 \ 813$$

* Each Observer transcribed his own records of transits

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

Astronomical Date	Instrumental Position at both Stations	By Clock Comparisons				By Transits at both Stations with the same Clock	
		Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch Γ_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with	
						E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1882		h m s	m s	m s	m s	m s	m s
December 2	I P E					26 22 701	26 22 988
" "	"						23 027
" 4	I P W	4 51 29	− 1 52 706	28 15 944	26 23 238	23 095	23 414
" "		5 11 44	52 720	15 980	23 260	23 141	23 391
" 5	I P E	4 51 29	54 862	17 800	22 938	22 783	23 061
" "		5 11 43	55 006	17 824	22 818	22 42	23 012
" 6	I P W	4 51 14	56 358	19 688	23 130	22 861	23 167
" "		5 12 23	56 599	19 717	23 118	23 015	23 274
" 7	I P E	4 50 26	58 691	21 605	22 914	22 737	23 064
" "		5 12 22	58 705	21 640	22 935	22 837	23 041
" 8	I P W	4 50 24	2 0 454	23 501	23 047	22 861	23 236
" "		5 12 21	0 486	23 531	23 045	22 938	23 183
" 9	I P E	4 50 23	2 669	25 519	22 850	22 781	23 037
" "		5 12 19	2 650	25 552	22 902	22 841	23 057
" 11	I P W	4 50 20	6 418	29 380	22 962	22 931	23 127
" "		5 12 16	6 326	29 416	23 090	23 003	23 129
Mean of daily mean values for instrumental position I I K at both stations					26 22 893	26 22 765	26 23 036
				I P W	23 111	22 981	23 241
				General Means	26 23 002	26 22 873	26 23 140

Whence $\delta L_N = 26\ 23\ 002$ $\delta L_N = 26\ 23\ 006$

Correction for Relative Personal Equation

$$\frac{3(q_N - C_N) + 4(S_N - H_N)}{7} = -\ 0.009 \qquad \frac{(S_N - C_N) + (S_N - H_N)}{2} = -\ 0.013$$

$$\Delta l_N = 26\ 22\ 993 \qquad\qquad \Delta L_N = 26\ 22\ 993$$

Again $\delta L_S = 26\ 22\ 950$ $\delta L_S = 26\ 22\ 958$

Correction for Relative Personal Equation

$$\frac{3(q_S - C_S) + 4(q_S - H_S)}{7} = +\ 0.024 \qquad \frac{(S_S - C_S) + (S_S - H_S)}{2} = +\ 0.022$$

$$\Delta l_S = 26\ 22\ 974 \qquad\qquad \Delta L_S = 26\ 22\ 980$$

Whence $\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 26\ 22\ 984$ $\Delta L = 26\ 22\ 987$

$$\rho = +\ 0.114 \qquad\qquad \rho = +\ 0.134$$

Finally $\Delta L = 26\ 22\ 986$

$$\rho = +\ 0.124$$

NOTE.—Lieut.-Colonel Campbell observed at W on December 2nd, 4th, 5th and 7th. Major Heaviside observed at W on December 6th, 8th, 9th and 11th. Major Strahan observed at E throughout.

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

JALPAIGURI (E), AND CALCUTTA (W)							
		By Clock Comparisons				By Transits at both Stations with the same Clock	
Astronomical Date	Instrumental Position at both Stations	Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with	
						E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1882 83		h m s	m s	m s	m s	m s	m s
December 21	I P W	5 18 33	+ 0 27 652	1 2 937	1 30 589	1 30 507	1 30 526
"		33 51	27 639	2 936	30 575	30 512	30 603
" 26	I P E	16 55	29 128	0 822	29 950	29 881	29 943
" "	,	31 21	29 151	0 819	29 970	29 954	30 053
" 27	I P W	17 41	30 399	0 141	30 540	30 559	30 637
" "	,	33 58	30 466	0 132	30 598	30 505	30 597
" 28	I P E	17 38	30 398	0 59 515	29 913	29 904	30 031
, ,	,	34 46	30 405	59 514	29 919	30 010	30 013
, 29	I P W	17 35	31 472	59 025	30 497	30 534	30 638
"	,	33 52	31 465	59 018	30 483	30 490	30 615
January 2	I P E	17 23	33 964	56 041	30 005	29 964	30 021
"		33 40	33 929	56 038	29 967	30 023	30 078

Mean of daily mean values for instrumental position *I P W* at both stations	1 30 547	1 30 518	1 30 606
" " " *I P E* "	29 954	29 956	30 027

General Means	1 30 251	1 30 237	1 30 317

Whence $\qquad\qquad \delta L_N = \overset{m}{1}\ \overset{s}{30}\ 251 \qquad\qquad\qquad \delta L_N = \overset{m}{1}\ \overset{s}{30}\ 277$

Correction for Relative Personal Equation, $\quad S_N - H_N = + \quad 0\ 017 \qquad\qquad S_N - H_N = + \quad 0\ 017$

$$\Delta L_N = 1\ 30\ 268 \qquad\qquad\qquad \Delta L_N = 1\ 30\ 294$$

Again $\qquad\qquad\qquad\qquad \delta l_S = 1\ 30\ 250 \qquad\qquad\qquad \delta L_S = 1\ 30\ 276$

Correction for Relative Personal Equation, $\quad S_S - H_S = + \quad 0\ 035 \qquad\qquad S_S - H_S = + \quad 0\ 035$

$$\Delta L_S = 1\ 30\ 285 \qquad\qquad\qquad \Delta L_S = 1\ 30\ 311$$

Whence $\quad \Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = \overset{m}{1}\ \overset{s}{30}\ 277 \qquad\qquad\qquad \Delta L = \overset{m}{1}\ \overset{s}{30}\ 303$

$$\rho = + \quad 0\ 050 \qquad\qquad\qquad\qquad\qquad \rho = + \quad 0\ 040$$

Finally $\Delta L = \overset{m}{1}\ \overset{s}{30}\ 290$

$$\rho = + \quad 0\ 045$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

Astronomical Date	Instrumental Position at both Stations	Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
						By Transits at both Stations with the same Clock. Apparent Difference of Longitude by Stars of North Aspect by Observations with	
		h m s	m s	m s	m s	m s	m s
1883 January 12	I P E	7 27 21	− 0 36 610	13 1 738	12 25 128	12 24 977	12 25 135
„ „	,	51 59	36 748	1 769	25 021	24 971	25 130
„ 13	I P W	27 20	39 613	4 260	24 647	24 520	24 680
„ „	„	51 12	39 691	4 309	24 618	24 514	24 840
„ 14	I P E	27 6	41 872	6 927	25 055	24 957	25 093
„ „	,	51 11	41 935	6 962	25 027	24 964	25 198
„ 15	I P W	27 5	44 795	9 489	24 694	24 486	24 842
„ „	,	51 9	44 868	9 530	24 662	24 513	24 767
„ 17	I P E	27 1	49 417	14 429	25 012	24 909	25 154
„ ,	„	52 8	49 297	14 467	25 170	24 892	25 192
„ 18	I P W	26 59	52 126	16 786	24 660	24 533	24 772
„ „	„	51 4	52 270	16 831	24 561	24 492	24 831
Mean of daily mean values for instrumental position I P E at both stations					12 25 069	12 24 945	12 25 150
„ I P W „					24 640	24 510	24 789
General Means					12 24 855	12 24 728	12 24 970

Whence $\delta L_N = \overset{m}{12} \ \overset{s}{24} \ 855$ $\delta L_N = \overset{m}{12} \ 24 \ 849$

Correction for Relative Personal Equation, $H_N - S_N = - \ 0 \ 017$ $H_N - S_N = - \ 0 \ 017$

$\Delta L_N = 12 \ 24 \ 838$ $\Delta L_N = 12 \ 24 \ 832$

Again $\delta L_S = 12 \ 24 \ 835$ $\delta L_S = 12 \ 24 \ 829$

Correction for Relative Personal Equation, $H_S - S_S = - \ 0 \ 035$ $H_S - S_S = - \ 0 \ 035$

$\Delta L_S = 12 \ 24 \ 800$ $\Delta L_S = 12 \ 24 \ 794$

Whence $\Delta L = \tfrac{1}{2} (\Delta L_N + \Delta L_S) = \overset{m}{12} \ \overset{s}{24} \ 819$ $\Delta L = \overset{m}{12} \ \overset{s}{24} \ 813$

$\rho = + \ 0 \ 104$ $\rho = + \ 0 \ 121$

Finally $\Delta L = \overset{m}{12} \ \overset{s}{24} \ 816$

$\rho = + \ 0 \ 113$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

			By Clock Comparisons				By Transits at both Stations with the same Clock	
Astronomical Date	Instrumental Position at both Stations	Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with	
							E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$

			$h \quad m \quad s$	$m \quad s$	$m \quad s$	$m \quad s$	$m \quad s$	$m \quad s$
1863								
January 23	I P W	8 0 26	$- 0 \quad 4\ 714$	13 59 698	13 54 964	13 55 036	13 55 001
"	"	17 34	4 724	59 670	54 946	54 919	54 971
" 24	I P E	2 10	0 881	56 271	55 390	55 263	55 403
" "	"	19 4	0 847	56 228	55 381	55 323	55 434
" 25	I P W	2 5	$+ \quad 2\ 273$	52 650	54 923	54 915	55 040
" "	"	19 24	2 330	52 615	54 945	54 883	55 014
" 26	I P E	2 5	6 094	49 125	55 219	55 127	55 335
" "	"	19 37	6 202	49 089	55 291	55 149	55 376
" 28	I P W	1 58	12 430	42 642	55 072	55 035	55 161
" "	"	19 32	12 463	42 606	55 069	55 071	55 144
" 29	I P E	1 55	15 320	40 026	55 346	55 221	55 378
" "	"	19 30	15 315	39 993	55 308	55 241	55 365
" 30	I P W	1 52	17 661	37 421	55 082	55 057	55 178
" "	"	19 27	17 748	37 386	55 134	55 003	55 150
Mean of daily mean values for instrumental position I P W at both stations					13 55 017	13 54 990	13 55 083
" " " I P E "					55 323	55 271	55 382
General Means					13 55 170	13 55 131	13 55 233

Whence

$$\delta L_N = 13\ 55\ 170$$

Correction for Relative Personal Equation,

$$H_N - S_N = - \quad 0\ 017$$

$$\Delta L_N = 13\ 55\ 153$$

Again

$$\delta L_S = 13\ 55\ 160$$

Correction for Relative Personal Equation,

$$H_S - S_S = - \quad 0\ 035$$

$$\Delta L_S = 13\ 55\ 125$$

By Transits:

$$\delta L_N = 13\ 55\ 182$$

$$H_N - S_N = - \quad 0\ 017$$

$$\Delta L_N = 13\ 55\ 165$$

$$\delta L_S = 13\ 55\ 172$$

$$H_S - S_S = - \quad 0\ 035$$

$$\Delta L_S = 13\ 55\ 137$$

Whence $\Delta L = \frac{1}{2}(\Delta L_N + \Delta L_S) = 13\ 55\ 139$

$$\rho = + \quad 0\ 071$$

$$\Delta L = 13\ 55\ 151$$

$$\rho = + \quad 0\ 051$$

Finally $\Delta L = 13\ 55\ 145$

$$\rho = + \quad 0\ 061$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

		CALCUTTA (E), AND FYZABAD (W)				
		By Clock Comparisons				By Transits at both Stations with the same Clock
Astronomical Date	Instrumental Position at both Stations	Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with
						E Clock $= \delta L_N - \rho$ W Clock $= \delta L_N + \rho$
1883 February 8	I P E	h m s 9 41 32	m s + 0 50 710	m s 24 2 096	m s 24 52 806	m s m s 24 52 832 24 52 851
„ „	„	10 1 38	50 812	2 021	52 833	52 743 52 888
„ 9	I P W	9 38 55	55 632	23 56 919	52 551	52 520
„ ,	,					52 543
„ 10	I P E	9 37 18	1 0 811	51 992	52 803	52 722 52 881
„ „	,	10 1 11	0 892	51 913	52 805	52 775 52 799
„ 11	I P W	9 41 30	5 104	47 448	52 552	52 501 52 678
„ „	„	10 1 36	5 154	47 381	52 535	52 457 52 674
„ 13	I P E	9 41 29	12 741	40 018	52 759	52 771 52 858
„ „	,	10 1 35	12 855	39 967	52 822	52 724 52 808
„ 14	I P W	9 41 28	16 182	36 391	52 513	52 478 52 586
„	,	10 1 35	16 192	36 342	52 514	52 532 52 661
Mean of daily mean values for instrumental position I P E at both stations					24 52 805	24 52 761 24 52 848
, I P W „					52 549	52 505 52 610
General Means					24 52 677	24 52 633 24 52 749

Whence δL_N = 24 52 677 δL_N = 24 52 691

Correction for Relative Personal Equation, $H_N - S_N$ = − 0 017 $H_N - S_N$ = − 0 017

ΔL_N = 24 52 660 ΔL_N = 24 52 674

Again δL_S = 24 52 682 δL_S = 24 52 696

Correction for Relative Personal Equation, $H_S - S_S$ = − 0 035 $H_S - S_S$ = − 0 035

ΔL_S = 24 52 647 ΔL_S = 24 52 661

Whence $\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S)$ = 24 52 654 ΔL = 24 52 668

ρ = + 0 075 ρ = + 0 058

Finally ΔL = 24 52 661

ρ = + 0 067

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ

CALCUTTA (E), AND JUBBULPORE (W)							
Astronomical Date	Instrumental Position at both Stations	By Clock Comparisons				By Transits at both Stations with the same Clock	
		Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with	
						E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1888		h m s	m s	m s	m s	m s	m s
February 22	I P W	10 0 17	− 0 7·574	33 45·095	33 37·521	33 37·547	33 37·670
" "	"	16 18	7·509	45·135	37·626	37·512	37·728
" 23	I P E	0 16	10·492	48·282	37·790	37·702	37·816
" "	"	16 17	10·489	48·319	37·830	37·742	37·900
" 24	I P W	0 15	13·647	51·285	37·638	37·584	37·759
" "	"	17 49	13·793	51·328	37·535	37·524	37·562
" 28	I P E	0 9	29·155	34 7·025	37·870	37·741	37·969
" "	"	16 10	29·219	7·064	37·843	37·720	37·974
March 2	I P W	0 7	35·750	13·295	37·545	37·571	37·615
" "	"	16 8	35·639	13·326	37·687	37·501	37·692
" 3	I P E						37·890
" "	"	18 13	38·617	16·492	37·875	37·856	38·052
Mean of daily mean values for instrumental position I P W at both stations					33 37·592	33 37·540	33 37·671
" " I P E "					37·848	37·770	37·914
General Means					33 37·720	33 37·655	33 37·808

Whence $\qquad\qquad\qquad\qquad \delta L_N' = $ 33 37·720	$\delta L_N = $ 33 37·729
Correction for Relative Personal Equation, $\quad H_N - S_N = \ - \ $ 0·017	$H_N - S_N = \ - \ $ 0·017
$\Delta L_N = $ 33 37·703	$\Delta L_N = $ 33 37·712
Again $\qquad\qquad\qquad\qquad\qquad \delta L_S = $ 33 37·725	$\delta L_S = $ 33 37·734
Correction for Relative Personal Equation, $\quad H_S - S_S = \ - \ $ 0·035	$H_S - S_S = \ - \ $ 0·035
$\Delta L_S = $ 33 37·690	$\Delta L_S = $ 33 37·699
Whence $\quad \Delta L = \frac{1}{2}(\Delta L_N + \Delta L_S) = $ 33 37·697	$\Delta L = $ 33 37·706
$\rho = \ + \ $ 0·091	$\rho = \ + \ $ 0·074

Finally $\Delta L = $ 33 37·702

$\rho = \ + \ $ 0·083

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

		FYZABAD (E), AND JUBBULPORE (W)							
Astronomical Date	Instrumental Position at both Stations	By Clock Comparisons					By Transits at both Stations with the same Clock		
		Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$		Apparent Difference of Longitude by Stars of North Aspect by Observations with		
							E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$	
1888		h m s	m s	m s	m s		m s	m s	
March 14	I P E	10 48 27	− 0 23 921	9 9 172	8 45 251		8 45 237	8 45 260	
,, ,,	,,	11 14 58	24 073	9 320	45 247		45 176	45 244	
,, 15	I P W	10 50 39	31 919	16 846	44 927		44 836	44 963	
,, ,,	,,	11 13 4	32 047	16 958	44 911		44 911	44 986	
,, 16	I P E	10 50 44	39 208	24 152	45 144		45 101	45 248	
,, ,,	,,	11 13 9	39 275	24 464	45 189		45 107	45 223	
,, 17	I P W	10 50 50	47 065	32 075	45 010		44 918	44 980	
,, ,,	,,	11 10 40	47 237	32 172	44 935		44 823	44 993	
,, 18	I P E	10 50 55	54 563	39 780	45 217		45 187	45 332	
,, ,,	,,	11 12 21	54 641	39 890	45 249		45 201	45 247	
,, 19	I P W	10 51 1	1 2 354	47 252	44 898		44 785	44 953	
,, ,,	,,	11 12 27	2 494	47 362	44 868		44 870	44 997	
,, 20	I P E	10 51 6	9 578	54 757	45 179		45 146	45 257	
,, ,,	,,	11 13 31	9 623	54 871	45 248		45 138	45 260	
Mean of daily mean values for instrumental position I P E at both stations					8 45 216		8 45 162	8 45 258	
,, ,, ,, I P W ,,					44 925		44 857	44 979	
General Means					8 45 071		8 45 010	8 45 119	

Whence $\delta L_N = $ 8 45 071	$\delta L_N = $ 8 45 064
Correction for Relative Personal Equation, $H_N - S_N = - - $ 0 017	$H_N - S_N = - - $ 0 017
$\Delta L_N = $ 8 45 054	$\Delta L_N = $ 8 45 047
Again $\delta L_S = $ 8 45 068	$\delta L_S = $ 8 45 061
Correction for Relative Personal Equation, $H_S - S_S = - - $ 0 035	$H_S - S_S = - - $ 0 035
$\Delta L_S = $ 8 45 033	$\Delta L_S = $ 8 45 026
Whence $\Delta L = \frac{1}{2}(\Delta L_N + \Delta L_S) = $ 8 45 043 $\rho = + $ 0 048	$\Delta L = $ 8 45 037 $\rho = + $ 0 055

Finally $\Delta L = $ 8 45 040
$\rho = + $ 0 052

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

			By Clock Comparisons				By Transits at both Stations with the same Clock	
Astronomical Date	In strumental Position at both Stations	Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$		Apparent Difference of Longitude by Stars of North Aspect by Observations with	
							E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1883		*h m s*	*m s*	*m s*	*m s*		*m s*	*m s*
March 28	I P E	11 58 32	+ 0 20 591	16 7 479	16 28 070		16 27 988	16 28 116
„ 1	,	12 17 23	20 645	7 467	28 112		27 959	28 131
„ 29	I P W	11 59 58	21 260	6 714	27 974		27 925	
„ „	,	12 18 24	21 214	6 692	27 906		27 883	27 972
„ 30	I P E	11 58 10	22 328	5 740	28 068		28 033	28 202
„ „	„	12 17 56	22 399	5 738	28 137		28 028	28 202
„ 31	I P W	11 57 0	22 731	5 174	27 905		27 769	27 917
„ „	„	12 17 39	22 729	5 159	27 878		27 780	27 963
April 3	I P E	11 58 56	25 639	2 483	28 122		28 031	28 134
„ „	„	12 17 55	25 747	2 453	28 200		28 083	28 273
„ 4	I P W	11 59 5	26 601	1 325	27 926		27 825	27 900
„ „	,	12 18 1	26 573	1 301	27 874		27 796	27 923
Mean of daily mean values for instrumental position I P E at both stations					16 28 118		16 28 020	16 28 176
„ „ I P W ,					27 910		27 830	27 948
General Means					16 28 014		16 27 925	16 28 061

Whence $\delta L_N = 16\ 28\ 014$

Correction for Relative Personal Equation, $H_N - S_N = + 0\ 007$

$$\Delta L_N = 16\ 28\ 021$$

Again $\delta L_S = 16\ 28\ 046$

Correction for Relative Personal Equation, $H_S - S_S = - 0\ 058$

$$\Delta L_S = 16\ 27\ 988$$

$\delta L_N = 16\ 27\ 993$

$H_N - S_N = + 0\ 007$

$$\Delta L_N = 16\ 28\ 000$$

$\delta L_S = 16\ 28\ 025$

$H_S - S_S = - 0\ 058$

$$\Delta L_S = 16\ 27\ 967$$

Whence $\Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 16\ 28\ 005$

$$\rho = + 0\ 038$$

$$\Delta L = 16\ 27\ 984$$

$$\rho = + 0\ 068$$

Finally $\Delta L = 16\ 27\ 995$

$$\rho = + 0\ 053$$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

AKYAB (E), AND CALCUTTA (W)								
	Instrumental Position at		By Clock Comparisons				By Transits at both Stations with the same Clock	
Astronomical Date			Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with	
	E	W					E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1883			h m s	m s	m s	m s	m s	m s
November 27	I P E	I P E	4 23 15	+ 0 11 036	17 58 767	18 9 803	18 9 639	18 9 799
" "	"	"	41 41	11 079	58 767	9 846	9 652	9 829
December 8	I P W	"	5 15 51	17 662	51 738	9 400	9 366	9 426
" "	"	"	29 31	17 758	51 726	9 484	9 351	9 463
" 9	"	I P W	15 51	18 356	50 877	9 233	9 055	9 187
" "	"	"	29 31	18 308	50 866	9 174	9 182	9 218
" 10	I P E	"	15 52	18 868	50 354	9 222	9 188	9 197
" "	"	"	29 31	18 944	50 349	9 293	9 142	9 300
" 11	"	I P E	15 52	19 151	50 392	9 543	9 438	9 716
" "	"	"	29 32	19 218	50 392	9 610	9 513	9 710
" 12	I P W	"	15 52	18 648	50 784	9 432	9 458	9 556
" "	"	"	29 32	18 821	50 789	9 610	9 520	9 619
" 13	"	I P W	15 53	18 037	51 251	9 288	9 118	9 328
" "	"	"	29 32	18 038	51 250	9 288	9 266	9 328
" 14	I P E	"	15 53	17 777	51 488	9 265	9 200	9 392
" "	"	"	29 32	17 923	51 488	9 411	9 295	9 333

Mean of daily mean values for instrumental position *I P E* at both stations			18 9 701	18 9 561	18 9 764
" "	*I P W* at E Station and *I P E* at W Station		9 482	9 424	9 516
" "	*I P W* at both stations		9 246	9 155	9 265
" "	*I P E* at E Station and *I P W* at W Station		9 298	9 206	9 356

General Means	18 9 432 18 9 337 18 9 475

By Clock Comparisons:

Whence $\delta L_N = 18\ 9\ 432$

Correction for Relative Personal Equation, $H_N - S_N = + 0\ 008$

$\Delta L_N = 18\ 9\ 440$

Again $\delta L_S = 18\ 9\ 404$

Correction for Relative Personal Equation, $H_S - S_S = - 0\ 029$

$\Delta L_S = 18\ 9\ 375$

Whence $\Delta L = \frac{1}{2}(\Delta L_N + \Delta L_S) = 18\ 9\ 407$

$\rho = + 0\ 056$

By Transits at both Stations:

$\delta L_N = 18\ 9\ 406$

$H_N - S_N = + 0\ 008$

$\Delta L_N = 18\ 9\ 414$

$\delta L_S = 18\ 9\ 378$

$H_S - S_S = - 0\ 029$

$\Delta L_S = 18\ 9\ 349$

$\Delta L = 18\ 9\ 382$

$\rho = + 0\ 069$

Finally $\Delta L = 18\ 9\ 395$

$\rho = + 0\ 063$

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

		AKYAB (E), AND CHITTAGONG (W)						
Astronomical Date	Instrumental Position at		By Clock Comparisons				By Transits at both Stations with the same Clock	
	E	W	Epoch by E Clock T_E	Corrected Difference of Observed Times at Epoch T_E Reduced to Stars of North Aspect M_N	Deduced Clock Difference D at Epoch T_E	Apparent Difference of Longitude by Stars of North Aspect $\delta L_N = D + M_N$	Apparent Difference of Longitude by Stars of North Aspect by Observations with	
							E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1883 84			h m s	m s	m s	m s	m s	m s
December 26	I P E	I P E	5 51 16	+ 0 16 488	3 58 026	4 14 514	4 14 461	4 14 536
„ „		„	6 6 32	16 608	57 914	14 522	14 403	14 528
„ 27	I P W	„	5 51 15	25 808	48 586	14 394	14 397	14 378
„ „	„	„	6 6 32	25 872	48 484	14 356	14 331	14 375
„ 28	„	I P W	5 51 14	35 208	38 916	14 124	14 081	14 107
„ „		„	6 7 39	35 321	38 793	14 l14	14 046	14 113
„ 29	I P E	„	5 51 13	44 927	29 182	14 109	13 986	14 095
„ „	„	„	6 6 30	45 032	29 072	14 104	14 040	14 163
„ 30	„	I P E	5 51 13	54 797	19 531	14 328	14 353	14 384
„ „	„	„	6 5 21	54 955	19 435	14 390	14 328	14 374
January 2	I P W	„	5 51 11	1 25 046	2 49 300	14 146	14 311	14 384
„ „	„	„	6 6 28	25 156	49 188	14 344	14 348	14 382
„ 3	„	I P W	5 51 10	34 657	39 295	13 952	13 940	14 046
„ „	„	„	6 6 27	34 834	39 187	14 021	13 993	14 029
„ 4	I P E	„	5 51 9	44 732	29 443	14 175	14 095	14 194
„ „	„	„	6 6 26	44 791	29 326	14 117	14 141	14 196
Mean of daily mean values for instrumental position I P E at both stations						4 14 439	4 14 386	4 14 455
„ „ I P W at E Station and I P E at W Station						14 360	14 322	14 379
„ „ I P W at both stations						14 053	14 015	14 074
„ „ I P E at E Station and I P W at W Station						14 126	14 066	14 162
General Means						4 14 245	4 14 197	4 14 268

$$\text{Whence} \qquad \delta L_N = 4\ 14\ 245 \qquad\qquad \delta L_N = 4\ 14\ 232$$

$$\text{Correction for Relative Personal Equation,} \quad H_N - \delta_N = + 0\ 008 \qquad\qquad H_N - \delta_N = + 0\ 008$$

$$\Delta L_N = 4\ 14\ 253 \qquad\qquad \Delta L_N = 4\ 14\ 240$$

$$\text{Again} \qquad \delta L_S = 4\ 14\ 293 \qquad\qquad \delta L_S = 4\ 14\ 280$$

$$\text{Correction for Relative Personal Equation,} \quad H_S - \delta_S = - 0\ 029 \qquad\qquad H_S - \delta_S = - 0\ 029$$

$$\Delta L_S = 4\ 14\ 264 \qquad\qquad \Delta L_S = 4\ 14\ 251$$

$$\text{Whence} \quad \Delta L = \tfrac{1}{2}(\Delta L_N + \Delta L_S) = 4\ 14\ 258 \qquad\qquad \Delta L = 4\ 14\ 246$$

$$\rho = + 0\ 036 \qquad\qquad \rho = + 0\ 036$$

$$\text{Finally} \quad \Delta L = 4\ 14\ 252$$

$$\rho = + 0\ 036$$

Deduction of the Apparent Difference of Longitude, ∆L, and the Retardation of Signals, ρ.

PROME (E), AND CHITTAGONG (W)					PROME (E), AND AKYAB (W)				
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Stars of North Aspect by Observations with		Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Stars of North Aspect by Observations with	
	E	W	E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$		E	W	E Clock $= \delta L_N - \rho$	W Clock $= \delta L_N + \rho$
1884			m s	m s	1884			m s	m s
January 21	I P W	I P W	13 30 343 / 30 364	13 30 417 / 30 511	February 8	I P E	I P E	9 16 326	9 16 347
„ „	I P E	„	30 231 / 30 329	30 269 / 30 261	„ „	„	„	16 330	16 439
„ 22	„	I P E	30 465 / 30 503	30 516 / 30 564	„ „	I P W	„	16 268	16 411
„ „	I P W	„	30 546 / 30 519	30 611 / 30 696	„ „	„	„	16 356	16 413
„ 23	„	I P W	30 293 / 30 298	30 345 / 30 405	„ 9	„	I P W	16 017	16 107
„ „	I P E	„	30 376 / 30 376	30 485 / 30 443	„ „	„	„	15 960	16 049
„ 24	„	I P E	30 673 / 30 648	30 776 / 30 758	„ „	I P E	„	16 129	16 263
„ „	I P W	„	30 510 / 30 426	30 526 / 30 573	„ „	„	„	16 109	16 205
„ 25	„	I P W	30 217 / 30 226	30 343 / 30 391	„ 12	„	I P E	16 405	16 491
„ „	I P E	„	30 306 / 30 324	30 518 / 30 478	„ „	„	„	16 361	16 415
„ 26	„	I P E	30 584 / 30 556	30 735 / 30 710	„ „	I P W	„	16 236	16 389
„ „	I P W	„	30 490 / 30 392	30 542 / 30 488	„ „	„	„	16 185	16 334
„ 29	„	I P W	30 215 / 30 243	30 368 / 30 341	„ 13	„	I P W	16 122	16 207
„ „	I P E	„	30 459 / 30 408	30 483 / 30 461	„ „	„	„	16 089	16 095
„ 30	„	I P E	30 611 / 30 541	30 676 / 30 700	„ „	I P E	„	16 252	16 281
„ „	I P W	„	30 512 / 30 426	30 586 / 30 555	„ „	„	„	16 209	16 251

PROME–CHITTAGONG Mean of daily mean values for undeterminental position	E Clock	W Clock	PROME–AKYAB Mean for instrumental position	E Clock	W Clock
I P E at both stations	13 30 573	13 30 679	I P E at both stations	9 16 356	9 16 423
I P W at E Station and I P E at W Station	30 478	30 573	I P W at E Station and I P E at W Station	16 261	16 387
I P W at both stations	30 280	30 391	I P W at both stations	16 047	16 115
I P E at E Station and I P W at W Station	30 351	30 425	I P E at E Station and I P W at W Station	16 175	16 250
General Means	13 30 421	13 30 517	General Means	9 16 310	9 16 294

Whence $\delta L_N = $ 13 30 469
Correction for Relative Personal Equation, $H_N - S_N = + $ 0 008
            $\Delta L_N = $ 13 30 477

Again $\delta L_S = $ 13 30 495
Correction for Relative Personal Equation, $H_S - S_S = - $ 0 029
            $\Delta L_S = $ 13 30 466

Finally $\Delta L = \frac{1}{2}(\Delta L_N + \Delta L_S) = $ 13 30 472
                  $\rho = + $ 0 048

Whence $\delta L_N = $ 9 16 252
Correction for Relative Personal Equation, $H_N - S_N = + $ 0 008
            $\Delta L_N = $ 9 16 260

Again $\delta L_S = $ 9 16 292
Correction for Relative Personal Equation, $H_S - S_S = - $ 0 029
            $\Delta L_S = $ 9 16 263

Finally $\Delta L = \frac{1}{2}(\Delta L_N + \Delta L_S) = $ 9 16 262
                  $\rho = + $ 0 042

Deduction of the Apparent Difference of Longitude, ΔL, and the Retardation of Signals, ρ.

MOULMEIN (E), AND PROME (W)					**MOULMEIN (E), AND AKYAB (W)**				
Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Stars of North Aspect by Observations with		Astronomical Date	Instrumental Position at		Apparent Difference of Longitude by Stars of North Aspect by Observations with	
	E	W	E Clock $-\delta L_N - \rho$	W Clock $-\delta L_N + \rho$		E	W	E Clock $-\delta L_N - \rho$	W Clock $-\delta L_N + \rho$
1884				m s	1884			m s	m s
March 8	I P E	I P W	9 38 639 / 38 697	9 38 780 / 38 798	March 26	I P E	I P E	18 54 810 / 54 837	18 54 992 / 54 962
, 9	I P W	,	38 844 / 38 855	38 858 / 38 815	, 27	I P W	I P W	55 045 / 55 033	55 151 / 55 128
,, 10	,	I P E	38 721 / 38 722	38 800 / 38 825	,, ,	,	I P E	54 912 / 54 970	55 013 / 55 014
,, ,	I P E	,	38 711 / 38 734	38 762 / 38 701	,, 28	,,	I P E		54 924 / 54 961
11	,	I P W	38 685 / 38 721	38 760 / 38 776	,, ,,	I P W	,,	54 945 / 54 972	55 039 / 55 036
,	I P W	,	38 746 / 38 792	38 826 / 38 842	,, 29	,,	I P W	55 063 / 55 082	55 168 / 55 128
,, 12	,,	I P E	38 774 / 38 747	38 746 / 38 814	,, ,,	I P E	,,	54 948 / 54 930	55 011 / 55 068
,,	I P E	,	38 624 / 38 648	38 672 / 38 643	,, 30	,,	I P E	54 917 / 54 866	54 927 / 54 918
, 13	,	I P W	38 700 / 38 690	38 760 / 38 738	,, ,	I P W	,	54 957 / 54 986	55 021 / 54 989
, ,	I P W	,,	38 738 / 38 751	38 744 / 38 770	31	,,	I P W	55 037 / 55 045	55 075 / 55 083
14	,,	I P E	38 745 / 38 758	38 829 / 38 745	,,	I P E	,	54 887 / 54 984	54 949 / 55 111
, ,	I P E	,	38 689 / 38 638	38 681 / 38 645	April 1	,,	I P E	54 910 / 54 883	54 946 / 55 008
, 15	,	I P W	38 681 / 38 660	38 747 / 38 760	,, ,,	I P W	,,	54 819 / 54 888	54 970 / 54 953
,	I P W		38 797 / 38 ,88	38 9(9 / 38 852					
Mean of daily mean values for instrumental position { I P E at both stations			9 38 674	9 38 684	Mean of daily mean values for instrumental position { I P E at both stations			18 54 877	18 54 955
I P W at E Station and I P E at W Station }			38 745	38 793	I P W at E Station and I P E at W Station }			54 928	54 996
I P W at both stations			38 ,89	38 834	I P W at both stations			55 051	55 122
I P E at E Station and I P W at W Station }			38 685	38 765	I P E at E Station and I P W at W Station }			54 944	55 031
General Means			9 38 723	9 38 769	General Means			18 54 950	18 55 026

Whence	$\delta L_N = $ 9 38 746
Correction for Relative Personal Equation, $S_N - H_N = -$ 0 008	
	$\Delta L_N = $ 9 38 738
Again	$\delta L_S = $ 9 38 749
Correction for Relative Personal Equation $S_S - H_S = +$ 0 029	
	$\Delta L_S = $ 9 38 778

Whence	$\delta L_N = $ 18 54 988
Correction for Relative Personal Equation, $S_N - H_N = -$ 0 008	
	$\Delta L_N = $ 18 54 980
Again	$\delta L_S = $ 18 54 938
Correction for Relative Personal Equation $S_S - H_S = +$ 0 029	
	$\Delta L_S = $ 18 54 967

Finally $\Delta L = \frac{1}{2} (\Delta L_N + \Delta L_S) = $ 9 38 758

$\rho = +$ 0 023

Finally $\Delta L = \frac{1}{2} (\Delta L_N + \Delta L_S) = $ 18 54 974

$\rho = +$ 0 038

ELECTRO-TELEGRAPHIC LONGITUDES

PART IV.

SIMULTANEOUS REDUCTION

AND

FINAL RESULTS OF THE WHOLE.OF THE OPERATIONS,

ALSO

A SHORT DISCUSSION ON LOCAL ATTRACTION.

CHAPTER I

THE FINAL REDUCTION OF THE ARCS OF LONGITUDE

The arcs of longitude, contained in this, and in the preceding Volumes IX and X, extend in a network over the greater part of India from Peshawar in the north to Cape Comorin in the south, and from Quetta in the west to Moulmein in the east, as will be seen from the chart in Plate V In consequence of the measures of these arcs being fallible, the difference of longitude of any two stations connected in different ways by two or more arcs, will vary according to the arcs selected for the connection Hence it is necessary to undertake the simultaneous reduction of them all into one harmonious whole, and the particulars of this reduction are given in detail in the present volume By the expression "one harmonious whole" is meant that whatever selection of arcs is taken as a route to join any two stations, the resulting difference of longitude of those two stations is always the same

The operation is a far simpler one than the corresponding reduction in the case of the triangulation and base lines, partly because the number of quantities to be dealt with is very much less, but chiefly because the conditions to be fulfilled are fewer and simpler there is in fact only one condition, and that is, that the so called "circuit-error" of every triangle formed by three arcs of longitude should be equal to zero, for it is obvious that if this condition hold for every triangle in a network, it will also hold for every polygon formed in any way whatever of such triangles Hence it follows that, in a simple network of triangles built up one upon another without any crossing or superfluous rays, the number of equations to be solved will be equal to the number of triangles In the network reduced in this volume there is only one case of a superfluous ray, and that is in the quadrilateral Agra–Deesa–Kurrachee–Mooltan, where both diagonals have been measured, the whole problem resolves itself into the solution of thirty-one equations containing fifty-five unknown quantities, which equations are to be solved in such a manner that the sum of the squares of the corrections to the arcs is made a minimum

In every triangle formed by three arcs of longitude, if the work is perfectly performed, one of the arcs must equal the sum of the other two, the difference from equality is called throughout the description of longitude work in India the "circuit error" of the triangle Of the three stations forming the angular points of such a triangle, one must necessarily be to the east, one to the west, and the third

lying somewhere between these two, (excluding the possible though extremely unlikely case of more than one of the stations being on the same meridian)   In the schedule of equations given in *Table III* the two arcs containing the middle station are written with the positive sign, and the third arc, *i.e.*, the one joining the extreme stations, is written with the negative sign, and hence the algebraic sum of the three gives the numerical value of the circuit-error as the right-hand member of the equation.

It will be noticed that this system of reduction takes no account of the weight of each arc, and it will be advisable to show here, why it was believed that the rejection of weights, or, more correctly speaking, the assumption of equal weights for all the arcs, was justifiable   Briefly stated the reason was that the only data available for computing the probable error of an arc (on the reciprocal of which the weight depends) produced probable errors so small in comparison with those that were shown actually to exist by the circuit equations, that it was clear that some cause of inaccuracy was present, which prevented the formulæ employed for determining the probable error from representing even approximately its true value   The usual system of computing the probable error of a quantity that has been determined by a number of independent measures, is by a discussion in some form or other of the residuals, or in other words by a comparison of each individual value with the mean of certain groups or sets in which it occurs   but in the case of these arcs of longitude the following difficulty arises   The assumption of a mean C_0 for observations in both pivot positions, as explained in Part III, results in the same final mean whatever the actual assumed value of C_0 may be, *i e*, whether C_0 be taken at o, 10, 20 or any other magnitude, the finally concluded value of the arc will, so far at least as it depends on collimation correction, remain the same   the effect of an error in the adopted value of C_0 is that the measures in the different pivot positions will be more or less divergent, thus giving rise to a large probable error if computed from the residuals by the usual method, though the final mean will be unaffected   Hence it follows that the discrepancies which appear between observations *I P E* and *I P W*, so far as they are caused by an erroneous C_0, should not be allowed to have any effect in decreasing the weight of an arc   Practically it is not possible to ascertain to what extent discrepancies of this sort are due to this cause, or how far to other causes which might reasonably be supposed to justify a decrease of weight, and consequently any attempt to base the weight of an arc upon considerations of this kind seems impracticable   For although a weight form might perhaps be designed to take account of these discrepancies on a system analogous to that by which the angles of the triangulation are weighted, the difference of each observation on any night from the mean of that night corresponding to the errors of one zero, and the differences between successive nights corresponding to the errors of zero means, yet it appeared so doubtful whether any weight thus deduced would give any true idea of the relative accuracy of the arcs, that the idea was abandoned, and all the arcs have been assumed to possess the same weight

These longitude observations furnish another instance of the well-known fact that if groups of measures of a certain quantity are made at different times, but under exactly the same apparent conditions, and with the same instrument, such groups will differ by quantities which appear surprisingly large, and impossible to be accounted for   The results obtained from night to night, under the same conditions as far as pivot position, clock, relays, stars, observers, &c , are concerned, show considerable discrepancies, much larger in fact than can be attributed to want of skill or care in the observers   Changes of pivots may naturally be expected to produce, and do produce, marked fluctuations in the measures, more marked indeed than those alluded to above, yet these latter are by no means insignificant.

An attempt was made to obtain a *relative* weight for each arc without any regard to its computed probable error in the following way   For each arc the following data were prepared, (1) the difference between its greatest and least value, or the *range* over which all the measures were distributed, and (2) the number of stars on which the arc depended   The value of ρ, the electrical retardation, for each arc was added to all the observations *I P E* and subtracted from all those *I P W* before the range was

taken out. It was found that these two quantities varied between comparatively narrow limits for nearly all the arcs observed; and hence it follows that if the errors are distributed according to the law of the probability curve,—and there is no à priori improbability in such a supposition—that the relative weights of all the arcs will also vary between narrow limits   The first of the two above mentioned quantities approximates pretty closely to o' 5, and the second to 180   An obvious objection to this proceeding is that the *range*, though not the accuracy of the final value of an arc, is affected by an error in the adopted value of C_0 as explained above

An empirical formula for the relative weight was deduced from these data by dividing the number of stars observed by one hundred times the range, this however produced weights, as might be expected, varying so little from equality, and so closely proportional to the number of stars observed, that it was considered an unnecessary addition to the labour of reduction to apply them   It is satisfactory to observe that the close agreement of these two quantities in all the arcs that were examined, affords a strong justification for the assumption finally made in the reduction, *viz*, the equal weight of all the arcs that enter into it.

Personal equation might reasonably be supposed to have a considerable effect on the final concluded value of an arc, being liable to fluctuations which are often obscure, and incapable of being controlled   moreover error in this equation enters into the result with its full value, and does not admit of cancelment, except partially by interchange of observers   The weight of an arc might reasonably be made to depend on the uncertainty, or variability, of this equation, but here a difficulty comes in   Personal equation is generally measured three times at least, and often more, during a season's work   now if its value varies from time to time, the only practical assumption is that it varies uniformly, and it has been the custom to compute its value on this supposition, so that the only available system of applying weights based on personal equation would be to give an arbitrarily low value to those arcs during which the equation was varying quickly and *vice versâ*, but it could not be expected that such a system would command any confidence, nor would it justify the extra labour which it would entail in solving the equations of condition

If an attempt be made to obtain a probable error from the consideration of residuals, as furnished by the observations on each single night, or from groups of observations during which no change of pivot is made, it will be found that a probable error thus deduced will be absurdly small in comparison with the circuit-errors   The influence of erroneous estimation of the moment when a star crosses a wire is extremely minute, for in the case of a single wire the probable error of the estimation amounts to only o' 04, and for the eleven wires over which a star is usually taken, to only about o' 01, and as from one hundred and eighty to two hundred stars are generally observed on each arc by each observer, it seems obvious that errors resulting from this cause must be utterly insignificant.

There is yet another source of error remaining, which seems at first sight as if it might be made a basis for assigning relative weights to the arcs, *i e*, the value of ρ, which is the electrical retardation, or, to speak more exactly, half the difference between ΔL as determined by the E and by the W clock, respectively   Now the velocity with which an electric signal is transmitted along a wire is by no means accurately known, there is, however, an empirical formula in use by the Prussian Geodesists as follows —

$$t = 000,0129\, m + 000,000,008\, m^2$$

where t is the time of transmission in seconds of time and m is the length of the wire in miles, but it is not known what reliance can be placed on its correctness   Now in most cases there is no difficulty in ascertaining within small limits the length of the wire connecting two stations, and it has been found in every case that ρ exceeds the value of t as calculated from the above formula, this excess can only be attributed to armature-time in the various relays used on the commutator-board   It is by no means certain whether all or any of this armature-time is cancelled in the mean of the observations

with the two clocks, and any outstanding portion of it must always become a positive source of error in the resulting value of the arc. Still the accurate following out of the effects of armature-time through all the apparatus, *vide* page (21), Appendix, Volume X, leaves so much doubt on this point, and so much open to mere supposition, that at the most a mere arbitrary weight could be assigned being some simple function of the difference between the theoretical and the actual ρ and although it seems probable that an abnormal value of ρ may very reasonably be supposed to indicate an untrustworthy arc, no satisfactory system of assigning a weight based on such a consideration has been devised. A brief discussion on the value of retardation as deduced from the whole of the Indian longitude operations will be found in Appendix No 2 of this Volume.

A doubt was suggested at one time whether errors in the places of the circumpolar stars used in the determination of the deviation of the transit instruments from the meridian, would have any appreciable effect. It is obvious that if the two instruments are on the same parallel of latitude, and the same circumpolar stars used at both stations, no effect can ensue; but in some cases the stations differ largely in latitude, and an investigation was made which completely banished all suspicion that any bad effect could be thus produced. In the case of the arc Bombay-Kurrachee (two stations having the greatest difference of latitude of any pair yet observed) it was found that an error of one second of time in the Right Ascension of δ U⋅sæ Minoris or 51 Cephei (which were taken as typical circumpolar stars) would only produce a difference of deviation in the two instruments of $\frac{1}{10}$ of a micrometer division, a quantity entirely rejectaneous in the correction of transits of longitude stars for azimuthal deviation.

These considerations, taken in conjunction with the fact that the circumstances under which each arc was measured, were made as similar as possible, as far as the number of stars observed, the pivot changes, the arrangement of the electrical apparatus, &c , were concerned, seem to justify the assumption of adopting an equal weight for all , and this has accordingly been done in the simultaneous reduction.

The numerical reduction can for the most part be presented in tabular form.

In *Table No I* is given a list of the fifty-five arcs, which enter into the reduction, with their observed numerical values. For convenience of computation a distinguishing number (in brackets) is allotted to each. *Table II* contains the thirty one circuits formed by these fifty five arcs with their numerical errors. Each circuit is expressed symbolically by the numbers of the arcs forming it, and is also distinguished by a Roman numeral.

The correction to each arc being symbolized by the letter x with a subscript corresponding to the number of the arc to which it appertains, thirty-one equations are formed in which the left-hand member contains corrections corresponding to the several arcs in the equations of *Table II*, and the right-hand members are the same as those in that table, but with the signs changed throughout. These equations are exhibited in *Table III*, and have now to be solved subject to the two following conditions, (1) that each equation shall be exactly satisfied, and (2) that the sum of the squares of $x_1, x_2, x_3,$ &c. shall be a minimum. To effect this the following well-known process is employed :—Each equation is differentiated, and the first is multiplied by an indeterminate factor f_1, the second by f_2, the third by f_3, and so on. The equations thus formed are added together, forming a resulting equation in which the coefficients of $dx_1, dx_2, dx_3,$ &c , consist of the indeterminate factors $f_1, f_2, f_3,$ &c , connected by addition and subtraction only. If the equation $x_1^2 + x_2^2 + x_3^2 +$ &c , = minimum be also differentiated, and the coefficients of $dx_1, dx_2, dx_3,$ &c , in the result be equated to those of $dx_1, dx_2, dx_3,$ in the former equation, a set of values of $x_1, x_2, x_3,$ &c , is obtained in terms of the indeterminate factors. *Table IV* gives a synopsis of the values of $x_1, x_2, x_3,$ &c , thus expressed.

These values being then substituted in the set of equations in *Table III* produce thirty-one equations between thirty-one unknown quantities $f_1, f_2, f_3,$ &c , which are exhibited in *Table V*.

This group is solved in the manner usually employed for simultaneous equations, and the values of the indeterminate factors f_1, f_2, f_3, thus obtained are given in *Table VI*, and these being substituted in *Table IV* furnish the values of x_1, x_2, x_3, &c., given in *Table VII*, which will be found to fulfil the two necessary conditions.

Table VIII is inserted to prove the accuracy of the numerical work by actual substitution of the computed values of f and x in the original equations, and lastly in *Table IX* are shown the corrected values of the several arcs as well as the geodetic values, and a comparison between the two is given in the last column.

It will be noticed that the corrections are satisfactorily small, out of the fifty-five there are

19 between 0·000 and 0·010 including the latter value
17 „ 0·010 „ 0·020 „ „ „
10 „ 0·020 „ 0·030 „ „ „
 6 „ 0·030 „ 0·040 „ „ „
 3 „ 0·040 „ 0·045 „ „ „

As the longitude from Greenwich of Kaliánpur, the origin of the Indian Survey is still liable to further small corrections, it has not been thought necessary to give any table of absolute longitudes of Indian stations, they can however be obtained very approximately, if required, by taking the longitude of Kaliánpur in *Table IX* at $77° 39' 21''·83$ or $5^h 10^m 37'·455$ E of Greenwich, and making the necessary additions or subtractions

Table I.—List of Arcs with their distinguishing Numbers and observed Values.

Name of Arc	No	Observed Value	Name of Arc	No.	Observed Value
		m s			*m s*
Mooltan–Quetta	(1)	17 43 499	Bellary–Bombay	(29)	16 26 867
Kurrachee–Quetta	(2)	0 1 603	Bangalore–Bellary	(30)	2 37 230
Mooltan–Kurrachee	(3)	17 41 976	Bellary–Mangalore	(31)	8 19 653
Agra–Deesa	(4)	23 20 370	Mangalore–Bombay	(32)	8 7 273
Deesa–Kurrachee	(5)	20 40 529	Bangalore–Nagarkoil	(33)	0 35 708
Deesa–Mooltan	(6)	2 58 582	Nagarkoil–Mangalore	(34)	10 21 141
Agra–Kurrachee	(7)	44 0 992	Madras–Nagarkoil	(35)	11 15 006
Agra–Mooltan	(8)	26 19 053	Madras–Bangalore	(36)	10 39 331
Amritsar–Mooltan	(9)	13 44 281	Madras–Mangalore	(37)	21 36 129
Peshawar–Mooltan	(10)	0 27 483	Madras–Bellary	(38)	13 16 567
Amritsar–Peshawar	(11)	13 16 776	Madras–Bolarum	(39)	6 54 615
Agra–Amritsar	(12)	12 34 725	Waltair–Madras	(40)	12 16 868
Dehra Dun–Agra	(13)	0 7 233	Waltair–Bolarum	(41)	19 11 525
Dehra Dun–Amritsar	(14)	12 41 995	Waltair–Jubbulpore	(42)	13 28 501
Fyzabad–Agra	(15)	16 27 995	Calcutta–Waltair	(43)	20 9 194
Fyzabad–Dehra Dun	(16)	16 20 704	Calcutta–Jubbulpore	(44)	33 37 702
Fyzabad–Jubbulpore	(17)	8 45 040	Calcutta–Fyzabad	(45)	24 52 661
Jubbulpore–Agra	(18)	7 43 c26	Jalpaiguri–Calcutta	(46)	1 30 290
Jubbulpore–Deesa	(19)	31 3 393	Jalpaiguri–Fyzabad	(47)	26 22 986
Jubbulpore–Bombay	(20)	28 31 816	Chittagong–Calcutta	(48)	13 55 145
Jubbulpore–Kalianpur	(21)	9 10 323	Chittagong–Jalpaiguri	(49)	12 24 816
Agra–Kalianpur	(22)	1 27 319	Akyab–Chittagong	(50)	4 14 252
Kalianpur–Bombay	(23)	19 21 441	Akyab–Calcutta	(51)	18 9 395
Bombay–Kurrachee	(24)	23 12 215	Prome–Akyab	(52)	9 16 262
Bombay–Deesa	(25)	2 31 644	Prome–Chittagong	(53)	13 30 472
Jubbulpore–Bolarum	(26)	5 42 935	Moulmein–Prome	(54)	9 38 758
Bolarum–Bombay	(27)	22 48 785	Moulmein–Akyab	(55)	18 54 974
Bolarum–Bellary	(28)	6 21 943			

Table II—Circuit Errors

I	$(2) + (3) - (1) = +0\ 080$
II	$(4) + (5) - (7) = -\ 093$
III	$(4) + (6) - (8) = -\ 101$
IV	$(6) + (3) - (5) = +\ 029$
V	$(12) + (9) - (8) = -\ 047$
VI	$(11) + (10) - (9) = -\ 022$
VII	$(13) + (12) - (14) = -\ 037$
VIII	$(16) + (13) - (15) = -\ 058$
IX	$(17) + (18) - (15) = +\ 071$
X	$(18) + (22) - (21) = +\ 022$
XI	$(18) + (4) - (19) = +\ 003$
XII	$(21) + (23) - (20) = -\ 052$
XIII	$(20) + (25) - (19) = +\ 067$
XIV	$(25) + (5) - (24) = -\ 042$
XV	$(26) + (27) - (20) = -\ 096$
XVI	$(28) + (29) - (27) = +\ 025$
XVII	$(31) + (32) - (29) = +\ 059$
XVIII	$(35) + (34) - (37) = +\ 018$
XIX	$(38) + (31) - (37) = +\ 091$
XX	$(36) + (30) - (38) = -\ 006$
XXI	$(36) + (33) - (35) = +\ 033$
XXII	$(39) + (28) - (38) = -\ 009$
XXIII	$(40) + (39) - (41) = -\ 042$
XXIV	$(42) + (26) - (41) = -\ 089$
XXV	$(43) + (42) - (44) = -\ 007$
XXVI	$(45) + (17) - (44) = -\ 001$
XXVII	$(46) + (45) - (47) = -\ 035$
XXVIII	$(49) + (46) - (48) = -\ 039$
XXIX	$(52) + (50) - (53) = +\ 042$
XXX	$(54) + (52) - (55) = +\ 046$
XXXI	$(50) + (48) - (51) = +\ 002$

Table III—Synopsis of Equations of Condition for Solution.

I	$x_2 + x_3 - x_1 = -0\ 080$
II	$x_4 + x_5 - x_7 = +\ 093$
III	$x_4 + x_6 - x_8 = +\ 101$
IV	$x_6 + x_3 - x_5 = -\ 029$
V	$x_{12} + x_9 - x_8 = +\ 047$
VI	$x_{11} + x_{10} - x_9 = +\ 022$
VII	$x_{13} + x_{12} - x_{14} = +\ 037$
VIII	$x_{16} + x_{13} - x_{15} = +\ 058$
IX	$x_{17} + x_{18} - x_{15} = -\ 071$
X	$x_{18} + x_{22} - x_{21} = -\ 022$
XI	$x_{18} + x_4 - x_{19} = -\ 003$
XII	$x_{21} + x_{23} - x_{20} = +\ 052$
XIII	$x_{20} + x_{25} - x_{19} = -\ 067$
XIV	$x_{25} + x_5 - x_{24} = +\ 042$
XV	$x_{26} + x_{27} - x_{20} = +\ 096$
XVI	$x_{28} + x_{29} - x_{27} = -\ 025$
XVII	$x_{31} + x_{33} - x_{29} = -\ 059$
XVIII	$x_{35} + x_{34} - x_{37} = -\ 018$
XIX	$x_{38} + x_{31} - x_{37} = -\ 091$
XX	$x_{36} + x_{30} - x_{38} = +\ 006$
XXI	$x_{36} + x_{33} - x_{34} = -\ 033$
XXII	$x_{39} + x_{35} - x_{38} = +\ 009$
XXIII	$x_{40} + x_{39} - x_{41} = +\ 042$
XXIV	$x_{42} + x_{26} - x_{41} = +\ 089$
XXV	$x_{43} + x_{42} - x_{44} = +\ 007$
XXVI	$x_{45} + x_{17} - x_{44} = +\ 001$
XXVII	$x_{46} + x_{45} - x_{47} = +\ 035$
XXVIII	$x_{49} + x_{46} - x_{48} = +\ 039$
XXIX	$x_{52} + x_{50} - x_{53} = -\ 042$
XXX	$x_{54} + x_{52} - x_{55} = -\ 046$
XXXI	$x_{50} + x_{48} - x_{51} = -\ 002$

Table IV.—*Tabular Statement showing the Values of the*

Arc Correction	f_1	f_2	f_3	f_4	f_5	f_6	f_7	f_8	f_9	f_{10}	f_{11}	f_{12}	f_{13}	f_{14}	f_{15}	f_{16}
x_1	− I															
x_2	+ I															
x_3	+ I															
x_4		+ I	+ I	+ I							+ I					
x_5		+ I	+ I	− I										+ I		
x_6			+ I	+ I												
x_7		− I														
x_8					− I											
x_9					+ I	− I										
x_{10}						+ I										
x_{11}						+ I										
x_{12}					+ I		+ I									
x_{13}							+ I	+ I								
x_{14}							− I									
x_{15}								− I	− I							
x_{16}								+ I								
x_{17}									+ I							
x_{18}									+ I	+ I	+ I	+ I				
x_{19}										− I						
x_{20}												− I	− I		− I	
x_{21}										− I			+ I			
x_{22}										+ I			+ I			
x_{23}																
x_{24}														− I		
x_{25}													+ I	+ I		
x_{26}															+ I	
x_{27}															+ I	
x_{28}																− I
x_{29}																+ I
x_{30}																+ I
x_{31}																
x_{32}																
x_{33}																
x_{34}																
x_{35}																
x_{36}																
x_{37}																
x_{38}																
x_{39}																
x_{40}																
x_{41}																
x_{42}																
x_{43}																
x_{44}																
x_{45}																
x_{46}																
x_{47}																
x_{48}																
x_{49}																
x_{50}																
x_{51}																
x_{52}																
x_{53}																
x_{54}																
x_{55}																

Arc-Corrections in Terms of the Indeterminate Factors

f_{17}	f_{18}	f_{19}	f_{20}	f_{21}	f_{22}	f_{23}	f_{24}	f_{25}	f_{26}	f_{27}	f_{28}	f_{29}	f_{30}	f_{31}	Arc Correction
															x_1
															x_2
															x_3
															x_4
															x_5
															x_7
															x_8
															x_9
															x_{10}
															x_{11}
															x_{12}
															x_{13}
												•				x_{14}
															x_{15}
															x_{16}
									$+1$							x_{17}
										•	•					x_{18}
													•			x_{19}
												•	•			x_{20}
												•	•			x_{21}
													•			x_{22}
																x_{23}
													•			x_{24}
																x_{25}
						$+1$			•							x_{26}
									•							x_{27}
					$+1$											x_{28}
-1																x_{29}
$+1$		$+1$	$+1$													x_{30}
$+1$		$+1$														x_{31}
																x_{32}
				$+1$												x_{33}
	$+1$			$+1$			•									x_{34}
	$+1$				-1											x_{35}
			$+1$	$+1$												x_{36}
	-1			$+1$									•			x_{37}
		-1		-1												x_{38}
	$+1$				-1	$+1$	•									x_{39}
						$+1$	•									x_{40}
					•		-1	•								x_{41}
							$+1$	$+1$								x_{42}
								$+1$	-1							x_{43}
							-1		-1	$+1$						x_{44}
										$+1$	$+1$					x_{45}
										-1	$+1$					x_{46}
										-1		$+1$				x_{47}
•											-1			$+1$		x_{48}
											$+1$			$+1$		x_{49}
												$+1$		-1		x_{50}
																x_{51}
	•											$+1$ -1	$+1$			x_{52}
													$+1$	•		x_{53}
												$+1$	$+1$			x_{54}
													-1			x_{55}

Table V.—Showing the Equations

No of Equation of Condition	f_1	f_2	f_3	f_4	f_5	f_6	f_7	f_8	f_9	f_{10}	f_{11}	f_{12}	f_{13}	f_{14}	f_{15}	f_{16}
I	+3		.	+1												
II		+3	+1	−1							+1			+1		
III		+1	+3	+1	+1						+1					
IV	+1	−1	+1	+3										−1		
V			+1		+3	−1	+1					.				
VI					−1	+3								.		.
VII					+1		+3	+1	.							
VIII							+1	+3	+1							
IX								+1	+3	+1	+1					
X									+1	+3	+1	−1				
XI		+1	+1						+1	+1	+3		+1			
XII		'	.								−1	+3	−1		+1	
XIII											+1	−1	+3	+1	−1	
XIV		+1		−1									+1	+3		
XV												+1	−1		+3	−1
XVI															−1	+3
XVII																−1
XVIII																
XIX																
XX																
XXI																
XXII																+1
XXIII																
XXIV															+1	
XXV																
XXVI									+1							
XXVII																
XXVIII																
XXIX														.		
XXX												.		.		..
XXXI					.		.							.		

between the Indeterminate Factors

f_{17}	f_{18}	f_{19}	f_{20}	f_{21}	f_{22}	f_{23}	f_{24}	f_{25}	f_{26}	f_{27}	f_{28}	f_{29}	f_{30}	f_{31}	Numerical Values	No of Equation of Condition
															− 080	I
															+ 093	II
															+ 101	III
															− 029	IV
															+ 047	V
															+ 022	VI
															+ 037	VII
															+ 058	VIII
									+ I						− 071	IX
															− 022	X
															− 003	XI
															+ 052	XII
															− 067	XIII
															+ 042	XIV
							+ I								+ 096	XV
− I				+ I											− 025	XVI
+ 3		+ I													− 059	XVII
	+ 3	+ I		− I											− 018	XVIII
+ I	+ I	+ 3	− I		− I										− 091	XIX
		− I	+ 3	+ I	+ I										+ 006	XX
	− I		+ I	+ 3											− 033	XXI
		− I	+ I		+ 3	+ I									+ 009	XXII
					+ I	+ 3	+ I								+ 042	XXIII
						+ I	+ 3	+ I							+ 089	XXIV
							+ I	+ 3	+ I						+ 007	XXV
								+ I	+ 3	+ I					+ 001	XXVI
									+ I	+ 3	+ I				+ 035	XXVII
										+ I	+ 3		− I		+ 039	XXVIII
												+ 3	+ I	+ I	− 042	XXIX
												+ I	+ 3		− 046	XXX
											− I	+ I		+ 3	− 002	XXXI

Table VI — The Values of the Indeterminate Factors.

$$f_1 = -028967 \qquad f_9 = -050454 \qquad f_{17} = -013390 \qquad f_{25} = -015634$$
$$f_2 = +017940 \qquad f_{10} = +009137 \qquad f_{18} = -000007 \qquad f_{26} = +022861$$
$$f_3 = +016506 \qquad f_{11} = +010273 \qquad f_{19} = -028102 \qquad f_{27} = -001496$$
$$f_4 = +006902 \qquad f_{12} = +009229 \qquad f_{20} = -002638 \qquad f_{28} = +016626$$
$$f_5 = +016367 \qquad f_{13} = -026948 \qquad f_{21} = -010124 \qquad f_{29} = -013518$$
$$f_6 = +012789 \qquad f_{14} = +019304 \qquad f_{22} = -004066 \qquad f_{30} = -010827$$
$$f_7 = -005819 \qquad f_{15} = +006503 \qquad f_{23} = +005009 \qquad f_{31} = +009381$$
$$f_8 = +038091 \qquad f_{16} = -009274 \qquad f_{24} = +031041$$

Table VII — The Values of the Arc-Corrections

Arc-Correction	Value to five places of decimals	Adopted Value to three places of decimals	Arc Correction	Value to five places of decimals	Adopted Value to three places of decimals	Arc Correction	Value to five places of decimals	Adopted Value to three places of decimals
x_1	+ 02897	+ 029	x_{20}	− 04268	− 043	x_{39}	+ 00094	000
x_2	− 02897	− 029	x_{21}	+ 00009	000	x_{40}	+ 00501	+ 006
x_3	− 02207	− 022	x_{22}	+ 00914	+ 009	x_{41}	− 03605	− 036
x_4	+ 04472	+ 045	x_{23}	+ 00923	+ 009	x_{42}	+ 01541	+ 016
x_5	+ 03034	+ 030	x_{24}	− 01930	− 019	x_{43}	− 01563	− 016
x_6	+ 02341	+ 023	x_{25}	− 00764	− 007	x_{44}	− 00723	− 007
x_7	− 01794	− 018	x_{26}	+ 03754	+ 037	x_{45}	+ 02137	+ 022
x_8	− 03287	− 033	x_{27}	+ 01578	+ 016	x_{46}	+ 01513	+ 015
x_9	+ 00358	+ 004	x_{28}	− 01334	− 013	x_{47}	+ 00150	+ 002
x_{10}	+ 01279	+ 013	x_{29}	+ 00412	+ 004	x_{48}	− 00725	− 007
x_{11}	+ 01279	+ 013	x_{30}	− 00264	− 003	x_{49}	+ 01663	+ 017
x_{12}	+ 01055	+ 010	x_{31}	− 04149	− 041	x_{50}	− 00414	− 004
x_{13}	+ 03227	+ 032	x_{32}	− 01339	− 014	x_{51}	− 00938	− 009
x_{14}	+ 00582	+ 005	x_{33}	− 01012	− 010	x_{52}	− 02435	− 024
x_{15}	+ 01236	+ 012	x_{34}	− 00001	000	x_{53}	+ 01352	+ 014
x_{16}	+ 03809	+ 038	x_{35}	+ 01012	+ 010	x_{54}	− 01083	− 011
x_{17}	− 02759	− 028	x_{36}	− 01276	− 013	x_{55}	+ 01083	+ 011
x_{18}	− 03104	− 031	x_{37}	+ 02811	+ 028			
x_{19}	+ 01668	+ 017	x_{38}	− 02140	− 022			

Table VIII—The Numerical Checks through the Absolute Terms

No. of Equation of Condition	Equations of Condition between		Value as given in Equation of Condition	By Substitution of		
	Arc Corrections	Indeterminate Factors		Indeterminate Factors	Arc Corrections	
					As computed to five decimals	As contracted to three decimals
I	$x_8 + x_2 - x_1$	$+3f_1 + f_4$	− 080	− 079999	− 08001	− 080
II	$x_4 + x_5 - x_7$	$+3f_2 + f_3 - f_4 + f_{11} + f_{16}$	+ 093	+ 093001	+ 09300	+ 093
III	$x_4 + x_6 - x_8$	$+f_2 + 3f_3 + f_4 + f_5 + f_{11}$	+ 101	+ 101000	+ 10100	+ 101
IV	$x_6 + x_3 - x_5$	$+f_1 - f_2 + f_3 + 3f_4 - f_{16}$	− 029	− 028999	− 02900	− 029
V	$x_{12} + x_9 - x_8$	$+f_3 + 3f_5 - f_6 + f_7$	+ 047	+ 046999	+ 04700	+ 047
VI	$x_{11} + x_{10} - x_9$	$-f_5 + 3f_6$	+ 022	+ 022000	+ 02200	+ 022
VII	$x_{13} + x_{12} - x_{14}$	$+f_6 + 3f_7 + f_8$	+ 037	+ 037001	+ 03700	+ 037
VIII	$x_{16} + x_{13} - x_{15}$	$+f_7 + 3f_8 + f_9$	+ 058	+ 058000	+ 05800	+ 058
IX	$x_{17} + x_{18} - x_{15}$	$+f_8 + 3f_9 + f_{10} + f_{11} + f_{26}$	− 071	− 071000	− 07099	− 071
X	$x_{18} + x_{22} - x_{21}$	$+f_9 + 3f_{10} + f_{11} - f_{12}$	− 022	− 021999	− 02199	− 022
XI	$x_{16} + x_4 - x_{19}$	$+f_2 + f_3 + f_9 + f_{10} + 3f_{11} + f_{12}$	− 003	− 003000	− 00300	− 003
XII	$x_{21} + x_{23} - x_{20}$	$-f_{10} + 3f_{12} - f_{13} + f_{15}$	+ 052	+ 052001	+ 05200	+ 052
XIII	$x_{20} + x_{25} - x_{19}$	$+f_{11} - f_{12} + 3f_{13} + f_{14} - f_{15}$	− 067	− 066999	− 06700	− 067
XIV	$x_{25} + x_5 - x_{24}$	$+f_2 - f_4 + f_{13} + 3f_{14}$	+ 042	+ 042002	+ 04200	+ 042
XV	$x_{26} + x_{27} - x_{20}$	$+f_{12} - f_{13} + 3f_{15} - f_{16} + f_{24}$	+ 096	+ 096001	+ 09600	+ 096
XVI	$x_{28} + x_{29} - x_{27}$	$-f_{15} + 3f_{16} - f_{17} + f_{23}$	− 025	− 025001	− 02500	− 025
XVII	$x_{31} + x_{32} - x_{29}$	$-f_{16} + 3f_{17} + f_{19}$	− 059	− 058998	− 05900	− 059
XVIII	$x_{35} + x_{34} - x_{37}$	$+3f_{18} + f_{19} - f_{31}$	− 018	− 017999	− 01800	− 018
XIX	$x_{33} + x_{31} - x_{37}$	$+f_{17} + f_{18} + 3f_{19} - f_{20} - f_{22}$	− 091	− 090999	− 09000	− 091
XX	$x_{36} + x_{30} - x_{38}$	$-f_{19} + 3f_{20} + f_{21} + f_{22}$	+	− 090999	− 09000	− 091
XXI	$x_{36} + x_{32} - x_{35}$	$-f_{18} + f_{30} + 3f_{31}$	−	+ 005998	+ 00600	+ 006
XXII	$x_{39} + x_{36} - x_{38}$	$+f_{16} - f_{19} + f_{30} + 3f_{32} + f_{33}$	+	− 033003	− 03300	− 033
XXIII	$x_{40} + x_{39} - x_{41}$	$+f_{22} + 3f_{23} + f_{24}$	+	+ 009001	+ 00900	+ 009
XXIV	$x_{42} + x_{36} - x_{41}$	$+f_{15} + f_{23} + 3f_{24} + f_{25}$	+	+ 009001	+ 00900	+ 009
XXV	$x_{43} + x_{42} - x_{44}$	$+f_{24} + 3f_{25} + f_{26}$	+	+ 042002	+ 04200	+ 042
XXVI	$x_{45} + x_{17} - x_{44}$	$+f_9 + f_{25} + 3f_{26} + f_{27}$	+	+ 089001	+ 08900	+ 089
XXVII	$x_{46} + x_{45} - x_{47}$	$+f_{26} + 3f_{27} + f_{28}$	+	+ 007000	+ 00701	+ 007
XXVIII	$x_{48} + x_{46} - x_{49}$	$+f_{27} + 3f_{28} - f_{31}$	+ 039	+ 039001	+ 03901	+ 039
XXIX	$x_{52} + x_{50} - x_{58}$	$+3f_{29} + f_{30} + f_{31}$	− 042	− 042000	− 04201	− 042
XXX	$x_{54} + x_{52} - x_{55}$	$+f_{29} + 3f_{30}$	− 046	− 045999	− 04601	− 046
XXXI	$x_{50} + x_{48} - x_{51}$	$-f_{28} + f_{29} + 3f_{31}$	− 002	− 002001	− 00201	− 002

Table IX.—Final Results, and Comparison of Geodetic with Astronomical Values.

Distinguishing Number	NAME OF ARC	Computed Value of Arc	Correction by Simultaneous Reduction	Corrected Astronomical Value of Arc	Geodetic Value of Arc from the Triangulation	Excess of Geodetic above Astronomical Value
		″ ′	′	″ ′	″ ′	′ ′
(1)	Mooltan–Quetta	17 43 499	+ 029	17 43 528	17 43 714	+ 0 186
(2)	Kurrachee–Quetta	0 1 603	− 029	0 1 574	0 1 436	− 0 138
(3)	Mooltan–Kurrachee	17 41 976	− 022	17 41 954	17 42 278	+ 0 324
(4)	Agra–Deesa	23 20 370	+ 045	23 20 415	23 19 803	− 0 612
(5)	Deesa–Kurrachee	20 40 529	+ 030	20 40 559	20 40 775	+ 0 216
(6)	Deesa–Mooltan	2 58 582	+ 023	2 58 605	2 58 497	− 0 108
(7)	Agra–Kurrachee	44 0 992	− 018	44 0 974	44 0 578	− 0 396
(8)	Agra–Mooltan*	26 19 053	− 033	26 19 020	26 18 300	− 0 720
(9)	Amritsar–Mooltan	13 44 281	+ 004	13 44 285	13 43 737	− 0 548
(10)	Peshawar–Mooltan	0 27 483	+ 013	0 27 496	0 26 192	− 1 304
(11)	Amritsar–Peshawar	13 16 776	+ 013	13 16 789	13 17 545	+ 0 756
(12)	Agra–Amritsar	12 34 725	+ 010	12 34 735	12 34 563	− 0 172
(13)	Dehra Dun–Agra	0 7 233	+ 032	0 7 265	0 9 348	+ 2 083
(14)	Dehra Dun–Amritsar	12 41 995	+ 005	12 42 000	12 43 911	+ 1 911
(15)	Fyzabad–Agra	16 27 995	+ 012	16 28 007	16 28 417	+ 0 410
(16)	Fyzabad–Dehra Dun	16 20 704	+ 038	16 20 742	16 19 069	− 1 673
(17)	Fyzabad–Jubbulpore	8 45 040	− 028	8 45 012	8 44 369	− 0 643
(18)	Jubbulpore–Agra	7 43 026	− 031	7 42 995	7 44 048	+ 1 053
(19)	Jubbulpore–Deesa	31 3 393	+ 017	31 3 410	31 3 851	+ 0 441
(20)	Jubbulpore–Bombay	28 31 816	− 043	28 31 773	28 32 901	+ 1 128
(21)	Jubbulpore–Kalianpur	9 10 323	000	9 10 323	9 11 003	+ 0 680
(22)	Agra–Kalianpur	1 27 319	+ 009	1 27 328	1 26 955	− 0 373
(23)	Kalianpur–Bombay	19 21 441	+ 009	19 21 450	19 21 898	+ 0 448
(24)	Bombay–Kurrachee	23 12 215	− 019	23 12 196	23 11 725	− 0 471
(25)	Bombay–Deesa ..	2 31 644	− 007	2 31 637	2 30 950	− 0 687
(26)	Jubbulpore–Bolarum	5 42 935	+ 037	5 42 972	5 43 422	+ 0 450
(27)	Bolarum–Bombay†	22 48 785	+ 016	22 48 801	22 49 479	+ 0·678
(28)	Bolarum–Bellary ..	6 21 943	−·013	6 21 930	6 22 114	+ 0 184

* The mean of two measurements, one in 1885-86 and the other in 1889-90, is taken.
† The measurement of 1891-92 is taken vide Part I, Chapter VI, page 57

Table IX.—Final Results, and Comparison of Geodetic with Astronomical Values.—(Continued).

Distinguishing Number	NAME OF ARC	Computed Value of Arc	Correction by Simultaneous Reduction	Corrected Astronomical Value of Arc	Geodetic Value of Arc from the Triangulation	Excess of Geodetic above Astronomical Value
(29)	Bellary–Bombay	16 26 867	+ 004	16 26 871	16 27 365	+0 494
(30)	Bangalore–Bellary	2 37 230	− 003	2 37 227	2 37 374	+0 147
(31)	Bellary–Mangalore	8 19 653	− 041	8 19 612	8 19 791	+0 179
(32)	Mangalore–Bombay*	8 7 273	− 014	8 7 259	8 7 574	+0 315
(33)	Bangalore–Nagarkoil	0 35 708	− 010	0 35 698	0 35 775	+0 077
(34)	Nagarkoil–Mangalore	10 21 141	000	10 21 141	10 21 390	+0 249
(35)	Madras–Nagarkoil	11 15 006	+ 010	11 15 016	11 15 385	+0 369
(36)	Madras–Bangalore	10 39 331	− 013	10 39 318	10 39 610	+0 292
(37)	Madras–Mangalore	21 36 129	+ 028	21 36 157	21 36 775	+0 618
(38)	Madras–Bellary	13 16 567	− 022	13 16 545	13 16 984	+0 439
(39)	Madras–Bolarum	6 54 615	000	6 54 615	6 54 870	+0 255
(40)	Waltair–Madras	12 16 868	+ 006	12 16 874	12 16 612	−0 262
(41)	Waltair–Bolarum	19 11 525	− 036	19 11 489	19 11 482	−0 007
(42)	Waltair–Jubbulpore	13 28 501	+ 016	13 28 517	13 28 060	−0 457
(43)	Calcutta–Waltair	20 9 194	− 016	20 9 178	20 9 684	+0 506
(44)	Calcutta–Jubbulpore	33 37 702	− 007	33 37 695	33.37 744	+0 049
(45)	Calcutta–Fyzabad	24 52 661	+ 022	24 52 683	24 53 375	+0 692
(46)	Jalpaiguri–Calcutta	1 30 290	+ 015	1 30 305	1 30 933	+0 628
(47)	Jalpaiguri–Fyzabad	26 22 986	+ 002	26 22 988	26 24 308	+1 320
(48)	Chittagong–Calcutta	13 55 145	− 007	13 55 138	13 55 195†	+0 057
(49)	Chittagong–Jalpaiguri	12 24 816	+ 017	12 24 833	12 24 262†	−0 571
(50)	Akyab–Chittagong	4 14 252	− 004	4 14 248	4 14 236†	−0 012
(51)	Akyab–Calcutta	18 9 395	− 009	18 9 386	18 9 431†	+0 045
(52)	Prome–Akyab	9 16 262	− 024	9 16 238	9 16 556†	+0 318
(53)	Prome–Chittagong	13 30 472	+ 014	13 30 486	13 30 792†	+0 306
(54)	Moulmein–Prome	9 38 758	− 011	9 38 747	9 38 876†	+0 129
(55)	Moulmein–Akyab	18 54 974	+ 011	18 54 985	18 55 432†	+0 447

* The mean of two measurements, one in 1876-77 and the other in 1887-88, is taken.
† These geodetic values are liable to a further very small correction when the Burma Triangulation now in progress is completed and reduced.

CHAPTER II

ON LOCAL ATTRACTION AND THE EVIDENCE FOR THE NECESSITY OF CHANGES IN THE ADOPTED ELEMENTS OF THE EARTH S FIGURE

If the true figure of the earth be an oblate spheroid it is obvious that correct measurements of arcs of the meridian, combined with a knowledge of the astronomical latitudes of the terminal stations of the arcs, would suffice to give its form and dimensions   But the diverse results obtained from measurements of this kind in various parts of the globe prove that this supposition is untenable   Perhaps one of the greatest difficulties that has to be encountered is that known as local attraction, or a deviation of the plumb-line from the vertical caused (generally though not invariably) by the contiguity of mountain masses   As the determination of astronomical latitude depends on the direction of the plumb-line (or what comes to the same thing, the position of the bubble in a spirit-level) any error in this direction, resolved along the meridian, produces a corresponding error in the latitude, and such erroneous latitude taken in conjunction with linear measures will fail obviously to give the true meridional curve   A similar difficulty occurs in arcs of longitude, because, owing to local attraction either the bubble of the level employed in levelling the axis of the transit instrument is displaced, or the surface of the mercury used for levelling by reflection of the wires in the eye piece becomes inclined to the horizon, according to the method of levelling employed, and an error in the times of star transits is thus introduced, hence measurements of this kind produce contradictory results   a study of the table giving the comparative lengths of the geodetic and astronomical arcs shows at once that local attraction is a quantity quite sensible to the measuring power of modern instruments, and is moreover in many cases such as we have been led to expect by previous experiments—(1) that the plumb-line is deflected towards mountain masses, and (2) that it is deflected towards the sea   There are notable exceptions to these two conclusions, but the general tendency seems to bear them out   Nothing definite or final can be arrived at until the latitude observations are completed, but by making some more or less probable assumptions, it is not difficult to gain some approximate knowledge both of the error of the assumed equatorial axis, and of the amount of local attraction at each station of observation

Colonel Clarke's investigations into this subject, in his valuable work entitled "Geodesy," show that in all probability the equator and the parallels of latitude are not circular, but elliptical · the rough

and ready method of computation here adopted does not pretend to enter into any refinement of this kind. The great preponderance of arcs in which the geodetic value exceeds the astronomical value shows roughly that the adopted curvature of India from east to west is too great, or in other words, that the adopted equatorial diameter is too small

It is necessary to distinguish clearly between the terms "geodetic value" and "astronomical value" used in this chapter. The former is obtained from the triangulation by calculation, in which certain assumed elements of the earth's figure are adopted. The latter is merely the difference of time at the two terminal stations at any instant, as obtained by astronomical observations. The geodetic value of an arc of longitude is affected by any error in the adopted elements, whereas the astronomical value is affected only by local attraction, this last source of error being almost wholly inoperative in the case of geodetic values, that is to say, if

$a_0 =$ the true value of any arc in seconds of time

$a' =$ „ geodetic „ „

$a'' =$ „ astronomical „ „

$x_0 =$ the displacement of the zenith in seconds of time at the eastern station (positive towards the east) owing to local attraction,

$x_w =$ the same thing for the western station,

$1 + k =$ ratio of the true, to the adopted equatorial axis

Then we have these equations (very approximately)

$$a' = a_0 (1 + k),$$

$$a'' = a_0 + x_0 - x_w;$$

and subtracting

$$a' - a'' = a_0 k - x_0 + x_w,$$

or

$$- x_0 + x_w = d - a'k,$$

where d is the excess of the geodetic over the astronomical value. As k is very small and a_0 very nearly equal to a', $a k$ may be substituted for $a_0 k$ without hesitation. Every measured arc will thus yield an equation of the above form

Now in order to apply this equation in the present case it will be convenient to present the list of data in another form. In *Table IX* of the preceding chapter the geodetic and astronomical values are given for every arc, but in the subjoined table they are so arranged that all arcs are measured from Kalianpur as origin. This is of course merely a matter of addition or subtraction amongst the figures given in the first table. Moreover as the calculation pretends to be merely a rough approximation, only two places of decimals are retained, possibly it may be thought that even one place would suffice, but the additional labour of retaining two is insignificant

Table X.

Name and Number of Station	Arc and corresponding Symbol		Geodetic value of Arc	Reduced to seconds	Seconds of astronomical value	Excess of Geodetic over Astronomical value	
						In time	In arc
Moulmein (1)	Moulmein to Kalianpur,	a_1	1 19 53 61	4794	52 39	+ 1·22	+18 30
Prome (2)	Prome „	a_2	1 10 14 73	4215	13 64	+ 1 09	+16 35
Akyab (3)	Akyab „	a_3	1 0 58 18	3658	57 40	+0 78	+11 70
Chittagong (4)	Chittagong „	a_4	56 43 94	3404	43 16	+0 78	+11 70
Jalpaiguri (5)	Jalpaiguri „	a_5	44 19 68	2660	18 32	+1 36	+20 40
Calcutta (6)	Calcutta „	a_6	42 48 75	2569	48 02	+0 73	+10 95
Waltair (7)	Waltair „	a_7	22 39 06	1359	38 84	+0 22	+ 3 30
Fyzabad (8)	Fyzabad „	a_8	17 55 37	1075	55 34	+0 03	+ 0 45
Madras (9)	Madras „	a_9	10 22 45	622	21 97	+0 48	+ 7 20
Jubbulpore (10)	Jubbulpore „	a_{10}	9 11 00	551	10 32	+0 68	+10 20
Bolarum (11)	Bolarum „	a_{11}	3 27 58	208	27 35	+0 23	+ 3 45
Dehra Dun (12)	Dehra Dun „	a_{12}	1 36 30	96	34 59	+1 71	+25 65
Agra (13)	Agra „	a_{13}	1 26 96	87	27 33	−0 37	− 5 55
Kalianpur (14)	.				.		
Bangalore (15)	Kalianpur to Bangalore	a_{15}	17 16	17	17 35	−0 19	− 2 85
Nagarkoil (16)	„ Nagarkoil	a_{16}	52 93	53	53 05	−0 12	− 1 80
Bellary (17)	„ Bellary	a_{17}	2 54 53	175	54 58	−0 05	− 0 75
Amritsar (18)	„ Amritsar	a_{18}	11 7 61	668	7 41	+0 20	+ 3 00
Mangalore (19)	„ Mangalore	a_{19}	11 14 32	674	14 19	+0 13	+ 1 95
Bombay (20)	„ Bombay	a_{20}	19 21 90	1162	21 45	+0 45	+ 6 75
Deesa (21)	„ Deesa	a_{21}	21 52 85	1313	53 09	−0 24	− 3 60
Peshawar (22)	„ Peshawar	a_{22}	24 25 15	1465	24 20	+0 95	+14 25
Mooltan (23)	„ Mooltan	a_{23}	24 51 35	1491	51 69	−0 34	− 5 10
Kurrachee (24)	„ Kurrachee	a_{24}	42 33 62	2554	33 65	−0 03	− 0 45
Quetta (25)	„ Quetta	a_{25}	42 35 06	2555	35 22	−0 16	− 2 40

In this table the names of the stations with a distinguishing number are given from east to west. These numbers must not be confused with those used in the charts and in the simultaneous reduction. Column 2 contains the names of all the arcs reckoned from Kalianpur as origin, eastwards and westwards, with a symbolical letter attached to each. In column 3 are shown the geodetic values of the arcs in time, the same values being given in seconds in column 4. Column 5 gives the seconds only of the astronomical values of the arcs, and columns 6 and 7 the excess of the geodetic over the astronomical values in time and in arc respectively. It cannot fail to be noticed in this table how much more persistent the excess of the geodetic values is in the arcs east of Kalianpur than in those west of it. This would lead to the idea that either the curvature on the former side is less than that on the latter, or that there is a sensible deflection of the zenith eastwards at Kalianpur, which makes all the observed western arcs appear too large. From these data the following equations are formed, in which x_1, x_2, &c., signify

the deflection, owing to local attraction, of the zenith at each station in seconds of time, eastwards or westwards, the former giving the positive sign

Each arc joining Kalianpur with any other station of observation produces an equation; those in which Kalianpur is the western station differing in sign from those in which that station is to the east —

$$-x_{14} + x_1 = -1\ 22 + a_1 k = -0\ 26 = -\ 3\ 90$$
$$-x_{14} + x_2 = -1\ 09 + a_2 k = -0\ 25 = -\ 3\ 75$$
$$-x_{14} + x_3 = -0\ 78 + a_3 k = -0\ 05 = -\ 0\ 75$$
$$-x_{14} + x_4 = -0\ 78 + a_4 k = -0\ 10 = -\ 1\ 50$$
$$-x_{14} + x_5 = -1\ 36 + a_5 k = -0\ 83 = -12\ 45$$
$$-x_{14} + x_6 = -0\ 73 + a_6 k = -0\ 22 = -\ 3\ 30$$
$$-x_{14} + x_7 = -0\ 22 + a_7 k = +0\ 05 = +\ 0\ 75$$
$$-x_{14} + x_8 = -0\ 03 + a_8 k = +0\ 19 = +\ 2\ 85$$
$$-x_{14} + x_9 = -0\ 48 + a_9 k = -0\ 36 = -\ 5\ 40$$
$$-x_{14} + x_{10} = -0\ 68 + a_{10} k = -0\ 57 = -\ 8\ 55$$
$$-x_{14} + x_{11} = -0\ 23 + a_{11} k = -0\ 19 = -\ 2\ 85$$
$$-x_{14} + x_{12} = -1\ 71 + a_{12} k = -1\ 69 = -25\ 35$$
$$-x_{14} + x_{13} = +0\ 37 + a_{13} k = +0\ 39 = +\ 5\ 85$$
$$-x_{14} + x_{15} = -0\ 19 - a_{15} k = -0\ 19 = -\ 2\ 85$$
$$-x_{14} + x_{16} = -0\ 12 - a_{16} k = -0\ 13 = -\ 1\ 95$$
$$-x_{14} + x_{17} = -0\ 05 - a_{17} k = -0\ 09 = -\ 1\ 35$$
$$-x_{14} + x_{18} = +0\ 20 - a_{18} k = +0\ 07 = +\ 1\ 05$$
$$-x_{14} + x_{19} = +0\ 13 - a_{19} k = +0\ 00 = \ 0\ 00$$
$$-x_{14} + x_{20} = +0\ 45 - a_{20} k = +0\ 22 = +\ 3\ 30$$
$$-x_{14} + x_{21} = -0\ 24 - a_{21} k = -0\ 50 = -\ 7\ 50$$
$$-x_{14} + x_{22} = +0\ 95 - a_{22} k = +0\ 66 = +\ 9\ 90$$
$$-x_{14} + x_{23} = -0\ 34 - a_{23} k = -0\ 64 = -\ 9\ 60$$
$$-x_{14} + x_{24} = -0\ 03 - a_{24} k = -0\ 54 = -\ 8\ 10$$
$$-x_{14} + x_{25} = -0\ 16 - a_{25} k = -0\ 67 = -10\ 05$$

In order to obtain the figures in the last two columns the value of k must be known. There are in this schedule only twenty-four equations and (including k) twenty-six unknown quantities, it will be necessary therefore to make some assumptions. They might be subjected to a solution by the method of minimum squares, but apart from the labour entailed by this method, which would be a wholly unnecessary refinement at this stage of the discussion, it seems doubtful if the principle of thereby getting the most probable solution would hold in this case, and therefore it seems profitable to make some arbitrary assumption.

It is almost impossible to make any assumption here to which no objection can be raised. Perhaps the best is based on the following considerations If local attraction does not exist at the terminals of any particular arc then k may be taken as $\dfrac{\text{excess of geodetic over astronomical value}}{\text{length of arc}}$, and extending the principle we will assume in absence of anything better that

$$k = \frac{\text{average excess of geodetic over astronomical values}}{\text{average length of arc}} = \frac{\text{sum of col } 6}{\text{sum of col } 4} \text{ in } Table \ X$$

for a large number of arcs where the local attraction may be supposed to be more or less eliminated. There are, however, two arcs involving Dehra Dun and Agra which, besides being extremely short ones, show abnormal local attraction*, they are therefore omitted, and hence

$$k = \frac{8 \ 20}{37242} = 000220,$$

it will suffice if we take $k = 0002$ This value being substituted in the schedule of equations given above produces the figures in the last two columns These now represent the *differences* between the zenith deflection at Kalianpur and every other station, in order to get the *actual* values another assumption is necessary We may make an unlimited number of such assumptions with more or less probability Among other fairly probable ones let us take the following three —

(1) That the zenith deflection east or west at Kalianpur is zero,

(2) That the *sum* of the zenith deflections at all the stations of observation is zero, and

(3) That the excess of the geodetic above the astronomical values averages the same amount in the eastern and western arcs, reckoning from Kalianpur

On the first supposition the figures as they stand in the last column of the preceding list of equations represent the absolute deflections

On the second supposition $3'' \ 42$ must be added to each of these quantities in order to obtain the absolute deflections.

For the third supposition a constant x_{14}—representing the zenith deflection at Kalianpur—must be assumed such that the values of k, as deduced from the eastern and western arcs respectively, will be identical.

If k be derived from the eastern arcs as they stand at present in *Table X*, we have, omitting (12) and (13) as before

$$k = \frac{7 \ 60}{25115},$$

and from the western arcs

$$k = \frac{0 \ 60}{12127},$$

and x_{14} must be taken of such a magnitude that

$$k = \frac{7 \ 60 - 11 \ x_{14}}{25115} = \frac{0 \ 60 + 11 \ x_{14}}{12127},$$

the solution of which equation gives $x_{14} = 0' \ 188$ or $2'' \ 82$.

If this number be added to each of those in the last column of the preceding schedule, we obtain the actual zenith deflections on the third supposition. The stations in the following list are arranged in order of the magnitude of the deflection on all three assumptions —

Peshawar	$+9\ 90$	$+13\ 32$	$+12\ 72$	Bangalore	$-2\cdot85$	$+0\ 57$	$-0\ 03$

Peshawar $+9\ 90\ +13\ 32\ +12\ 72$ Bangalore $-2\cdot85\ +0\ 57\ -0\ 03$

Agra $+5\ 85\ +9\ 27\ +8\ 67$ Calcutta $-3\ 30\ +0\ 12\ -0\ 48$

Bombay $+3\ 30\ +6\ 72\ +6\ 12$ Prome $-3\ 75\ -0\ 33\ -0\ 93$

Fyzabad $+2\ 85\ +6\ 27\ +5\ 67$ Moulmein $-3\ 90\ -0\ 48\ -1\ 08$

Amritsar $+1\ 05\ +4\ 47\ +3\ 87$ Madras $-5\ 40\ -1\ 98\ -2\ 58$

Waltair $+0\ 75\ +4\ 17\ +3\ 57$ Deesa $-7\ 50\ -4\ 08\ -4\ 68$

Kaliánpur $0\ 00\ +3\ 42\ +2\ 82$ Kurrachee $-8\ 10\ -4\ 68\ -5\ 28$

Mangalore $0\ 00\ +3\ 42\ +2\ 82$ Jubbulpore $-8\ 55\ -5\ 13\ -5\ 73$

Akyab $-0\ 75\ +2\ 67\ +2\ 07$ Mooltan $-9\ 60\ -6\ 18\ -6\ 78$

Bellary $-1\ 35\ +2\ 07\ +1\ 47$ Quetta $-10\ 65\ -6\ 63\ -7\ 23$

Chittagong $-1\ 50\ +1\ 92\ +1\ 32$ Jalpaiguri $-12\ 45\ -9\ 03\ -9\ 63$

Nagarkoil $-1\ 95\ +1\ 47\ +0\ 87$ Dehra Dun $-25\ 35\ -21\ 93\ -22\ 53$

Bolarum $-2\ 85\ +0\ 57\ -0\ 03$

It is worthy of remark that if we take $1 + k$ at $1\ 000220$, as deduced above, it brings the earth's equatorial radius into much closer accordance with Colonel Clarke's value than that which has been hitherto used in the Indian geodesy under the name of Everest's Constants, 1st set. In this set $a = 20,922,932$ feet, and $a \times 1\ 000220 = 20,927,535$ feet, which is much nearer to Colonel Clarke's latest value, viz, $20,926,202$ feet, as given at page 319 of his "Geodesy" published in 1880

At page 309 of the same work Colonel Clarke, after showing his reasons for believing that the equator is an ellipse of small excentricity, writes thus —" The meridian containing the smaller diameter " of the equator passes through Ceylon on the one side of the earth, and bisects North America on the " other This position of the axes, brought out by a very lengthened calculation, certainly corresponds " very remarkably with the physical features of the globe—the distribution of land and water on its " surface " The rough analysis of the longitude arcs given above certainly bears this out, inasmuch as it shows that the curvature in India is flatter than that due to the assumed spheroid with circular equator as would necessarily be the case if India were situated, as Colonel Clarke supposes, near the extremity of the minor axis of the equatorial ellipse

APPENDICES.

APPENDIX.

No. 1.

DETERMINATION OF THE GEODETIC ELEMENTS OF THE LONGITUDE STATIONS

1.

General Remarks

All the points used as longitude stations are connected with the stations of the Great Trigonometrical Survey, in order that their geodetic latitudes and longitudes may be accurately determined   The longitude stations at Deesa, Madras, Bangalore, Mangalore, and Bombay were selected so close to principal stations that simple linear measurements sufficed for their connection, and the resulting deduced elements, with the descriptions of the stations, are given in the Appendix to Part I of Volume IX   The longitude stations at Dehra Dun and Quetta were also connected with fixed stations by linear measurements, and the deduced geodetic elements are given in *Tables A, B* and *C* in this volume

Owing to the extension of the Survey of India Offices in Calcutta, the longitude station of 1881-82, 1882-83, and 1883-84, described in Appendix to Volume X, could not be used in 1891-92, but a new point was selected close to the old station, and the necessary linear measurements taken to determine the geodetic elements   The longitude station at Bolarum of seasons 1875-76 and 1880-81, and described in Appendix to Volume IX, having been built over, a new station was selected in 1891-92, close to the old point, and connected with it by measurements detailed below

To fix the longitude stations at Agra, Kurrachee, Jubbulpore, Bellary, Fyzabad, Mooltan, Amritsar, Peshawar, Nagarkoil, and Waltair, special triangulation was necessary in each case   The triangulation for the first five stations is given in Appendices to Volumes IX and X, while the triangulation for the other stations, executed by Captain S G, Burrard, R E., and Messrs McNair and Bond, will be found in *Tables A, B* and *C*, with explanatory diagrams in Plates VII and VIII

The latitudes, longitudes and azimuths were computed by the formulæ given on pages 1°1 to 124, Volume II of the *Account of the Operations of the Great Trigonometrical Survey of India*, using the elements of the figure of the earth as stated on page 127 of that volume   The elements of all trigonometrical stations and points employed, with the exception of the station at Quetta, are final, and are for the most part published in the printed records of the Great Trigonometrical Survey of India, to which references are given.   All the stations and points used were clearly identified, and their exact positions recovered beyond doubt.

2.

Descriptions of Stations and Points of the Connecting Triangulation, and of those at which the Longitude Observations were taken.

AGRA CONNECTION.

See Appendix, Volume X.

MOOLTAN CONNECTION

MOOLTAN CITY DOME is an intersected point of the Mooltan–Shujabad–Khangarh Secondary Series emanating from the Sutlej Series : it is the spire of the dome of Mir Ahmad Shah's Mausoleum, which lies 1½ miles N.E. of the Mooltan Cantonments, and immediately east of the village of Suri Miani

MOOLTAN FORT DOME is also an intersected point of the Mooltan–Shujabad–Khangarh Secondary Series it is the spire of the large dome of Shah Rukhn-ul-Alam's Mausoleum

MOOLTAN TELEGRAPH OFFICE STATION is situated at the N W angle of the *paka* roof of the Government Telegraph Office   A circle and dot engraved on a stone let into the roof marks the station   It is 2 83 feet from an arrow on the western parapet, 8 08 feet from the S W corner of the westerly of the two northern chimneys, and 9·96 feet from the N W corner of the single central chimney

MOOLTAN LONGITUDE STATION not being visible from Mooltan Telegraph Office Station, a peg on the meridian of the Longitude Station, and 40 78 feet north of it, was observed to, and its distance from the Telegraph Office Station found by direct measurement to be 138 37 feet on an azimuth of 227° 11′ 17″ 4

DEESA CONNECTION

See Appendix, Volume IX

AMRITSAR CONNECTION

RAMBAGH STATION is a station of the Bari Doab Secondary Series emanating from the Gurhagarh Meridional Series : it is situated on the roof of the highest building of the Ram Bagh, at present (1885) in the occupancy of the Amritsar Station Library   When Mr McNair visited the station in 1885, he found that the marble slab, which marked the station, had been removed , but, having recovered the site, he embedded a stone with a circle and dot engraved on it, in place of the marble slab

AMRITSAR MINARET STATION is a station of the Bari Doab Secondary Series emanating from the Gurhagarh Meridional Series   it is situated on the platform of the north eastern of the two minarets built by Sardar Jodh Sing Ramgaria, situated about the centre of the city, and some 150 yards E of the celebrated Golden temple   The station is marked by a circle and dot on a piece of marble let into the masonry, and covered over with a layer of mortar

AMRITSAR GOVINDGARH FORT STATION is on the roof of the highest building, used as a hospital in 1885, inside the fort of Govindgarh which lies W N W of the city of Amritsar   The station is denoted by a circle and dot cut on a slab of stone let into the roof   The building described in Synoptical Volume IV, page 97—ₚ , as "The old house", on which the station of the Bari Doab Secondary Series was situated, was not in existence in 1885

AMRITSAR HALL GATEWAY STATION is on the roof of the western tower of the Hall Gateway, which is the main north entrance into the city of Amritsar   A circle and dot engraved on a stone embedded in the roof marks the station

AMRITSAR, GHAGAR MAL'S HOUSE STATION is on the roof of the western entrance to Ghagar Mal Sett's house   A circle and dot engraved on a slab of sandstone embedded in the masonry marks the station

AMRITSAR LONGITUDE STATION is situated in the compound of the Government Telegraph Office, and about 20 feet to the west of the main building

KURRACHEE CONNECTION

See Appendix, Volume IX

PESHAWAR CONNECTION

PIR SABAK HILL STATION is one of Lieutenant Carter's stations of the Peshawar Secondary Series, which emanates

from the Great Indus Series. It is situated on the summit of a hill R. of Pir Sabak village on the left bank of the Kabul river; marked by a pillar with a circle and dot engraved on the rock *in situ*.

JALALA SIR HILL STATION is one of Lieutenant Carter's stations of the Peshawar Secondary Series, which emanates from the Great Indus Series It is situated on Jalala peak of the Khatak range which divides the districts of Peshawar and Kohat, and lies 4 5 miles east of the Afridi village of Janakher, and 5 miles west of the hill cantonment and sanitarium of Cherat. A well marked foot-path leads from Cherat to the station, and is the best approach to it. The station is marked by a circle and dot cut on stone, covered with a cairn of stones

PESHAWAR, GHOR KHATRI STATION is situated near the N E corner of the roof of the western of the two buildings known as the Ghor Khatri, once a Buddhist monastery, then rebuilt into a Hindu temple, and now used as a *sarai* A circle and dot engraved on a slate slab embedded in the mud roof marks the station. This station is *not* identical with Peshawar Gurkatri s of the Peshawar Secondary Series of Synoptical Volume I

PESHAWAR TELEGRAPH OFFICE STATION is at the east end of the roof of the main building of the Government Telegraph Office, and just above the room in which the astronomical clock was mounted. A circle and dot engraved on a slate slab let into the mud roof marks the station

PESHAWAR LONGITUDE STATION is in the compound of the Government Telegraph Office, and is 15 8 feet south and 54 feet east of Telegraph Office Station

DEHRA DUN CONNECTION

DEHRA DUN LONGITUDE STATION is situated in the north-eastern portion of the Survey of India Office compound, 33 54 feet north of the Haig Observatory, 214 feet from the western gate post of the N E entrance to the Survey property, 43 5 feet from the northern boundary wall measured on the ray to the Mussooree eastern meridian mark, and 628 8 feet due east of the smaller Photo-heliograph Observatory called Dehra Dun Dome Observatory T S (new) in Synoptical Volume II

MADRAS CONNECTION

See Appendix, Volume IX

BANGALORE CONNECTION

See Appendix, Volume IX

NAGARKOIL CONNECTION.

RADHAPURAM STATION is a principal station of the Great Arc Meridional Series, Section 8° to 18° It is situated on the high plateau, about 1¾ miles N E by N of the village of Radhapuram on the road from Idindakarai on the coast to the town of Nanguneri, and 8¼ miles E S E of the large village of Panagudi It is in the lands of the village of Radhapuram, sub-division Radhapuram, taluk Nanguneri, district Tinnevelly When visited by Mr Bond in January 1888, the station pillar, 10 feet high, and protecting pillar were found in perfect preservation The protecting pillar, surmounted by a conical capping stone, was removed for the observations, and on the completion of the work, was rebuilt of the former dimensions and the capping stone replaced For further description *vide* page 24—, of Volume XII of the *Account of the Operations of the Great Trigonometrical Survey of India.*

KUDANKULAM OBSERVATORY STATION is a principal station of the Great Arc Meridional Series, Section 8° to 18° It is situated on the highest point of an excessively rocky and thorn-covered swell of gently undulating ground about four-fifths of a mile from the sea coast, and 12 miles N E by E of the extreme point of Cape Comorin. It is in the lands of the village of Vijayapati, taluk Nanguneri, district Tinnevelly For further description *vide* page 25—, of Volume XII of the *Account of the Operations of the Great Trigonometrical Survey of India*

The station was visited by Mr Bond on the 15th December 1887 On opening the entrance to the observatory it was found that all the wood-work supporting the eastern half of the roof had been completely destroyed by white-ants, and the *débris* lay upon the floor of the building the western half of the roof was almost in the same state The two large beams supporting the sides of the meridional aperture in the roof were hanging loosely from the wall On clearing away the *débris* the eastern half of the floor of the building was found to be *paka*, and in the centre, in line with the meridional opening, was a granite slab 3·25 feet in diameter, in which a cylindrical hole had been bored and the following

inscription engraved on it "Great Trigonometrical Survey, Kudankolam Observatory, Cape Comoria Base Extension "A.D 1869"

MANPOTTAI HILL STATION is a principal station of the Great Arc Meridional Series, Section 8° to 18° It is situated on a rock on the summit of a hill, which lies about a mile S E of the junction of the roads from Travancore and Cape Comorin to the town of Nanguneri, ½ of a mile E of the road from Cape Comorin to Panagudi, and 340 yards S. of the Aramalai and Tiruchendur road The station is about 8 miles from the sea, and is identical with that of "Munpotha" of Colonel Lambton's triangulation, the mark of which was found engraved on the rock, and adopted for the present station It is in the lands of Perungudi village, sub-division Radhapuram, taluk Nanguneri, district Tinnevelly

The station consists of a platform of stones and earth, 16 feet square and 8 feet high at the outer sides, enclosing a solid, circular and isolated pillar of masonry 3½ feet in diameter, which contains two marks, one on a stone embedded in the upper surface of the pillar, and the other 1 5 feet below it, engraved on the rock The directions and distances of the neighbouring villages are :—Panagudi N , 3½ miles , Tanakarakulam (on the road) N E by E , 3½ miles ; Koilkinar N N E., ⅜ mile , Palurur (on the road to Cape Comorin) S , 4 miles , and Perungudi E N E , 2 miles

The station was visited by Mr Bond on the 15th January 1888 and found intact, but without a protecting pillar After the completion of observations, a pyramidal covering pile of stones was erected 7 feet in diameter at base, and 3 feet in height

THOVALAMALAI HILL STATION is on Kanniakurchi, the highest peak of the Thovalamalai range, situated 7 miles N.E of Nagarkoil, and about a mile east of the high road to Tinnevelly It is in line with the old fortification wall extending from Poigaimalai (about ¼ a mile N of Aramalai) southward to the coast The ascent which can only be made from the south side along the fortification wall is exceedingly steep It is in the Tairur pravarti, Agasteshwaram taluk of the southern division of Travancore The following are the directions and distances of the surrounding places :—Malangur S W by S , miles 3½ , Ramapuram temple W by S , miles 3½ , Thovala N W by W , miles 2 , and Palaur E by S , miles 3

The station consists of a platform of earth and stones 7½ feet square enclosing a solid, isolated pillar of masonry, 3 feet in diameter and 2 feet in height, with two marks, one on the rock *in situ* and another at the surface of the pillar

TATAKAMALAI HILL STATION is on the top of a steep hill, called Thadagaimalai, some 3,000 feet above the plain and about 2 miles N of the high road This is an intersected point of the Great Arc Meridional Series, Section 8° to 18°, and was called by Colonel Branfill "Camel's hump h " Nagarkoil lies 7 miles S S W , Puthapandi 3 miles S W by W , and Aramalai 3 miles S E It is situated in the Thovala pravarti and taluk of the southern division of Travancore The path to the summit starts from the village of Sithapal, following the road to Aramalai for a distance of 2 miles, and thence leads up the southern face of the hill

The station, which is 95 feet from the southern extremity of the hill, consists of a solid, isolated pillar of masonry, 3 feet in diameter and 2 feet in height, surrounded by a platform of earth and stones 7½ feet square, with a mark engraved on the rock *in situ* and another at the surface of the pillar

AMRITWAMALAI HILL STATION is on the highest sharp conical peak of a rocky hill of that name, so called from the medicinal herbs found there It rises about 1,400 feet above the level of the country, and lies about 5 miles N W of Cape Comorin On the southern face of the hill and about 400 feet above the plain is a temple of Paramarth-linge-swami It is in the pravarti and taluk of Agasteshwaram of the southern division of Travancore

The station consists of a solid, circular and isolated pillar of masonry, 3 feet in diameter and 2 feet in height, surrounded by a platform of stones and earth 7½ feet square, with two marks, one on a stone embedded in the upper surface of the pillar, and the other engraved on the rock *in situ* The directions and distances of the neighbouring villages are :—Tambarkulam W , miles 2 , Mailadi N , miles 1¾ , and Kotaram S E , miles 3

NAGARKOIL LONGITUDE STATION is in the compound of the Traveller's Bungalow The following directions and measurements were taken from the station to the building :—N W corner of verandah S.E by S , 60 17 feet , N E. corner of plinth of building S E by E , 87 75 feet The station is denoted by a mark-stone embedded in a small masonry pillar 2 5 feet below the ground level, which is built between the transit piers It is in the Kotar pravarti, Agasteshwaram taluk of the southern division of Travancore

MANGALORE CONNECTION.

BELLARY CONNECTION.

BOMBAY CONNECTION

KALIANPUR CONNECTION

KALIANPUR HILL STATION is a principal station of the Sironj Base-Line Figure, and is the origin of the latitudes and longitudes of the whole Indian Survey It is situated on a flat elevated ridge of iron-clay formation, locally called Bhuri Tori, which skirts the Sironj valley to the S W and N , and separates Malwa from the table land to the north The main road from Bhopal, *via* Bhilsa and Sironj, to the Cantonment of Goona passes 350 yards N E. of the station. The circumjacent villages with their distances and bearings are —Kalianpur ¾ mile S E , Jalalpur 1 mile S W by W., Barenda 1¾ miles N W , Karimabad 1¾ miles E , and the town of Sironj 2¼ miles E S E The station is situated in the Tonk State of the Rajputana Agency

The station is marked by a solid, isolated pillar of masonry, 3 feet high, containing mark-stones at top and bottom, and enclosed in a platform of solid masonry 14½ feet square

There are two meridional pillars connected with this station, one to the north at a distance of 5778 9 feet, and the other to the south at a distance of 6056 8 feet, on both of which the meridian of the station is accurately marked

The Kalianpur Observatory, erected by Colonel G Everest in 1824 for astronomical observations, stands 40 feet due west of this station

KALIANPUR LONGITUDE STATION is on the same ridge as, and 35 21 feet due south of Kalianpur Hill Station.

JUBBULPORE CONNECTION

QUETTA CONNECTION

MASHELAK HILL STATION is a station of the Quetta Secondary Series which emanates from the Great Indus Series, and is situated on one of the highest peaks of the Mashelak range, which lies about fourteen miles due west of the Quetta Cantonments The metalled road from Quetta to Gulishtan passes 4¼ miles N E of the station, while the Ghoghar pass is 8 miles S S W The village of Babazai is 3 miles to the S E , and that of Bazai 3 miles E by N

The station is marked by a circular and isolated masonry pillar 2½ feet high containing two mark stones, one at the surface, and the other at the ground level

TAKATU HILL STATION is a station of the Quetta Secondary Series which emanates from the Great Indus Series, and is situated on the highest peak of the western extremity of the Takatu range, which lies about eight miles due north of the Quetta Cantonments The station is immediately above a spring of water known as Chashma, and the circumjacent villages with their distances are —Kuchlak (a railway station of the Quetta Loop Line) 3 miles N N W , Samali 3 miles W N.W , Malazai 2½ miles W by S , Sara Ghurgi 2¾ miles S E The road from Quetta to Kil'h Abdulla Khan passes 1¼ miles W S W of the station

The station is marked by a circular, isolated pillar of masonry 2½ feet high with two mark-stones, one at the surface and the other at the ground level

QUETTA TELEGRAPH OFFICE STATION is a station of the Quetta Secondary Series which emanates from the Great Indus Series It is situated in the compound of the house occupied by the Deputy Superintendent of Telegraphs, Quetta Division, and lies between the house and an out-office east of the house It is 58 33 feet from the S E corner of the house, and 66 5 feet from the south corner of the out-office

The station consists of a platform enclosing a circular, isolated pillar of masonry having a wooden peg in its centre with two lines cut on it.

QUETTA LONGITUDE STATION is in the same compound as the Quetta Telegraph Office Station, and lies 22 25 feet east and 8·05 feet south of it.

CALCUTTA CONNECTION

CALCUTTA LATITUDE STATION is a secondary station of the Calcutta Longitudinal Series. It is about 25 yards

east of the building known as No. 9 Park Street, formerly occupied by the Government Mathematical Instrument Office. The station is denoted by a mark-stone over which a protecting pillar of stone slabs has been built. It is capped by a marble stone, on which the following inscription is engraved :—"This stone marks an astronomical station of the G. T. "Survey, where the latitude was observed by Mr. H. Taylor in 1864-65."

CALCUTTA LONGITUDE STATION lies 82 75 feet north and 81 375 feet east of the Calcutta Latitude Station. It is not identical with the Calcutta Longitude Station described in Appendix to Volume X, which stood 20 3 feet due north of the Latitude Station, and was destroyed when the new building for housing the Mathematical Instrument Office was built ; but a correction has been made to all arcs measured at this new point to reduce them from it to the old site.

WALTAIR CONNECTION.

WALTAIR HILL STATION is a secondary station of the Bider Longitudinal Series, and is situated in the district of Vizagapatam It is on the sea coast between the towns of Vizagapatam and Waltair A pillar of masonry 4 feet in height marks the station, which stands on a sand hill close to the cantonment of Waltair

WALTAIR HELIOTROPE STATION is a secondary station of the Bider Longitudinal Series, and is situated on a sand hill about ½ a mile N E of the town of Waltair

WALTAIR AUXILIARY STATION is denoted by a circle and dot cut on the rock *in situ*, on the southern slope of the Demru-Simashilem range. It is situated in the taluk and district of Vizagapatam

WALTAIR, NARSING RAO'S HOUSE, the point referred to is the western end of the gable of Narsing Rao's house in the town of Waltair

• WALTAIR LONGITUDE STATION is in the enclosure of Narsing Rao's house, and lies 95 50 feet east, and 44 25 feet south of the western end of the gable of the house The longitude station of Vizagapatam, now destroyed, is distant 3 0837 miles on an azimuth of 88° 0′ 6″ 7

BOLARUM CONNECTION

LACHHMANPUR HILL STATION is a station of the Hyderabad Minor Series which emanates from the Great Arc Meridional Series, Section 8° to 18° It is situated on the highest rock of a rugged hill about a mile S E by S of the village of the same name, 1½ miles N of Nizampet, 2½ miles S S W of Baurampet, and 6¼ miles N E of Lingampalle Railway Station of the Nizam's State Railway A cart track from Nizampet to Baurampet passes close to the station It is in the Atraf i Balda district of the Nizam's Dominions The station is marked by a circle and dot on the rock *in situ*, with an isolated masonry pillar built over it, having a mark stone on the top, and surrounded by a temporary platform of stones and earth

HYDERABAD, NAUBATPAHAR HILL STATION is a station of the Hyderabad Minor Series emanating from the Great Arc Meridional Series, Section 8° to 18° It is situated on the northern peak of a low hill 200 yards S of the south end of the Husain Sagar tank, and equi-distant from the cantonments of Secunderabad and the city of Hyderabad on the N and S respectively The station is denoted by a circle and dot on a large stone embedded in a rough platform of stones and earth. It is in the Atraf-i-Balda district of the Nizam's Dominions

BOLARUM P W D. OFFICE STATION is on the roof of the N W wing of the Public Works Office at Bolarum, a cantonment of the Hyderabad Contingent The following measurements were taken to fix the point of observation :— N.E corner of parapet of roof 12 25 feet, N W corner of parapet of roof 32 5 feet, S W corner of parapet of roof 33 202 feet, and S E corner of parapet of roof 12 125 feet. A circle and dot cut on the roof, was covered with an earthen pan, and a masonry pillar 15 inches square and 12 inches high built over it The pillar was then plastered and white-washed, and a capping stone marked thus $\boxed{\frac{G\,|\,T}{S.}}$ embedded on the surface, the junction of the grooves being plumbed over the mark on the roof

BOLARUM LONGITUDE STATION is in the compound of the Public Works Office, and 221 68 feet north and 16 394 feet west of Bolarum P W D Office Station. This station is 16 394 feet west, and 24 17 feet south of the Longitude Station described in Appendix to Volume IX. A correction has been applied where necessary to reduce all arcs to the old station.

FYZABAD CONNECTION.

- See Appendix, Volume X.

TABLE 4. TRIANGULATION FOR THE CONNECTION OF LONGITUDE STATIONS.

Computation of Triangles.

Longitude Station to be fixed	Theodolite used	No of Triangle	Name of Station	Observed Angle	Corrections for Spherical Excess	Observation Error	Corrected Angle	Log Feet	Feet	Miles
MOOLTAN	Inch 12	1	Mooltan City Dome	54 14 19 4			54 14 19 4	4 0639889	11587 5	2 195
			Mooltan Fort Dome				63 45 5 9	4 1074393	12807 4	2 426
			Mooltan Telegraph Office	62 0 34 7			62 0 34 7	4 1006961*	12609 4	2 388
			Sums				180 0 0 0			
	12	2	Rambagh	51 11 2 8		− 0 1	51 11 2 7	3 7661667	5836 7	1 105
			Amritsar Minaret	68 46 41 7		− 0 1	68 6 41 6	3 8420444	6951 0	1 316
			Amritsar Govindgarh Fort	60 42 15 8		− 0 1	60 42 15 7	3 8151074†	6532 9	1 237
			Sums	180 0 0 3		− 0 3	180 0 0 0			
	,,	3	Amritsar Govindgarh Fort	14 28 10 8		− 1 5	14 28 9 3	3 4511506	2818 5	0 336
			Rambagh	23 24 46 1		− 1 5	23 24 44 6	3 6530224	4498 0	0 852
			Amritsar Hall Gateway	142 7 7 6		− 1 5	142 7 6 1	3 8420444*	6951 0	1 316
			Sums	180 0 4 5	3.	− 4 5	180 0 0 0			
AMRITSAR	,,	4	Rambagh	27 27 11 8		− 1 3	27 27 10 3	3 1154302	1304 5	0 247
			Amritsar Hall Gateway	60 59 13 3		− 1 4	60 59 11 9	3 3934748	2474 4	0 469
			Amritsar, Ghagar Mal s House	91 33 39 2		− 1 4	91 33 37 8	3 4511506	2818 5	0 536
			Sums	180 0 4 1		− 4 1	180 0 0 0			
	,,	5	Amritsar Hall Gateway	81 7 55 8		0 0	81 7 55 8	3 6518664*	4486 1	0 850
			Amritsar Govindgarh Fort	16 41 47 2		0 0	16 41 47 2	3 1154363	1304 4	0 247
			Amritsar, Ghagar Mal s House	82 10 17 1		− 0 1	82 10 17 0	3 6530224	4498 0	0 852
			Sums	180 0 0 1		− 0 1	180 0 0 0			
	,,	6	Amritsar Ghagar Mal s House	25 41 1 0		+ 1 0	25 41 2 0	2 9212206	834 1	0 158
			Amritsar Hall Gateway	16 59 16 4		+ 1 0	16 59 17 4	2 7499679	562 9	0 107
			Amritsar Longitude	137 19 39 6		+ 1 0	137 19 40 6	3 1154283†	1304 5	0 247
			Sums	179 59 57 0	..	+ 3 0	180 0 0 0			
PESHAWAR	12	7	Pir Sabak h.s.	51 5 14 1	− 0 9	+ 0 7	51 5 13 9	5 0556354	113667 3	21 528
			Jalala Sir	81 59 28 6	− 1 0	+ 0 7	81 59 28 3	5 1603410	144657 8	27 397
			Peshawar, Ghor Khatri s.	46 55 18 0	− 0 9	+ 0 7	46 55 17 8	5 0281711§	106701 6	20 209
			Sums	180 0 0 7	− 2 8	+ 2 1	180 0 0 0			

* Computed from the latitude and longitude taken from the final computations of the Mooltan-Shujabad-Khangarh Secondary Series
† Taken from the final computations of the Gurhagarh Meridional Series.
‡ Mean deduced from Triangles Nos. 4 and 5.
§ Taken from the final computations of the Great Indus Series.

TABLE A. TRIANGULATION FOR THE CONNECTION OF LONGITUDE STATIONS.

Computation of Triangles—(Continued)

Longitude Station to be fixed	Theodolite used	No of Triangle	Name of Station	Observed Angle	Corrections for		Corrected Angle	Distance in		
					Spherical Excess	Observation Error		Log Feet	Feet	Miles
PESHAWAR	Inch 12	8	Peshawar, Ghor Khatri s	126 35 48 6	— o 1	— 2 8	126 35 45 7	5 0773992	119508 6	22 634
			Jalala Sir h s	3 37 14 4	o o	— 2 8	3 37 11 6	3 9730437	9398 2	1 780
			Peshawar Telegraph Office s	49 47 5 6	— o 1	— 2 8	49 47 2 7	5 0556354	113667 3	21 528
			Sums	180 o 8 6	— o 2	— 8 4	180 o o o			
	12	9	Radhapuram S	61 8 7 1		— 2 1	61 8 5	4 7764056	59759	11 318
			Kudankulam Observatory ,	82 39 4 6		— 3 6	82 39 1	4 8304389	67677	12 818
			Thovalapalai h s	36 12 56 8		— 2 8	36 12 54	4 6054748*	40316	7 636
			Sums	180 o 8 5		— 8 5	180 o o			
	"	10	Manpotta. H S	91 50 52 8		— 4 8	91 50 28	4 7764056	59759	11 318
			Kudankulam Observatory S	25 56 19 2		— 3 2	25 56 16	4 4175035	26152	4 953
			Thovalamalai h s	62 13 16 9		— o 9	62 13 16	4 7234518*	52900	10 019
			Sums	180 o 8 9		— 8 9	180 o o			
	"	11	Manpottai H S.	51 57 30 6		+ 3 4	51 57 34	4 4343137	27184	5 148
			Thovalamalai h s	78 46 52 1		— o 1	78 46 52	4 5296427	33857	6 412
NAGARKOIL			Tatakamalai "	49 15 36 7		— 2 7	49 15 34	4 4175035	26152	4 953
			Sums	179 59 59 4		+ o 6	180 o o			
	"	12	Thovalamalai h s.	91 29 18 2		+ o 8	91 29 19	4 8263041	67035	12 696
			Kudankulam Observatory S	25 29 34 2		— 2 2	25 29 32	4 4603114	28861	5 466
			Amritwamalai h s	63 1 6 2		+ 2 8	63 1 9	4 7764056	59759	11 318
			Sums	179 59 58 6		+ 1 4	180 o o			
	"	13	Tatakamalai h s	69 32 55 7		+ 3 3	69 32 59	4 5470604	35242	6 675
			Thovalamalai "	64 10 8 5		+ o 5	64 10 9	4 5296152	33854	6 412
			Nagarkoil Longitude s	46 16 56 o		— 4 o	46 16 52	4 4345137	27184	5 148
			Sums	180 o o 2		— o 2	180 o o			
	"	14	Thovalamalai h.s.	63 20 25 4		— 1 4	63 20 24	4 5376410	34093	6 457
			Amritwamalai "	67 29 50 1		— 3 1	67 29 47	4 5470606	35242	6 675
			Nagarkoil Longitude s.	49 9 45·9		+ 5 1	49 9 49	4 4603114	28861	5 466
			Sums	180 o 1 4		— 1 4	180 o o			

* Taken from Triangle No. 478, page 158..._4 of the Great Arc Series, Section 8° to 18°, Volume XII of the *Account of the Operations, &c.*

TABLE A. TRIANGULATION FOR THE CONNECTION OF LONGITUDE STATIONS.

Computation of Triangles—(Continued).

Longitude Station to be fixed	Theodolite used	No. of Triangle	Name of Station	Observed Angle	Corrections for		Corrected Angle	Distance in		
					Spherical Excess	Observation Error		Log Feet	Feet	Miles
	Inch		Mashelak h.s	35 30 55 20	− 0 24	+ 0 28	35 30 55 24	4 6505058	44720 4	8 470
QUETTA	14	15	Takatu „	81 38 23 19	− 0 24	+ 0 29	81 38 23 24	4 8817491	76163 9	14 425
			Quetta Telegraph Office s	62 50 41 47	− 0 24	+ 0 29	62 50 41 52	4 8336685*	68496 5	12 973
			Sums	179 59 59 86	− 0 72	+ 0 86	180 0 0 00			
			Waltair h s	35 41 11 0		+18 8	35 41 30	3 9748418	9437 1	1 787
	6	16	Waltair Heliotrope s.	119 13 8 5		+18 9	119 13 27	4 1497313	14116 6	2 674
			Waltair Auxiliary „	25 4 44 0		+18 8	25 5 3	3 8361720†	6857 6	1 299
			Sums	179 59 3 5		+56 5	180 0 0			
WALTAIR			Waltair Heliotrope s.	70 20 16			70 20 16	3 9508844	8930 7	1 691
	„	17	Waltair Auxiliary „	13 59 16			13 59 16	3 3602786	2292 3	0 434
			Waltair, Narsing Rao's House	95 40 28			95 40 28	3 9748418†	9437 2	1 787
			Sums				180 0 0			
			Lachhmanpur h s.	44 17 19 2	− 0 1	+ 0 5	44 17 19 5	4 5966370	39503 4	7 482
BOLARUM	12	18	Hyderabad, Naubatpahar „	57 56 43 0	− 0 1	+ 0 5	57 56 43 4	4 6807721	47947 9	9 081
			Bolarum P W D Office s	77 45 56 7	− 0 2	+ 0 6	77 45 57 1	4 7426340‡	55288 4	10 471
			Sums	179 59 58 8	− 0 4	+ 1 6	180 0 0 0			

* Taken from the field computations of the Quetta Secondary Series, which are not in terms of the final reduction of the Triangulation of the Great Trigonometrical Survey

† Computed from the latitude and longitude taken from page 65—p of the Bider Longitudinal Series, Synoptical Volume X.

‡ Taken from the final computations of the Great Arc Meridional Series, Section 6° to 18°, not yet published.

TABLE B. TRIANGULATION FOR THE CONNECTION OF LONGITUDE STATIONS.

Geodetic Latitudes, Longitudes and Azimuths.

Longitude Station to be fixed	Name of Station	No. of Triangle	Latitude North	Longitude East of Greenwich	Azimuth
			° ′ ″	° ′ ″	° ′ ″
MOOLTAN	Mooltan City Dome		30 13 4 77*	71 28 45 69*	Of Mooltan Fort Dome 302 43 49 1
	Mooltan Fort Dome		30 11 57 26*	71 30 46 58*	„ Mooltan City Dome 122 44 49 9
	Mooltan Telegraph Office s	1	30 10 58 17	71 28 53 41	„ „ „ 176 58 12 4
AMRITSAR	Rambagh s		31 58 17 36†	74 55 14 23†	Of Amritsar Minaret s. 2 25 57 4
	Amritsar Minaret „		31 37 12 76†	74 55 11 02†	„ Rambagh „ 182 25 55 7
	Amritsar, Govindgarh Fort „	2	31 37 36 55	74 54 9 50	„ „ „ 233 36 26 1
	Amritsar Hall Gateway „	3	31 37 53 17	74 54 57 77	, Amritsar, Govindgarh Fort „ 68 5 0 8
	Amritsar, Ghagar Mal's House „	4, 5	31 38 4 26	74 54 50 05	„ Amritsar Hall Gateway „ 329 12 52 5
	Amritsar Longitude „	6	31 57 58 72	74 54 50 63	
PESHAWAR	Pir Sabak h s		34 1 31 40‡	72 5 54 34‡	Of Jalala Sir h.s. 36 46 30
	Jalala Sir „		33 47 24 09‡	71 53 19 15‡	„ Pir Sabak „ 216 33 29
	Peshawar, Ghor Khatri s	7	34 0 32 20	71 37 17 09	, „ „ 267 29 44 3
	Peshawar Telegraph Office „	8	34 0 17 66	71 35 26 81	„ Peshawar, Ghor Khatri s 260 59 47 1
NAGARKOIL	Radhapuram S.		8 16 59 44§	77 44 34 89§	Of Manpottai H.S 81 36 45
	Kudankulam Observatory „		8 10 21 55§	77 43 53 44§	, Radhapuram S. 185 55 26
	Manpottai H S		8 15 51 31§	77 37 5 16§	„ Kudankulam Observatory „ 309 11 42
	Thovalamalai h s	9, 10	8 12 37 57	77 34 14 15	„ Manpottai H S 221 1 45
	Tatakamalai „	11	8 16 10 82	77 31 28 36	, Thovalamalai h s 322 14 29
	Amritwamalai „	12	8 8 0 67	77 33 1 03	, , , 194 44 10
	Nagarkoil Longitude s	13, 14	8 11 25 30	77 28 30 74	
QUETTA	Mashelak h s		30 14 54 78‖	66 48 54 78‖	Of Takatu h s. 248 2 35 24
	Takatu „		30 19 7 85‖	67 0 59 68‖	„ Mashelak „ 68 8 40 79
	Quetta Telegraph Office s	15	30 11 57 37	67 2 58 62	„ „ „ 103 40 35 49
WALTAIR	Waltair h.s		17 41 35 06¶	83 21 18 45¶	Of Waltair Heliotrope s. 209 2 52
	Waltair Heliotrope s		17 43 34 50¶	83 21 52 90¶	„ Waltair h.s. 29 3 2
	Waltair, Narsing Rao's House	17	17 43 29 75	83 21 29 71	„ Waltair Heliotrope s. 257 56 6
BOLARUM	Lachhmanpur h s.		17 32 3 86**	78 25 37 05**	Of Hyderabad, Naubatpahar h.a. 327 58 26 88
	Hyderabad, Naubatpahar „		17 24 19 02**	78 30 39 87**	„ Lachhranpur „ 147 59 59 79
	Bolarum P W.D Office s	18	17 30 11 21	78 33 38 47	„ „ „ 105 43 34 18

* Taken from the final computations of the Mooltan–Shujabad–Khangarh Secondary Series.
† Vide pages 68___p and 112___p of the Gurhagarh Meridional Series, Synoptical Volume IV
‡ „ page 94___p, and final computations of the Great Indus Series, Synoptical Volume I.
§ „ pages 106___d and 107___d of the Great Arc Meridional Series, Section 8° to 18°, Volume XII of the Account of the Operations, &c
‖ Taken from the field computations of the Quetta Secondary Series, which are not in terms of the final reduction of the triangulation of the Great Trigonometrical Survey
¶ Vide page 68___p, of the Bider Longitudinal Series, Synoptical Volume X.
** Taken from the final computations of the Great Arc Meridional Series, Section 8° to 18°, not yet published.

TABLE O DEDUCTION OF THE GEODETIC ELEMENTS OF THE LONGITUDE STATIONS.

Name of Station	Latitude North	Longitude East of Greenwich	REMARKS
Agra Longitude s.	27 9 39 93	78 3 29 07	*Vide* page (19) of Vol: X of the *Account of the Operations, &c*
Mooltan Telegraph Office s.	30 10 58 17	71 28 53 41	Fixed by special triangulation (*vide Tables A and B*)
Reduction to Longitude s	+ 0 53	+ 1 16	A peg on the meridian of the Longitude s., and 40 78 feet north of it was observed to, and its distance from the Telegraph Office s found by direct measurement to be 138 37 feet, *vide page* (4)
Mooltan Longitude s.	30 10 58 70	71 28 54 57	
Deesa Longitude s	24 15 29 35	72 13 32 03	*Vide* page 258 of Vol: IX of the *Account, &c*
Amritsar Longitude s.	31 37 58 72	74 54 50 63	Fixed by special triangulation (*vide Tables A and B*)
Kurrachee Longitude s	24 51 2 44	67 3 20 40	*Vide* page 259 of Vol: IX
Peshawar Telegraph Office s	34 0 17 66	71 35 26 81	Fixed by special triangulation (*vide Tables A and B*)
Reduction to Longitude s.	− 0 15	+ 0 64	The Longitude s is 15 3 feet south and 54 feet east of the Telegraph Office s, *vide page* (5)
Peshawar Longitude s	34 0 17 51	71 35 27 45	
Dehra Dun Dome Observatory T 8	30 19 29 13	78 5 42 12	*Vide* page 86°—A° of Synoptical Vol: II
Reduction to Longitude s.	0 00	+ 7 18	The Longitude s is 628 8 feet due east of Dehra Dun Dome Observatory T.8, *vide page* (5)
Dehra Dun Longitude s	30 19 29 13	78 5 49 30	
Madras Longitude s	13 4 3 75	80 17 21 51	*Vide* page 258 of Vol: IX
Bangalore Longitude s	13 0 41 29	77 37 27 37	*Vide* page 258 of Vol IX.
Nagarkoil Longitude s	8 11 25 30	77 28 30 74	Fixed by special triangulation (*vide Tables A and B*)
Mangalore Longitude s	12 52 14 14	74 53 9 89	*Vide* page 258 of Vol: IX
Bellary Longitude s.	15 8 33 06	76 58 6 6	*Vide* page 258 of Vol: IX.
Bombay, Colaba s.	18 53 48 94	72 51 15 73	*Vide* page 64—B of Synoptical Vol: XXVI
Reduction to Longitude s.	+ 0 55	+ 0 55	*Vide* page 258 of Vol: IX
Bombay Longitude s.	18 53 49 49	72 51 16 28	
Kalianpur H 8	24 7 11 26	77 41 44 75	*Vide* pages 134 and 135 of Vol: II of the *Account of the Operations, &c.*
Reduction to Longitude s.	− 0·35	0 00	The Longitude s is 35 21 feet due south of Kalianpur H.8, *vide page* (7)
Kalianpur Longitude s.	24 7 10 91	77 41 44 75	
Jubbulpore Longitude s.	23 10 16 10	79 59 29 79	*Vide* page (19) of Vol: X.

TABLE C. DEDUCTION OF THE GEODETIC ELEMENTS OF THE LONGITUDE STATIONS—(*Continued*)

Name of Station	Latitude North	Longitude East of Greenwich	REMARKS
	° ′ ″	° ′ ″	
Quetta Telegraph Office s.	30 11 57 37	67 2 58 62	
Reduction to Longitude s.	− 0 08	+ 0 25	The Longitude s is 8 08 feet south and 22 25 feet east of the Telegraph Office s., *vide* page (7)
Quetta Longitude s	30 11 57 29	67 2 58 87	
Calcutta Latitude s. ,,	22 32 54 67	88 23 55 95	*Vide* page 90.— ₂ of Synoptical Vol XII.
Reduction to Longitude s	+ 0 32	+ 0 33	The Longitude s. is 32 75 feet north and 31 375 feet east of the Latitude s., *vide* page (8)
Calcutta Longitude s.	22 32 54 99	88 23 56 28	
Waltair, Narsing Rao's House	17 43 29 75	83 21 29 71	Fixed by special triangulation (*vide Tables A* and *B*)
Reduction to Longitude s.	− 0 44	+ 0 99	The Longitude s. is 44 25 feet south and 95 50 feet east of Narsing Rao s House, *vide* page (8)
Waltair Longitude s	17 43 29 31	83 21 30 70	
Bolarum P W.D Office s	17 30 11 21	78 13 38 47	Fixed by special triangulation (*vide Tables A* and *B*)
Reduction to Longitude s.	+ 2 20	− 0 17	The Longitude s. is 221 63 feet north and 16 394 feet west of P W.D Office s , *vide* page (8)
Bolarum Longitude s	17 30 13 41	78 13 38 30	
Fyzabad Longitude s	26 46 40 66	82 10 35 33	*Vide* page (19) of Vol : X

APPENDIX.

No. 2.

ON RETARDATION

The transmission of electrical signals along a telegraphic wire, though of enormous velocity, is not absolutely instantaneous, and hence it follows that the value of an arc of longitude will differ, according as it is determined by the transmission of clock signals from east to west, or from west to east, in other words, if the true value of the arc is ΔL, ρ the time of transmission in either direction (assumed to be equal in both cases), ΔL_E and ΔL_W the values of the arc as determined by the east and west clocks respectively, then

$$\Delta L = \tfrac{1}{2} \{\Delta L_E + \rho + \Delta L_W - \rho\} = \tfrac{1}{2} (\Delta L_E + \Delta L_W) \quad \text{and} \quad \rho = \tfrac{1}{2} (\Delta L_W - \Delta L_E)$$

Hence a value of ρ may be obtained from each arc measured, and an attempt is here made to deduce from these values a law for the velocity of the transmission of the signals

In the following list the arcs are given in order of their lengths   The first column contains the date of measurement, the second, the names of the terminal stations   Column 3 contains the distances as measured along the telegraph lines, column 5, the actual retardations as deduced from the formula $\rho = \tfrac{1}{2} (\Delta L_W - \Delta L_E)$ Column 4 will be explained below

List of Longitude Arcs, showing the Distances by Telegraph Route, and the Theoretical and Observed Retardation on each

Year of Measurement	Name of Arc	Distance in miles	Retardation in seconds of time by		REMARKS
			Prussian Formula	Observation	
1875-76	Bangalore-Bellary	187	003	025	
1883-84	Akyab-Chittagong	195	003	036	
1887-88	Madras-Bangalore	216	003	054	
1875 76	Bolarum-Bellary	231	003	009	
1885 86	Amritsar-Mooltan	240	004	027	
1865-86	Dehra Dun-Amritsar	275	004	036	
1883-86	Dehra Dun-Agra	280	004	042	
1863-84	Prome-Akyab	282	004	042	
1882-83	Fyzabad-Agra	285	004	053	Viâ Lucknow and Cawnpore

List of Longitude Arcs, showing Distances by Telegraph Route, and the Theoretical and Observed
Retardation on each—(Continued)

Year of Measurement	Name of Arc	Distance in miles	Retardation in seconds of time by		Remarks
			Prussian Formula	Observation	
1889-90	Agra–Kalianpur	290	005	033 }	By special line made to Sironj now dismantled.
1889-90	Jubbulpore–Kalianpur	296	005	048 }	
1882-68	Jalpaiguri–Calcutta	305	005	045	
1875-76	Madras–Bellary	305	005	023	*Vid* Madras Railway to Guntakal and thence to Bellary by Mysore State Railway
1885-86	Amritsar–Peshawar ..	310	005	047	
1882-83	Chittagong–Calcutta	351	006	061	*Vid* Dacca.
1883-84	Moulmein–Prome	363	006	023	
1880-81	Bombay–Deesa ..	410	007	042	
1880-81	Deesa–Kurrachee	425	007	064	
1887-88	Bellary–Mangalore ..	425	007	061	
1885-86	Agra–Amritsar	435	007	028	*Vid* Ghazabad
1891-92	Waltair–Bolarum	444	007	107	
1882-83	Fyzabad–Jubbulpore	454	008	052	
1867-88	Madras–Mangalore	454	008	058	
1875-76	Madras–Bolarum ..	465	008	021	*Vid* Bezvada.
1880-81	Agra–Deesa	475	008	051	
1887-89	Nagarkoil–Mangalore	475	008	042	
1880-81	Jubbulpore–Agra	476	008	070	
1883-84	Prome–Chittagong	477	008	048	
1885-86	Peshawar–Mooltan	486	008	067	
1891-92	Bolarum–Bombay .	487	008	086	
1891-92	Waltair–Madras	490	008	104	
1867-88	Madras–Nagarkoil	493	008	058	*Vid* East Coast
1875-76	Bellary–Bombay	519	009	032	
1891-92	Fyzabad–Dehra Dun .	530	009	083	*Vid* Meerut, Deoband and Roorkee
1882-83	Calcutta–Fyzabad	533	009	067	
1889-90	Mooltan–Quetta	535	009	049	
1883-84	Akyab–Calcutta	546	009	063	
1889-90	Kurrachee–Quetta	548	009	078	
1889-90	Kalianpur Bombay	607	011	086	By special line to Sironj now dismantled.
1885-86	Mooltan–Kurrachee ..	610	011	062	
1880-81	Jubbulpore–Bombay	628	011	091	
1883-84	Moulmein–Akyab	645	011	038	
1882-83	Chittagong–Julpaiguri	656	012	113	*Vid* Dacca and Calcutta.
1885-86	Agra–Mooltan	675	013	070	*Vid* Lahore.
1891-92	Calcutta–Waltair	690	013	113	
1887-88	Bangalore–Nagarkoil	710	013	075	*Vid* Madras and East Coast
1882-83	Calcutta–Jubbulpore	726	014	083	*Vid* Barhi and Allahabad
1882-83	Jalpaiguri–Fyzabad	838	016	124	*Vid* Calcutta, Barhi and Benares.
1880-81	Bombay–Kurrachee	840	016	105	*Vid* Deesa and Hyderabad.
1885-86	Deesa–Mooltan ..	840	016	052	
1889-90	Agra–Kurrachee	900	018	135	
1887-88	Mangalore–Bombay ..	945	019	093	
1880-81	Jubbulpore–Deesa ..	950	019	061	*Vid* Allahabad and Agra.
1880-81	Jubbulpore–Bolarum	1115 .	024	119	*Vid* Bombay
1891-92	Waltair–Jubbulpore	1176	026	191	*Vid* Raniganj, Barhi and Allahabad.

There is little doubt that armature-time plays an important part in the retardations shown in column 5, and a term to represent it must be introduced in any formula employed for their investigation. It obviously does not depend on the length of the line, but on the adjustment of the chronograph-relays, the strength of the current, and other similar

causes: but as no record exists giving any details of these, it must necessarily be represented in the formula by a constant. In practice the relays were always so adjusted as to be easily moveable by a very weak current, with a view to reduce the armature-time as much as possible

The velocity of transmission of an electric signal along a wire is represented by Prussian geodesists by the formula

$$t = 000,012,9\ m + 000,000,008\ m^2$$

t is measured in seconds, and m is the length of the arc in miles, and column 4 in the above table contains the values of the retardations as computed thereby This formula is probably a purely empirical one, based on actual experiments, and is hardly likely to represent the true state of things, except for reasonably short distances of 1000 miles and under; for the presence of m^2 in the formula evidently presupposes a constant slackening in the speed of transmission as the distance increases, as may be easily shown from the following considerations —

$$t = 000,012,9\ m + 000,000,008\ m^2 \text{ for the distance } m$$

and $$t' = 000,012,9\ (m + 1) + 000,000,008\ (m + 1)^2 \text{ for the distance } (m + 1)$$

Hence the time of traversing 1 mile after having traversed m miles is

$$t' - t = 000,012,9 + 000,000,008 + 2m \times 000,000,008$$

and as m becomes very large the first two terms may be neglected and therefore

$$t' - t = m \times 000,000,016$$

Hence it is evident that as m increases $t' - t$ increases, or in other words the velocity decreases, a brief calculation on this basis will show that after traversing $62\frac{1}{2}$ millions of miles, the velocity is reduced to one mile per second This however is obviously of little importance, if the formula represents the time of signal transmission within practical distances

In the following discussion it will be seen that a formula which includes only the first power of the distance represents the observed retardations very nearly as well as one which, like the Prussian formula, recognises also the square of the distance It will be more convenient if 100 miles instead of 1 mile be taken as the unit of measurement and the Prussian formula then becomes $t = 001,29\ l + 000,08\ l^2$, l being the distance thus expressed

Let us first trace out a formula which involves the square of the distance, and for this purpose assume that the time of signal-transmission may be represented by the formula

$$\rho = r + lx + l^2y$$

where r is the relay or armature-time, and x and y are constants to be determined from the observations

Each arc in the above list furnishes an equation of this form, but to simplify the arithmetical solution they are collected into groups for each hundred miles of distance, thus for all distances from 150 miles to 250 miles the value of l is 2, for those from 250 to 350, l is 3, and so on, the equations then become

$$r + 2x + 2^2y = 030 \text{ being the mean of a group of } 5 \text{ arcs}$$
$$r + 3x + 3^2y = 045 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 9 \text{ ,,}$$
$$r + 4x + 4^2y = 055 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 7 \text{ ,,}$$
$$r + 5x + 5^2y = 061 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 17 \text{ ,,}$$
$$r + 6x + 6^2y = 069 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 4 \text{ ,,}$$
$$r + 7x + 7^2y = 091 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 5 \text{ ,,}$$
$$r + 8x + 8^2y = 094 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 8 \text{ ,,}$$
$$r + 9x + 9^2y = 113 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 2 \text{ ,,}$$
$$r + 10x + 10^2y = 081 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 1 \text{ ,,}$$
$$r + 11x + 11^2y = 119 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 1 \text{ ,,}$$
$$r + 12x + 12^2y = 191 \quad \text{,,} \quad \text{,,} \quad \text{,,} \quad 1 \text{ ,,}$$

This group must now be solved on the principle that the values found for r, s, and y, when substituted in the equations produce residuals, the sum of whose squares is to be a minimum, each equation being weighted according to the number of arcs on which it is based.

The solution of these presents no difficulty; when treated by the well-known method applicable to such cases they give rise to the three following normal equations, viz —

$$55 r + 284 s + 1746 y = 3.607$$
$$284 r + 1746 s + 12488 y = 21.782$$
$$1746 r + 12488 s + 101202 y = 154.918$$

from which by the ordinary processes of elimination the following values are obtained

$$r = .023$$
$$s = .00537$$
$$y = .00047$$

giving as a formula for expressing the time of signal-transmission

$$*\rho = .023 + .00537 \times l + .00047 \times l^2 \qquad (1)$$

Now if a formula be assumed based only on the first power of the distance we get, by omitting y, in the above schedule the two normal equations

$$55 r + 284 s = 3.607$$
$$284 r + 1746 s = 21.782$$

which give by elimination the following values

$$r = .007$$
$$s = .01129$$

these differ considerably from the former values, but they represent, by means of the equation

$$*\rho = .007 + .01129 \times l \qquad (2)$$

the actual values of retardation nearly if not quite as well   The computed values of retardation as compared with the actual ones are as follows in the two systems —

By 1st formula	By 2nd formula	Actual
s	s	s
0.036	0.030	0.030
.043	.041	.045
.052	.052	.055
.062	.063	.061
.071	.075	.069
.084	.086	.091
.096	.097	.094
.109	.109	.113
.124	.120	.081
.139	.131	.119
.155	.142	.191

The last three arcs are very discordant in both systems, but this is partly accounted for by the last arc being the only one in the whole system, on which, owing to its great length, an intermediate relay was necessary, and partly by the actual values being based on one arc only   The first formula gives for the rate of transmission of the signal about 4000 miles per second, and the second formula about 8800, that given by the Prussian formula being about 10,800   In the experimental arc measured at Dehra Dun where $l = .01$ it was found that ρ or $r = .015$, it is probably only a chance coincidence that this is exactly the mean of the values of r given by the 1st and 2nd formulæ.

The observed values of retardation immensely exceed those given by the Prussian formula in every case, but as no details are at hand as to the thickness, insulation, or material of the wires, or the strength of battery employed in deducing it, no conclusion as to the reason of the discrepancy can be drawn

In this formula 100 miles is the unit of the measurement l, and ρ is measured in seconds of time.

CRANE CRANE

by

R. HANDY PARIS.

PLATE II

PLATE V

CHART

Showing the Arc of Longitude measured with the help of the Electric Telegraph.

The value of the arc are those obtained prior to the Simultaneous Reduction

The figures in brackets are the reference numbers of the Arcs

Scale of Miles.

Maulmein

Prome

Akyab

Chittagong

Jalpaiguri

CALCUTTA

Fyzabad

Jubbulpore

Vizagapatam

MADRAS

Bangalore

Bellary

Mangalore

Negapatam

BOMBAY

Deesa

Kalleanpur

Agra

Debra Dun

Amritsar

Peshawur

Mooltan

Quetta

Hurreeanee

PLATE VI

CHART

Showing the Arcs of Longitude & Latitude of the Geodetic Value in red
and the mean of Astronomical triangulation over the reduced Astronomical Value

Scale of Mile

Engraved at the office of the Survey of India office. Calcutta, November 1895

PLATE VII

MOOLTAN CONNECTION
Fig 1.
Scale 1 Inch — 1 Mile

Mooltan City Dome

Mooltan Fort Dome

Mooltan Longitude
Mooltan Telegraph Office

PESHAWAR CONNECTION
Fig 3
Scale 1 Inch — 8 Miles

Peshawar Telegraph Office
Peshawar Longitude

Peshawar Ghor Khatri

Pir Sabak h

Jalala Tur h

AMRITSAR CONNECTION
Fig 2
Scale 2½ Inches — 1 Mile

Rambagh

Amritsar Ghagar Mal's House

Amritsar Longitude

Amritsar Hall Gateway

Amritsar Govindgarh Fort

Amritsar Minaret

DEHRA DUN CONNECTION
Fig 4
Scale 200 Feet — 1 Inch

Boundary Wall

Dehra Dun Dome Observatory

Dehra Dun Longitude

Gate

Haig Observatory

EXPLANATION OF SYMBOLS USED ON THIS PLATE

T.S signifies Tower Station (Principal)
h s.   Hill Station (Secondary).
  •   Station (Secondary, in the plains)

Engraved at the Survey of India Office. Calcutta, March, 1893

NAGARKOIL CONNECTION.
Fig. 5
Scale 1 Inch = 4 Miles

PLATE VIII

QUETTA CONNECTION
Fig 6
Scale 1 Inch = 4 Miles

WALTAIR CONNECTION
Fig 7
Scale 1 Inch = 1 Mile

BOLARUM CONNECTION
Fig 8
Scale 1 Inch = 4 Miles

EXPLANATION OF SYMBOLS USED ON THIS PLATE

H S signifies Hill Station   (Principal)
S   Station (Principal in the plains)
h.   Hill Station   (Secondary)
               Station (Secondary in the plain)

An Account of the Measurement of an Arc of the meridian between the parallels of 18° 8′ and 24° 7′, being a continuation of the Grand Meridional Arc of India as detailed by the late Lieutenant-Colonel Lambton in the Volumes of the Asiatic Society of Calcutta. By Captain George Everest, of the Bengal Artillery, F R S, &c. London, 1830 (*Out of print*).

An Account of the Measurement of two Sections of the Meridional Arc of India, bounded by the parallels 18° 3′ 5″, 24° 7′ 11″, and 29° 30′ 18″ By Lieutenant-Colonel Everest, F R S., &c, late Surveyor General of India, and his Assistants London, 1847. (*Out of print*)

Account of the Operations of the Great Trigonometrical Survey of India.
Price Rupees 10-8 per volume

| Volume | I. | The Standards of Measure and the Base-Lines, also an Introductory Account of the early Operations of the Survey, during the period of 1800-1830. By Colonel J T Walker, R E, F R S, &c, &c,' Superintendent of the Survey Dehra Dún, 1870 |

Do. II History and General Description of the Principal, Triangulation and of its Reduction By Colonel J T Walker, C B, R E, F R S, &c., &c, Surveyor General of India and Superintendent of the Survey, and his Assistants' Dehra Dún, 1879

Do. III The Principal Triangulation, the Base-Line Figures, the Karáchi Longitudinal, N W Himalaya, and the Great Indus Series of the North-West Quadrilateral By Colonel J T Walker, R E, F R S, &c, &c, Superintendent of the Survey, and his Assistants Dehra Dún, 1873

Do IV The Principal Triangulation, the Great Arc (Section 24°-30°), Rahún, Gurhágarh and Jogí-Tíla Meridional Series, and the Sutlej Series of the North-West Quadrilateral By Colonel J T Walker, R E, F R S, &c, &c, Superintendent of the Survey, and his Assistants Dehra Dún, 1876.

Do IVA. The Principal Triangulation of the North-West Quadrilateral, including the Reduction and Details of the Jodhpore and Eastern Sind Meridional Series. Prepared in the Office of the Trigonometrical Branch, Survey of India, Colonel C T Haig, R E, Offg Deputy Surveyor General, in charge, and published under the orders of Colonel G. C DePrée, S C, Surveyor General of India. Dehra Dún, 1886

Do. V. Details of the Pendulum Operations by Captains J. P. Basevi, R, E, and W J Heaviside, R E, and of their Reduction. Prepared under the directions of Major-General J T Walker, C B, R E, F.R.S, &c., &c, Surveyor General of India and Superintendent of the Trigonometrical Survey Dehra Dún and Calcutta, 1879.

Do. VI. The Principal Triangulation of the South-East Quadrilateral, including the Great Arc—Section 18° to 24°, the East Coast Series, the Calcutta and the Bider Longitudinal Series, the Jabalpur and the Biláspur Meridional Series, and the Details of their Simultaneous Reduction Prepared under the directions of Major-General J T Walker, C B., R E, F R S, &c, &c, Surveyor General of India and Superintendent of the Trigonometrical Survey. Dehra Dún, 1880.

Do. VII. General Description of the Principal Triangulation of the North-East Quadrilateral, including the Simultaneous Reduction and the Details of five of the component Series, the North-East Longitudinal, the Budhon Meridional, the Rangir Meridional, the Amua Meridional, and the Karára Meridional Prepared under the directions of Lieutenant-General J T Walker, C B, R E, F R S, &c., &c, Surveyor General of India and Superintendent of the Trigonometrical Survey Dehra Dún, 1882.

No copies available at the Trigonometrical Branch Office, Dehra Dún.

An Account of the Measurement of an Arc of the meridian between the parallels of 18° 3 and 24 7 being a continuation of the Grand Meridional Arc of India as detailed by the late Lieutenant Colonel Lambton in the Volumes of the Asiatic Society of Calcutta By Captain George Everest of the Bengal Artillery F R S &c London 1830 *(Out of print)*

An Account of the Measurement of two Sections of the Meridional Arc of India, bounded by the parallels 18° 3 0 24° 7 11 and 29° 30 18 By Lieutenant Colonel Everest F R S &c late Surveyor General of India and his Assistants London, 1847 *(Out of print)*

Account of the Operations of the Great Trigonometrical Survey of India
Price Rupees 10 8 per volume

Volume	I	The Standards of Measure and the Base Lines also an Introductory Account of the early Operations of the Survey during the period of 1800 1830 By Colonel J L Walker R E I R S &c &c Superintendent of the Survey Dehra Dun 1870
Do	II	History and General Description of the Principal Triangulation and of its Reduction By Colonel J L Walker C B R I I R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun, 1879
Do	III	The Principal Triangulation the Base Line Figures the Karachi Longitudinal N W Himalaya and the Great Indus Series of the North West Quadrilateral By Colonel J T Walker R I I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1873
Do	IV	The Principal Triangulation the Great Arc (Section 24 30) Rahun Gurha garh and Jogi lila Meridional Series and the Sutlej Series of the North West Quadrilateral By Colonel J T Walker R I I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1876
Do	IVA	The Principal Triangulation of the North West Quadrilateral including the Reduction and Details of the Jodhpore and Eastern Sind Meridional Series Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C L Haig R E Offg Deputy Surveyor General in charge and published under the orders of Colonel G C DePree S L Surveyor General of India Dehra Dun 1886
Do	V	Details of the Pendulum Operations by Captains J P Basevi R L and W J Heaviside R E and of their Reduction Prepared under the directions of Major General J T Walker C B R I F R S &c &c Surveyor General of India and Superintendent of the Trigonometrical Survey Dehra Dun and Calcutta, 1879
Do	VI	The Principal Triangulation of the South East Quadrilateral including the Great Arc—Section 18 to 24° the East Coast Series the Calcutta and the Bider Longitudinal Series the Jabalpur and the Bilaspur Meridional Series, and the Details of their Simultaneous Reduction Prepared under the directions of Major General J T Walker C I R E F R S &c &c Surveyor General of India and Superintendent of the Trigonometrical Survey Dehra Dun 1880
Do	VII	General Description of the Principal Triangulation of the North East Quadrilateral including the Simultaneous Reduction and the Details of five of the component Series the North East Longitudinal the Budhon Meridional, the Rangir Meridional the Amua Meridional and the Karara Meridional Prepared under the directions of Lieutenant General J T Walker C B R L F R S &c &c Surveyor General of India and Superintendent of the Trigonometrical Survey Dehra Dun, 1882

---

* No copies available at the Trigonometrical Branch Office Dehra Dun

Account of the Operations of the Great Trigonometrical Survey of India—(*Continued*)

Volume VIII   Details of the Principal Triangulation of eleven of the component Series of the North East Quadrilateral, including the following Series the Gur wini Meridional the Gora Meridional, the Hurilaong Meridional, the Chendwar Meridional the North Puasnath Meridional, the North Malun cha Meridional the Calcutta Meridional the East Calcutta Longitudinal, the Brahmaputra Meridional the Eastern Frontier—Section 23 to 26 and the Assam Longitudinal Prepared under the directions of Lieut General J T Walker C B R I I R S &c &c Surveyor General of India and Superintendent of the Trigonometrical Survey   Dehra Dun 1882

Do   IX   Electro Telegraphic Longitude Operations executed during the years 1875 77 and 1880 81 by Lieut Colonel W M Campbell R E and Major W J Heaviside R I Prepared under the directions of Lieut General J T Walker C B R I I R S &c &c Surveyor General of India and Superintendent of the Trigono metrical Survey   Dehra Dun 1883

Do   X   Electro Telegraphic Longitude Operations executed during the years 1881 82, 1882 83 and 1883 84 by Major G Strahan R E and Major W J Heaviside R E Prepared under the directions of Colonel C T Haig R I Deputy Surveyor General Trigonometrical Branch and published under the orders of Lieut Colonel H R Thuillier R L Surveyor General of India   Dehra Dun 1887

Do   XI   Astronomical Observations for Latitude made during the period 1805 to 1885 with a General Description of the Operations and Final Results Pre pared under the directions of Lieut Colonel G Strahan R I Deputy Surveyor General Trigonometrical Branch and published under the orders of Colonel H R Thuillier R I Surveyor General of India   Dehra Dun 1890

Do   XII   General Description of the Principal Triangulation of the Southern Tri gon including the Simultaneous Reduction and the Details of two of the component Series the Great Arc Meridional—Section 8 to 18 and the Bombay Longitudinal Prepared under the directions of Lieut Colonel G Strahan R I Deputy Surveyor General Trigonometrical Branch and published under the orders of Colonel H R Thuillier R I Surveyor General of India   Dehra Dun 1890

Do   XIII   Details of the Principal Triangulation of five of the component Series of the Southern Trigon including the following Series the South Konkan Coast the Mangalore Meridional the Madras Meridional and Coast the South I ast Coast and the Madras Longitudinal Prepared under the directions of Lieut Colonel G Strahan R I Deputy Surveyor General Trigonometrical Branch and publi hed under the orders of Colonel H R Thuillier R L Surveyor General of India   Dehra Dun 1890

Do   XIV   General Description of the Principal Triangulation of the South West Quadrilateral including the Simultaneous Reduction and the Details of its component Series Prepared under the directions of W H Cole sq M A Offg Deputy Surveyor General Trigonometrical Branch and published under the orders of Colonel H R Thuillier R E Surveyor General of India   Dehra Dun, 1890

Do   XV   Electro Telegraphic Longitude Operations executed during the years 1885 86 1887 88 1889 90 and 1891 92 and the Revised Results of Arcs contained in Volumes IX and X also the Simultaneous Reduction and the Final Results of the whole of the Operations Prepared under the directions of Colonel G Strahan R L Deputy Surveyor General Trigonometrical Branch and publi hed under the orders of Colonel H R Thuillier R E Surveyor General of India Dehra Dun, 1893

Synopses of the Results of the Great Trigonometrical Survey of India, comprising Descriptions Co ordinates &c of the Principal and Secondary Stations and other Fixed Points of the Several Series of Triangles *Price Rupees 2 per volume*

Volume	I	The Great Indus Series or Series D of the North West Quadrilateral By Colonel J T Walker R I I R S &c , &c Superintendent of the Survey and his Assistants Dehra Dun 1874
Do	II	The Great Arc—Section 21 to 30 or Series A of the North West Quadrilateral By Colonel J T Walker R L I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1871
Do	III	The Karachi Longitudinal Series or Series B of the North West Quadrilateral By Colonel J T Walker R I I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1874
Do	IV	The Gurhagarh Meridional Series or Series F of the North West Quadrilateral By Colonel J T Walker R I I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1873
Do	V	The Rahun Meridional Series or Series E of the North West Quadrilateral By Colonel J T Walker R I I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1875
Do	VI	The Jogi Tila Meridional Series or Series G and the Sutlej Series or Series H of the North West Quadrilateral By Colonel J T Walker R I I R S &c &c Superintendent of the Survey and his Assistants Dehra Dun 1875
Do	VII	The North West Himalaya Series or Series C of the North West Quadrilateral, and the Triangulation of the Kashmir Survey By Majo General J T Walker C B R I F R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun 1879
Do	VII A	The Jodhpore Meridional Series and the Eastern Sind Meridional Series of the North West Quadrilateral Prepared in the Office of the Trigonometrical Branch Survey of India Colonel G L Hug R I Deputy Surveyor General in charge and published under the orders of Colonel H R Thuillier R L Surveyor General of India Dehra Dun 1887
Do	VIII	The Great Arc—Section 18 to 21 or Series A of the South-East Quadrilateral By Colonel J T Walker C B R I I R S &c, &c Superintendent of the Survey and his Assistants Dehra Dun 1878
Do	IX	The Jubalpur Meridional Series or Series E of the South East Quadrilateral By Colonel J T Walker C B R I I R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun 1878
Do	X	The Bider Longitudinal Series or Series D of the South East Quadrilateral By Major General J T Walker C B R I I R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun 1880
Do	XI	The Bilaspur Meridional Series or Series F of the South East Quadrilateral By Major General J T Walker C B R I F R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun 1880
Do	XII	The Calcutta Longitudinal Series or Series B of the South East Quadrilateral By Major General J T Walker C B R I I R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun 1880
Do	XIII	The East Coast Series, or Series C of the South East Quadrilateral By Major General J T Walker C B R F F R S &c &c Surveyor General of India and Superintendent of the Survey and his Assistants Dehra Dun 1880
Do	XIII A	The South Parasnath Meridional Series and the South Maluncha Meridional Series of the South East Quadrilateral Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C T Hug R F Offg Deputy Surveyor General in charge and published under the orders of Colonel G C DePree S C , Surveyor General of India Dehra Dun, 1885

Volume XIV The Budhon Meridional Series or Series *J* of the North East Quadrilateral
By Lieutenant General J T Walker C B R I I R S &c &c Surveyor General
of India and Superintendent of the Survey and his Assistants   Dehra Dun, 1883

Do   XV   The Rangir Meridional Series or Series *K* of the North East Quadrilateral
By Lieutenant General J T Walker C B R I I R S &c &c Surveyor General
of India and Superintendent of the Survey and his Assistants   Dehra Dun 1883

Do   XVI The Amua Meridional Series or Series *L* and the Karara Meridional Series
or Series *M* of the North East Quadrilateral   By Lieutenant General J T
Walker C B / R I   I R S &c &c Surveyor General of India and Superintendent
of the Survey and his Assistants   Dehra Dun 1883

Do   XVII The Gurwani Meridional Series or Series *N* and the Gora Meridional Series
or Series *O* of the North East Quadrilateral   By Lieutenant General J T
Walker C B R I   I R S &c &c Surveyor General of India and Superintendent
of the Survey and his Assistants   Dehra Dun 1883

Do XVIII The Hurilion, Meridional Series or Series *P* and the Chendwar Meridional
Series or Series *Q* of the North East Quadrilateral   By Lieutenant General
J T Walker C B R I I R S &c &c Surveyor General of India and Superin-
tendent of the Survey and his Assistants   Dehra Dun 1883

Do   XIX The North Pursnath Meridional Series or Series *R* and the North Maluncha
Meridional Series or Series *S* of the North East Quadrilateral   Prepared
by J B N Hennessey I sq M A I R S &c &c Offg Deputy Surveyor General
in charge of Trigonometrical Surveys and his Assistants and published under the
orders of Colonel G C DePree S C Offg Surveyor General of India   Dehra
Dun 1883

Do   XX   The Calcutta Meridional Series or Series *I* and the Brahmaputra Meridional
Series or Series *V* of the North East Quadrilateral   Prepared by J B N
Hennessey I sq M A I R S &c &c Offg Deputy Surveyor General in charge of
Trigonometrical Surveys and his Assistant and published under the orders of Colonel
G C DePree S C Offg Surveyor General of India   Dehra Dun 1883

Do   XXI The East Calcutta Longitudinal Series or Series *U* and the Eastern Frontier
Series—Section 23 to 26 or Series *H* of the North East Quadrilateral
Prepared by J B N Hennessey I sq M A I R S &c &c Offg Deputy Surveyor
General in charge of Trigonometrical Surveys and his Assistants and published
under the orders of Colonel G C DePree S C Offg Surveyor General of India
Dehra Dun 1883

Do   XXII The Assam Valley Triangulation I of Meridian 92 emanating from the
Assam Longitudinal Series or Series *T* of the North East Quadrilateral
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel
C Strahan R I Deputy Surveyor General in charge and published under the orders
of Colonel H R Thuillier R I Surveyor General of India   *Preliminary Issue*
Dehra Dun 1891

Do XXIII The South Konkan Coast Series or Series *C* of the Southern Trigon   Prepared
in the Office of the Trigonometrical Branch Survey of India Colonel C Strahan R E
Deputy Surveyor General in charge and published under the orders of Colonel
H R Thuillier R I Surveyor General of India   Dehra Dun 1891

Do XXIV The Mangore Meridional Series or Series *D* of the Southern Trigon
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel G
Strahan R I Deputy Surveyor General in charge and published under the orders
of Colonel H R Thuillier R I Surveyor General of India   Dehra Dun 1891

Do   XXV The South East Coast Series or Series *E* of the Southern Trigon   Prepared
in the Office of the Trigonometrical Branch Survey of India Colonel C Strahan R E
Deputy Surveyor General in charge and published under the orders of Colonel
H R Thuillier R E Surveyor General of India   Dehra Dun, 1891

Synopses of the Results of the G T Survey of India, &c —(*Continued*)

Volume XXVI The Bombay Longitudinal Series or Series *B* of the Southern Trigon
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C
Strahan R I Deputy Surveyor General in charge and published under the orders of
Colonel H R Thuiller R I Surveyor General of India, Dehra Dun, 1892

Do XXVII The Madras Longitudinal Series or Series *G* of the Southern Trigon
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C
Strahan R L Deputy Surveyor General in charge and published under the orders of
Colonel H R Thuiller R L Surveyor General of India Dehra Dun 1892

Do XXVIII The Madras Meridional and Coast Series or Series *E* of the Southern Trigon
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C
Strahan R I Deputy Surveyor General in charge and published under the orders of
Colonel H R Thuiller R I Surveyor General of India Dehra Dun 1892

Do XXIX The Great Arc—Section 8 to 18 or Series *1* of the Southern Trigon *(in press)*

Do XXX The Abu Meridional Series or Series *I* and the Gujarat Longitudinal Series
or Series *A* of the South West Quadrilateral Prepared in the Office of the
Trigonometrical Branch Survey of India Colonel C Strahan R I Deputy Surveyor
General in charge and published under the orders of Colonel H R Thuiller R I
Surveyor General of India Dehra Dun 1892

Do XXXI The Khanpisura Meridional Series or Series *G* of the South West Quadrilateral
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C
Strahan R I Deputy Surveyor General in charge and published under the orders of
Colonel H R Thuiller R I Surveyor General of India Dehra Dun 1893

Do XXXII The Singi Meridional Series or Series *H* of the South West Quadrilateral
Prepared in the Office of the Trigonometrical Branch Survey of India Colonel C
Strahan R I Deputy Surveyor General in charge and published under the orders of
Colonel H R Thuiller R L Surveyor General of India Dehra Dun, 1893

Spirit Levelling Operations of the Great Trigonometrical Survey of India
Price Rupee 1 per volume

Heights in Sind the Punjab, N W Provinces, and Central India to May 1862 Calcutta
1863

Do in N W Provinces and Bengal to May 1865 Roorkee 1866

Do in the Punjab and N W Provinces, Season 1866 67, Sections I to IV Dehra Dun,
1869

Do in the N W Provinces and Oudh, Seasons 1867 69 Sections V and VI Dehra
Dun, 1869

Do from Lucknow *via* Goruckpore &c to Dildernuggur G T Survey Bench mark
near Ghazeepore Seasons 1868 70, Section VII Dehra Dun 1871

Do from Goruckpore *via* Bettiah &c, to G T Survey Bench mark near Parsurman
Season 1870 71 Section VIII Dehra Dun 1872

Do from G T Survey Bench mark near Parsurman to G T Survey Bench mark at
Pipanti Railway Station and from G I Survey Bench mark at Pumiah
Church to N I End of Sonakhodi Base Line, Season 1871 72 Section IX
Dehra Dun, 1873

Spirit Levelling Operations of the Great Trigonometrical Survey of India — *(Continued)*

Heights in Cutch Kattywar Guzerat, Thana and Bombay districts, **No 1 Bombay Presi**
dency Seasons 1874 78   Dehra Dun 1879

Do   in Cuttack Balasore Midnapore Howrah 24 Pergunnahs the Sundarbans **and**
Hooghly districts of Bengal Seasons 1851 83   Dehra Dun, 1884

Do   in the Thana Nasik and Khandesh districts of Bombay and in Dhar Dewas
Gwalior Bhopal and Tonk Native States of the Central India Agency   No 4
Bombay Presidency and Central India Agency, Seasons 1877 78 and 1881 84
Dehra Dun 1885

Do   in the Bombay Presidency and Nizam s Dominions, Nos 2 and 3 (Revised Edition),
Seasons 1877 80   Dehra Dun 1886

Do   in the Madras Presidency No 1 Seasons 1869 85   Dehra Dun 1886

Do   in the Madras Presidency No 2 Season 1885 86   Dehra Dun 1887

Do   in the Madras Presidency No 3 Season 1886 87   Dehra Dun 1888

Do   in the Madras Presidency No 4 Season 1887 88   Dehra Dun 1889

Do   in the Madras Presidency No 5 Season 1888 89   Dehra Dun 1890

Do   in the Madras Presidency No 6 Seasons 1888 89 and 1889 90   Dehra Dun, 1891

Do   in the Bombay Presidency No 5 Season 1889 90   Dehra Dun, 1891

Do   in the Bombay Presidency No 6 Season 1890 91   Dehra Dun 1892

Do   in the Bombay Presidency Hyderabad Assigned Districts and Central Provinces,
No 7, Seasons 1890 91 92   Dehra Dun, 1893

Auxiliary Tables to facilitate the Calculations of the Survey of India   *Third Edition*
Revised and extended under the direction of Lieut Colonel H R Thuillier R I   Surveyor
General of India by Colonel C T Hug, R E Deputy Surveyor General in charge of the Trigo
nometrical Branch of the Survey of India   Dehra Dun, 1887   *Price Rupees 2*

Hand book of Professional Instructions for the Topographical Branch, Survey of India De
partment   Prepared by Colonel C Strahan R I Deputy Surveyor General Trigonometrical
Branch under the direction of Colonel H R Thuillier R E Surveyor General of India   Dehra
Dun, 1891   *Price Rupees 2-6*

Hand book of Professional Instructions for the Trigonometrical Branch, Survey of India De
partment   Prepared by Colonel C Strahan R F, Deputy Surveyor General Trigonometrical
Branch under the direction of Colonel H R Thuillier, R E Surveyor General of India   Dehra
Dun, 1891   *Price Rupees 6*

April, 1893